

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

June 11, 2015

WELL WORK PLUGGING PERMIT

Plugging

This permit, API Well Number: 47-8702101, issued to TRIAD HUNTER, LLC, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. The above named operator will also file, as required in WV Code 22-6-23, an affidavit on form WR-38 by two experienced persons in the operator's employment and the Oil and Gas inspector that the work authorized under this permit was performed and a description given. Failure to abide by all statutory and regulatory provisions governing all duties and operations here under may result in suspensions or revocation of this permit and in addition may result in civil and/or criminal penalities being imposed upon the operator.

This permit will expire in two (2) years from date of issue. If there are any questions, please free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: O. D. STOCKLEY 180

Farm Name: STOCKLEY, O. D.

API Well Number: 47-8702101

Permit Type: Plugging
Date Issued: 06/11/2015

Promoting a healthy environment.

PERMIT CONDITIONS 4708702101

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

2101

WW-4A Revised 6-07

1) Date:	1/20/2015	
2) Operator	's Well Number	
O.D. Stockley # 18	30	
		•

087

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE 0F APPLICATION TO PLUG AND ABANDON A WELL

3) API Well No.: 47 -

4) S	Surface Own	er(s) to be served:	5)	(a) Coal Operator		
(8	a) Name	Triad Hunter, LLC		Name	N/A	
A	ddress	125 Putnam Street		Address		
		Marietta, Ohio 45750				
20.0	o) Name				er(s) with Declaration	n,
A	ddress			Name	N/A	
				Address		
(0) Name			Name		
A	ddress			Address		
6) In:	spector	Ed Gainer		(c) Coal Lesse	ee with Declaration	
	ddress	P.O. Box 821		— Name	N/A	
		Spencer, WV 25276		Address		
$T\epsilon$	elephone	(304) 389-7582				
	Take notice accompanyin Protection, v the Applicat	u are not required to take an that under Chapter 22-6 of ng documents for a permit t with respect to the well at the	ny action at all. the West Virginia Coc o plug and abandon a ne location described on mailed by registered	de, the undersigned well op well with the Chief of the Control on the attached Application for certified mail or delive	erator proposes to file or has f Office of Oil and Gas, West Vi and depicted on the attached	filed this Notice and Application and irginia Department of Environmental Form WW-6. Copies of this Notice, named above (or by publication in
			Well Operator	Triad Hunter, LLC		
			By:	Rocky Roberts	a In	-A
			Its:	Senior V.P. Appalachian	Operations	7
			Address	125 Putnam Street	17 P. 200 P.	2-
				Marietta, Ohio 45750	04	" HECEIVED
			Telephone	(740) 374-2940	- OII	fice of Oil and Gas
МуС	cribed and commission		s 22 rd d	ay of Janu	2013	MAR 1 6 2015

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at deprivacyoffier@wv.gov.

WW-4B Rev. 2/01

1) Date	e Janua	ary 20		201	5
2) Ope.	rator	's			
Wel	l No.	O.D. Sto	ockley # 180		-
3)API	Well	No.	47-087	- 2101	P

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

	APPLICATION FOR A PERM	MIT TO PLUG AND ABANDON
4)	Well Type: Oil/ Gas/ Liquid	d injection X / Waste disposal //
	(If "Gas, Production or Und	derground storage) Deep/ Shallow
5)	Location: Elevation 994'GL	Watershed Granny's Creek
	District Geary	County Roane Quadrangle Newton
61	Triad Hunter LLC	Kim Arnold
6)	Well Operator Address Triad Hunter, LLC 125 Putnam Street	7) Designated Agent Kim Arnold Address P.O. Box 154
	Marietta, Ohio 45750	Waverly, WV 26184
	Marietta, Onio 43730	waverry, ww 20104
8)	Oil and Gas Inspector to be notified	9) Plugging Contractor
	Name Ed Gainer	Name N/A
	Address P.O. Box 821	Address
	Spencer, WV 25276	
	Work Order: The work order for the mans 150' - 200' Bottom hole plug in 4 1/2" 100' - Cut plug (4.5" csg.) Estimated cell 100' - Elevation plug @ 1025'. 100' - Surface casing plug @ 250'. 150' - Surface plug in 8 5/8" casing. Note! 1. All cement plugs - Class A cell 2. Gel spacers between all cent 3. No coal seams reported. Elect momune to WAP:	casing. Across personnent top @ 1463'. ement. nent plugs.
		MAR 1 6 2015
Not. wor	ification must be given to the district of k can commence.	il and gas inspector 24WWDepartment of Environmental Protection
Wor	k order approved by inspector	Date 3/9/15

Rotary_X

Oil_



STATE OF WEST VIRGINIA DEPARTMENT OF MINES

Oil and Gas Division

WELL RECORD

Quadrangle Newton 7.5				Recycling	Comb
Permit No. Roa-2101					X Storage
				Disposal	(Kind)
Company Pennzoil Company			<u> </u>		
Address P. O. Box 1588, Parkersby	rg.WV 261	LO1 Casing and	Used in	Left	Cement fill up
Farm O. D. Stockly Ac		Tubing	Drilling	in Well	Cu. ft. (Sks.)
Location (waters) Granny's Creek			1	 	
Well No. 180 El		Size			
District Geary County Re	nane	20-16 Cond.	1	1 1	
The surface of tract is owned in fee by		13-10"			
William Pearson		9 5/8	 		
Address Clay, WV 25043		8 5/8	224	224	125 sks.
Mineral rights are owned by Mr. Wm. Had	k,Agt.	7	224	224	123 888.
Address City Bank, N.A.,		5 1/2	 		
Drilling Commenced 7-2-78 New		4 1/2	1959	1959	100 sks.
Drilling Completed 7-7-78		3	1,559	1939	TOO SKS.
Initial open flowcu. ft	bbls	2			
Final productioncu. ft. per day _		Liners Used			
Well openhrs. before test_	RP				
Well treatment details:	u .	Attach copy of	comenting soc	3	
Fractured 11-9-78 w/149BW,	1000# 207/0	ed 250 col	159 UCT	ora.	
Water Injection Well	•				
water injection well			······································		
	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·			
					
					
Coal was encountered at	P				
Fresh water Fee	reet	6.1.1	Inche		
Producing Sand Squaw	žt	Salt V	Vater	DECENT	Feet
		Deptr	Offic	UECEIVE	D
			l Conc	e or this au	d Gas
Formation Color Hard or Soft	Top Feet	Bottom Feet	Oil, Gas or	MXX 6 201	Remarks
Court C Cl 1		 		WAR 1 0 ZU	5
Sand & Shale Sand	0	94	W/V	Donorton -	
Shale	94	126	Environ	Departme	nt of
Sand	126	200		mental Pro	otection
Shale	200 216	216			
Shaley Sand	228	228 344			
Shale	344	404			
Shaley Sand	404	426			
Sand	426	458			
Shale	458	486			
Sand	486	500			
Shale	500	567			
Sand	567	580			
Shale	580	602			
Sand	602	622			
Sha le Sand	622	648			
Shale	648	682			
Sand	682	690			06/12/2015
Shale	690	702			
Sand	702 708	708			
Shale	708 716	716 728			
Sand	718 728	750			
Shale	750	730			

(over)

^{*} Indicates Electric Log tops in the remarks section.

		4		4/00/0210
Formation Color	Hard or Soft	Top Feet	Bottom Feet	Oil, Gas or Water * Remarks
Shaley Sand Shale Shaley Sand Shale Shaley Sand Shale Shaley Sand Sand Shale Shaley Sand Sand Shaley Sand Sand Shale Little Lime Pencil Cave Big Lime Loyalhanna Keener Shale Squaw Shale Total Depth Plug Back Depth		774 846 898 914 972 1042 1152 1216 1272 1280 1302 1392 1420 1460 1492 1582 1704 1732 1758 1800 1864 1902 1932	846 898 914 972 1042 1152 1216 1272 1280 1302 1392 1420 1460 1492 1582 1704 1732 1758 1800 1864 1902 1932 1950 1965 1965	
				RECEIVED Office of Oil and Gas MAR 1 6 2015 WV Department of Environmental Potential

Would 2 hape

APPROVED Pennzoil Company Owner

By butter Recon

(Title) Eng. Dept.

WW-9 Rev. 5/08 API Number 47 - 087 - 2101 P
Operator's Well No. O.D. Stockley # 180

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS


CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM
GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

Operator Name Triad Hunter, LLC	ERMIT TOR OIL AND C	OP Code 494	
Watershed Granny's Creek	Qua	drangle Newton	
	County Roane	District_ G	eary
Description of anticipated Pit Waste: Oil,	saltwater, and fresh	water	
Will a synthetic liner be used in the pit?"	No Pit"		
Reuse (at API N Off Site Disppos	n ection (UIC Permit Numb Jumber ral (Supply form WW-9 for	er disposal location) ank and hauled to Ovapa In)
Proposed Work For Which Pit Will Be Use Drilling Workover Other (Explain_	d: 	_ Swabbing _ Plugging	
on August 1, 2005, by the Office of Oil and provisions of the permit are enforceable by law or regulation can lead to enforcement at a light certify under penalty of law the application form and all attachments the obtaining the information, I believe that penalties for submitting false information. Company Official Signature	I Gas of the West Virginia I y law. Violations of any teletion. at I have personally examineto and that, based on not the information is true, acticulating the possibility of	Department of Environmenta from or condition of the gene med and am familiar with my inquiry of those individ curate, and complete. I ar	the information submitted on this uals immediately responsible for
Company Official (Typed Name) Rock	y Roberts		RECEIVED
Company Official Title Senior V.P	² . Appalachian C	perations	Office of Oil and Gas
Subscribed and sworn before me this 2	and day of Jan	Notory F	MAR 1 6 2015 NVV Department of invironmental Protection
My commission expires	2-29-16	LE Ca	

Operator's Well No. O.D. Stockley # 180

4708702101

		LEGEND	1 5 5 5 5 km 1 0
Property Boundary		Diversion (()(()())	
Rond = = .= = = =	= = = =	Spring -	
Existing Fence — X — >	(— × —	Wet Spot	
Planned Fence / /	_ / _	Drain Pipe with size in inc	ches
Stream	~	Waterway 😝 🧲	$\rightarrow \hookrightarrow \hookrightarrow \hookrightarrow$
Open Ditch —————	-··· ->:>	Cross Drain 7777	
Rock 635666		Artificial Filter Strip	××××××××××××××××××××××××××××××××××××××
North N		Pit: cut walls	3
Buildings		Pit: compacted fill walls	Francis
Water wells W		Area for Land Application	n of Pit Waste
Drill site		•	
Proposed Revegetation Treatment: 4	Acres Disturbed one (1) Prevegetati	on pH _5.5
_{Lime} Two (2)	ons/acre or to correct to pH	6.5	
Fertilizer (10-20-20 or equi			
(50 balos)		s/acre (500 lbs minimum)	
Mulch_(50 bales)	2.5 _{Tons/a}	acre	
	See	ed Mixtures	
Area I			Area II
	bs/acre	Seed Type	lbs/acre
Orchard Grass	30%		
Rye (Annual & BT)	35%		
Timothy (Climax)	25%		
Clover (Med. Red)	10%		
Attach: Drawing(s) of road, location,pit and	proposed area for land app	plication.	
Photocopied section of involved 7.5'	topographic sheet.		
		<u></u>	
Plan Approved by:			RECEIVED
			Office of Oil and Gas
Comments:			MAR 1 6 2015
Title: Inspecto	<u> </u>	Date: 3 7/1	WV Department of Environmental Protection
			1
Field Reviewed? () Yes () No	







West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LOCATION FORM: GPS

API: 47-087-02101	
FARM NAME: O.D. Stockley	
RESPONSIBLE PARTY NAME: Triad Hu	nter, LLC
COUNTY: Roane	DISTRICT: Geary
QUADRANGLE: Newton	
SURFACE OWNER: Triad Hunter, LL	.C
ROYALTY OWNER: BIACK Stone 1	Minerals LLP
UTM GPS NORTHING: 4267416	
UTM GPS EASTING: 486702	GPS ELEVATION: 998
The Responsible Party named above has chosen to preparing a new well location plat for a plugging p above well. The Office of Oil and Gas will not accept the following requirements: 1. Datum: NAD 1983, Zone: 17 North, Conheight above mean sea level (MSL) – modern and the properties of the propertie	ermit or assigned API number on the ept GPS coordinates that do not meet oordinate Units: meters, Altitude: eters.
Real-Time Differentian Mapping Grade GPS X : Post Processed Differentian Processed Differen	al X
	15D
4. Letter size copy of the topography mand the undersigned, hereby certify this data is correct belief and shows all the information required by law prescribed by the Office of Oil and Gas. Signature	ap showing the well location.

Operator:	TRIAD HUNTER, LLC
API:	8702101
WELL No:	O. D. STOCKLEY 180
Reviewed by	: GCS Date: 59/19

CHECKLIST FOR FILING A PERMIT

Plugging

	WW-4B
1	Inspector signature on WW-4B
1	Completion / Well Records of Previous Work
	WW-4A (Notarized)
NA	WW-4A (Notarized) Certified Mail Receipts, Waivers, or Affidavits of Personal Service Triad Surface
	Surface Owner Waiver
	Coal Owner / Lessee /Operator Waiver
	WW-9 (Page 1) (Notarized)
	Inspector Signature on WW-9 (Optional)
	Topographic Map of location of well
	WW-7
	OR
	Mylar Plat (Surface owner on plat matches WW-4A)
-	Bond
2	Company is Registered with the SOS
	Worker's Compensation / Unemployment Insurance account is OK
/	\$100.00 check (\$0.00 if no pit)