

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Austin Caperton, Cabinet Secretary www.dep.wv.gov

Wednesday, April 04, 2018 WELL WORK PERMIT Vertical / Plugging

STATUS OIL WELL, INC. 6320 OWENBY COURT

CHARLOTTE, NC 282700000

Re:

Permit approval for 1 47-087-02478-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

Operator's Well Number: 1

Farm Name: DAUGHERTY, H. A.

U.S. WELL NUMBER: 47-087-02478-00-00

Vertical Plugging

Date Issued: 4/4/2018

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

04/6/2018

WW-4B Rev. 2/01

1) Date March 1	, 2018
2) Operator's	
Well No. H.A. Daugherty#	1
3) API Well No. 47-08	7 - 02478

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

APPLICATION FOR A PERMIT TO PLUG AND ABANDON

4)		ALL TO FLOG AND ABANDON
7/	Well Type: Oil X / Gas/ Liquid	d injection/ Waste disposal/ derground storage) Deep/ Shallow_X
	01 01.	delground Storage/ Deep/ Sharrow_X_
5)	Location: Elevation 1030	Watershed Laurel Fork
	District Smithfield	County Roane Quadrangle Looneyville
6)	Well Operator Status Oil Well, Inc.	7) Designated Agent Richard Hardison
0 /	Address 6320 Owenby Court	Address 6 Wildacre Road
	Charlotte, NC	Charleston, WV 25314
8)	Oil and Gas Inspector to be notified Name Joe Taylor 304-380-7469	
	Name Joe Laylor 364- 380 - 7469 Address 1478 Claylick Road	Name R and R Well Service Address 42 Lynch Ridge
	Ripley, WV 25271	Walton, WV 25286
10)	Work Order: The work order for the mann	ner of plugging this well is as follows.
	Run tubing in the hole to T.D. @ 2,07	
		g from the well WOC 4 HRS. \$ TAG BOTTON HOLE RUG. ADD CEMENT
		Q off ora
	Pull the 6 5/8" casing from the well, R	
	Cement from 1,900' to 1,800', 1,200'	to 1,100', Pull the tubing from the hole
	Pull the 8 1/4" casing from the well, R	un tubing in the well to 950'
	Cement from 950' to 850', 400' to 300'	', Pull the tubing from the hole
	Pull the 10" from the hole, run tubing i	
	Cement from 100' to surface, Erect a	monument w/API attached
A	IF CASING CANNOT BE PULLED, PERFORM	ATE CASING SUCH AS TO ALLOW FOR
	A CEMENT PLUG ACROSS ELEVATION (1020") AND ACROSS FRESH WATER ZONE (265) gon
		il and gas inspector 24 hours before permitted
WOL	c can commence.	2 20-18
Me	and an annual business (3-30-18 Date
WOL	c order approved by inspector	Date

47-087-024788

ERIAL NO FAR LEVATION EASE NO. 61745		s. 51-		WE	w. 40
SMITHIEL SMITHFIELD	1 COUNT	Roan	7/=/7/		. Va.
SANDS	Тор	Воттом	ELEV. TOP	JE	CASING
PGH. COAL OR BIG LIME	1937	2037		170	265
Gas	2003			81	902
Oil & Water	2028			68	1953
Keener	2037	2049			
Injun	2049	2073			
				PACKER	S AND DEPTH SET
ITIAL PROD. 3 Bbl.		SAND	Big Lime	DEPTH	2028
SHOT 1/10/14 QUARTS 30			Injun or Injun	_	2053-2073

ELEVATION	LEASE N	51-	2 MAP No	w	40
FARM H.A. Daugh	erty		ACRES 300	WELL	77
WATERS OF POCE !	River				
DISTRICT Smithfi	eld_county_	Roane .	STATE_	W.	Va.
DRILLING COMMENCED	9/3/20	_COMPLETED_	12/20/20	DEPT	гн 2175
SANDS	Тор	Воттом	ELEV. TOP	The state of the s	CASING
Big Lime	2020	2039		10	205
Injun	2150	2160		87	927
Gas	2153	2160		68	2038
				PACKER	AND DEPTH SET
INITIAL PROD.		SAND	D	EPTH	
GASTEST 30/10 W	211		Injun		2153-2160
NO	ARTS				
REMARKS					

501

WW-4A Revised 6-07

1) Date: 3/1/	2018			
2) Operator's Well H.A. Daugherty # 1	l Number			
3) API Well No.: 4'	7 - 087	_	02478	6

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

	mer(s) to be served:	5) (a)	Coal Operator		
(a) Name	Roger Adams	W/	Name	None	
Address	P.O. Box 51		Address	-	
2.37	Looneyville, WV 25259				
(b) Name				ner(s) with Declaration	on
Address			Name	None	
	-		Address		
() 37					
(c) Name			Name		
Address			Address		
6) Inspector	Joe Taylor		(c) Coal Less	see with Declaration	
Address	1478 Claylick Road	701	Name	None	
	Ripley, WV	Sulf	Address		
Telephone	(304) 380-7469				
The reason However, y Take notice accompany Protection, the Applica	ou are not required to take a e that under Chapter 22-6 of ring documents for a permit with respect to the well at the	nts is that you have rights ny action at all. The West Virginia Code, the to plug and abandon a well the location described on the n mailed by registered or	regarding the applica he undersigned well of with the Chief of the attached Application certified mail or deliv	perator proposes to file or has Office of Oil and Gas, West V	filed this Notice and Application and Arginia Department of Environmental Form WW-6. Copies of this Notice, is named above (or by publication in
			tatus Oil Well, Inc.	()/9// 5
		By:	^	50+ Hardis	En Seley & landson
		Address	1263	720000	C1
		Address	periodicina MAY 250 TA	320 OWEAS	NC 28270
		Telephone 4	104) 349-426#	Charlottil	2.139
Subscribed and	sworn before me th		of March		
na	cup Barrier	(/	Notary Public	TRACEY C BARNETT
My Commission	Expires _ \(\mathcal{B}/09\)	12021			Mecklenburg Co., North Carolina
Oil and Gas Prive	nev Notice				My Commission Expires Dec. 4, 2021

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

SURFACE OWNER WAIVER

Operator's Well Number

H.A. Daugherty # 1

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

<u>Comments must be in writing.</u> Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

and Application For A Termit 10 Fing 11	14 1154114011 011 1 012			3.1
I further state that I have no o	bjection to the plan	med wor	k described in these m	naterials, and I have no
objection to a permit being issued on thos FOR EXECUTION BY A NATURAL PE	se materials. RSON		FOR EXECUTION	BY A CORPORATION,
Ilogo & Mano	Date_3/29//2	Name	,	
Signature	Date 2 Jacque	By Its		Date
		163	Signature	04/6/2018

API Number	47 - 0	087	_02478	P	
Operator's We	ell No.	14A.	Daushe	cty	#1

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Status Oil Well, Inc.	OP Code 309993
Watershed (HUC 10)_Laurel Fork	Quadrangle Looneyville
Do you anticipate using more than 5,000 bbls of water to co Will a pit be used? Yes No	
If so, please describe anticipated pit waste:	
Will a synthetic liner be used in the pit? Yes	
Proposed Disposal Method For Treated Pit Wastes	
Underground Injection (UIC Per Reuse (at API Number Off Site Disposal (Supply form V	wide a completed form WW-9-GPP) rmit Number 200392210 WW-9 for disposal location) plected in a steel tank and hauled to disposal
Will closed loop systembe used? If so, describe: NA	
Drilling medium anticipated for this well (vertical and horization)	ontal)? Air, freshwater, oil based, etc. NA
	NA .
Additives to be used in drilling medium?NA	
Drill cuttings disposal method? Leave in pit, landfill, remov	ed offsite, etc. NA
	be used? (cement, lime, sawdust) NA
Permittee shall provide written notice to the Office of Oil an	d Gas of any load of drill cuttings or associated waste rejected at any led within 24 hours of rejection and the permittee shall also disclose
on April 1, 2016, by the Office of Oil and Gas of the West provisions of the permit are enforceable by law. Violations of or regulation can lead to enforcement action. I certify under penalty of law that I have personal application form and all attachments thereto and that, based of the information, I believe that the information is true, accurately submitting false information, including the possibility of fine	.21
Company Official Signature Relation	ardyon
Company Official (Typed Name) 2	obert Hardison
Company Official Title Prest Do	ardyon Distribution
Subscribed and swom before me this 26 day of	March 2018
My commission expires 12/04/2021	TRACEY C BARNETT Notary Publicatory Public Mecklenburg Co., North Carolina My Commission Expires Dec. 4, 2021
,	04/6/201

Proposed Revegetation Treatment: Acres Disturbed	;		Preveg etation	_{n pH} 6.5
Lime 2 Tons/acre or to corre	ct to pH 6	3.5		
Fertilizer type 10-10-10				
Fertilizer amount 500	lbs/a	acre		
Mulch 2	Tons/acr	re		
	Seed N	<u>Mixtures</u>		
Temporary			Per	manent
Seed Type lbs/acre		Se	eed Type	lbs/acre
Pasture Mix with no fescue adde	d	Pasture N	ا Aix with	no fescue added

Photocopied section of involved 7.5' topographic sheet	•	211-11-11-11-11-11-11-11-11-11-11-11-11-		
Plan Approved by:	. 1	1	1111	
Comments: No FESCUE seed				
Must weit for good	weed	ther to	move	in and work
	10	1,		
	tyles			
Title: GO6 Inspector		Date: 3-3	30-18	
Field Reviewed? (X)Yes ()No		

WW-9- GPP Rev. 5/16


	Page	of 2	•
API Number 47 -	087	- 02478	
Operator's Well No	o. H.A.	Dougherty	#1

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS GROUNDWATER PROTECTION PLAN

Op	ator Name: Status Oil Well, Inc.
	rshed (HUC 10): Laurel Fork Quad: Looneyville
	Name:
1.	List the procedures used for the treatment and discharge of fluids. Include a list of all operations that could contaminate the
	groundwater.
2.	Describe procedures and equipment used to protect groundwater quality from the list of potential contaminant sources above
3.	List the closest water body, distance to closest water body, and distance from closest Well Head Protection Area to the lischarge area.
4.	Summarize all activities at your facility that are already regulated for groundwater protection.

5. Discuss any existing groundwater quality data for your facility or an adjacent property.

WW-9- GPP Rev. 5/16	Page 2 of 2 API Number 47 - 087 - 02478 Operator's Well No. H.A. Deusherty # 1
6. Provide a statement that no waste material will b	e used for deicing or fill material on the property.
7. Describe the groundwater protection instruction provide direction on how to prevent groundwate	and training to be provided to the employees. Job procedures shall or contamination.
8. Provide provisions and frequency for inspection	s of all GPP elements and equipment.
Signature:	_
Date:	




WW-7 8-30-06



West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LOCATION FORM: GPS

API: 47-087-02478	WELL NO.: H.A. Daugherty # 1	
FARM NAME: Roger Adams		
RESPONSIBLE PARTY NAME: Status	oil Well, Inc.	
county: Roane	DISTRICT: Smithfield	
QUADRANGLE: Looneyville		
surface owner: Roger Adams		
ROYALTY OWNER: Roger Adams	3	
UTM GPS NORTHING: 4,282,123 (N.	AD 83)	
UTM GPS EASTING: 472,564 (NAD 8	33) _{GPS ELEVATION:} 305m	
The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements: 1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) – meters. 2. Accuracy to Datum – 3.05 meters 3. Data Collection Method: Survey grade GPS: Post Processed Differential		
Real-Time Differe	ential	
Mapping Grade GPS X: Post Processed		
Real-Time Diff		
4. Letter size copy of the topography I the undersigned, hereby certify this data is con- belief and shows all the information required by prescribed by the Office of Oil and Gas.	rect to the best of my knowledge and	
Signature	Title Date	
	Date	



11/10/2016

Plugging Permit

PLUGGING PERMIT CHECKLIST

V	WW-4B
V	WW-4B signed by inspector
V	WW-4A
	SURFACE OWNER WAIVER or PROOF THAT APPLICATION WAS SENT BY REGISTERED OR CERITFIED MAIL
	COAL OWNER/COAL OPERATOR/COAL LESSEE WAIVERS or PROOF THAT APPLICATION WAS SENT BY REGISTERED OR CERTIFIED MAIL
	WW-9 PAGE 1 (NOTARIZED)
	WW-9 PAGE 2 with attached drawing of road, location, pit and proposed area for land application
	WW-9 GPP PAGE 1 and 2 if well effluent will be land applied
	RECENT MYLAR PLAT OR WW-7
	WELL RECORDS/COMPLETION REPORT
	TOPOGRAPHIC MAP OF WELL, SHOWING PIT IF PIT IS USED
V	MUST HAVE VALID BOND IN OPERATOR'S NAME
X	CHECK FOR \$100 IF PIT IS USED