

	PACTOR.					de, de mert h tit		State	County Perm
ILLING CONTI Unknown	RACION.					TE OF WEST VIR			
UIRHOWH			DI	EPART	MENT	OF MINES, OIL A	ND GAS DIVISION	ON	
				OIL A	ND GA	S WELL PERMIT	APPLICATION	134.0 1 11	
					1	•	λ,		
WELL TYPE:									
I OCATION.						Underground sto Watershed:T	race Fork	_/ Deep	Shallow X
LOCATION:		t: H					Roane		Walton 7½'
WELL OPER						county.		AGENT Joe Mo P.O. Box 70	
Address	P.0	. Box	709				Address	P.O. Box 70	9
	Spe	ncer,	W.Va.	252	76			Spencer, W.	Va. 25276
OIL & GAS	WID IED	m 1 1					COAL OPERA	TOR None	
ROYALTY O' Address	WNEK _		Summei				Address	TOR	
Address			lestor				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
Acreage		100					COAL OWNER	R(S) WITH DECLAR	ATION ON RECORD:
SURFACE OV	WNER	Willi	am O.	Ly	nch		Name	None	
Address			th. A				Address		
		Hunti 100	ngtor	1, W	· V ·	<u>257</u> 01	Name		
Acreage FIELD SALE				1.4			Address		
Address	(II WADI	., 10.					7.00.00		,
						14)	COAL LESSEE	WITH DECLARATI	ON ON RECORD:
OIL & GAS II							Name	None	
Name		r H. I					Address		
Address		en Rou							11/15/11
DE CROSER !						Redrill_	/ E	Lette Jac	. 4
PROPOSED V								ture of standate	
		Other phy					w loimation	HIN - 8	1983
						lus Shale		JUIN - C	1000
				11	TICLI	Tuo Dilate			
	1 ab - 6 -		11						
17) Estimated						feet	700	feetOil & GAS	DIVISION
18) Approxim	nate water s	trata deptl	hs: Fresh	, _N	570 200	feet: ss		feetOil & GAS	DIVISION F MINES
18) Approxim	nate water s	trata deptl am depths:	hs: Fresh	No:	570 200	feet; sa feet; sa Is coal l		reetOil & GAS	DIVISION FMNES
18) Approxim	nate water s	trata depti am depths	hs: Fresh	No:	570 200 ne	feet feet; se	being mined in the	area? Yes T.	- MWRZ
18) Approxim	nate water s	trata depti am depths	hs: Fresh	No:	570 200 ne	feet feet se Is coal l	being mined in the	CEMENT FILL UP OR SACKS	DIVISION F M NO EXS PACKERS
18) Approxim 19) Approxim CASING ANI CASING OR TUBING TYPE	nate water s	trata depti am depths	AM CIFICATION	No:	570 200 ne	feet feet; se	being mined in the	arca? Yes	PACKERS
18) Approxim 19) Approxim CASING ANI CASING OR TUBING TYPE Conductor	nate water s nate coal sea	trata depth am depths: PROGRA SPE Grade	AM CIFICATION Weight per ft.	NS New	570 200 ne	feet; seIs coal	being mined in the INTERVALS Left in well	CEMENT FILL UP OR SACKS (Cubic feet)	PACKERS Kinds
18) Approxim 19) Approxim CASING ANI CASING OR TUBING TYPE Conductor Fresh water	nate water s nate coal sea D TUBING	trata depth am depths: PROGRA SPE Grade	AM CIFICATION Weight	No:	570 200 ne	feet feet se Is coal l	being mined in the	CEMENT FILL UP OR SACKS	PACKERS Kinds By Rule 15-0
18) Approxim 19) Approxim CASING ANI CASING OR TUBING TYPE Conductor Fresh water Coal	nate water s nate coal sea	PROGRA SPE Grade H-40	AM CIFICATION Weight per ft.	NS New	570 200 ne	feet; se	being mined in the INTERVALS Left in well	CEMENT FILL UP OR SACKS (Cubic feet)	PACKERS Kinds
18) Approxim 19) Approxim CASING ANI CASING OR TUBING TYPE Conductor Fresh water Coal	nate water s nate coal sea	trata depth am depths: PROGRA SPE Grade	AM CIFICATION Weight per ft. 32.3	No.	570 200 ne	feet; seIs coal	being mined in the INTERVALS Left in well	CEMENT FILLUP OR SACKS (Cubic feet) To surface	PACKERS Kinds By Rule 15-0
18) Approxim 19) Approxim CASING ANI CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production	nate water s nate coal sea D TUBING Size 9 5/8	PROGRA SPE Grade H-40 J-55	AM CIFICATION Weight per ft. 32.3	NS New X	570 200 ne	feet feet; se Is coal f	being mined in the INTERVALS Left in well 300'	CEMENT FILL UP OR SACKS (Cubic feet) To surface To surface	PACKERS Kinds By Rule 15-0 Sizes
18) Approxim 19) Approxim CASING ANI CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production fubing	nate water s nate coal sea D TUBING Size 9 5/8	PROGRA SPE Grade H-40 J-55	AM CIFICATION Weight per ft. 32.3	NS New X	570 200 ne	feet feet; se Is coal f	being mined in the INTERVALS Left in well 300'	CEMENT FILL UP OR SACKS (Cubic feet) To surface To surface	PACKERS Kinds By Rule 15-0 Sizes
18) Approxim 19) Approxim CASING ANI CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production fubing	nate water s nate coal sea D TUBING Size 9 5/8	PROGRA SPE Grade H-40 J-55	AM CIFICATION Weight per ft. 32.3	NS New X	570 200 ne	feet feet; se Is coal f	being mined in the INTERVALS Left in well 300'	CEMENT FILL UP OR SACKS (Cubic feet) To surface To surface	PACKERS Kinds Sizes Depths set
18) Approxim 19) Approxim CASING ANI CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production fubing	nate water s nate coal sea D TUBING Size 9 5/8	PROGRA SPE Grade H-40 J-55	AM CIFICATION Weight per ft. 32.3	NS New X	570 200 ne	feet feet; se Is coal f	being mined in the INTERVALS Left in well 300'	CEMENT FILL UP OR SACKS (Cubic feet) To surface To surface	PACKERS Kinds By Rule 15-0 Sizes Depths set
18) Approxim 19) Approxim CASING ANI CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production fubing Liners	Size 9 5/8	PROGRAGIAN SPE Grade H-40 J-55 J-55	AM CIFICATION Weight per ft. 32.3	NS New X	570 200 ne	feet feet; se Is coal f	being mined in the INTERVALS Left in well 300'	CEMENT FILL UP OR SACKS (Cubic feet) To surface To surface	PACKERS Kinds By Rule 15-0 Sizes Depths set
18) Approxim 19) Approxim CASING ANI CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production fubing Liners EXTRACTION	Size 9 5/8 7 4½	PROGRAGIAN SPE Grade H-40 J-55 J-55	AM CCIFICATION Weight per ft. 32.3 10.5	NS New X	570 200 ne	feet feet; se Is coal f	being mined in the INTERVALS Left in well 300'	CEMENT FILL UP OR SACKS (Cubic feet) To surface To surface	PACKERS Kinds By Rule 15-0 Sizes Depths set
18) Approxim 19) Approxim CASING ANI CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production fubing Liners EXTRACTION Check and pro-	Size 9 5/8 7 4½ N RIGHTS Divide one o	FROGRA SPE Grade H-40 J-55 J-55 f the folloo	AM CCIFICATION Weight per ft. 32.3 23. 10.5	No.	570 200 ne	feet feet; se Is coal f	being mined in the INTERVALS Left in well 300 2,200 5,700	CEMENT FILL UP OR SACKS (Cubic feet) To surface To surface As needed	PACKERS Kinds Sizes Depths set Perforations: Top Bottom
18) Approxim 19) Approxim CASING ANI CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production fubing Liners EXTRACTION Check and pro	Size 9 5/8 7 4½ N RIGHTS ovide one od is the lear	FROGRA SPE Grade H-40 J-55 J-55 If the follose or lease	AM CCIFICATION Weight per ft. 32.3 10.5	No.	570 200 ne	feet feet; se Is coal f	being mined in the INTERVALS Left in well 300' 2,200' 5,700'	CEMENT FILL UP OR SACKS (Cubic feet) To surface To surface	PACKERS Kinds Sizes Depths set Perforations: Top Bottom
18) Approxim 19) Approxim CASING ANI CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production fubing Liners EXTRACTION Check and pro	Size 9 5/8 7 4½ N RIGHTS ovide one od is the lear quirement of the coal search and the coal search are the coal search and the coal search are the coal search and the coal search are	Grade H-40 J-55 J-55 if the follose or lease of Code 22	AM CCIFICATION Weight per ft. 32.3 10.5	No.	570 200 ne	feet feet; se Is coal f	being mined in the INTERVALS Left in well 300' 2,200' 5,700'	CEMENT FILL UP OR SACKS (Cubic feet) To surface To surface As needed	PACKERS Kinds Sizes Depths set Perforations: Top Bottom
18) Approxim 19) Approxim CASING ANI CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production fubing Liners EXTRACTION Check and proceed of the production Included the production The req ROYALTY PI	Size 9 5/8 7 4½ N RIGHTS ovide one od is the lear quirement or ROVISION	Grade H-40 J-55 J-55 f the follose or lease of Code 22	AM CIFICATION Weight per ft. 32.3 10.5 wing: s or other 4-1-(c) (1)	No. New X X X contin through	570 200 ne	FOOTAGE For drilling 300 2,200 5,700 tract or contracts by (See reverse side for	being mined in the INTERVALS Left in well 300' 2,200' 5,700' y which I hold the specifics.)	CEMENT FILL UP OR SACKS (Cubic feet) To surface As needed	PACKERS Kinds Sizes Depths set Perforations: Top Bottom
18) Approxim 19) Approxim 19) Approxim CASING ANI CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production fubing Liners EXTRACTION Check and proceed in the requestion Included the requestion Included the requestion of the reques	Size 9 5/8 7 4½ N RIGHTS ovide one of is the lead quirement of ROVISION extract, pro	FROGRA Grade H-40 J-55 J-55 f the follose or lease of Code 22 S duce or many control of the code 22 S duce or many control of the code 22	AM CCIFICATION Weight per ft. 32.3 10.5 wwing: s or other 4-1-(c) (1) arket the c	No. New X X X X contin) throughil or ga	Used Used Used Used Used Used Used Used	FOOTAGE For drilling 300 2,200 5,700 stract or contracts by (See reverse side for upon a lease or other	being mined in the INTERVALS Left in well 300 2,200 5,700 y which I hold the specifics.)	CEMENT FILL UP OR SACKS (Cubic feet) To surface To surface As needed	PACKERS Kinds Sizes Depths set Perforations: Top Bottom gas.
18) Approxim 19) Approxim 19) Approxim CASING ANI CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production fubing Liners EXTRACTION Check and proceed or included or incl	Size 9 5/8 7 4½ N RIGHTS ovide one od is the leasuirement of ROVISION extract, pro one for comparketed?	FROGRA Grade H-40 J-55 J-55 If the follouse or lease of Code 22 Suduce or management of the person of the pe	AM CCIFICATION Weight per ft. 32.3 10.5 wing: s or other 4-1-(c) (1) arket the co	No. New X X X X contin) throughout or gas where of	Used Used Used Used Used Used Used Used	FOOTAGE For drilling 300 2,200 5,700 stract or contracts by (See reverse side for or gas in place whice	being mined in the INTERVALS Left in well 300' 2,200' 5,700' y which I hold the specifics.) continuing contrach is not inherently	CEMENT FILL UP OR SACKS (Cubic feet) To surface To surface As needed right to extract oil or ct or contracts providing related to the volume	PACKERS Kinds Sizes Depths set Perforations: Top Bottom gas.
18) Approxim 19) Approxim 19) Approxim CASING ANI CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production fubing Liners EXTRACTION Check and proceed in the right to estimilar provision produced or in the answer above	Size 9 5/8 7 4½ N RIGHTS ovide one of dist he lead quirement of ROVISION extract, profon for comparketed? e is No, no	FROGRA Grade H-40 J-55 J-55 If the follouse or lease of Code 22 Suduce or management of the second of the se	AM CCIFICATION Weight per ft. 32.3 10.5 wing: s or other 4-1-(c) (1) arket the co	No. New X X X X contin) throughout or gas where of	Used Used Used Used Used Used Used Used	FOOTAGE For drilling 300 2,200 5,700 stract or contracts by (See reverse side for upon a lease or other	being mined in the INTERVALS Left in well 300' 2,200' 5,700' y which I hold the specifics.) continuing contrach is not inherently	CEMENT FILL UP OR SACKS (Cubic feet) To surface To surface As needed right to extract oil or ct or contracts providing related to the volume	PACKERS Kinds Sizes Depths set Perforations: Top Bottom gas.
18) Approxim 19) Approxim 19) Approxim CASING ANI CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Tubing Liners EXTRACTION Check and pro Market included The req ROYALTY PR Is the right to e similar provisis produced or m he answer above Required Copi	Size D TUBING Size 9 5/8 7 4½ N RIGHTS Ovide one of disthe leaduirement of ROVISION extract, proon for comparketed? e is No, no ites (See rev.	Trata depths depths: PROGRA SPE Grade H-40 J-55 J-55 f the follows or lease of Code 22 Suduce or mapensation Yes thing additerse side.)	AM CCIFICATION Weight per ft. 32.3 10.5 wing: s or other 4-1-(c) (1) arket the co	No.	Used Used Used Used Used Used Used Used	FOOTAGE For drilling 300 2,200 5,700 Stract or contracts by (See reverse side for upon a lease or other or gas in place which aswer is Yes, you make the set of t	being mined in the INTERVALS Left in well 300' 2,200' 5,700' y which I hold the specifics.) continuing contrach is not inherently ay use Affidavit F	CEMENT FILL UP OR SACKS (Cubic feet) To surface To surface As needed right to extract oil or ct or contracts providing related to the volume form IV-60.	PACKERS Kinds Sizes Depths set Perforations: Top Bottom gas. ag for flat well royalty or a ge of oil or gas so extract
18) Approxim 19) Approxim 19) Approxim CASING ANI CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production fubing Liners EXTRACTION Check and proceed on the coal of the	Size 9 5/8 7 4½ N RIGHTS ovide one of distheleasuirement of ROVISION extract, proton for comparketed? e is No, notices (See revisible of the comparketed).	Grade H-40 J-55 J-55 f the follouse or lease of Code 22 Siduce or management of the side o	AM CCIFICATION Weight per ft. 32.3 10.5 wing: s or other 4-1-(c) (1) arket the co	No.	Used Used Used Used Used Used Used Used	FOOTAGE For drilling 300 2,200 5,700 5,700 tract or contracts by (See reverse side for upon a lease or other or gas in place which aswer is Yes, you make the reclamation plan has the reclamat	being mined in the INTERVALS Left in well 300 2,200 5,700 y which I hold the specifics.) continuing contrach is not inherently ay use Affidavit Fave been mailed b	CEMENT FILL UP OR SACKS (Cubic feet) To surface As needed right to extract oil or ct or contracts providing related to the volume form IV-60.	PACKERS Kinds Sizes Depths set Perforations: Top Bottom gas. ag for flat well royalty or a e of oil or gas so extract
18) Approxim 19) Approxim 19) Approxim CASING ANI CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Tubing Liners EXTRACTION Check and proceed of the company of	Size 9 5/8 7 4½ N RIGHTS ovide one of distheleasuirement of ROVISION extract, proton for comparketed? e is No, notices (See revisible of the comparketed).	Grade H-40 J-55 J-55 f the follouse or lease of Code 22 Siduce or management of the side o	AM CCIFICATION Weight per ft. 32.3 10.5 wing: s or other 4-1-(c) (1) arket the co	No.	Used Used Used Used Used Used Used Used	FOOTAGE For drilling 300 2,200 5,700 5,700 tract or contracts by (See reverse side for upon a lease or other or gas in place which aswer is Yes, you make the reclamation plan has the reclamat	being mined in the INTERVALS Left in well 300 2,200 5,700 y which I hold the specifics.) continuing contrach is not inherently ay use Affidavit Fave been mailed b	CEMENT FILL UP OR SACKS (Cubic feet) To surface As needed right to extract oil or ct or contracts providing related to the volume form IV-60.	PACKERS Kinds Sizes Depths set Perforations: Top Bottom
18) Approxim 19) Approxim 10) CASING OR 10 TUBING TYPE 10 Tubing 10 The req 11 ROYALTY PI 12 Is the right to e 12 similar provisic 13 produced or many the answer above 14 Required Copic Copies of this named coal of Mines at Charles 19 Notary: Approximate the color of the coal of Mines at Charles 10 Notary: Approximate the coal of Mines at Charles 11 Notary: Approximate the coal of Mines at Charles 12 Notary: Approximate the coal of Mines at Charles 13 Notary: Approximate the coal of the c	Size D TUBING Size 9 5/8 7 4½ N RIGHTS Ovide one of distheleast autirement of comparketed? e is No, notices (See revisible (See revisible)) E Permit Apperator, coordieston, Weight autirement of the confidence of the con	FROGRA SPE Grade H-40 J-55 J-55 f the follouse or lease of Code 22 Substituting additional owner(sest Virginia allowers of the control	wing: ss or other 4-1-(c) (1) arket the co to the ov No 🖾 tional is n and the er), and coa a.	No.	Used Used Used Used Used Used Used Used	FOOTAGE For drilling 300 2,200 5,700 5,700 tract or contracts by (See reverse side for upon a lease or other or gas in place which aswer is Yes, you make the reclamation plan has the reclamat	being mined in the INTERVALS Left in well 300 2,200 5,700 y which I hold the specifics.) continuing contrach is not inherently ay use Affidavit Fave been mailed b	CEMENT FILL UP OR SACKS (Cubic feet) To surface As needed right to extract oil or ct or contracts providing related to the volume form IV-60. y registered mail or de ry of this Permit Appli	PACKERS Kinds By Rule Society Sizes Depths set Perforations: Top Bottom gas. ag for flat well royalty or age of oil or gas so extracted by hand to the ablication to the Department
18) Approxim 19) Approxim 10) CASING OR 10 TUBING TYPE 10 Tubing 10 The req 11 ROYALTY PI 12 Is the right to e 12 similar provisic 13 produced or many the answer above 14 Required Copic Copies of this named coal of Mines at Charles 19 Notary: Approximate the color of the coal of Mines at Charles 10 Notary: Approximate the coal of Mines at Charles 11 Notary: Approximate the coal of Mines at Charles 12 Notary: Approximate the coal of Mines at Charles 13 Notary: Approximate the coal of the c	Size D TUBING Size 9 5/8 7 4½ N RIGHTS Ovide one of distheleast autirement of comparketed? e is No, notices (See revisible (See revisible)) E Permit Apperator, coordieston, Weight autirement of the confidence of the con	FROGRA SPE Grade H-40 J-55 J-55 f the follouse or lease of Code 22 Substituting additional owner(sest Virginia allowers of the control	wing: ss or other 4-1-(c) (1) arket the co to the ov No 🖾 tional is n and the er), and coa a.	No.	Used Used Used Used Used Used Used Used	FOOTAGE For drilling 300 2,200 5,700 5,700 tract or contracts by (See reverse side for upon a lease or other or gas in place which aswer is Yes, you make the reclamation plan has the reclamat	being mined in the INTERVALS Left in well 300' 2,200' 5,700' y which I hold the specifics.) continuing contrach is not inherently ay use Affidavit Fave been mailed by mailing or deliver	CEMENT FILL UP OR SACKS (Cubic feet) To surface As needed right to extract oil or ct or contracts providing related to the volume form IV-60. To surface As needed	PACKERS Kinds By Rule Society Sizes Depths set Perforations: Top Bottom gas. ag for flat well royalty or age of oil or gas so extracted by hand to the ablication to the Department
18) Approxim 19) Approxim 19) Approxim CASING ANI CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Tubing Liners EXTRACTION Check and pro Mines at Charles Notary: My Commission	Size D TUBING Size 9 5/8 7 4½ N RIGHTS Ovide one of disthe leadurement of comparketed? e is No, no ites (See revision See (See (See (See (See (See (See (See	grade H-40 J-55 J-55 f the follows or lease of Code 22 So duce or mapensation Yes thing additerse side.) poplication all owner(seest Virginian November 1980)	wing: ss or other 4-1-(c) (1) arket the co to the ov No 🖾 tional is n and the er), and coa a.	No.	Used Used Used Used Used Used Used Used	FOOTAGE For drilling 300 2,200 5,700 5,700 tract or contracts by (See reverse side for upon a lease or other or gas in place which aswer is Yes, you make the day of the lease of the day of the lease or the lease or the day of the lease or the day of the lease or th	being mined in the INTERVALS Left in well 300' 2,200' 5,700' y which I hold the specifics.) continuing contrach is not inherently ay use Affidavit Fave been mailed be mailing or delivered. Signed: Its:	CEMENT FILL UP OR SACKS (Cubic feet) To surface As needed right to extract oil or ct or contracts providing related to the volume form IV-60. y registered mail or dery of this Permit Apple President	PACKERS Kinds By Rule Society Sizes Depths set Perforations: Top Bottom gas. In g for flat well royalty or a set of oil or gas so extracted inversed by hand to the abote the cation to the Department of the second of th
18) Approxim 19) Approxim 19) Approxim CASING ANI CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Tubing Liners EXTRACTION Check and pro Mines at Charles Notary: My Commission	Size D TUBING Size 9 5/8 7 4½ N RIGHTS Ovide one of distheleast autirement of comparketed? e is No, notices (See revisible (See revisible)) E Permit Apperator, coordieston, Weight autirement of the confidence of the con	grade H-40 J-55 J-55 f the follows or lease of Code 22 Suduce or mapensation Yes thing additerse side.) poplication all owner(seest Virginian November 1980)	wing: ss or other 4-1-(c) (1) arket the co to the ov No 🖾 tional is n and the er), and coa a.	No.	Used Used Used Used Used Used Used Used	FOOTAGE For drilling 300 2,200 5,700 5,700 tract or contracts be (See reverse side for or gas in place which one will reclamation plan the efore the day of the open and the contract of the contract of the contract or gas in place which one will reclamation plan the efore the day of the open and the contract of the contract or contracts be (See reverse side for the contract or contracts be (See reverse side for or gas in place which one will be contract or contracts be contracted by the contract of t	being mined in the INTERVALS Left in well 300' 2,200' 5,700' y which I hold the specifics.) continuing contrach is not inherently ay use Affidavit Fave been mailed by mailing or delivery that is mailing or delivery that	CEMENT FILL UP OR SACKS (Cubic feet) To surface As needed right to extract oil or ct or contracts providing related to the volume form IV-60. y registered mail or de ry of this Permit Appli	PACKERS Kinds Sizes Depths set Perforations: Top Bottom gas. ag for flat well royalty or a se of oil or gas so extracted by hand to the abote cation to the Department
18) Approxim 19) Approxim 19) Approxim CASING ANI CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production fubing Liners EXTRACTION Check and pro Included The req ROYALTY PI Is the right to e similar provisis produced or m he answer above Required Copi Copies of this named coal of Mines at Char Notary: My Commission	TUBING Size 9 5/8 7 4½ N RIGHTS ovide one of district, profon for commarketed? e is No, notices (See revisible (See revisible)) e Permit Apperator, confiction, Weight (See revisible) e Expires 1 Expires 1 087-383	grade H-40 J-55 J-55 f the follouse or lease of Code 22 Siduce or management of the polication allowner(sest Virginia November 3	wing: sor other 4-1-(c) (1) arket the coto the ownowing is not the	No. No. New X X X X X X inconting through the conting through through the conting thro	Used Used Used Used Used Used Used Used	FOOTAGE For drilling 300 2,200 5,700 5,700 tract or contracts by (See reverse side for upon a lease or other or gas in place which aswer is Yes, you make the day of the lease of the day of the lease or the lease or the day of the lease or the day of the lease or th	being mined in the INTERVALS Left in well 300' 2,200' 5,700' y which I hold the specifics.) continuing contrach is not inherently ay use Affidavit Fave been mailed by mailing or delivery that is mailing or delivery that	CEMENT FILL UP OR SACKS (Cubic feet) To surface As needed right to extract oil or ct or contracts providing related to the volume form IV-60. y registered mail or dery of this Permit Apple President	PACKERS Kinds By Rule Society Sizes Depths set Perforations: Top Bottom gas. In g for flat well royalty or a set of oil or gas so extract livered by hand to the abotication to the Department of the second

(Refer to No. 10) Prior to the construction of roads, locations and plts for any permitted work. proper district oil and gas inspector 24 hours before actual permitted work has commenced.)

Permit expires

April 10, 1984

unless drilling is commenced.

Permit expires	TIPITI TO	, 1707		unless d	rıl
Bond:	Agent:	Plat:	Casing	958	-

Line Item Explanation

- 1) Date of Application
- 2) Your well name and number
- 3) To be filled out by office of oil & gas
- 4A) "Oil" means natural crude oil or petroleum and other hydrocarbons, regardless of gravity, which are produced at the well in liquid form by ordinary production methods and which are not the result of condensation of gas after it leaves underground reservoirs: "Gas" means all natural gas and all other fluid hydrocarbons not defined as oil
- 4B) "Shallow well" means any well drilled and completed in a formation above the top of the uppermost member of the "Onondaga Group" or a depth less than six thousand feet, whichever is shallower.
 - "Deep well" means any well drilled and completed in a formation at or below the top of the uppermost member of the "Onondaga Group" or at a depth less then six thousand feet, whatever is shallower.
 - Where well is located
 - 6) Before a permit can be issued in a corporation, company partnership, or fictitious name, the name must be registered with the Secretary of State Office
 - 7) Use separate sheet if necessary
 - 8) Present surface owner at time application is filed.
 - 9) Optional
- 11) See Reg. 7.01 relating to code §22-4-1k
- 12) "Coal Operator" means any persons, firm, partnership, partnership association or corporation that proposes to or does operate a coal mine. See Note 24
- 13 & 14) As per §22-4-20; See Note 24
 - Work that will be attempted—A separate Form IV-2 shall not be required for fracturing or stimulating a well where fracturing or stimulating is to be part of the work for which a permit is sought and is noted as such on the Form IV-2 filed in connection therewith.
 - 16) Anticipated formation for which well will be completed
 - 17) Self explanatory
 - 18) Depth to deepest freshwater, and shallowest salt water, taken from nearby wells corrected for differences in elevation
 - 19) All coal seam depths
 - 20) Proposed casing program and cementing refer to Code 22-4-5, 22-4-6, 22-4-7, 22-4-8, 22-4-8a Reg 9.01, 15.01, 15.02, 15.03, 15.04, 25.01, 25.02, 25.03, 25.04
 - 21) Code 22-4-11(c) In lieu of filing the lease or leases or other continuing contract or contracts, the applicant for a permit described herein may file the following:
 - (1)A brief description of the tract of land including the district and county wherein the tract is located;
 - (2) The identification of all parties to all leases or other continuing contractual agreements by which the right to extract, produce or market the oil or gas is claimed;
 - (3) The book and page number wherein each such lease or contract by which the right to extract, produce or market the oil or gas is recorded;
 - (4)A brief description of the royalty provisions of each such lease or contract.
 - 22) Code 22-4-11(d) and 22-4-11(e).
 - Regulation 7.02 of the Department of Mines provides that the original and four copies of Form IV-2 must be filed with the Department, accompanied by (i) a plat in the form prescribed by Regulation 11, (ii) a bond in one of the forms prescribed by Regulation 12, or in lieu thereof the other security allowed by Code §22-4-2, (iii) Form IV-9, "Reclamation Plan", applicable to the reclamation required by Code §22-4-12b and Regulation 23, (iv) unless previously paid on the same well, the fee required by Code §22-4-12a, and (v) if applicable, the consent required by Code §22-4-8a from the owner of any water well or dwelling within 200 feet of the proposed well.
 - 24) The above named coal operator, coal owner(s), and coal lessee are hereby notified that any objection they wish to make or are required to make by Code §22-4-3 must be filed with the Department of Mines within fifteen (15) days after the receipt of this Application by the Department.

	er must be completed by declaration under Code eof.				
	* 4	WAIVER			
.e.	1.0	and the first transfer of the first transfer		00/	15/2023
dded to the mine map. The und	on. If a mine map exists lersigned has no objection	which covers the area note to the work propose	of the well located to be done at	ation, the wel	ll location has been provided, the we
The undersigned coal operator unined this proposed well location added to the mine map. The underperator has complied with all a	on. If a mine map exists lersigned has no objection	which covers the area note to the work propose	of the well located to be done at	ation, the wel	ll location has been provided, the we
mined this proposed well locati added to the mine map. The und	on. If a mine map exists lersigned has no objection applicable requirements	which covers the area note to the work propose	of the well located to be done at	ation, the wel	ll location has been provided, the we

IV-9 (Rev 8-81)




DATE	Sept.	1,	1982	
WELL	NO			

State of Mest Airginia API NO. 47 - 087

Bepartment of Mines Gil und Gas Pivision

CONSTRUCTION AND RECLAMATION PLAN

COMPANY NAME Key Oil. Inc.	DE	SIGNATED A	GENI Joe	McLaughli	n
Address P.O. Box 709 Spencer, W.V.	25276	Address_	P.O. Box 70	9 Spencer	. W.V. 2527
Telephone 927-5490		Telephone	927-5490		
LANDOWNER William Orville Lynch, et. a	al.	SOIL CONS	DISTRICT_	Little K	anawha
Revegetation to be carried out by	Key Oil, 1	Inc.			(Agent)
This plan has been reviewed by L	ittle 1	Kanaw	hoz son.	All corr	ections
and additions become a part of this pla	in: 6				
		(Date)	20		
	Jan	(SCD Age	ent)		
ACCESS ROAD			LOCATIO	N	
Structure Culvert (15")	(A)	Structure	see s	skete	h (1)
Spacing		Material_			*****************
Page Ref. Manual 2-7		Page Ref.	Manual		
Structure	(B)	Structure			(2)
Spacing		Material_			
Page Ref. Manual_		Page Ref.	Manual_		
Structure	(C)	Structure		Manthaus, and a subsession, and annex	(3)
Spacing		Material_			100-rates 4-10-rate (1-4-1-4-1-4-1-4-1-4-1-4-1-4-1-4-1-4-1-4
Page Ref. Manual		Page Ref.	Manual		
All structures should be inspected commercial timber is to be cut and so cut and removed from the site before	tacked and	all brush		timber to	be
			F21 623	JUN -8	1983
F	EVEGETATIO	N .			- u decoM
			Mana a day and	OIL & GAS	MINES
Treatment Area I & II		Lime	Treadienn		
or correct to pH 6.5	.e		rect to pH		Tons/acre
Fertilizer 500 lbs/acre	2	Fertilize	r		lbs/acre
(10-20-20 or equivalent)			(10-20-20	or equiva	lent)
Mulch Silva-fiber Tons/acc	re	Mulch			Tons/acre
Seed* Ky 31 Tall Fescue 20 lbs/acre	3	Seed*			lbs/acre
Flatpea 20 lbs/acre	3				lbs/acre
lbs/acre	2				lbs/acre
*Inoculate all legumes such as vetch Inoculate with 3X recommended amount.	, trefoil	and clover	es with the	proper ba	cterium.
Trocutate with ox recommended amount.			Key Oil, I	nc. 09/1	15/2023
	PILLY PRE	PARED BY_			
NOTES: Please request landowners'		ADDRESS	P.O. Box 7	09	
seedling for one growing season.			Spencer, W	.V. 25276	
Attach separate sheets as necessary for comments.	PS	ONE NO.	927-5490		
		-11			




Apalbas


ATTACH OR PHOTOCOPY SECTION OF INVOLVED TOPOGRAPHIC MAP.
QUADRANGLE MOLLON 2.5.

WEIT SILE PLAN

ketch to include well location, existing access road, roads to be constructed, wellsite, stilling pits and necessary structures numbered or lettered to correspond with the first part of this plan. Include all natural drainage.



Access Road about 50 in Length Road Boade 0%





State of Mest Nirginia

BARTON B. LAY, JR. DIRECTOR

Pepariment of Mines Gil und Cas Phrision Charleston 25305

THEODORE M. STREIT ADMINISTRATOR

February 19. 1985

Key Oil Company P. O. Box 709 Spencer, WV 25276

In Re:	Permit No:	47-087-3833
	Farm:	William O. Lynch
	Well No:	406-3
	District:	Harper
	County:	Roane
	Issued:	8-10-83

Gentlemen:

* *

The FINAL INSPECTION REPORT for the above captioned well has been received in this office. Only the column checked below applies:

The well designated by the above captioned permit number has been released XXXXX under your Blanket Bond. (PERMIT CANCELLED - NEVER DRILLED)

Please return the enclosed cancelled single bond which covered the well designated by the above permit number to the surety company who executed said bond in your behalf, in order that they may give you credit on their records.

Your well record was received and reclamation requirements approved. In accordance with Chapter 22, Article 4, Section 2, the above captioned well will remain under bond coverage for life of the well.

Very truly yours,

Theodore M. Streit, Administrator Dept. Mines-Office of Oil & Gas

B-12

STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION STATUS INSPECTION REQUEST INSPECTOR'S COMPLIANCE REPORT

Permit No.	087-3833	County	Roane				
Company	Key Oil, Inc.	Farm. W	illiam O. Lynch				
Inspector.	Homer Dougherty	Well No	406-3				
Date	September 20, 1984	Issued	8-10-83				
RULE	DESCRIPTION		IN COMPLIANCE YES NO				
23.06	Notification Prior to starting Wor	k					
25.04	Prepared before Drilling to preven	t Waste					
25.03	High-Pressure Drilling						
16.01	Required Permits at Wellsite						
15.03	Adequate Fresh Water Casing						
15.02	Adequate Coal Casing						
15.01	Adequate Production Casing						
15.04	Adequate Cement Strength						
23.02	Maintained Access Roads		BIECETA EIU				
25.01	Necessary Equipment to prevent Was	te	FEB 1 8 1985				
23.03	Reclaimed Drilling Site		OIL & GAS DIVISION				
23.04	Reclaimed Drilling Pits		DEPT. OF MINES				
23.05	No Surface or Underground Pollutio	n					
7.03	Identification Markings						
COMMENTS:	Please issue final on cancellati	ion if loca	tion is okay. Permit				
expired on 4-10-84 and company says well was not drilled.							

I have inspected the above well and (Have/Have Not) found it to be in compliance with all of the rules and regulations of the Office of Oil and Gas-Department of Mines of the State of West Virginia.


SIGNED:

DATE:

09/15/2023

00

LYNCH HEIRS WELL NO. 3



STATE OF WEST VIRGINIA **DEPARTMENT OF MINES** OIL AND GAS DIVISION

PLUG AND ABANDON.



AUGUST 23 DATE__ OPERATOR'S WELL NO. API WELL NO.

087 COUNTY PERMIT Cancelled

(+) DENOTES LOCATION OF WELL ON UNITED STATES TOPOGRAPHIC MAPS WELL TYPE: OIL ___GAS_X_LIQUID INJECTION___ WASTE DISPOSAL.

(IF "GAS,") PRODUCTION_X_STORAGE___DEEP___SHALLOW_X_

TRACE FORK 781 WATER SHED_ HARPER ROANE COUNTY_ DISTRICT. QUADRANGLE_WALTON

09/15/2023 SURFACE OWNER WILLIAM ORVILLE LYNCH, et. ux OIL & GAS ROYALTY OWNER TALITHA LYNCH HEIRS LEASE ACREAGE.

ESTIMATED DEPTH

FRACTURE OR PROPOSED WORK: DRILLX_CONVERT_ DRILL DEEPER REDRILL STIMULATE ___PLUG OFF OLD FORMATION ___PERFORATE NEW

. CLEAN OUT AND REPLUG.

LEASE NO._

FORMATION ___OTHER PHYSICAL CHANGE IN WELL (SPECIFY).

TARGET FORMATION MARCELLUS DESIGNATED AGENT JOE MCLAUGHLIN WELL OPERATOR__ KEY OIL. INC P. Q. BOX 709 P. O. BOX 709 ADDRESS. ADDRESS.

5000