

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

PERMIT MODIFICATION APPROVAL

July 08, 2013

RAVEN RIDGE ENERGY 3230 PENNSYLVANIA AVENUE CHARLESTON, WV 25302

Re: Permit Modification Approval for API Number 8704731 , Well #: SUMMERFIELD 1A STIMULATE W/ 1 STAGE WATER FRAC

Oil and Gas Operator:

The Office of Oil and Gas has reviewed the attached permit modification for the above referenced permit. The attached modification has been approved and well work may begin. Please be reminded that the oil and gas inspector is to be notified twenty-four (24) hours before permitted well work is commenced.

Please call James Martin at 304-926-0499, extension 1654 if you have any questions.

Sincerely,

Gene Smith

Regulatory/Compliance Manager

Office of Oil and Gas

Done South o mm



west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

March 19, 2013

WELL WORK PERMIT

Vertical Well

This permit, API Well Number: 47-8704731, issued to RAVEN RIDGE ENERGY, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, well operators report of well work, is to be submitted to this office within 90 days of completion of drilling, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

In addition to the applicable requirements of this permit, and the statutes and rules governing oil and gas activity in WV, this permit may contain specific conditions which must be followed. Permit conditions are attached to this cover letter.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: SUMMERFIELD 1A

Farm Name: DONALDSON, JEREMIAH

API Well Number: 47-8704731

Permit Type: Vertical Well Date Issued: 03/19/2013

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6-20, which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than fifty (50) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 2. Pursuant to 35 CSR § 4-19.1.a, at the request of the surface owner all water wells or springs within 1000 feet of the proposed well that are actually utilized for human consumption, domestic animals or other general use shall be sampled and analyzed.
- 3. Pursuant to 35 CSR § 4-19.1.c, if the operator is unable to sample and analyze any water well or spring within one thousand (1,000) feet of the permitted well location, the Office of Oil and Gas requires the operator to sample, at a minimum, one water well or spring located between one thousand (1,000) feet and two thousand (2,000) feet of the permitted well location.
- 4. All pits must be lined with a minimum 30 mil thickness synthetic liner.

PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

CONDITIONS

- 1. Raven Ridge Energy, LLC. must notify the Office of Oil and Gas no less than 48 hours before beginning the proposed shot.
- 2. WV DEP should have representatives on site to monitor the well shot.
- 3. WV DEP may monitor the shot with a Department owned and operated seismograph.
- 4. The seismograph will be operated by a competent WV DEP staff person and its recorded data will become part of the well record.
- 5. Any effluent that may emanate from the well must be controlled and managed.
- 6. All effluent must be contained in the pit or storage tanks.
- 7. The effort to achieve this end must include, but may not be limited to:
 - a. The use of a diverter to direct any effluent to the pit.
 - b. The use of a frac valve to control and manage any flow from the well.
 - c. The use of one or more pit liners to protect the surface of the location from effluent.
 - d. The use of ditching to direct flow to the pit.

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Opera	tor: RAV	EN RIDO	GE ENERGY	494485865	ROANE - 8	7 SMITHFIELD -	LOONEYVILLE - 7.5
				Operator ID	County	District	Quadrangle
2) Operator's Well Number: SUMMERFIELD 1A 3) Elevation: 832'							
4) Well Type: (a) Oil_X or Gas_X							
(b) If Gas: Production X / Underground Storage							
Deep/ Shallow X							
5) Proposed Target Formation(s): BEREA Proposed Target Depth: 2100' 6) Proposed Total Depth: 3000' Feet Formation at Proposed Total Depth: 2100' - 2900' 7) Approximate fresh water strata depths: 150' 8) Approximate salt water depths: 1100' - 1600'							
9) Approximate	e coal sea	am depth	s: NO COAL L	ISTED ON TI	TLE		
10) Approxima	ite void de	epths.(co	al, Karst, other):	NONE			
		•	ns tributary to ac		NO		
12) Describe proposed well work and fracturing methods in detail (attach additional sheets if needed) STIMULATE AND ONE STAGE WATER FRAC							
13) CASING AND TUBING PROGRAM							
TYPE	SPECIFIC			FOOTAGE	INTERVALS	CEMEN	<u>T</u>
	<u>Size</u>	<u>Grade</u>	Weight per ft	For Drilling	<u>Left in Well</u>	Fill -up (Cu.	<u>Ft.)</u>
Conductor	13 3/8"	J55	48LBS.	30FT.	30FT.	CTS	
Fresh Water	9 5/8"	J55	29LBS.	380FT.	380FT.	CTS	
Coal							
Intermediate	7"	J55	23LBS.	1760FT.	1760FT	CTS	
Production	4 1/2"	N80	11,60LBS	2100FT	2100FT	100	7 3
Tubing							ed
Liners						2008	1/40
Production 4 1/2" N80 11,60LBS 2100FT 2100FT 100 \$\omega_{\text{T}}^3\$ Tubing Liners Packers: Kind: Sizes: Depths Set							
Sizes: Depths Set							
Depths Set							
						an Del	j. 6 67/12/201
						N.	

WW-9 Rev. 5/10

	Page		of
API Number 47 -		-	
Operator's Well No	, SUMME	RFIELD 1/	4

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

Operator Name RAVEN RIDGE ENERG	Y, LLC	OP Code	494485865
Watershed SHOWENS RUN		Quadrangle LOONEYVILLE	
Elevation 832	County ROANE	District	SMITHFIELD
Description of anticipated Pit Waste:	WATER AND SOAP		
Do you anticipate using more than 5,	000 bbls of water to complete	the proposed well work?	Voc. N. V
Will a synthetic liner be used in the p	oit? YES . If s	o. what mil 2 30 mil.	NO
Proposed Disposal Method For Treatx Land Appl	ed Pit Wastes:		
Undergrou	and Injection (UIC Permit N	umber	
Troube (at	10.1.10000		
Off Site D	isposal (Supply form WW-9 plain	for disposal location)	
Drilling medium anticipated for this v	well? Air, freshwater oil has	ed eta AIR FRESHMATED	
 If oil based, what type? Syn Additives to be used? SOAP, KCL AND 	nthetic, petroleum, etc.		
Will closed loop system be used ? NO	, OIL OD () O		
Drill cuttings disposal method? Leav	e in nit landfill removed off	rite at LEAVE IN DIT	
-If left in pit and plan to solid	dify what medium will be use	d? Coment lime seculos C	EMENT OD LINE
-Landfill or offsite name/per	mit number?	a. Coment, mile, sawdust	EMERT OR LIME
provisions of the permit are enforced	ble by law. Violations of an nent action. we that I have personally ex sthereto and that, based or that the information is true, tion, including the possibility in CUNNINGHAM	y term or condition of the gamined and am familiar win my inquiry of those indiaccurate, and complete. I of fine or imprisonment.	th the information submitted on this viduals immediately responsible for am aware that there are significant
Subscribed and sworn before me this_	15 day of FEBRU/	NRY	0 13
- Davie n.	Bays	Notar	y Public
My commission expires FEBRUARY 10.	2015	~~~	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
	the first of the second		OFFICIAL SEAL OUTARY PUBLIC STATE OF WEST YMERSHA DANIELLE N. BANS Outselden Energy LLC 200 Petrophysia Anous, Chausson, WW 25002 ky Commission Expert Fobristy 10, 2015


Property Boundary	Diversion Continue of the Cont					
Rond = = = = = = = = =	Spring					
Existing Fence — X — X — X —	Wet Spot					
Planned Fence///	Drain Pipe with size in inches (2)					
Stream	Waterway C					
Open Ditch	Cross Drain 7/11/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/					
Rock 635 685	Artificial Filter Strip					
North N	Pit: cut walls					
Buildings	Pit: compacted fill walls					
Water wells	Area for Land Application of Pit Waste					
Drill site						
Proposed Revegetation Treatment: Acres Disturbed 2	Prevegetation pH					
Lime 2 Tons/acre or to correct to pH	6.5					
Fertilizer (10-20-20 or equivalent) 500 lbs/acre (500 lbs minimum)						
Mulch HAY - 2 Tons/acc	re					
Sood	Mixtures					
Seed	ivilatures					
Area I Seed Type lbs/acre	Area II					
	Seed Type lbs/acre					
	ORCHARD GRASS 15					
ALSIKE CLOVER 5	ALSIKE CLOVER 5					
ANNUAL RYE 15						
Attach:						
Drawing(s) of road, location,pit and proposed area for land applied	cation.					
Photocopied section of involved 7.5' topographic sheet.						
A TOTAL OF THE PARTY OF THE PAR						
Plan Approved by:						
Comments:						
1 12 4	2/12/12					
Title:	Date: 2 1913					
Field Reviewed? () Yes () No					

LEGEND

Form W-9

RAVEN RIDGE ENERGY, LLC. SUMMERFIELD #1A (47-087-04731) REVISED

Page 1 of 1



HUPP Surveying & Mapping

P.O. BOX 647 GRANTSVILLE, WV 26147 PH:(304)354-7035 E-MAIL: hupp@frontiernet.net 1" = 1000' Looneyville Quad Raven Ridge Energy, LLC. 3230 Pennsylvania Avenue Charleston, WV 25302 07/12/2013

名704151 M LATITUDE 38'40'00" SUMMERFIELD #1A (47-087-04731) ω **ONGITUDE** ABANDONED WELL 12 ACRES± MAP 20 PARCEL 26 MAP 20 THOMSON, ET UX **☆** 2505 PLÙGĞED WEL MAP 20 PARCEL 30 S 4730 O 2497 DONALSON 8 I3.2 ACRES± MAP 20 ØPW PARCEL 29 * **REVISED** 2723 グ 2719※ 2748 2/22 ※ ※
 次
 2725
 次

 2721
 633
 3006 SUMMERFIELD # 1 47-087-02748 STATE PLANE **COORDINATES** 58 ACRES± REFERENCES MAP 20 (N) 606190 = 100 (E) 1903975 Woods SUMMERFIELD #1A SUMMERFIELD #1A NOTES TIES TO WELLS AND CORNERS ARE BASED ON STATE PLANE GRID NORTH WY SOUTH ZONE NAD '27.

TIES TO REFERENCES ARE BASED ON MAGNETIC NORTH 04—15—13.

LEASE BOUNDARY SHOWN HEREON TAKEN FROM A TITLE EXAMINATION PROVIDED BY RAVEN RIDGE ENERGY, LLC.

SURFACE OWNER AND ADJOINER INFORMATION TAKEN ROM THE ASSESSOR AND COUNTY CLERK RECORDS OF ROANE COUNTY IN JUNE, 2012 AND INFORMATION PROVIDED BY RAVEN RIDGE ENERGY, LLC.

WELL LAT./LONG. ESTABLISHED BY DCPS(SUBMETER MAPPING GRADE).

ORIGINAL PLAT DATED OCTOBER 18, 2012. L & L DECIMAL CALLEN, ET UX 64 ACRES± MAP 20 SLOPE) 10 PINE 38.66426 81.33629 PARCEL 37 Woods Woods Summerfield #1A **UTM (NAD 83)** 4279584 470757 9" PINE I THE UNDERSIGNED, HEREBY CERTIFY THAT THIS PLAT IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF AND SHOWS ALL THE INFORMATION REQUIRED BY LAW AND THE REGULATIONS ISSUED AND PRESCRIBED BY THE DIVISION OF ENVIRONMENTAL PROTECTION.

P.S.

834

HUPP Surveying & Mapping
P.O. Box 647 Grantsville, W 26147
(304) 354-7035 EMAIL: hupp@frontiernet.net (+) DENOTES LOCATION OF WELL ON UNITED STATES TOPOGRAPHIC MAPS. DATE APRIL 17 OPERATORS WELL NO. SUMMERFIELD #1A REVISED 04731 -08/ PERMIT COUNTY MINIMUM DEGREE FILE NO. W2062 (BK 63-58) STATE OF WEST VIRGINIA OF ACCURACY 1/200 DIVISION OF ENVIRONMENTAL PROTECTION SCALE _ PROVEN SOURCE OFFICE OF OIL AND GAS DGPS (SUBMETER GRADE) OF ELEVATION WASTE ΙF WELL __DISPOSAL ____ "GAS" PRODUCTION _X__STORAGE ____ DEEP ___ TYPE : OIL X GAS ____ INJECTION ___ LOCATION : _WATERSHED ___SHOWENS_RUN ELEVATION_ 862 ___ COUNTY ___ROANE QUADRANGLE ___LOONEYVILLE 7.5 SMITHFIELD WILLIAM THOMPSON, et ux 113± ACREAGE __ SURFACE OWNER ___ ROYALTY OWNER ____JOHN_B. SUMMERFIELD HEIRS, et al LEASE ACREAGE ___126± LEASE NO. _ PROPOSED WORK: DRILL X CONVERT DRILL DEEPER REDRILL FRACTURE OR STIMULATE X PLUS OFF OLD FORMATION ____ PERFORATE NEW FORMATION ____ PLUG AND ABANDON ____ CLEAN OUT AND REPLUG ____OTHER BEREA PHYSICAL CHANGE IN WELL (JPECIFY) _ _ TARGET FORMATION _ 3,000 _ ESTIMATED DEPTH MELL OPERATOR RAVEN RIDGE ENERGY, LLC. __ DESIGNATED AGENT ____ RYAN_CUNNINGHAM ADDRESS 3230 PENNSYL VANIA AVE. CHARLESTON, WV 25302 3230 PENNSYLVANIA AVE. CHARLESTON, WV 25302 **ADDRESS**



Nottingham, Justin E

From: Danielle Boggs <dani.bays@cunninghamenergy.com>

Sent: Friday, June 28, 2013 3:24 PM

To: McLaughlin, Jeffrey W; Nottingham, Justin E

Subject: Summerfield 1A API# 47-087-04731

Attachments: Summerfield - 1A Mod.pdf

Justin -

I would like to request a modification on the Summerfield 1A, API #47-087-04731. This well was originally permitted to be shot however we would like to change this to a single stage frac and run 4 ½" pipe.

Please see attached a modified WW-2B, signed off on and approved by Inspector Gainer. Please let me know if you need any further information. Thanks!

Thank you,
Danielle N. Boggs
Cunningham Energy
3230 Pennsylvania Ave
Charleston, WV 25302
Direct: (304) 344-9291
Cell: (304) 553-5850

Fax: (304) 344-9290 www.cunninghamenergy.com



Received

JUN 28 2013

Office of Oil and Gas

W Dept. of Environmental Protection

NOTICE OF CONFIDENTIALITY

This e-mail message and its attachments (if any) are intended solely for the use of the addressees hereof. In addition, this message and the attachments (if any) may contain information that is confidential, privileged and exempt from disclosure under applicable law. If you are not the intended recipient of this message, you are prohibited from reading, disclosing, reproducing, distributing, disseminating or otherwise using this transmission. Delivery of this message to any other person than the intended recipient is not intended to waive any right or privilege. If you have received this message in error, please promptly notify the sender by reply e-mail and immediately delete this message from you system.

Disclaimer: Sender is not a United States Securities Dealer or Broker or United States Investment Adviser. This email letter and any and all attachments and related documents are never considered to be a solicitation for any purpose in any form or content. Upon receipt of these documents you, as the Recipient, hereby acknowledge this Warning and Disclaimer. These Confidential communications are protected under Gramm-Leach-Biley Act 15 USC, Subchapter 1, sections 6801-6809 and other laws addressing the disclosure of Non-Public Personal Information. All information is subject to change without notice.