

State of West Virginia
Department of Environmental Protection - Office of Oil and Gas
Well Operator's Report of Well Work

Received

APR 20 2015

Office of Oil and Gas
WV Dept. of Environmental Protection

API 47 - 087 - 04754 County ROANE District SMITHFIELD
Quad LOONEYVILLE 7.5' Pad Name FERRELL, C.B. Field/Pool Name CLOVER
Farm name MAY, TIMOTHY D. Well Number 110
Operator (as registered with the OOG) H.G. ENERGY LLC
Address 5260 DuPONT ROAD City PARKERSBURG State WV Zip 26101

As Drilled location NAD 83/UTM Attach an as-drilled plat, profile view, and deviation survey
Top hole Northing 4,285,443 M Easting 475,638 M
Landing Point of Curve Northing _____ Easting _____
Bottom Hole Northing 4,285,234 M Easting 475,776 M

Elevation (ft) 1,110' GL Type of Well New Existing Type of Report Interim Final
Permit Type Deviated Horizontal Horizontal 6A Vertical Depth Type Deep Shallow
Type of Operation Convert Deepen Drill Plug Back Redrilling Rework Stimulate
Well Type Brine Disposal CBM Gas Oil Secondary Recovery Solution Mining Storage Other _____
Type of Completion Single Multiple Fluids Produced Brine Gas NGL Oil Other _____
Drilled with Cable Rotary

Drilling Media Surface hole Air Mud Fresh Water Intermediate hole Air Mud Fresh Water Brine
Production hole Air Mud Fresh Water Brine
Mud Type(s) and Additive(s)
N/A

Date permit issued 1/8/15 Date drilling commenced 2/4/15 Date drilling ceased 2/7/15
Date completion activities began 3/23/15 Date completion activities ceased 3/26/15
Verbal plugging (Y/N) N Date permission granted _____ Granted by _____

Please note: Operator is required to submit a plugging application within 5 days of verbal permission to plug

Freshwater depth(s) ft None Open mine(s) (Y/N) depths None
Salt water depth(s) ft 1700' Void(s) encountered (Y/N) depths None
Coal depth(s) ft None Cavern(s) encountered (Y/N) depths None
Is coal being mined in area (Y/N) N

Reviewed by:
A.L. 5/26/15
W.S. 6/10/15
06/12/2015

API 47-087 - 04754 Farm name MAY, TIMOTHY D. Well number 110

CASING STRINGS	Hole Size	Casing Size	Depth	New or Used	Grade wt/ft	Basket Depth(s)	Did cement circulate (Y/ N) * Provide details below*
Conductor	12 1/4"	11 5/8"	30'	Used	LS		Sand In
Surface	8 3/4"	7"	506'	New	LS	64'	Y
Coal							
Intermediate 1							
Intermediate 2							
Intermediate 3							
Production	6 1/4"	4 1/2"	2631.35'	New	J-55		
Tubing							
Packer type and depth set							

Received

APR 20 2015

Office of Oil and Gas
WV Dept. of Environmental Protection

Comment Details Circulated Est. 25 sks to surface on 7" surface cement job. Circulated Est. 20 sks to surface on 4 1/2" cement job.

CEMENT DATA	Class/Type of Cement	Number of Sacks	Slurry wt (ppg)	Yield (ft ³ /sks)	Volume (ft ³)	Cement Top (MD)	WOC (hrs)
Conductor							
Surface	Reg Neat	130	15.6	1.18	153	Surface	8
Coal							
Intermediate 1							
Intermediate 2							
Intermediate 3							
Production	50:50 Pozmix	120/125	13.2/14.2	1.64/1.27	197/186	50'	8
Tubing							

Drillers TD (ft) 2660' Loggers TD (ft) 2653'
 Deepest formation penetrated Big Injun Plug back to (ft) N/A
 Plug back procedure N/A

Kick off depth (ft) 600'

Check all wireline logs run caliper density deviated/directional induction
 neutron resistivity gamma ray temperature sonic

Well cored Yes No Conventional Sidewall Were cuttings collected Yes No

DESCRIBE THE CENTRALIZER PLACEMENT USED FOR EACH CASING STRING _____
20 Centralizers every 88 from bottom on 4 1/2", Centralizer placed mid string on 7"

WAS WELL COMPLETED AS SHOT HOLE Yes No DETAILS _____

WAS WELL COMPLETED OPEN HOLE? Yes No DETAILS _____

WERE TRACERS USED Yes No TYPE OF TRACER(S) USED _____

API 47-087 - 04754 Farm name MAY, TIMOTHY D. Well number 110

PERFORATION RECORD

Stage No.	Perforation date	Perforated from MD ft.	Perforated to MD ft.	Number of Perforations	Formation(s)
1	3/23/15	2406'	2416'	40	Big Injun

Please insert additional pages as applicable.

STIMULATION INFORMATION PER STAGE

Complete a separate record for each stimulation stage.

Stage No.	Stimulations Date	Ave Pump Rate (BPM)	Ave Treatment Pressure (PSI)	Max Breakdown Pressure (PSI)	ISIP (PSI)	Amount of Proppant (lbs)	Amount of Water (bbls)	Amount of Nitrogen/other (units)
1	3/26/15	5	1800	2241	675	2,500	151	

Received
APR 20 2015

Office of Oil and Gas
WV Dept. of Environmental Protection

Please insert additional pages as applicable.

API 47-087-04754 Farm name MAY, TIMOTHY D. Well number 110

PRODUCING FORMATION(S)	DEPTHS	
Big Injun	2122'- 2150'	TVD 2382'- 2422' MD

Please insert additional pages as applicable.

GAS TEST Build up Drawdown Open Flow OIL TEST Flow Pump
 SHUT-IN PRESSURE Surface _____ psi Bottom Hole _____ psi DURATION OF TEST _____ hrs
 OPEN FLOW Gas _____ mcfpd Oil _____ bpd NGL _____ bpd Water _____ bpd GAS MEASURED BY
 Estimated Orifice Pilot

LITHOLOGY/ FORMATION	TOP DEPTH IN FT NAME TVD	BOTTOM DEPTH IN FT TVD	TOP DEPTH IN FT MD	BOTTOM DEPTH IN FT MD	DESCRIBE ROCK TYPE AND RECORD QUANTITY AND TYPE OF FLUID (FRESHWATER, BRINE, OIL, GAS, H ₂ S, ETC)
Sand/Shale	0	1402	0	1432	<div style="font-size: 2em; font-weight: bold; opacity: 0.5;">Received</div> <div style="font-size: 1.5em; font-weight: bold;">APR 20 2015</div> <div style="font-size: 0.8em;">Office of Oil and Gas WV Dept. of Environmental Protection</div> <div style="font-size: 0.8em;">Drilled directional S 39° E a distance of 797'</div>
Sand	1402	1618	1432	1692	
Shale	1618	1656	1692	1738	
Sand	1656	1824	1738	1738	
Shale	1824	1842	1954	1954	
Sand	1842	1976	1977	2168	
Little Lime	1976	2036	2168	2236	
Pencil Cave	2032	2036	2236	2240	
Big Lime	2036	2104	2240	2356	
Keener	2104	2122	2356	2382	
Big Injun	2122	2150	2382	2422	
Shale	2150	2333	2422	2660	
TD	2333		2660		

Please insert additional pages as applicable.

Drilling Contractor Decker Drilling
 Address 11565 State Route 676 City Vincent State OH Zip 45784

Logging Company Weatherford International
 Address 777 North River Avenue City Weston State WV Zip 26452

Cementing Company Universal Services
 Address Hall Rd City Buckhannon State WV Zip 26201

Stimulating Company Producers Service Corp.
 Address 109 South Graham Street City Zanesville State OH Zip 43701

Please insert additional pages as applicable.

Completed by Roger Heldman Telephone 304-420-1107
 Signature  Title Operations Manager Date 4/10/15

Submittal of Hydraulic Fracturing Chemical Disclosure Information Attach copy of FRACFOCUS Registry

06/12/2015

Prepared for:

H G Energy

Dustin Hendershot

304-481-7342



Prepared by:

Producers Service Corp

Daniel L. Graham

109 S. Graham St.

Zanesville, OH 43702

740-454-6253

INVOICE #:	17988
WELL NAME:	C B Ferrell
COUNTY/STATE:	Roane/WV
TOWNSHIP/FIELD:	Clover Field/Roane Co Wv
DATE of SERVICE:	3/26/2015
CUSTOMER PO#:	

Description	Notes	Amount	Units	Unit Cost	Total Cost
FLUID PUMP CHARGE 0-3000 PSI MIN CHARGE 4 HRS		1	EA		
BLENDER CHARGE 0-10 BPM		1	EA		
MILEAGE CHARGE PER UNIT ONE WAY	2 Units @40Miles	40	MI		
IC ACID 15%		250	GAL		
PRO HIB II		0.5	GAL		
ACID DELIVERY		2	HR		
PRO CLA LOK (KCL SUBSTITUTE)		15	GAL		
PRO NE-21		5	GAL		
PRO GEL 4		150	LB		
BUFFER I		50	LB		
BUFFER II		50	LB		
BIO CLEAR 750		1	LB		
AP BREAKER		15	LB		
BXL-A		10	GAL		
BXL-10C		10	GAL		
SAND 20/40 OTTAWA		25	CWT		
SAND DELIVERY / TON MILES		100	TMILE		
DATA VAN		1	STAGE		
2 INCH FLOW METER		1	EA		

Customer Approval: _____

Received

APR 20 2015

Office of Oil and Gas
WV Dept. of Environmental Protection

06/12/2015