

State of West Virginia  
Department of Environmental Protection - Office of Oil and Gas  
Well Operator's Report of Well Work

API 47-087-04758 County ROANE District SMITHFIELD  
Quad LOONEYVILLE 7.5' Pad Name MCGRAW, CHARLES Field/Pool Name CLOVER  
Farm name ATKINSON, DELORES Well Number 115  
Operator (as registered with the OOG) H.G. ENERGY LLC  
Address 5260 DuPONT ROAD City PARKERSBURG State WV Zip 26101

As Drilled location NAD 83/UTM Attach an as-drilled plat, profile view, and deviation survey  
Top hole Northing 4,285,135 M Easting 475,577 M  
Landing Point of Curve Northing \_\_\_\_\_ Easting \_\_\_\_\_  
Bottom Hole Northing 4,284,991 M Easting 475,725 M

Elevation (ft) 1,111' GL Type of Well  New  Existing Type of Report  Interim  Final  
Permit Type  Deviated  Horizontal  Horizontal 6A  Vertical Depth Type  Deep  Shallow  
Type of Operation  Convert  Deepen  Drill  Plug Back  Redrilling  Rework  Stimulate  
Well Type  Brine Disposal  CBM  Gas  Oil  Secondary Recovery  Solution Mining  Storage  Other \_\_\_\_\_  
Type of Completion  Single  Multiple Fluids Produced  Brine  Gas  NGL  Oil  Other \_\_\_\_\_  
Drilled with  Cable  Rotary

Drilling Media Surface hole  Air  Mud  Fresh Water Intermediate hole  Air  Mud  Fresh Water  Brine  
Production hole  Air  Mud  Fresh Water  Brine  
Mud Type(s) and Additive(s)  
N/A

Date permit issued 7/10/18 Date drilling commenced NA Date drilling ceased NA  
Date completion activities began 7/23/18 Date completion activities ceased 7/27/18  
Verbal plugging (Y/N) N Date permission granted \_\_\_\_\_ Granted by \_\_\_\_\_

RECEIVED  
Office of Oil and Gas

AUG 1 2018

WV Department of  
Environmental Protection

Please note: Operator is required to submit a plugging application within 5 days of verbal permission to plug

Freshwater depth(s) ft None Open mine(s) (Y/N) depths None  
Salt water depth(s) ft 1780', 1840' Void(s) encountered (Y/N) depths None  
Coal depth(s) ft None Cavern(s) encountered (Y/N) depths None  
Is coal being mined in area (Y/N) N

Reviewed by:

Reviewed by

WR-35  
Rev. 8/23/13

API 47- 087 - 04758 Farm name ATKINSON, DELORES Well number 115

CASING STRINGS	Hole Size	Casing Size	Depth	New or Used	Grade wt/ft	Basket Depth(s)	Did cement circulate (Y/N) * Provide details below*
Conductor	12 1/4"	11 5/8"	30'	Used	LS		Sand In
Surface	8 3/4"	7"	507'	New	LS	64'	N
Coal							
Intermediate 1							
Intermediate 2							
Intermediate 3							
Production	6 1/4"	4 1/2"	2488.65'	New	J-55		Y
Tubing							
Packer type and depth set							

Comment Details Grouted w/ Est. 25 sks to surface on 7" surface cement job. Circulated Est. 30 sks to surface on 4 1/2" cement job.

CEMENT DATA	Class/Type of Cement	Number of Sacks	Slurry wt (ppg)	Yield (ft <sup>3</sup> /sks)	Volume (ft <sup>3</sup> )	Cement Top (MD)	WOC (hrs)
Conductor							
Surface	Reg Neat	130	15.6	1.18	153	Surface	8
Coal							
Intermediate 1							
Intermediate 2							
Intermediate 3							
Production	50:50 Pozmix	100/125	13.2/14.2	1.64/1.27	164/186	42'	8
Tubing							

Drillers TD (ft) 2525' Loggers TD (ft) 2514'

Deepest formation penetrated Big Injun Plug back to (ft) N/A

Plug back procedure N/A

Kick off depth (ft) 650'

Check all wireline logs run  caliper  density  deviated/directional  induction  neutron  resistivity  gamma ray  temperature  sonic

Well cored  Yes  No Conventional Sidewall Were cuttings collected  Yes  No

DESCRIBE THE CENTRALIZER PLACEMENT USED FOR EACH CASING STRING 20 Centralizers every 88 from bottom on 4 1/2", Centralizer placed mid string on 7"

WAS WELL COMPLETED AS SHOT HOLE  Yes  No DETAILS \_\_\_\_\_

WAS WELL COMPLETED OPEN HOLE?  Yes  No DETAILS \_\_\_\_\_

WERE TRACERS USED  Yes  No TYPE OF TRACER(S) USED \_\_\_\_\_

RECEIVED  
Office of Oil and Gas  
AUG 1 2018  
WV Department of  
Environmental Protection

API 47- 087 - 04758 Farm name ATKINSON, DELORES Well number 115

PERFORATION RECORD

Stage No.	Perforation date	Perforated from MD ft.	Perforated to MD ft.	Number of Perforations	Formation(s)
1	7/23/18	2306'	2316'	60	Big Injun

Please insert additional pages as applicable.

STIMULATION INFORMATION PER STAGE

Complete a separate record for each stimulation stage.

Stage No.	Stimulations Date	Ave Pump Rate (BPM)	Ave Treatment Pressure (PSI)	Max Breakdown Pressure (PSI)	ISIP (PSI)	Amount of Proppant (lbs)	Amount of Water (bbls)	Amount of Nitrogen/other (units)
1	7/27/18	3.5	1075	NA	540	0	12	2000 gals 15% HCL

RECEIVED  
Office of Oil and Gas  
AUG 1 2018  
WV Department of Environmental Protection

Please insert additional pages as applicable.

WR-35  
Rev. 8/23/13

API 47- 087 - 04758 Farm name ATKINSON, DELORES Well number 115

PRODUCING FORMATION(S)	DEPTHS	
<u>Big Injun</u>	<u>2108'- 2134'</u> TVD	<u>2288'- 2322'</u> MD
_____	_____	_____
_____	_____	_____

Please insert additional pages as applicable.

GAS TEST  Build up  Drawdown  Open Flow OIL TEST  Flow  Pump

SHUT-IN PRESSURE Surface \_\_\_\_\_ psi Bottom Hole \_\_\_\_\_ psi DURATION OF TEST \_\_\_\_\_ hrs

OPEN FLOW Gas \_\_\_\_\_ mcfpd Oil \_\_\_\_\_ bpd NGL \_\_\_\_\_ bpd Water \_\_\_\_\_ bpd GAS MEASURED BY  Estimated  Orifice  Pilot

LITHOLOGY/ FORMATION	TOP DEPTH IN FT NAME TVD	BOTTOM DEPTH IN FT TVD	TOP DEPTH IN FT MD	BOTTOM DEPTH IN FT MD	DESCRIBE ROCK TYPE AND RECORD QUANTITY AND TYPE OF FLUID (FRESHWATER, BRINE, OIL, GAS, H <sub>2</sub> S, ETC)
Sand/Shale	0	1740	0	1835	
Sand	1740	1786	1843	1876	
Shale	1786	1796	1876	1888	
Sand	1796	1806	1888	1900	
Shale	1806	1818	1900	1918	
Sand	1818	1934	1918	2064	
Little Lime	1934	1958	2064	2093	
Pencil Cave	1958	1966	2093	2104	
Big Lime	1966	2089	2104	2262	
Keener	2089	2108	2262	2288	
Big Injun	2108	2134	2288	2322	Drilled directional S 53° E a distance of 672'
Shale	2134	2294	2322	2525	
TD	2294		2525		

Please insert additional pages as applicable.


Drilling Contractor Decker Drilling  
Address 11565 State Route 676 City Vincent State OH Zip 45784

Logging Company Weatherford International  
Address 777 North River Avenue City Weston State WV Zip 26452

Cementing Company Universal Services  
Address Hall Rd City Buckhannon State WV Zip 26201

Stimulating Company Producers Service Corp.  
Address 109 South Graham Street City Zanesville State OH Zip 43701

Please insert additional pages as applicable.

Completed by Roger Heldman Telephone 304-420-1107  
Signature  Title Operations Manager Date 8/1/18

Submittal of Hydraulic Fracturing Chemical Disclosure Information Attach copy of FRACFOCUS Registry

RECEIVED  
Office of Oil and Gas  
AUG 1 2018  
WV Department of  
Environmental Protection