

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Monday, December 19, 2022
WELL WORK PLUGGING PERMIT
Vertical Plugging

UNKNOWN - DEP PAID PLUGGING CONTRACT 601 57TH STREET

CHARLESTON, WV 25304

Re:

Permit approval for 4708760146

47-087-04810-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: 4708760146

Farm Name: CAROLE LOUISE GREEN

U.S. WELL NUMBER: 47-087-04810-00-00

Vertical Plugging
Date Issued: 12/19/2022

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

WPS Environmental LLC 934 Little Coal River Road Alum Creek, WV 25003 (304) 756-3171

Department of Environmental Protection Office of Oil and Gas ATTN: Jason Harmon 601 57th Street SE Charleston, WV 25304

RE: Well Number: 6

087 7-043-60146

Assigned Number: 47-043-60146

Contract Number: DEP2300000132-1

Region: IV

Dear Mr. Harmon,

Attached are the documents for submittal of the plugging permit application for the above referenced well located in Walton District of Roane County. This is an abandoned well that WPS Environmental has chosen to plug under the above referenced contract under the state run Federal Plugging Program. Michael Lewis at phone number (304) 382-5804 and email mikelewis25@aol.com will be the primary contact for any questions pertaining to this permit application. Please contact me with any questions you may have. Thank You!

47-087-04810

Sincerely:

Michael W. Lewis, Consultant

Michael W. Lewis LLC

WW-4B Rev. 2/01

1) Date 10/	20		, 20 22	
2) Operato	r's			
Well No	. 6			
3) API Wel	l No.	47-087	- 60146	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

	OFFICE OF	OIL AND GAS
	APPLICATION FOR A PERI	MIT TO PLUG AND ABANDON
4)	Well Type: Oil X / Gas/ Liquid	d injection / Waste disposal /
1/		derground storage) Deep/ Shallow
	(II "Gas, Production or one	derground storage/ Deep/ Sharrow
FIX	940 Et	Watershed Poca River
5)	Location: Elevation 940 Ft.	
	District Walton	County_Roane Quadrangle_Walton
	Halmann DED Daid Diversion	Jacon Harman
6)	Well Operator Unknown/DEP Paid Plugging	7) Designated Agent Jason Harmon
	Address 501 57th Street SE	Address 601 57th Street SE
	Charleston, WV 25304	Charleston, WV 25304
8)	Oil and Gas Inspector to be notified	
	Name Joe taylor	Name WPS Environmental LLC
	Address 1478 Claylick Road	Address 934 Little Coal River Road
	Ripley, WV 25045	Alum Creek, WV 25003
		RECEIVED Office of Oil and Gas DEC 0 7-2022
		, -
		WV Department of Environmental Protection
work	fication must be given to the district of can commence.	il and gas inspector 24 hours before permitted Date 17-6-22
		40/02/000

12/23/2022

Proposed Work Plan

047-087-60145

- **A well record could not be located for this well so work plan was developed using information from offset well 47-087-00625.
- 1. Notify State Inspector within 24 hours of plugging commencement.
- 2. Install 24-inch cellar around existing well head.
- 3. Move in and rig up to existing 6 5/8" casing. Unhook any production lines and cap off below surface.
- 4. Check total depth (TD) @ approximately 1,941'. If estimated depth cannot be reached, begin cleaning out hole to TD or Inspector approved depth.
- 5. TIH to estimated TD @ 1,941' (or approved depth) with tubing, spot 6% gel and pump bottom hole cement plug at top of shot hole from approximately 1,906' to 1,806'. Wait on cement (WOC), and tag top of cement plug. Add cement if needed.
- 6. Determine free point on 6 5/8" casing and cut at free point and pull.
- 7. TIH with tubing and spot gel from 1,806' to 50' below pipe cut. Pump 100' cement plug from 50' below pipe cut to 50' above pipe cut. WOC, tag top of plug, and add cement if needed.
- 8. Spot gel from top of cement plug to approximately 910' which is 50' below elevation. Pump cement from 910' to 810'. WOC, tag top of plug, and add cement if needed
- 9. Pump cement plug from 100' to surface. Add cement if needed to top off.

RECEIVED
Office of Oil and Gas

10. Rig down and set monument. Reclaim site.

DEC 07-2022

WV Department of Environmental Protection

NOTE. Any casing found in either well without cement in the annulus that cannot be retrieved must be perforated and cement plug set at all saltwater, freshwater, coal, oil, gas, casing shoe and elevation points

12-5-22



STATE OF WEST VIRGINIA STATE OF WEST VIAGINIA DEPARTMENT OF MINES

12/23/2022

ermit No. 7		k > /	WELL	RECORE		OOII or G	as Well 011
ompany Tilla		ng Clenc	lenin , W. Va	Casing and Tubing	Used in Drilling	Left in Well	Packers .
	Fleshman	# 20	Acres 194		35 2		
ocation (waters)	1	Creek	1	Sise	15 A		
rell No 20			Elev. 874.	16		-	Kind of Packer
Istrict Walt	on.	County Roans	A STATE OF THE PARTY OF THE PAR	13		1	Botton Hole
he surface of tra	ct is owned in	fee by S.A. F		10	65	65	Size of 711 OD
	1	Address Wal	ton , W. Va.	84		None	
ineral rights are	owned by		พาค	6%	1895	1895	Depth set 1895!
	. :::1.	Address	<u> </u>	53/16	1 5.41	1	H+
rilling commence	d Jung	\$ 9. 1053		. 8		1	Perf. top
rilling completed	July	77 , 7053		2.	-		Peri. bottom
ate Shot Aug 1	9 1959on	1929 To	1954	Liners Used	-	1 .	Peri. top
ith 25 qt	Glycrine	-				+ -	Perf. bottom
pen Flow	/10ths Water !	ln	Inch			1	• • • • • • • •
	/10ths Merc. i	ln	· Inch	CASING CEMI	ENTEDS	SIZE	No. FtDate
olume		1	Cu Ft.	1	1 1	1	
ock Pressure		lbs.	hrs.	COAL WAS E	NCOUNTERED	AT	FEET INCHES
11	Taro	· · · · ·	bbls., 1st 24 hrs.			1	FEET - INCHES
resh water		feet	foet	1		1.	FEETINCHES
ilt water		feet	feet		Oil, Gas	Depth	 :
Formation/	Color	Soft	Тор	Bettom	or Water	Found	Remarks
ed Rock,	-		0 55	55			
and			- 55	120 •	Water	901	
late and			120	175 235	Water	1851	
late	1.5		235	260	nater	105.	
ed Rock	•		260	270	· · · · · · · · · · · · · · · · · · ·		
late			270	336		D	
ed Rock -			336 490	490 500		1.	RECEIVED Office of Oil and
ed Rock	-		500	600			· I omocoron acid
late		10000	600	691			DEC 07-20
late			691 743	743 825		*	
and			825	875			. WV Departmen
			Doc I	LOCE !		1	
ate			875	955		10.5	Environmental Prof
ate and			955	977			Environmental Prof
ate and lato and			955 977 1035	977 1035 1078			Environmental Prof
ate and lato and late			955 977 1035 1078	977 1035 1078 1110	Waton	71.8¢	Environmental Prof
ate and lato and late alt Sard			955 977 1035	977 1035 1078 1110 1703	Water	11،85	Environmental Prof
ate and lato and late alt Sard ime			955 977 1035 1078 1110	977 (1035 1078 1110 1703 1710 1773	Water	11:85	Environmental Prof
ate and late and late and late and late and ime axon Sand			955 977 1035 1078 1110 1703 1716 1773	977 1035 1078 1110 1703 1710	∏ater	11:85	Environmental Prof
ate and lato lato alt Sard ime axon Sand ime imo late			955 977 1035 1078 1110 1703 1710 1773 1785 1785	977 (1035 1078 1110 1703 1710 1773		11 ₁ 85	Environmental Prof
ate and late and late alt Sard ime axon Sand ime ig Lime ig Lime ig Injum Sar	nd		955 977 1035 1078 1110 1703 1710 1713 1785 1787 1922	977 (1035 1078 1110 1703 1710 1773	Water	21,85	Environmental Prof
ate and lato lato alt Sard ime axon Sand ime imo late	nd.		955 977 1035 1078 1110 1703 1710 1773 1785 1785	977 (1035 1078 1110 1703 1710 1773	Water		Hole Full
ate and late and late alt Sard ime axon Sand ime ig Lime ig Lime ig Injum Sar	nd		955 977 1035 1078 1110 1703 1710 1713 1785 1787 1922	977 (1035 1078 1110 1703 1710 1773		£6789	Hole Full
ate and lato and late alt Sard ime axon Sand imo late ig Idmo ig Injum Sar	nd		955 977 1035 1078 1110 1703 1710 1773 1785 1787 1982 1957	977 (1035 1078 1110 1703 1710 1773		£6789	Hole Full
ate and lato and late alt Sard ime axon Sand imo late ig Idmo ig Injum Sar	nd		955 977 1035 1078 1110 1703 1710 1773 1785 1787 1982 1957	977 (1035 1078 1110 1703 1710 1773		£6789	Hole Full
ate and lato and late alt Sard ime axon Sand imo late ig Idmo ig Injum Sar	nd		955 977 1035 1078 1110 1703 1710 1773 1785 1787 1982 1957	977 (1035 1078 1110 1703 1710 1773		£6789	Hole Full
ate and lato and late alt Sard ime axon Sand imo late ig Idmo ig Injum Sar	nd		955 977 1035 1078 1110 1703 1710 1773 1785 1787 1982 1957	977 (1035 1078 1110 1703 1710 1773		£6789	Hole Full
ate and lato and late alt Sard ime axon Sand imo late ig Idmo ig Injum Sar	nd		955 977 1035 1078 1110 1703 1710 1773 1785 1787 1982 1957	977 (1035 1078 1110 1703 1710 1773			Hole Full
ate and lato and late alt Sard ime axon Sand imo late ig Idmo ig Injum Sar	nd		955 977 1035 1078 1110 1703 1710 1773 1785 1787 1982 1957	977 (1035 1078 1110 1703 1710 1773		SET 8 9 SET 8 9 SET SET SET SET SET SET SET SET SET SET	Hole Full
ate and lato and late alt Sard ime axon Sand imo late ig Idmo ig Injum Sar	nd		955 977 1035 1078 1110 1703 1710 1773 1785 1787 1982 1957	977 (1035 1078 1110 1703 1710 1773		£6789	Hole Full
ate and lato and late alt Sard ime axon Sand imo late ig Idmo ig Injum Sar	nd.		955 977 1035 1078 1110 1703 1710 1773 1785 1787 1982 1957	977 (1035 1078 1110 1703 1710 1773		SET 8 9 SET 8 9 SET SET SET SET SET SET SET SET SET SET	Hole Full
ate and lato and late alt Sard ime axon Sand imo late ig Idmo ig Injum Sar	nd	CinE Co	955 977 1038 1078 1110 1703 1710 1713 1785 1785 1922 1957	977 (1035 1078 1110 1703 1710 1773		SET 8 9 SET 8 9 SET SET SET SET SET SET SET SET SET SET	Hole Full

WW-4A Revised 6-07

(a) Name

Address

(b) Name

Address

Oil and Gas Privacy Notice

4) Surface Owner(s) to be served:

Carol Louise Greene

1801 Shadybrook Road

Charleston, WV 25314

1)	Date:	November 12,2022
2)	Operator's	Well Number
į.		

3) API Well No.: 47 -

N/A

(b) Coal Owner(s) with Declaration

STATE OF WEST VIRGINIA

47-087-04810 FFICE OF OIL AND GAS

DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

5) (a) Coal Operator

Name

Name Address

Address

())]					
(c) Name			Name		
Address			Address		
			_		
6) Inspector	Joe Taylor		_ (c) Coal Les	see with Declaration	
Address	1478 Claylick Road	N	Name	N/A	
	Ripley, WV 25271	DV .	Address	7	
Telephone	(304) 380-7469	7	_		
(1) The a well is (2) The p. The reason However, you Take notice accompany: Protection, the Applica	application to Plug and a ts and the plugging work plat (surveyor's map) sho you received these docume ou are not required to take a that under Chapter 22-6 of ing documents for a permit with respect to the well at the	Abandon a Well on F k order; and owing the well location ints is that you have right iny action at all. If the West Virginia Code to plug and abandon a well the location described on mailed by registered	Form WW-4B, which on on Form WW-6. this regarding the application, the undersigned well with the Chief of the the attached Application certified mail or delivered.	sets out the parties involved in ation which are summarized in the operator proposes to file or has filed e Office of Oil and Gas, West Virgin on and depicted on the attached For ivered by hand to the person(s) nat	instructions on the reverses side. this Notice and Application and his Department of Environmental m WW-6. Copies of this Notice,
		Well Operator By:	Unknoiwn/DEP Plu	gging Contract	
Emm	OFFICIAL SEAL	Tte.	mon,	tarmon	
	OFFICIAL SEAL NOTARY PUBLIC	Its:	601 57th Street SE	Jarmon	r
RE	NOTARY PUBLIC ATE OF WEST VIRGINIA NAE DAWN WHITLOCK	Its: Address	601 57th Street SE Charleston, WV 25		RECEIVED Office of Dilland Gas
601 57th	NOTARY PUBLIC ATE OF WEST VIRGINIA NAE DAWN WHITLOCK Street, SE, Charleston, WV 25304	Address	601 57th Street SE Charleston, WV 25		RECEIVED Office of Oil and Gas
601 57th	NOTARY PUBLIC ATE OF WEST VIRGINIA NAE DAWN WHITLOCK				PECEIVED Office of Oil and Gas DEC 0 7 2022

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our

office will appropriately secure your personal information. If you have any questions about our use of your personal

information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

SURFACE OWNER WAIVER

Operator's Well Number

ô		

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support

The Chief has the power to deny or condition a well work permit based on comments on the following ... RECEIVED grounds: Office of Oil and Gas

The proposed well work will constitute a hazard to the safety of persons. 1)

DEC 07 2022

2) The soil erosion and sediment control plan is not adequate or effective;

3) Damage would occur to publicly owned lands or resources;

-- - *:*

4) The proposed well work fails to protect fresh water sources or supplies;

WV Department of

5) The applicant has committed a substantial violation of a previous permit or a substantial violation or a previous permit or a substantial violation or a previous permit or a substantial violation or a permit or a substantial violation or a substantial violation or a substantial violation or a substantial violation or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have no objection to the planned webjection to a permit being issued on those materials.	ork described in these materials, and I have no
FOR EXECUTION BY A NATURAL PERSON	FOR EXECUTION BY A CORPORATION,
Charl Date 12-7-22 Name	,
Signature By	
Its	Date
	g

Signature

W	W	-4B
---	---	-----

API No.	47-087-60146
Farm Name	
Well No.	6

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

	WAIVER
has examined this proposed plugging	or/ owner/ lessee/ of the coal under this well location work order. The undersigned has no objection to the work proposed to be well operator has complied with all applicable requirements of the West
Virginia Code and the governing regulate: 11/12/2022	
Virginia Code and the governing regu	ulations.

PECEIVED
Office of Oil and Gas
DEC 0 7 7007

Environmental Protection

WW-9 (5/16)

API Number 47 - 087	_ 60146
Operator's Well No.	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS


FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN


Operator Name UnKnown/DEP Paid Plugging OP Code
Watershed (HUC 10) Poca River Quadrangle Walton
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No
Will a pit be used? Yes No
If so, please describe anticipated pit waste:
Will a synthetic liner be used in the pit? Yes No If so, what ml.?
Proposed Disposal Method For Treated Pit Wastes:
Land Application (if selected provide a completed form WW-9-GPP)
Underground Injection (UIC Permit Number)
Reuse (at API Number) Off Site Disposal (Supply form WW-9 for disposal location)
Other (Explain_
Will closed loop systembe used? If so, describe: N/A
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. N/A
-If oil based, what type? Synthetic, petroleum, etc. N/A RECEIVED Office of Oil and Gas
Additives to be used in drilling medium? N/A DEC 0.7-2022
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. N/A
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A WV Department of Environmental Protection
-Landfill or offsite name/permit number? N/A
Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on April 1, 2016, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment. Company Official Signature Company Official Title Deputy Onief
Subscribed and sworn before me this day of loon , 20 22
Kencu Cur White Notary Public
My commission expires OFFICIAL SEAL OFFICIAL SEAL
NOTARY PUBLIC STATE OF WEST VIRGIDAY 23/2022 BOTTON Street, SE, Charleston, WV 25304 My Commission Expires April 06, 2027

Form WW-9

Field Reviewed?

Operator's Well No. Proposed Revegetation Treatment: Acres Disturbed .5 Acres Prevegetation pH unknown Tons/acre or to correct to pH 6.0 Lime 2-3 Fertilizer type 10-10-20 Fertilizer amount 400 lbs/acre Mulch Tons/acre **Seed Mixtures** Permanent Temporary Seed Type lbs/acre Seed Type lbs/acre 40 N/A Fescue 5 Ladino Clover Contractor Mix 20 Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, provide water volume, include dimensions (L, W, D) of the call the land applied dimensions (L, W), and area in acres, of the land application area. DEC 07 2022 Photocopied section of involved 7.5' topographic sheet. WV Department of Plan Approved by: Comments:







Kennedy, James P < james.p.kennedy@wv.gov>

plugging permits issued 4708704811 08704810 08704809 08704808

1 message


Kennedy, James P < james.p.kennedy@wv.gov> Mon, Dec 19, 2022 at 10:26 AM To: Joseph D Taylor <joseph.d.taylor@wv.gov>, mikelewis25@aol.com, Henry J Harmon <henry.j.harmon@wv.gov>, ewestfall@wvassessor.com

TO whom it may concern, plugging permits have been issued for 4708704811 08704810 08704809 08704808.


James Kennedy

WVDEP OOG

8 attachments









IR-8 4708704809.pdf 120K

4708704809.pdf 1958K

IR-8 4708704808.pdf 120K

4708704808.pdf 1987K