



New Location.
Drill Deeper.
Abandonment. X

Company SUPERIOR PIPE & SUPPLY CO.
 Address GRAND RAPIDS, MICHIGAN
 Farm J. B. WHITED
 Tract _____ Acres 100 Lease No. 15819
 Well (Farm) No. 4, 5, 6, 8 & 10 Serial No. _____
 Elevation (Spirit Level) AS SHOWN
 Quadrangle RIPLEY
 County ROANE District CURTIS
 Engineer L. A. Cunningham
 Engineer's Registration No. 659
 File No. 68-87 Drawing No. _____
 Date Oct. 23, 1944 Scale 1" = 400'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON
 ROA-424-A #10; ROA-425-A #5
WELL LOCATION MAP
 FILE NO. ROA-413-A-#4
ROA-414-A-#6
ROA-416-A-#9

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

Record of Well No. 718 on 341 Farm 100 Acres
 District Township County State
 Rig Commenced 19 Completed 19
 Drilling Commenced July 3rd, 1919 Completed July 23rd 1919
 Cost per Foot Contractor WHEPER WING. Address
 Drillers' Names

BOILER		ENGINE		RIG					
H. P.	No.	Name of Maker	H. P.	No.	Name of Maker	New	Old	Height	Name of Rubber

CONDUCTOR AND CASING USED IN DRILLING									
Conductor	2 1/2 inch	3 inch	3 1/2 inch	4 inch	4 1/2 inch	5 inch	5 1/2 inch	6 inch	6 1/2 inch

CONDUCTOR AND CASING LEFT IN WELL									
Conductor	2 1/2 inch	3 inch	3 1/2 inch	4 inch	4 1/2 inch	5 inch	5 1/2 inch	6 inch	6 1/2 inch

OIL WELL					GAS WELL					
When Shut	Size of Packer	1st Day's Production	tubing	rods	Tanks	Size of Packer	Depth Set	Packed with	1st Minute Pressure	Block Pressure

Initial Open Flow Production	Cubic Feet Per 24 Hours	Shut In Pressure	Cubic Feet Per 24 Hours
------------------------------	-------------------------	------------------	-------------------------

FORMATION	Top	Bottom	Thickness	REMARKS
1st Pittsburgh	340	440		
2nd Pittsburgh	505	560		
Little Dunkard	800	860		
Big Dunkard	960	1012		
Gas Sand	1120	1470		
Salt sand	1521	1599		
GAS	1556	1566		
OIL	1593	1597		
	1599	TOTAL DEPTH		

12" in 1-100 bbl. tank production first 24 hours. Well showing for 3 bbls. Very little gas.

RCA-424-A



Checked and approved by _____
 Superintendent of Co.

J. B. WHITED NO. 10 (718) (V-1240) WELL.

Curtis District, Roane County, W. Va.

By Union Gasoline & Oil Corporation.

On 100 acres.

Drilling commenced July 3, 1919; completed July 23, 1919.

Contractor: Nuffer Bros.

Elevation.....'L.

Abandoned under permit Roa-424-A?

Conductor, 16"; 10" casing, 120"; 6 3/8" 17#, 1160'.

12" in 100-bbl. tank, production first 24 hrs.

Well showing for 3 bbls. Very little gas.

Record to Dept. of Mines ~~was~~ ^{filed} ~~made~~ Sept. 24, 1945.

Record to RCT from Mrs. Griffith Nov. 6, 1945. Old File No. 341.

	Top.	Bottom.
1st Pittsburgh Sand	340	440
2nd Pittsburgh Sand	505	560
Little Dunkard Sand	800	860
Big Dunkard Sand	960	1012
Gas Sand	1120	1470
Salt Sand (gas, 1556-1566') (oil, 1593-1597')	1521	1599
Total depth		1599