

No Coal

Surface: Mrs. Maude M. Ellis.  
 O'Dell Avenue, Charleston, W.Va.

New Location   
 Drill Deeper   
 Abandonment

Company	Road Supply Co.
Address	Salem, W.Va.
Farm	G.L. Lewis
Tract	Acres 119 Lease No.
Well (Farm) No.	A Serial No.
Elevation (Spirit Level)	Floor - 976.98 Ground - 974.98
Quadrangle	Walton DE
County	Roane District Smithfield
Engineer	EC Tabler
Engineer's Registration No.	
File No.	Drawing No.
Date	July 13th 1946 Scale 1" = 400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. ROA-438A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.

G. L. LEWIS NO. 4 WELL.

438A

Smithfield District, Roane County, W. Va.  
 By Read Supply Co., 184 W. Main St., Salem, W. Va.  
 Abandoned under permit Roa-.....-A?  
 On 119 acres.  
 Elevation, 974.98' L.  
 Surface owned by Mrs. Maude M. Ellis, O'Dell Ave., Charleston, W. Va.  
 Drilling completed July 12, 1923.  
 10" casing, 278'; 8 $\frac{1}{2}$ "", 986'; 6 $\frac{5}{8}$ "", 1936'; 2" tubing, 2050'; all left in.  
 No coal was encountered.  
 Oil well. Abandonment reported to Dept. of Mines Aug. 6, 1946.  
 Record to RCT from Mrs. Griffith September 11, 1946. Old File No. 359.

	Top.	Bottom.
Conductor	0	15
Little Dunkard Sand	830	880
Big Dunkard Sand	925	1035
Salt Sand	1615	1725
Maxton Sand	1835	1850
Little Lime	1855	1888
Pencil Cave	1888	1892
Big Lime	1916	2039
Keener Sand	2039	2047
Big Injun Sand (oil, 2065-2080')	2047	2080
Slate	2080	2100
Total depth		2100



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

359

WELL RECORD

Permit No. ROA-438-11


Oil or Gas Well (KIND)

Company Road Supply Company  
 Address 184 East Main St., Salem, W. Va.  
 Farm G. L. Lewis Acres 119  
 Location (waters).....  
 Well No. 4 Elev. 974.98  
 District Smithfield County Reene  
 The surface of tract is owned in fee by Mrs. Maude M. Ellis  
O'Dell Avenue Address Charleston, W. Va.  
 Mineral rights are owned by NO COAL  
 Address.....  
 Drilling commenced.....  
 Drilling completed July 12, 1933  
 Date Shot From To  
 With.....  
 Open Flow /10ths Water in..... Inch  
 /10ths Merc. in..... Inch  
 Volume..... Cu. Ft.  
 Rock Pressure..... lbs..... hrs.  
 Oil..... bbls., 1st 24 hrs.  
 Fresh water..... feet..... feet  
 Salt water..... feet..... feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16.....			Kind of Packer.....
13.....			
10.....	278	278	Size of.....
8 1/2.....	986	986	
6%.....	1936	1936	Depth set.....
5 3/16.....			
3.....			Perf. top.....
2.....	2050	2050	Perf. bottom.....
Liners Used.....			Perf. top.....
			Perf. bottom.....

CASING CEMENTED..... SIZE..... No. Ft..... Date.....  
 COAL WAS ENCOUNTERED AT None FEET..... INCHES  
 FEET..... INCHES..... FEET..... INCHES  
 FEET..... INCHES..... FEET..... INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Conductor				15			
Little Dunkard			830	880			
Big Dunkard			925	1035			
Salt Sand			1615	1725			
Maxon			1835	1850			
Little Lime			1855	1888			
Pencil Cave			1888	1892			
Big Lime			1916	2039			
Keener			2039	2047			
Big Injun			2047	2080			
Slate			2080	2100			
Oil			2065	2080			
Total Depth				2100			



Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
	Light gray	Hard	0	10			
	Light gray	Hard	10	20			
	Light gray	Hard	20	30			
	Light gray	Hard	30	40			
	Light gray	Hard	40	50			
	Light gray	Hard	50	60			
	Light gray	Hard	60	70			
	Light gray	Hard	70	80			
	Light gray	Hard	80	90			
	Light gray	Hard	90	100			
	Light gray	Hard	100	110			
	Light gray	Hard	110	120			
	Light gray	Hard	120	130			
	Light gray	Hard	130	140			
	Light gray	Hard	140	150			
	Light gray	Hard	150	160			
	Light gray	Hard	160	170			
	Light gray	Hard	170	180			
	Light gray	Hard	180	190			
	Light gray	Hard	190	200			
	Light gray	Hard	200	210			
	Light gray	Hard	210	220			
	Light gray	Hard	220	230			
	Light gray	Hard	230	240			
	Light gray	Hard	240	250			
	Light gray	Hard	250	260			
	Light gray	Hard	260	270			
	Light gray	Hard	270	280			
	Light gray	Hard	280	290			
	Light gray	Hard	290	300			
	Light gray	Hard	300	310			
	Light gray	Hard	310	320			
	Light gray	Hard	320	330			
	Light gray	Hard	330	340			
	Light gray	Hard	340	350			
	Light gray	Hard	350	360			
	Light gray	Hard	360	370			
	Light gray	Hard	370	380			
	Light gray	Hard	380	390			
	Light gray	Hard	390	400			
	Light gray	Hard	400	410			
	Light gray	Hard	410	420			
	Light gray	Hard	420	430			
	Light gray	Hard	430	440			
	Light gray	Hard	440	450			
	Light gray	Hard	450	460			
	Light gray	Hard	460	470			
	Light gray	Hard	470	480			
	Light gray	Hard	480	490			
	Light gray	Hard	490	500			
	Light gray	Hard	500	510			
	Light gray	Hard	510	520			
	Light gray	Hard	520	530			
	Light gray	Hard	530	540			
	Light gray	Hard	540	550			
	Light gray	Hard	550	560			
	Light gray	Hard	560	570			
	Light gray	Hard	570	580			
	Light gray	Hard	580	590			
	Light gray	Hard	590	600			
	Light gray	Hard	600	610			
	Light gray	Hard	610	620			
	Light gray	Hard	620	630			
	Light gray	Hard	630	640			
	Light gray	Hard	640	650			
	Light gray	Hard	650	660			
	Light gray	Hard	660	670			
	Light gray	Hard	670	680			
	Light gray	Hard	680	690			
	Light gray	Hard	690	700			
	Light gray	Hard	700	710			
	Light gray	Hard	710	720			
	Light gray	Hard	720	730			
	Light gray	Hard	730	740			
	Light gray	Hard	740	750			
	Light gray	Hard	750	760			
	Light gray	Hard	760	770			
	Light gray	Hard	770	780			
	Light gray	Hard	780	790			
	Light gray	Hard	790	800			
	Light gray	Hard	800	810			
	Light gray	Hard	810	820			
	Light gray	Hard	820	830			
	Light gray	Hard	830	840			
	Light gray	Hard	840	850			
	Light gray	Hard	850	860			
	Light gray	Hard	860	870			
	Light gray	Hard	870	880			
	Light gray	Hard	880	890			
	Light gray	Hard	890	900			
	Light gray	Hard	900	910			
	Light gray	Hard	910	920			
	Light gray	Hard	920	930			
	Light gray	Hard	930	940			
	Light gray	Hard	940	950			
	Light gray	Hard	950	960			
	Light gray	Hard	960	970			
	Light gray	Hard	970	980			
	Light gray	Hard	980	990			
	Light gray	Hard	990	1000			

Date August 6, 1946

APPROVED Road Supply Co., Owner

By J. M. Road, mgr. owner  
(Title)