



New Location
 Drill Deeper
 Abandonment

Company ROANE OIL & GAS CO.
 Address CLENDEN N.W., W. VA.
 Farm S.A. FLESHMAN
 Tract _____ Acres 194 Lease No. _____
 Well (Farm) No. 14 Serial No. _____
 Elevation (Spirit Level) 835.00
 Quadrangle WALTON
 County ROANE District WALTON
 Engineer R. F. Eyer
 Engineer's Registration No. 804
 File No. _____ Drawing No. _____
 Date 7-14-47 Scale 1" = 600'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. ROA-470-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500. Latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

374

WELL RECORD

Oil or Gas Well _____ (KIND)

Permit No. 470-A

Company Roane Oil and Gas Company
 Address Glendoin, West Virginia
 Farm S. A. Fleshman Acres 196
 Location (waters) McKowns Creek
 Well No. 14 Elev. 835
 District Walton County Roane
 The surface of tract is owned in fee by S. A. Fleshman
 Address Walton, W. Va.
 Mineral rights are owned by _____
 Address _____
 Drilling commenced May 21, 1910
 Drilling completed June 24, 1910
 Date Shot _____ From _____ To _____
 With _____
 Open Flow _____ /10ths Water in _____ Inch
 _____ /10ths Merc. in _____ Inch
 Volume _____ Cu. Ft.
 Rock Pressure _____ lbs. _____ hrs.
 Oil _____ bbls., 1st 24 hrs.
 Fresh water _____ feet _____ feet
 Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	270	pulled	Size of
8 1/4	900	"	
6 5/8	1854	1854	Depth set
5 3/16			
3			Perf. top
2		1999	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
 COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
 _____ FEET _____ INCHES _____ FEET _____ INCHES
 _____ FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Conductor				16			
10" casing				270			
First Dunkard			770				
Second Dunkard			875				
8-1/4" casing				900			
Salt Sand			1445				
Salt Water			1475				
Little lime			1809				
Big Lime			1845				
6-5/8" casing			1854				
Top sand			1970				
First Oil			1977				
Pay from			1977	1997			
Shot from			1975	1995			
Bottom hole				1999			