

- New Location..
- Drill Deeper.....
- Abandonment.....

Company UNITED FUEL GAS CO.  
 Address CHARLESTON, W. VA.  
 Farm J. W. DRAKE  
 Tract \_\_\_\_\_ Acres 60 Lease No. 12504  
 Well (Farm) No. \_\_\_\_\_ Serial No. 1326  
 Elevation (Spirit Level) 1014.0  
 Quadrangle OTTER  
 County ROANE District GEARY  
 Engineer Paul E. Casline  
 Engineer's Registration No. 669  
 File No. 82-64-77 Drawing No. \_\_\_\_\_  
 Date 3-2-55 Scale 1" = 400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. ROA-932-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.

Roane  
932A

Elev. 1014 B

UNITED FUEL GAS COMPANY

U. 1326

# COMPLETION REPORT

Map Sq. 82-77.7

Farm I. W. Drake

Well No. 1

State W. Va. County Roane District Geary

T. D. 1971 Date Started 9-4-23 Date Completed 10-14-23

Sand Gas 1345-1375 Sand Salt 1430-1675 Packer 8 1/2" - 485'

B. LIME 1803-1902 Little Lime 1752-1793 Casing 6 5/8" - 1809'

Sand Maxon 1695-1752 Casing

Sand Injun 1902-1957 Water

Oil First Day \_\_\_\_\_ Bbl. Gas 116 M. Cu. Ft. Orig Rock Press 275#

Remarks: Show of Oil at 1350'. Gas at 1435'. Gas at 1830', no test. First Pay 1925-1926.



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

505

Quadrangle Otter  
Permit No. 9327A

WELL RECORD

Oil or Gas Well Gas  
(KIND)


Company UNITED FUEL GAS COMPANY  
Address P.O. Box 1273, Charleston 25, W. Va.  
Farm J. W. Drake Acres 60  
Location (waters) Two Run of Big Sandy Creek  
Well No. 1326 Elev. 1014'  
District Geary County Roans  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by W. M. Sergent, et al  
Poca Valley Bank Address Walton, W. Va.  
Drilling commenced 9-4-23  
Drilling completed 10-14-23  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow 6 /10ths Water in 2 Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume 115,968 Cu. Ft.  
Rock Pressure 275 lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			<u>Anchor</u>
13			Size of
10			<u>3x5-3/16"</u>
8 1/4		<u>275'</u>	Depth set
6 3/4		<u>1809'</u>	<u>1891' 9"</u>
5 3/16			Perf. top
3		<u>1986'</u>	Perf. bottom
2			Perf. top
Liners Used			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Soil			0	25			
Sand			25	50			
Red Rock			50	100			
Sand			100	135			
Red Rock			135	200			
Sandy Lime			200	261			
Slate			261	304			
Sand			304	370			
Lime			370	400			Show of oil at 1350' in Gas Sand
Sandy Lime			400	510			Gas at 1435' in Salt Sand
Slate			510	515			Gas in Big Lime at 1830'
Sand			515	650			
Lime			650	707			First pay 1925' to 1926'
Slate			707	808			
lime			808	835			
Sand			835	865			
Slate & Shells			865	1345			
Gas Sand			1345	1375			
Slate & Shells			1375	1430			
Salt Sand			1430	1675			
Lime			1675	1685			
Red Rock			1685	1687			
Lime			1687	1693			
Slate			1693	1695			
Maxon Sand			1695	1752			
Little Lime			1752	1793			
Slate			1793	1803			
Big Lime			1803	1902			
Big Injun			1902	1957			
Slate			1957	1971			
Total depth			1971'				



AUG 12 1955

