

Latitude 38° 45'

Longitude 81° 15'

J. F. SUMMERFIELD, ET AL.

Stake & Black Oak Pointer

N38°E  
932'

Beech

N58°E  
428'

Beech

S50°20'E  
450'

N9378

S86°E  
693'

ANDREW PARKS

N47°E  
957'

Hickory & White Oak

N37°00'  
596'

+

3523'

FLAT FORK OF POCAHALICO RIVER

J. W. LOONEY

T. R. SIMMONS  
508 AC

- New Location...
- Drill Deeper.....
- Abandonment.....

Company UNITED FUEL GAS CO.  
 Address CHARLESTON, W. VA.  
 Farm T. R. SIMMONS  
 Tract \_\_\_\_\_ Acres 508 Lease No. 2817  
 Well (Farm) No. \_\_\_\_\_ Serial No. 378  
 Elevation (Spirit Level) 992.0  
 Quadrangle WALTON  
 County ROARNE District SMITHFIELD  
 Engineer Paul E. Gaalant  
 Engineer's Registration No. 669  
 File No. 80-81 Drawing No. \_\_\_\_\_  
 Date 3-9-55 Scale 1" = 660'

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION  
CHARLESTON

WELL LOCATION MAP  
FILE NO. ROA-937-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

576

Quadrangle Walton

Permit No. 937A

WELL RECORD

Oil or Gas Well Gas  
(KIND)


Company UNITED FUEL GAS COMPANY  
Address P.O. Box 1273, Charleston 25, W. Va.  
Farm T. R. Simmons Acres 508  
Location (waters) Flat Fork  
Well No. 378 Elev. 992'  
District Smithfield County Roane  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by Ruby H. Simmons, et al  
Address Looneyville, W. Va.  
Drilling commenced 5-16-12  
Drilling completed 6-22-12  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume 405,000 Cu. Ft.  
Rock Pressure 500 lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water 1538-1592' feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			<u>Larkin</u>
10		<u>220'</u>	Size of
8 1/4		<u>870'</u>	<u>3x5-3/16"</u>
6 5/8		<u>1837'</u>	Depth set
5 3/16		<u>1878'</u>	
3			Perf. top
2	<u>2019'</u>	<u>1974'</u>	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Sand			160	202			
Dunkard Sand			610	630			
Salt Sand			1475	1762	Gas 1950-1960		
Maxon Sand			1762	1785			
Big Lime			1822	1945			
Pencil Cave			1817	1822			
Big Injun			1945				
Total depth			1970'				



AUG 12 1955

