

Note: This Well was drilled Dec. 1916 by Godfrey L. Cabot Company, and was purchased by Ohio Valley Gas Company, which has merged with Commonwealth Gas Corporation.

- New Location...
- Drill Deeper.....
- Abandonment.....

SURVEY Oct. 23, 1956. - W.S. GRAVELY Note Book No. 62 Page 15

Company	COMMONWEALTH GAS CORPORATION
Address	P.O. Box 1433 CHARLESTON, W.VA.
Farm	E.H. EPLING HEIRS
Tract	Acres 4 Lease No. OV 8
Well (Farm) No.	1 Serial No. OV 119
Elevation (Spirit Level)	1042
Quadrangle	SPENCER S.E.
County	ROANE District SPENCER
Engineer	J.E. BILLINGOLEY
Engineer's Registration No.	757
File No.	Drawing No.
Date	Oct. 24, 1956. Scale 1" = 400'

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION  
CHARLESTON

WELL LOCATION MAP  
FILE NO. ROA-1003A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

-- Denotes one inch spaces on border line of original tracing.

(164)

O. G. SPLINE NO. 1 WELL.

1003A  
70097

Spencer District, Boone County, W. Va.

By Godfrey L. Cabot, Inc.

On 19-1/8 acres (S.P. - 19 1/2 ac.)

Heller Map 1-22.

Elevation.....

Completed Dec. 9, 1916.

Gas well. 250,000 cu. ft. Big Injun Sand.

S. P. - 8-40-41; N - 38-39.

From Heck's notes.

On Little Creek.

Big Injun Sand  
Total depth

Top.	Bottom.
2176	- 2231
	2306



579

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

Quadrangle Spencer

Permit No. 1003-A

WELL RECORD

Oil or Gas Well Gas  
(KIND)


Company Commonwealth Gas Corporation  
Address P. O. Box 1433, Charleston, W. Va.  
Farm E. H. Epling Acres 4  
Location (waters) Little Spring Creek  
Well No. 119 (Ohio Valley Gas Co.) Elev. 1042  
District Spencer County Roane  
The surface of tract is owned in fee by Amanda E. Gobel, c/o Adam H. Gobel, Triplett, W. Va. Address T. L. Epling, Frost, Ohio  
Mineral rights are owned by O. G. Epling, c/o Campbells Creek Coal Co. Address Rensford, W. Va.  
Drilling commenced November 1, 1916  
Drilling completed December 7, 1916  
Date Shot Dec. 6, 1916 From 2191 To 2206  
With 20 quarts glycerin  
Open Flow 30 /10ths Water in 2" Inch  
/10ths Merc. in \_\_\_\_\_ Inch  
Volume 231,000 Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water 1240 feet 1895 feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			<u>Anchor</u>
13			Size of <u>2"</u>
10	<u>868</u>	<u>0</u>	Depth set <u>2082</u>
8 1/4	<u>1195</u>	<u>0</u>	Perf. top _____
6 3/4	<u>2081</u>	<u>2081</u>	Perf. bottom _____
5 3/16			Perf. top _____
3			Perf. bottom _____
2	<u>2210</u>	<u>2210</u>	
Liners Used			

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
NOTE: This well log is incomplete, and was drilled in 1916 by Godfrey L. Cabot Co. and later sold to the Ohio Valley Gas Company. Now owned by Commonwealth Gas Corporation. The following is the only log available on this well.							
<u>lg Dunhard</u>			<u>1210</u>	<u>1240</u>	<u>Water</u>	<u>1240</u>	
<u>alt Sand</u>			<u>1845</u>	<u>2005</u>	<u>Water</u>	<u>1895</u>	
<u>arton Sand</u>			<u>2010</u>	<u>2025</u>			
<u>ittle Lime</u>			<u>2042</u>	<u>2065</u>			
<u>encil Cave</u>			<u>2065</u>	<u>2077</u>			
<u>ig Lime</u>			<u>2077</u>	<u>2176</u>			
<u>ig Injun</u>			<u>2176</u>	<u>2246</u>	<u>Gas</u>	<u>2189 1/2 - 2206</u>	
NOTE: Tubing set on 2 inch Anchor Packer, in Big Line and 200% cement poured in on top of Packer at 2082'. This well is 2210 feet deep as bailer was left in hole by drillers after shot.							



JUN 26 1957