

Latitude 38° 50'

Longitude 81° 25'

3
3.97 x 5
3.18 x 6

H. M. FETTY



L. B. BOARD

P. F. COTTLE

W. R. PARSON

206

N 78° W 160'
N 52° W 350'
N 12° 45' E 260'
N 61° 15' E 343'
Chestnut Oak.
White Oak.

Stake White Oak ptr.

S 53° 30' E 1003'

N 41° 15' E 1003'

Stake in Wrights Line.

J. F. WRIGHT

New Location ..
Drill Deeper
Abandonment.....

Company UNITED FUEL GAS CO.
Address CHARLESTON, W. VA.
Farm P. F. COTTLE
Tract _____ Acres 52 Lease No. 1502
Well (Farm) No. _____ Serial No. 206
Elevation (Spirit Level) 1118.79'
Quadrangle SPENCER
County ROANE District CURTIS
Engineer Harold J. Spencer
Engineer's Registration No. 669
File No. 70-87 Drawing No. _____
Date 2-27-53 Scale 1"=660'

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP

FILE NO. ROA-1022-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



1586

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

Quadrangle Spencer

WELL RECORD

Oil or Gas Well Gas
(KIND)

Permit No. 1277A

Company United Fuel Gas Co.
Address P. O. Box 1273; Charleston 25, W. Va.
Farm P. F. Cottle Acres 52
Location (waters) Middle Fork of Reedy Creek
Well No. 206 Elev. 1118.79'
District Curtis County Roane
The surface of tract is owned in fee by _____
Address _____
Mineral rights are owned by R. I. Miller, Agent, et al
Address Spencer, W. Va.

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16		16'	<u>Larkin</u>
18			Size of
10	<u>875'</u>	<u>Pulled</u>	<u>3" x 6-5/8"</u>
8 1/4	<u>1375'</u>	<u>Pulled</u>	Depth set
6 5/8		<u>2335'</u>	<u>343'</u>
5 3/16			Perf. top
3			Perf. bottom
2			Perf. top
Liners Used			Perf. bottom

Drilling commenced Oct. 25, 1910
Drilling completed Jan. 19, 1911
Date Shot _____ From _____ To _____
With _____
Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume 3,706,170 Cu. Ft. Cu. Ft.
Rock Pressure 875 lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
WELL ACIDIZED _____
WELL FRACTURED _____


CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____

COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES

RESULT AFTER TREATMENT _____
ROCK PRESSURE AFTER TREATMENT _____
Fresh Water 700 Feet 1500 Salt Water 1960 Feet

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Pitts. Sand			660	785'	Water at 700'.		
Slate			785	795			
Sand			795	815			
Slate			815	855			
Sand			855	900			
Slate & Shells			900	1030			
Sand			1030	1055			
Slate & Shells			1055	1215			
Sand			1215	1410			
Slate & Shells			1410	1470			
Sand			1470	1590	Water at 1500' - 10 bailers per hr.		
Slate & Shells			1590	1665			
Sand			1665	1685			
Slate & Shells			1685	1750			
Sand			1750	1815			
Slate & Shells			1815	1895			
Salt Sand			1895	2215	Water at 1960' & filled up 1975'		
Big Lime			2215	2315			
Slate & Shells			2315	2680			
Black Shale			2680	2695			
Berea Grit			2695	2707			
Total Depth			2707'				Mercury inches: - 4

2680
2315
365



DEC 20 1958

