

New	Location
Drill	Deeper
Aban	donment X

Company W. G. DRAKE

Address SPENCER, W.VA

Farm MINNIE B. SIMMONS

Tract Acres 44 Lease No.

Well (Farm) No. 2 Serial No. /3/

Elevation (Spirit Level) 775.00

Quadrangle SPENCER

County ROANE District SPENCER

Engineer S. J. Dy e

Engineer's Registration No. 204

File No. Drawing No.

Scale /" = +0 POLES

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP

FILE NO. ROA - 1067-A

- + Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
- Denotes one inch spaces on border line of original tracing.

Date 3-28-60
K-E 156 IMPERIAL 64120

6-6 (164)

Spencer District, Roane County, W. Va.
By Goff & Heck.
On...acres. (S. P. - marked 100 acres).
Keller Map H-23.
Elevation......
Completed Feb. 3, 1913.
Gas well. 2,759.000 cu. ft. Berea Sand.
S. P. - S-42 - W-41.
No depths given.
From Heck's notes.

70274

MINNIE B. SIMMONS NO. 2 WELL.

1067A

Spencer District, Roane County, W. Va.

By Goff & Heck.
On 100 acres.

Keller Map H-23.

Elevation.....

Completed Nov. 14, 1914.

Gas well. 19/10 Merc. in 65 . 6201 mc

S. P. - S-42 - W-41.

From Heck's notes.

Big Lime Berea Sand (gas, 2318') Total depth Top. Bottom. 1861 - 2310 - 2329 2329

MINNIE B. SIMMONS NO. 3 WELL.

70276

Spencer District, Roane County, W. Va. By Goff & Heck.
On 100 acres.
Elevation......
Completed Oct. 9, 1915.
Gas well. 7/10 Merc. in 65.
S. P. - S - 42-3 - W-41.
Location (?)
From Heck's notes.

Big Lime Berea Sand (gas, 2452') Total depth Top. Bettom. 2002 - ... 2442 - 2475 2475 Quadrangle Spencer







STATE OF WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

Permit No. 1067-A WELL				RECORD		Oil or Gas Well Gos	
The state of the s		Ve		Casing and Tubing	Used in Drilling	Left in Well	Packers
		Va.					
		Ureek		Size			
			Elev. 775.00	16	7.1		Kind of Packer
	A Control of the Cont	_County_Roar		13	STATE OF STATE		6 5/8 X 3
				10	1	4-12-11	Size of
	The second secon			81/4			Size oi
		Address		65/8	2002	1901	Depth set 1978
				5 3/16	di // da	4.700	Depuir sec
				3	2329	2329	Perf. top
		100		2	6267	102117	Perf. bottom
)	Liners Used			Perf. top
With		Pro American		Differs Obeca	70		Perf. bottom
	/10ths Water	in	Inch				reri. bottom
			Inch	a de la companya de l		16 2 3 5 3 6 2	
				CASING CEMI	ENTED	_SIZE	No. FtDat
			hrs.				
			_bbls., 1st 24 hrs.	COAL WAS E	NCOUNTEREI	AT NOTE	FEETINCHE
WELL ACIDIZE				FEE	rINC	HES	FEETINCHE
WELL ACIDIZE							FEETINCHE
WELL FRACTU	TRED						
	RE AFTER TH	REATMENT				Fee	t
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth	Remarks
Top Soil Rock, Sand Slate Dunkard Sc Salt Sand Little Lir Big Line Big Injun Berca Sand Total Dept	ind ne		5 914 1586 1759 1789 1890 2310	914 1014 1759 1789 1890 1905 2329			
				JUN 29	1960	MAR 1960 RECEIVE WEST VIRGINIA DEPT. OF MINES	1703A56780
			((over)		Tonne.	