STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name:	Tygart Lake Co	ountry Club	_Operator Well No.:B-069	1
LOCATION:	Elevation: 1468'		Quadrangle: Thornton,	WV 7.5'
LOOM THON.	District: Knottsvi	lle	County: Taylor	
			39 Deg. 18 Min. 1	8 500
			79 Deg. 58 Min.	
	Longitude.	Feet viest of	Deg. Oo Wiln.	Sec.
Well Type: (OIL GASX	X		
Company	CoalQuest Deve	elopment Coal O	perator 100 Tygart Drive Gra	fton, WV 26354
Acous	David B. Berry		perator	
Agent Permit Issue		or Own		
STATE OF W	EST VIRGINIA,	A	AFFIDAVIT	
County of M				
Ralph K. Harr	nan an	Matthew A. Yearsle	eV heing first d	uly sworn according to law depose
well operator	, and participated in the	work of plugging a		were employed by the above named hat said work was commenced on the following manner:
TYPE	FROM	ТО	PIPE REMOVED	LEFT
Expandable Cen		949'		
Thixotropic w/ Green		343'		
Expandable Cen		Surface	00001	244
4 1/2" Casing 8 5/8" Casing		5352' 989'	2208' Milled 27'	3144' 962'
11 3/4" Casing		85'	0	85'
16" Conducto		5'	0	5'
	of monument: ^{77" of 7" cas}	ing with company name, well #,	API #, and date cemented. and	I that the work of plugging and filling
And further	deponents saith not.	Kyr V	150	OFFICIAL SEAL Richard O'Dell Notary Public State of West Virginia
		Manty	4 Semsy	My Commission Expires June 17, 2021
Sworn and	subscribe before me th	his 30 th day of 5	nuary , 20 20	RR 7 Box 72 Clarksburg, WV 26301
My commission	on expires: 06/14/2	ozl c	Notary Public	
Affidavit revie	wed by the Office of Oil	and Gas: <u>Semes</u>	of I slegulets	Title: OULYGAS INSPECTOR

Plugging Report for MSHA

Well Num	nber:	B-0691		Mine: Berry	Energy		Surface	
Permit Nr	nher	47-091-0070	00					Top of 16" Conductor, 8 5/8" and 11 3/4 Casing at surface Bottom of 16" Conductor at 5'
	an Out Starte		4/2020		COMPANIES OF THE CONTROL OF THE CONT			
Date Wel	l Bore Plugg	ed: <u>1/3</u>	0/2020					
Kittanning	g Coal Seam	:	543 ft.	То 549	ft		77	
Plugs:							xpan	
From		То	-	Type of Cer			dable	Bottom of 11 3/4" Casing at 8ŧ
5403	3' 	949'	_	Expandab	ole Cement		Expandable Cement	
949		343'	_		c Cement w/ n Dye		ent	,
343		Surface	_	Expandab	ole Cement			
			-		This To	. 2421		
casing		g in Well Bor			Thix To	p: 343'		
Sucker Rods	Тор	Bottom	Left	Pulled			hixotropic w/ Green	
2 3/8" tubing 4 1/2" casing	2208'	5352'	3144'	2208'				
7" casing 7" fiberglass							Ceme	533'
8 5/8" casing 11 3/4" Casing	Surface Surface	989' 85'	962' 85'	Milled 27' 0				
16" Conductor		5'	5'	0		543'- 549'		Milled 27' Window
					Kittaning C	100000000000000000000000000000000000000		William St. William
Cement:							Thixotropic	
Expandable Thixotropic		660 210		sacks sacks			ropic	560'
Econofill Mud Flush		1000		sacks gal				
Other Est. Top Thix				ft		1.89	Cement w Dye	
Did Cement Ci	rc.	Yes					ଜ	
Comments:		Madausta	Manual		Thix Botton	n: 949"	reen Breenene	
Lost Circulatio		Moderate <mark>reme</mark> Moder		Normal				Bottom of 8 5/8" Casing at 989'
Difficulty in Re Debris in Well		ing: <u>Extreme</u> Wood	Mode <u>Steel</u>	rate <i>Normal</i> Other:				
							Expandable Gement	
							ndab	2
							le Ce	
							men	
Surface Eleva			168					Top of 4 1/2" Casing at 2208'
Bottom of Coa Diff	I Structure erence		19 49					
					Total Da	epth: 5403'		
					Total De	- Puii 9403	ည	
							Cuttings	
							G	Bottom of 4 1/2" Casing at 5352'

FORM WR-38 (Affidavit of Plugging)

WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION **OIL AND GAS WELLS DIVISION**

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

COALQUEST DEVELOPMENT, L'LC.

Coal Operator or Owner

100 TYGART DRIVE GRAFTON, WV 26354

Address

COALQUEST DEVELOPMENT, LLC.

Coal Operator or Owner

100 TYGART DRIVE GRAFTON, WV 26354

Address

B W INVESTMENTS, INC.

Lease or Property Owner

225 MT. MEADOW LANE BRIDGEPORT, WV 26330

Address

BERRY ENERGY, INC.

Name of Well Operator

310 STILES ST. CLARKSBURG, WV 26301

Complete Address

THORNTON, WV

Well Location

KNOTTSVILLE

District

TAYLOR

County B-0691

Well No.

AKE COUNTRY CLUB TYGART L

Farm

wlose

STATE INSPECTOR SUPERVISING PLUGGING

AFFIDAVIT

STATE OF WEST VIRGINIA, County of MONONGALIA ss:

RALPH K. HARMAN and MATTHEW A. YEARSLEY being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 14TH day of January, 2020 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In		
Formation		3				
	rough 4 ½" casing from surface to 5403'.	4 ½" Casing	2208'	3144'		
	403'. Cemented bottom hole with 210 sacks	0.5/0".0:	NA:U1 072	000		
	t with Gas Blocker Additive from 5403' to of 4 ½" casing from surface to 2208'. Left	8 5/8" Casing	Milled 27'	962'		
	om 2208' to 5352'. Cleaned a 7 7/8" hole	11 ¾" Casing	0	85'		
	Tagged cement plug at 2208'. Set	, and the second				
	2208' to 949' with 300 sacks of	16" Conductor	0	5'		
	Section milled 8 5/8" casing from 533' to					
	Kittanning Coal Seam (543' to 549'). Left					
	om surface to 533' and 429' from 560' to					
	ond of 8 5/8" casing, no additional required per Leer Mines 101C Petition.					
	ken from previous well records.					
	9' to surface as follows:					
	210 sacks of Thixotropic Cement with					
	to surface with 150 sacks of Expandable					
	irculate at surface. Left 5' of 16" conductor					
pipe in well at surface.	6					
,						
Coal Seams		Description of Monume	ent			
Lower Kittanning	543' – 549'	77" of 7" casing w/ company name, well number,				
	permit number and date cemented stated					
		casing. Well marker will be attached to cement				

... and that the work of plugging and filling said well was completed on the 30th day of January, 2020

And further deponents saith not.

Ralph K. Harman

plug at ground level.

Matthew A. Yearsley

Sworn to and subscribed before me this 30th day of

Notary Public

My commission expires:

OFFICIAL SEAL Richard O'Dell Notary Public State of West Virginia My Commission Expires June 17, 2021 RR 7 Box 72 Clarksburg, WV 26301

Permit No. <u>47-091-00700</u> Well No. **B-0691**

Latitude: 39° 18' 18"N Longitude: <u>79° 58' 16"W</u>