

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

COALQUEST DEVELOPMENT, LLC
Coal Operator or Owner
2708 CRANBERRY SQUARE MORGANTOWN, WV 26508
Address
COALQUEST DEVELOPMENT, LLC
Coal Operator or Owner
2708 CRANBERRY SQUARE MORGANTOWN, WV 26508
Address
WILLIS NESTOR
Lease or Property Owner
ROUTE 1, BOX 475, GRAFTON, WV 26354
Address

ICG TYGART VALLEY, LLC
Name of Well Operator
2708 CRANBERRY SQUARE MORGANTOWN, WV 26508
Complete Address
THORNTON (638)
Well Location
KNOTTSTVILLE
District
TAYLOR
County
ONDA NESTOR 2
Well No.
NESTOR, WILLIS
Farm

STATE INSPECTOR SUPERVISING PLUGGING

[Signature] 8-14-14

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

RUSSELL SMALLWOOD and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by ICG Tygart Valley, LLC well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 16th day of June, 2014 and that the well was plugged in the following manner:

Formation	Filling Material	Casing Size & Kind	Casing Pulled	Casing Left In
Cleared 3 1/2" hole from Surface to 5187'. Tagged Solid plug at 5187'. Cement bottom hole from 5187' to 2410' with 160 sacks of Expandable Cement. Removed 2407' of 4 1/2" casing from Surface to 2407'. Left approximately 2847' of 4 1/2" casing in the hole from 2407' to -5254' (Depth taken from old well record). Cleaned 7 7/8" hole from Surface to 2107'. Encountered extreme caving which caused the drill string to become stuck in the hole at 1758'. Left 93' of drill string in the hole from 1758' to 1665'. Section milled 8 5/8" casing from 688' to 715' through the Lower Kittanning Coal seam from 699.7' to 704.9'. Possible small junk metal through the Lower Kittanning Coal seam from 699.7' to 704.9'. Left 1076' of 8 5/8" casing in the hole from Surface to 688' and from 715' to 1103'. Left Freshwater Gel plug in the hole from 2410' to 1650'		16" Conductor Casing	0'	6 1/2'
		8 5/8" Casing	Milled 27'	1076'
		4 1/2" Casing	2407'	-2847'
Cemented hole from 1650' back to surface as follows: From 1650' to 1110' with 146 sacks of Expandable Cement. From 1110' to 600' with 150 sacks of Thixotropic Cement with green dye. From 600' to Surface with 189 sacks of Expandable Cement. Cement did circulate at the surface. Left 6 1/2" of 15" conductor casing in the hole from the surface to 6 1/2'.				
Coal Seams		Description of Monument		
<u>LOWER KITTANING</u>	699.7 to 704.9	77" of 7" casing w/company name, well number, permit number and date cemented stated on 7"		
(Name)		casing. Well marker will be attached to the		
(Name)		cement plug at ground level.		

Received
Office of Oil & Gas
SEP 08 2014

... And that the work of plugging and filling said well was completed on the 3rd day of July, 2014

And further deponents saith not.

[Signature]
Russell Smallwood

[Signature]
Kevin S. Wright

Sworn to and subscribed before me this 14 day of August 2014

[Signature]
Notary Public

My commission expires: 11/4/23

Permit No. 47-91-00810-P
Well No. ONDA NESTOR 2



09122014