


LATITUDE 39° 27' 30"



LONGITUDE 80° 55'

T'S OGIS topo location

7.5' loc	<u>0.70 S</u>	15' loc	<u>3.08 S</u>
	<u>1.39 W</u>	(calc.)	<u>1.39 W</u>

Company \_\_\_\_\_

Farm \_\_\_\_\_

Quad Middlebourne (West Union)

County Tyler NW

District Meade

WELL LOCATION MAP

File No. 095-63

CLOF

6-0

(086)



WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

PRELIMINARY DATA SHEET NO. 1

File No. TyL-63 Well No. 3

Neely Oil & Gas Co Company of St. Marys W Va  
on the Bessie Sawson Farm

containing 14.3 acres. Location Meade District, in Tyler County, West Virginia

The surface of the above tract is owned in fee by Bessie Sawson  
of Middlebourn address, and the mineral rights are owned by  
Nat Sawson Mrs of Middlebourn W Va

The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit  
No. \_\_\_\_\_ issued by the West Virginia Department of Mines, Oil and Gas Division  
\_\_\_\_\_ 193\_\_\_\_\_.

Elevation of surface at top of well, 853 Spirit Barometrit.

The number of feet of the different sized casings used in the well.  
16 feet 13" size. Wood conductor.  
265 feet 10 size, csg. \_\_\_\_\_ sized csg.  
960 feet 8 1/4 size, csg. \_\_\_\_\_ sized csg.  
1275 feet 6 5/8 size, csg. \_\_\_\_\_ sized csg.

\_\_\_\_\_ packer of \_\_\_\_\_ size, set at \_\_\_\_\_  
\_\_\_\_\_ packer of \_\_\_\_\_ size, set at \_\_\_\_\_

\_\_\_\_\_, in casing perforated at \_\_\_\_\_ feet to \_\_\_\_\_ feet.  
\_\_\_\_\_, in casing perforated at \_\_\_\_\_ feet to \_\_\_\_\_ feet.

Coal was encountered at 60 feet, thick ness 1 ft inches, and at 515  
feet; thickness 36 inches; and at \_\_\_\_\_ feet; thickness \_\_\_\_\_ inches.

Liners were used as follows: (Give details) \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_



Date. \_\_\_\_\_  
Approved Neely Oil & Gas Co, Owner.  
By Albert Neely  
(TITLE)

