

Latitude

39 35

80 52 30

OGIS  
7.5' loc

Longitude

**Topo Location**

7.5' Loc. 1.88S      15' Loc. 1.88S  
0.07W                      (calc.) 2.29W

Company \_\_\_\_\_

Farm Anna Fox 2

15' Quad New Martinsville SC  
(sec.)

7.5' Quad Paden City

District Ellsworth

**WELL LOCATION PLAT**

County 095      Permit 210

(was 095 30706)

(036)

ANNA FOX NO. 2 WELL.

→ 210D

Ellsworth District, Tyler County, W. Va.  
 By McKinley Brothers, Pittsburgh, Pa.  
 Abandoned under permit Tyl-.....-A?  
 On.....acres, on Tenmile Creek.  
 Elevation, 913.9' L.  
 Surface and minerals owned by Anna Fox, Middlebourne, W. Va.  
 Drilling commenced Aug. 11, 1903; completed Dec. 8, 1903.  
 No record of shot.  
 Fresh water at 275'.  
 16" wood conductor; 6 $\frac{1}{2}$ " casing, 925'; 6 $\frac{5}{8}$ "?, 1560'.  
 No packer.  
 Oil well. Record to Dept. of Mines not dated or stamped.  
 Record to RCT from Mrs. Griffith July 9, 1952. O. F. No. 657.

	Top.	Bottom.
Sand, rock, and shale	0	- 1235
Sand, brown, hard	1235	- 1485
Lime shell, white, hard	1285	- 1605
Sand, brown, soft	1605	- 1620
Lime, white, hard <i>Big Lime</i>	1620	- 1640
Sand, brown, medium (oil, 1647-1660')	1640	- 1660
Total depth <i>Keener</i>		1660



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

*New Martinsville*

WELL RECORD

Permit No. TYL 210 D


Oil or Gas Well OIL  
(KIND)

Company Glenn F. McBurney  
 Address Box 114 Sistersville, W. Va.  
 Farm Anna Fox Acres 38  
 Location (waters) Ten mile creek  
 Well No. 2 Elev. 713.9'  
 District Ellsworth County Tyler  
 The surface of tract is owned in fee by Anna Fox Heirs  
R.D. #2 Address New Martinsville W. Va.  
 Mineral rights are owned by Glenn F. McBurney  
Box 11d Address Sistersville W. Va.  
 Drilling commenced Nov 6th, 1952  
 Drilling completed June 10th, 1953.  
 Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
 With \_\_\_\_\_  
 Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
 \_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
 Volume No gas 11200 Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil Showing about 5 BBLs bbls., 1st 24 hrs.  
 Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
 Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10			Size of
8 1/2			Depth set
5 3/16	1660		
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
 COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
This well was drilled to 1670 we drilled it to 3712 feet							
Sand	White	Hard		1799			
lime	"	"	1799	1891			
sand	Grey	"	1891	2459			
Slate							
&							
Line	Black	"	2459	2610			Abandoned Oct 53 10/13
sand	Grey	"	2610	2690			
	White						
L shells	Black	"	2690	2745			
Sand	Black	very hard	2745	2869			
B Lime	Black						
shells and sand		"	2869	3175			
Sand	Black	very hard	3175	3294			
shale	Black	"	3294	3642			
Sand	Black	very hard	3642	3691			
Slate	Black	"	3691	3712			
					BOTTOM OF HOLE		





STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

657

Permit No. 7210D  
TYLER-706-A (3)

WELL RECORD

Oil or Gas Well OIL  
(KIND)

Company McKinley Brothers  
Address Pittsburgh, Pennsylvania  
Farm Anna Fox Acres \_\_\_\_\_  
Location (waters) Ten Mile Creek  
Well No. 2 Elev. 913.9  
District Ellsworth County Tyler  
The surface of tract is owned in fee by Anna Fox  
Address Middlebourne, W. Va.  
Mineral rights are owned by Same  
Address \_\_\_\_\_  
Drilling commenced August 11, 1903  
Drilling completed December 8, 1903  
Date Shot No record From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16" Wood conductor			Kind of Packer <u>None</u>
13			
10			Size of _____
<del>8 1/2</del> 6 1/2"	925'		
6 5/8"	1560'	1560'	Depth set _____
5 3/16"			
3			Perf. top _____
2			Perf. bottom _____
Liners Used			Perf. top _____
			Perf. bottom _____

Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume No record Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water 275' feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Sand, rock and shale			Surface	1235			
Sand	Brown	Hard	1235	1485			
Lime shell	White	"	1285	1605			
Sand	Brown	Soft	1605	1620			
Lime	White	Hard	1620	1640			
Sand	Brown	Medium	1640	1660	Oil	1647-1660	

Ⓞ

(Over)

JUL 9 1952