

Company RICHARD L. BARTH & HAROLD E. DEPUY
 Address DAVIS AVE. RATHBONE, MARIETTA, O.
 Farm SEVA. W. STEALEY
 Tract _____ Acres 146 3/4 Lease No. _____
 Well (Farm) No. 1 Serial No. _____
 Elevation (Spirit Level) 743'
 Quadrangle NEW MARTINSVILLE
 County TYLER District ELLSWORTH
 Engineer John W. Hamilton
 Engineer's Registration No. 2274
 File No. _____ Drawing No. _____
 Date MAR 24, 1962 Scale 1" = 660'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. T42-335

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

— Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION 12

Quadrangle NEW MARTINSVILLE

Permit No. TYL-335

WELL RECORD

Oil or Gas Well Dry ✓
(KIND)


Company Richard Barth & Harold DePuy
 Address 130 Powells Lane, Wintersville, Ohio
 Farm Seva W. Stealey Acres 146
 Location (waters) Point Pleasant
 Well No. # 1 Elev. 743'
 District Ellsworth County Tyler
 The surface of tract is owned in fee by Seva Stealey
 Address Parkersburg, W. Va.
 Mineral rights are owned by Same
 Address _____
 Drilling commenced April 4/62
 Drilling completed May 22/62
 Date Shot _____ From _____ To _____
 With _____
 Open Flow _____ /10ths Water in _____ Inch
 _____ /10ths Merc. in _____ Inch
 Volume _____ Cu. Ft.
 Rock Pressure _____ lbs. _____ hrs.
 Oil _____ bbls., 1st 24 hrs.
 WELL ACIDIZED _____
 WELL FRACTURED _____

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10	375'	375'	Size of
8	1020'	1020'	
6 5/8	1527'	1527'	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
 COAL WAS ENCOUNTERED AT None FEET _____ INCHES
 _____ FEET _____ INCHES FEET _____ INCHES
 _____ FEET _____ INCHES FEET _____ INCHES

RESULT AFTER TREATMENT _____
 ROCK PRESSURE AFTER TREATMENT _____
 Fresh Water 80' Feet Salt Water 810' & 980' Feet

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Clay			0	14			
Rock			14	19			
Shale			19	75			
Sand			75	83	Water	80'	200 GPM
Red R			83	93			
Sand			93	100			
Lime & shale			100	165			
Sand			165	175			
Slate & lime			175	201			
Shale	Dark		201	215			
Lime & shale			215	320			
Sand			320	377	Set 10" casing 375'		
Shale & shells			377	445			
Lime		Gritty	445	465			
Slate & lime			465	585			
Sand			585	595			
Slate & lime			595	647			
Red R.			647	675			
Slate & lime			675	763			
Red R.			763	780			
Lime			780	800			
Sand			800	814	Water	810'	50 GPM
Shale			814	870			



Formation	Color	Hard or Soft	Top ¹²	Bottom	Oil, Gas or Water	Depth Found	Remarks
Shale	Dark		870	920			
Lime			920	950			
Sand			950	985	Water	980'	50 GPH
Lime & slate			985	1025			
Sand			1025	1140	Set 8" casing	1020'	
Shale			1140	1155			
Sand			1155	1192			
Shale			1192	1240			
Sand			1240	1280			
Shale			1280	1305			
Sand			1305	1345			
Slate			1345	1385			
Sand			1385	1400			
Shale			1400	1445			
Sand			1445	1495			
Shale & lime			1495	1553	Set 7" O.D. casing	1527'	
Sand			1553	1593	S. L. M.	1561'	
Shale & sand			1593	1605	Show of gas	1578-1583'	
big lime			1605	1685			
Keener Sand			1685	1697	Show of oil	1686-1698'	
Injun Sand			1697	1793'			
Total depth				1793'			

1605
743
862

Date May 26, 1962

APPROVED R. Barth & Harold DeWuy, Owner

By R. Barth & Harold DeWuy X
(Title)

R. Barth & Harold DeWuy