

#### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Austin Caperton, Cabinet Secretary www.dep.wv.gov

Thursday, March 7, 2019
WELL WORK PLUGGING PERMIT
Vertical Plugging

TRIAD HUNTER, LLC 125 PUTNAM ST

MARIETTA, OH 45750

Re: Permit approval for 8 47-095-00562-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: 8

Farm Name: FERRELL, J. F.

U.S. WELL NUMBER: 47-095-00562-00-00

Vertical Plugging Date Issued: 3/7/2019

Promoting a healthy environment.

### **PERMIT CONDITIONS**

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

#### **CONDITIONS**

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. This well is under a consent order and must be plugged under the terms of that agreement.

	47-095-005621
1)Date	<sup>2</sup> 0 <sup>3</sup> /08/2019
2) Operator's Well No. FERRELL.	
3) API Well No. 4	

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

#### APPLICATION FOR A PERMIT TO PLUG AND ABANDON

	APPLICATION FOR A PER	MIT TO PLUG AND ABANDON
4)	Well Type: Oil X / Gas X / Liqui	d injection/ Waste disposal/
	(If "Gas, Production $X$ or Un	derground storage/ Shallowx
5)	Location: Elevation 973'GL	Watershed Hills Run
37	District ELLSWORTH	County TYLER Quadrangle Porters Falls
	Well Operator Triad Hunter, LLC	7) Designated Agent UNLIMITED ENERGY SERVICES LLC
6)		Address 264 INDUSTRIAL PARK ROAD
	,1002-00-	JANE LEW, WEST VIRGINIA 26378
	MARIETTA, OHIO 45750	JANE LEW, WEST VIRGINIA 20376
8)	Oil and Gas Inspector to be notified	9) Plugging Contractor
	Name CRAGIN BLEVINS	Name UNLIMITED ENERGY SERVICES LLC
	Address 1407 19TH STREET	Address 64 INDUSTRIAL PARK ROAD
	VIENNA, WEST VIRGINIA 26105	JANE LEW, WEST VIRGINIA 26378
		Office of Oil and Gas FEB 2 5 2019
	ification must be given to the district o	FEB 20 to WV Department of WV Department of Environmental Protection En
Mar	k order approved by inspector	Date 2/2/2019
MOT	v order approved by Inspector	Date

### **Unlimited Energy Services Plug to Abandon Procedure**

- 1) Unlimited Energy Services service rig pulls Rods and tubing out of hole.
- 2) Run tubing to a minimum of 50 feet below producing pay zone, pump and set cement plug using class A cement to a minimum of 50 feet above the producing pay zone, pump a 6% gel ahead of the cement. (Cement plug will be a minimum of 100 feet).
- 3) Tag cement top to ensure plug meets minimum, add cement if necessary find free point on casing, cut and remove casing and pull out of the hole.
- 4) Run tubing to a minimum of 50 feet below cut casing. Pump and set cement plug using Class A Cement to a minimum of 50 feet above cut casing, pump a 6% gel ahead of the cement. Pull tubing (Cement plug will be a minimum of 100 feet elevation plug).
- 5) Tag cement top to ensure plug meets minimum, add cement if necessary.
- 6) Pull and set tubing to a minimum of 100 feet below surface, pump Class A cement to surface (minimum of 100 feet surface and fresh water strata plug)
- 7) Erect monument 3 foot by 6 foot with identification number and fill with cement.

8) Rig down all equipment. Reclaim location and lease road as necessary. And prepare release forms.

Office of Oil and Gas

Office of Oil and Gas

CB FEB 2 5 2019

I/2019

WV Department of Fourtonmental Protection

47-095-0562

EASE NO. 724	ACRES 5	6 FARM NA	and the same of	. Porrell		WELL NO	
i. 6 S. E.	W. 14 Lo		agus com phocaland	Dat Sole Dat	chased From e Purchased f To e Sold e Abandoned	H.C.&R. 3-1-43	
	RMATION	NAME OF TAXABLE PARTY OF	1	CAS	SING RECOR	D	
Kind Top	Berram Seet Line	Tests	Size	Barton Casing	Par in Well T	Pulled ally Mess	Cemented
			6-5/8" 5-3/16 5-9/16		1760 1833 1849	Dan Saa Top Bet.	Cie.
eener 1866	3			PACK	ERS AND SH	OES	
11 1860	0	<u> </u>	К	ind in	Size I	Depth Set	Date Ses
as 187			O.M.S. I	Hallapler 6-	5/8"x5-3/16" x3"/16"X16"	1816	
	1	İ	-	TOR	PEDO RECO	RD	
1000	1 1	İ	Date	No. Qts.	Size Shell Top S	hat Bottom	Results
	1						
40		1 1 1 1	07.0	1-1			
	1 1				7 3		
	1	-			9-11		
	1000		i i	1 1			
ctal Depth	1889	11-15-35	-	DRI	LLING DEEF	PER	
	1	100	Comraence	material war a not	man military of the		Contractor
	1 1	1	Sent				
	1 1		1	ABAND	ONMENT RE		
	1	İ	Filled Wit	la From	To :	Size Kal	Deple
		1	4	-	1		
	1	1			1		
		İ	il.		1		
Y .	1 1-		100				
		ips After #	3				
lead Foot Sand Nooner	* At Completion   # 33 De	in visit in	1	1			
		1.	APPROV	/ED			

Office of Oil 2nd Gas
FEB 25 2019
WV Department of Environmental Protection

47-095-00762P 03/08/2019

WV Department of Environmental Protection

WW-4A Revised 6-07

4) Surface Owner(s) to be served:

1) Date: 25	2019		
2) Operator's Well Numb FERRELL, J. F. 8	er		
3) API Well No.: 47 -	095	00562	

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

5) (a) Coal Operator

Address
(b) Coal Owner(s) with Declaration
Name N/A
Address
Name
Address
(c) Coal Lessee with Declaration
Name N/A
Address
ould have received this Form and the following documents:
MAN AD A STATE AND
WW-4B, which sets out the parties involved in the work and describes the
Form WW-6.
garding the application which are summarized in the instructions on the reverses side.
garding the application which are summarized in the institutions on the reverses side.
A CONTRACTOR OF THE PROPERTY O
undersigned well operator proposes to file or has filed this Notice and Application and ith the Chief of the Office of Oil and Gas, West Virginia Department of Environmental
attached Application and depicted on the attached Form WW-6. Copies of this Notice,
ertified mail or delivered by hand to the person(s) named above (or by publication in the Chief.
me Chei.
d Hunter LLC
e Horan
e Horan Wale off a
A 4.4
-

Oil and Gas Privacy Notice

My Commission Expires

Subscribed and sworn before

Commission Expires

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at <a href="mailto:depprivacyoffier@wv.gov">depprivacyoffier@wv.gov</a>.

740-868-1324

03/08/2019



### Ohio Department of Natural Resources

JOHN R. KASICH, GOVERNOR

JAMES ZEHRINGER, DIRECTOR

Richard J. Simmers, Chief Division of Oil and Gas Resources Management 2045 Morse Road – Bidg. F-2 Columbus, OH 43229-6693

Phone: (614) 265-6922, Fax: (614) 265-6910

ORDER BY THE CHIEF

RECEIVED
Office of Oil and Gas

February 5, 2016

FEB 1 4 2019

**ORDER NO. 2016-29** 

WV Department of Environmental Protection

TO:

**Mud Masters** 

739 Southgate Parkway Cambridge, OH 43725

RE:

Mud Masters Lore City Treatment Facility

Lore City, Ohio

Guernsey County, Lore City Township

SUBJECT:

Temporary Authorization to Store, Recycle, Treat, and Process Brine and

Other Waste Substances Pursuant to R.C. 1509.22

Pursuant to Ohio Revised Code Section 1509.22, the Chief of the Division of Oil and Gas Resources Management ("Chief" or "Division") issues the following Order:

#### **BACKGROUND:**

- 1. Mud Masters proposes to operate an oil and gas waste facility to be located at 64036-A Wintergreen Road, Lore City, Ohio in Guernsey County ("Lore City Facility"). The Lore City Facility is a treatment facility that proposes to treat brine or other waste substances associated with the exploration, development, well stimulation, production operations, or plugging of oil and gas resources for lawful disposal. The brine or other waste substances will be treated for the purpose of disposal in an adjacent Class II injection well or if the brine or other waste substances are not suitable for injection, will be stabilized for landfill disposal.
- 2. Division (B)(2)(a) of R.C. 1509.22 states, in pertinent part, that "\* \* no person shall store, recycle, treat, process, or dispose of in this state brine or other waste substances associated with the exploration, development, well stimulation, production operations, or plugging of oil and gas resources without an order or a permit issued under this section or section 1509.06 or 1509.21 of the Revised Code or rules adopted under any of those sections."

47-095-00562P

03/08/2019

Mud Masters Lore City Facility Page 2 of 4 Chief's Order No. 2016-29

3. On October 30, 2015, the Division received an application from Mud Masters requesting to temporarily store, treat, and process brine and other waste substances associated with the exploration, development, well stimulation, production operations, or plugging of oil and gas resources at the Lore City Facility. In its application, Mud Masters supplied the Division with information and details regarding its proposed operations. The Lore City Facility will accept liquid and semi-solid oilfield wastes for the purpose of treating them for disposal. Those waste materials suitable for disposal in a Class II underground injection well will be treated prior to pumping them to an adjacent injection well for disposal. The material not suitable for underground injection will be stabilized and tested prior to RECEIVED transportation to a landfill for lawful disposal.

FEB 1 4 2019

#### **ORDER:**

#### IT IS HEREBY ORDERED:

WV Department of Environmental Protection

Mud Masters has temporary approval at the Lore City Facility to temporarily store, treat, and process brine or other oilfield waste substances associated with the exploration, development, well stimulation, production operations, or plugging of oil and gas resources, subject to the following conditions:

- 1. Mud Masters shall conduct all operations at the Lore City Facility in compliance with R.C. Chapter 1509 and Ohio Adm.Code 1501:9.
- 2. Brine shall not be disposed of in a manner not specified in R.C. 1509.22(C)(1)(a) through R.C. 1509.22(C)(1)(c). Disposal of brine pursuant to R.C. 1509.22(C)(1)(d) requires separate written approval by the Chief.
- 3. Mud Masters shall conduct all operations at the Lore City Facility in accordance with the application submitted to the Division for this facility. Mud Masters shall notify the Division prior to implementing any changes in operations at the Lore City Facility.
- 4. Mud Masters shall stabilize oilfield waste substances by adding quick-lime, Portland cement, or an alternate stabilization agent approved by the Chief, if the waste substance is to be disposed of in this state at a licensed solid waste landfill. If the waste substance is to be transported or disposed of out of state, Mud Masters shall comply with all applicable state and federal laws.
- 5. Mud Masters shall implement the Radiological Protection Plan ("RPP") submitted to the Division with the application for the Lore City Facility and shall continuously update the protocols and procedures in accordance with the plan.
- 6. Not later than one year after the date of this order, Mud Masters shall perform a radiation and contamination survey of the Lore City Facility, including the on-site vessels and equipment, to determine if there is a need to modify the procedures and protocols in the RPP

## RECEIVED Office of Oil and Gas

47-095-00562P

03/08/2019

Mud Masters
Lore City Facility
Page 3 of 4

FEB 1 4 2019

Chief's Order No. 2016-29

#### WV Department of Environmental Protection

to ensure the protection of its employees, contractors, and the public health and safety as well as the environment. Any modifications of the RPP will be incorporated and made a part of this order and Mud Masters shall operate the Lore City Facility in accordance with the modified plan.

- 7. Mud Masters shall maintain waste and material management records for Lore City Facility and provide those records to the Division upon request. The records shall include, but not be limited to, manifests of all incoming oilfield waste substances and the final disposition of all the outgoing oilfield waste substances.
- 8. Mud Masters shall notify the Division at least 14 days before terminating operations at the Lore City Facility.
- 9. Mud Masters shall remediate any brine or other waste substances associated with the exploration, development, well stimulation, production operations, or plugging of oil and gas resources that is released in ground water or in or on the land or discharged in surface water as a result of the operations at the Lore City Facility.
- 10. This Chief's Order shall terminate upon any of the following, whichever occurs first:
  - a) The Division issues a permit to Mud Masters for the Lore City Facility pursuant to rules promulgated under to R.C. 1509.22(C);
  - b) The Division denies a permit to Mud Masters for the Lore City Facility pursuant to rules promulgated under R.C. 1509.22(C); or
  - c) Six months after the effective date of rules adopted under R.C. 1509,22(C);
  - d) The location of the Lore City Facility changes from 64036-A Wintergreen Road, Lore City, Ohio.

e) The ownership of the Lore City Facility changes from Mud Masters.

Doto /

Richard J. Simmers, Chief

Division of Oil and Gas Resources Management

Addressee is hereby notified that this action is final and effective and may be appealed pursuant to Section 1509.36 of the Ohio Revised Code. If the Order is appealed to the Ohio Oil and Gas Commission, the appeal must be in writing and must set forth the Orders complained of and the grounds upon which the appeal is based. Such appeal must be filed with the Oil and Gas

Office of Oil and Gas

47-095-005628

FEB 1 4 2019

03/08/2019

Mud Masters Lore City Facility Page 4 of 4

WV Department of Environmental Protection Chief's Order No. 2016-29

Commission, 2045 Morse Road, Building H-3, Columbus, Ohio 43229-6693, within thirty (30) days after receipt of this Order.

In addition, within three (3) days after the appeal is filed with the Oil and Gas Commission, notice of the filing must be submitted to Richard J. Simmers, Chief, Division of Oil and Gas Resources Management, Ohio Department of Natural Resources, 2045 Morse Road, Building F, Columbus, Ohio 43229-6693.

CERTIFIED MAIL No: 91 7199 9991 7036 4067 2414

91 7199 9991 7036 4067 2414

cc:

Legal Section

Steve Opritza, Permitting Manager

**Engineering Section** 

Brent Bear, Region Supervisor

Douglas Bennett, Guernsey County Oil and Gas Inspector

oposed Revegetation Trea	atment: Acres Disturbed Of	NE Prevegetation p	5.5
Lime TWO	Tons/acre or to correc	t to pl1 6.5	
Fertilizer type 10-	<b>-20-</b> 20		
Fertilizer amount	500	lbs/acre	
Mulch 50 BALE	ES 2.5	_Tons/acre	
		Seed Mixtures	
Т	emporary	Perm	anent
Seed Type	lbs/acre	Seed Type	lbs/acre
		Orchard Grass	30%
		Rye(Annual & BT)	35%
		Timothy (Climax)	25%
		Clover (Med. Red)	10%
ovided). If water from the W), and area in acres, o	oit and proposed area for land e pit will be land applied, pro f the land application area. olved 7.5' topographic sheet.	application (unless engineered plans inch vide water volume, include dimensions (L	iding this info have been
aps(s) of road, location, povided). If water from the W), and area in acres, o	e pit will be land applied, prof the land application area.	l application (unless engineered plans inch vide water volume, include dimensions (L	iding this info have been, W, D) of the pit, and dim
aps(s) of road, location, povided). If water from the W), and area in acres, o otocopied section of invo	e pit will be land applied, profithe land application area.  Dived 7.5' topographic sheet.	application (unless engineered plans include water volume, include dimensions (L.	iding this info have been, W, D) of the pit, and dim
aps(s) of road, location, povided). If water from the W), and area in acres, o otocopied section of inventor Approved by:	e pit will be land applied, prof the land application area.  Olved 7.5' topographic sheet.	application (unless engineered plans include water volume, include dimensions (L.	iding this info have been, W, D) of the pit, and dim
aps(s) of road, location, povided). If water from the W), and area in acres, o otocopied section of inventor Approved by:	e pit will be land applied, prof the land application area.  Olved 7.5' topographic sheet.	application (unless engineered plans include water volume, include dimensions (L.	iding this info have been, W, D) of the pit, and dim
aps(s) of road, location, povided). If water from the W), and area in acres, o otocopied section of inventor Approved by:	e pit will be land applied, prof the land application area.  Olved 7.5' topographic sheet.	application (unless engineered plans include water volume, include dimensions (L.	iding this info have been, W, D) of the pit, and dim
aps(s) of road, location, povided). If water from the W), and area in acres, o otocopied section of inventor Approved by:	e pit will be land applied, profithe land application area.  Olved 7.5' topographic sheet.	application (unless engineered plans include water volume, include dimensions (L.	iding this info have been, W, D) of the pit, and dim
aps(s) of road, location, povided). If water from the W), and area in acres, o otocopied section of inventor Approved by:	e pit will be land applied, profithe land application area.  Olved 7.5' topographic sheet.	application (unless engineered plans include water volume, include dimensions (L.	iding this info have been, W, D) of the pit, and dim
aps(s) of road, location, povided). If water from the W), and area in acres, o otocopied section of inventor Approved by:	e pit will be land applied, profithe land application area.  Olved 7.5' topographic sheet.	application (unless engineered plans include water volume, include dimensions (L.	iding this info have been, W, D) of the pit, and dim
aps(s) of road, location, povided). If water from the W), and area in acres, o otocopied section of inventor Approved by:	e pit will be land applied, profithe land application area.  Olved 7.5' topographic sheet.	application (unless engineered plans include water volume, include dimensions (L.	ading this info have been, W,D) of the pit, and dim
aps(s) of road, location, povided). If water from the W), and area in acres, o otocopied section of inverse Approved by:	e pit will be land applied, profithe land application area.  Olved 7.5' topographic sheet.	l application (unless engineered plans include water volume, include dimensions (L.	RECENED A
aps(s) of road, location, povided). If water from the W), and area in acres, o otocopied section of inverse an Approved by:	e pit will be land applied, profithe land application area.  Olved 7.5' topographic sheet.	l application (unless engineered plans incluvide water volume, include dimensions (L.	RECENED Of the pit, and dim
aps(s) of road, location, povided). If water from the W), and area in acres, o otocopied section of inverse an Approved by:	e pit will be land applied, profithe land application area.  Olved 7.5' topographic sheet.	l application (unless engineered plans include water volume, include dimensions (L.	RECEIVED

47-095-	005629
---------	--------

API Number	47 -	095
Operator's W	ell No	)

00562

03/08/2019

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Triad Hunter, LLC	OP Code 494494833
Watershed (HUC 10) Hills Run	Quadrangle Porters Falls
Do you anticipate using more than 5,000 bbls of water	to complete the proposed well work? Yes No V
Will a pit be used? Yes No ✓	
If so, please describe anticipated pit waste:	
Will a synthetic liner be used in the pit? Yes	No If so, what ml.?
Proposed Disposal Method For Treated Pit Wa	astes:
	d provide a completed form WW-9-GPP)
Underground Injection ( UI Reuse (at API Number	C Permit Number)
	form WW-9 for disposal location)
Other (Explain_	
Will closed loop systembe used? If so, describe: All flo	owback materials will be contained in open top pit.
Drilling medium anticipated for this well (vertical and	horizontal)? Air, freshwater, oil based, etc. N/A
-If oil based, what type? Synthetic, petroleum	, etc. N/A
Additives to be used in drilling medium? N/A	
Drill cuttings disposal method? Leave in pit, landfill, r	emoved offsite, etc. N/A
-If left in pit and plan to solidify what medium	will be used? (cement, lime, sawdust) N/A
-Landfill or offsite name/permit number? Fluid	ds will be disposed by contractor/operator at Mud Masters, LLC: See Attachments.
	Oil and Cas of any load of drill cuttings or associated waste rejected at any provided within 24 hours of rejection and the permittee shall also disclose
on April 1, 2016, by the Office of Oil and Cas of the provisions of the permit are enforceable by law. Violat or regulation can lead to enforcement action.  I certify under penalty of law that I have peraphication form and all attachments thereto and that, b	west Virginia Department of Environmental Protection. I understand that the ions of any term or condition of the general permit and/or other applicable law ersonally examined and am familiar with the information submitted on this pased on my inquiry of those individuals immediately responsible for obtaining accurate, and complete. I am aware that there are significant penalties for of fine or imprisonment.  FEB 2 5 2019  FEB 2 5 7019
Subscribed and sworn before me this 19 c	ADAM ROWAN Notary Public, State of Ohlo My Commission Expires 11-18-2015
My commission expires November 18, 201	The Country of the Co

47-095-06524

WW-9- GPP Rev. 5/16

	Page	of	-
API Number 47	- 095	- 00562	
Operator's Well ?	No.		

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS GROUNDWATER PROTECTION PLAN


Operator Name: Triad Hunter, LLC	
Watershed (HUC 10): Hills Run	Quad: Porters Falls
'arm Name:	Quati, 1 oriele 7 dile
List the procedures used for the treatment and disci groundwater.	harge of fluids. Include a list of all operations that could contaminate the
Plug to abandon operations.	
. Describe procedures and equipment used to protect	groundwaterquality from the list of potential contaminant sources above.
Containment will be in place around the v	well. And a portable pit will be used for fluids.
List the closest water body, distance to closest wardischarge area.  N/A	iter body, and distance from closest Well Head Protection Area to the
. Summarize all activities at your facility, that are alrea	ady regulated for groundwater protection.
N/A	
	TONED, AS
. Discuss any existing groundwater quality data for ye	office of oil and oil and oil an

WW-9- GPP Rev. 5/16 Page Z of 2 03/08/2019

API Number 47 - 095 - 00562

Operator's Well No.

N/A	
Provide a statement that no waste material will be used for deicing or fill ma	iterial on the property.
No waste materials will be used for the deicing of area or ea any will not be used for material fill on the property.	quipment. And waste materials if
Describe the groundwater protection instruction and training to be provide provide direction on how to prevent groundwater contamination.	ed to the employees. Job procedures shall
Spill protection training given to every employee. Spill kits a site.	nd containment are on each work
Provide provisions and frequency for inspections of all GPP elements and ed	quipment.
nspections are done before during operations by designate	d employees.
	DHICE OF THE SUIS
signature:	FEB 2 5 To 10 To 1
Date:	EUA



## Well Name: Ferrell, J.F. #8

Triad Hunter, LLC
A subsidiary of Blue Ridge Mountain Resources, Inc.

Tyler County - Ellsworth District - West Virginia



WW-7 8-30-06



## West Virginia Department of Environmental Protection Office of Oil and Gas

### WELL LOCATION FORM: GPS

<sub>API:</sub> 47-095-00562	WELL NO.: 8	
FARM NAME: FERRELL		
RESPONSIBLE PARTY NAME	Triad Hunter, LLC	
COUNTY: TYLER		.SWORTH
QUADRANGLE: Porters F		
	W EDDY EST c/o Ma	rgaret Eddy
	W EDDY EST c/o Mai	
UTM GPS NORTHING: 4374		
UTM GPS EASTING: 51136	0.1155 GPS ELEVATION	<sub>on:</sub> 956'
preparing a new well location plat above well. The Office of Oil and O the following requirements:	05 meters	PI number on the sthat do not meet
Real-	Time Differential X	
Mapping Grade GPS: Po.	st Processed Differential	
Re	al-Time Differential	
I the undersigned, hereby certify th	topography map showing the wel is data is correct to the best of my k n required by law and the regulation Gas.	nowledge and office of Oil and Oil and
Mil Han	Operations Manager	Z/8 / GNV Department of Environmental Protection
Signature ///	Title	Date '