

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Austin Caperton, Cabinet Secretary www.dep.wv.gov

Tuesday, February 26, 2019
WELL WORK PLUGGING PERMIT
Vertical Plugging

TRIAD HUNTER, LLC 125 PUTNAM ST

MARIETTA, OH 45750

Re: Permit approval for AGNES GORRELL 1

47-095-00572-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: AGNES GORRELL 1

Farm Name: GORRELL, AGNES

U.S. WELL NUMBER: 47-095-00572-00-00

Vertical Plugging Date Issued: 2/26/2019

Promoting a healthy environment.


I

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit</u> conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. This well is under a consent order and must be plugged under the terms of that agreement.



WW-4B Rev. 2/01

1)Date	03/01/2019
2) Operator's Well No. GORRELL, AGNES 1	
3) API Well No. 47-005	- 00572

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

		OFFICE OF	OIL AND GAS		
		APPLICATION FOR A PER	RMIT TO PLUG AND A	BANDON	
4)	Well Type: Oil	X / Gas X / Liqui	id injection	/ Waste disposal/	
	(If "Gas	s, Production X or Un	nderground storage		
			1199-75		
51		ation 855	Watershed Hills R		
	Distr	rict ELLSWORTH	CountyTYLER	Quadrangle Porters Falls	
6)	Well Operator T	riad Hunter, LLC	7) Designated Ag	ent UNLIMITED ENERGY SERVICES LLC	
U/	Address 1	25 Putnam Street	_ // Designated ing Addr	ess 264 INDUSTRIAL PARK ROAD	
		IARIETTA, OHIO 45750	-	JANE LEW, WEST VIRGINIA 26378	
8)		pector to be notified	9) Plugging Cont		
	Name CRAGIN B Address 1407 1		Name UNLIMITED ENERGY SERVICES LLC Address 64 INDUSTRIAL PARK ROAD		
		A, WEST VIRGINIA 26105	- NA 100 P (NA 100 P	IANE LEW, WEST VIRGINIA 26378	
	ification must be k can commence.	given to the district of		tor 24 hours before permitted	
Work	k order approved b	by inspector	T.	Date	

Unlimited Energy Services Plug to Abandon Procedure

- 1) Unlimited Energy Services service rig pulls Rods and tubing out of hole.
- 2) Run tubing to a minimum of 50 feet below producing pay zone, pump and set cement plug using class A cement to a minimum of 50 feet above the producing pay zone, pump a 6% gel ahead of the cement. (Cement plug will be a minimum of 100 feet).
- 3) Tag cement top to ensure plug meets minimum, add cement if necessary find free point on casing, cut and remove casing and pull out of the hole.
- 4) Run tubing to a minimum of 50 feet below cut casing. Pump and set cement plug using Class A Cement to a minimum of 50 feet above cut casing, pump a 6% gel ahead of the cement. Pull tubing (Cement plug will be a minimum of 100 feet elevation plug).
- Tag cement top to ensure plug meets minimum, add cement if necessary.
- 6) Pull and set tubing to a minimum of 100 feet below surface, pump Class A cement to surface (minimum of 100 feet surface and fresh water strata plug)
- 7) Erect monument 3 foot by 6 foot with identification number and fill with cement.
- 8) Rig down all equipment. Reclaim location and lease road as necessary. And prepare release forms.

QCB 2021/2019

* GEL SPACERS BETWEEN ALL PLUGS.


47-095-0572

ease No.		Acres		Farm Name	AG	NES GOI		With the Ref.		Well N	
, 5 S. E.	W. 13	3-14	L	ocation Made				Purchas	ed From	Ва	rron Kidd
- 1	sworth			ig Completed				Date Pr	irchased	4/	1/60
				r'g Commenced				Sold to			
tate W.V				or'g Completed				Date So	ld		
AS Rights Owned I				or'g Contractor				Date Al	bandoned	1	
n. Augus Owned								CASING	RECOR	D	
		RMATIO		77.4	Size	Bottom C Steel I		Put in Well Tally Meas.	Pul Tally		Cemented
Kind	Тор	Bottom	Strel Line Meas.	Tests		Steel I	ine	1030	Tally		Date
Conl	_350		-		8½ 6-5/8		-	1755 V			Size Csg.
First Cow Run	1180	-	-		0-3/0			1,35	-		Top Csg.
Second Cow Run	1400	-									Bot. Csg.
Salt Sand	1400 1780	-									•
Big Injun	1842										
art rujun											
First Pay	1858	8' thick	cness		-		PA	CKERS A	ND SH	IOE5	
			-		-	Kind	1	Size	Dent	th Set	Date Set
		-	-		-		-		-		
	-										
	-						-				1
										- 1	
1-10							Т	ORPEDO	RECO	RD	
					Dat	. 1		Size Shell		Botton	n Results
					Dat	e	No. Que	Size Shell	Top Shot	Doctor	
			-				-	-	-	-	
	-		-		-	-		-			
	-	-	-		-						
	-	-	-								The state of the s
	1										
								-			-
								-		-	
	-	1	-		-			-			
	-	-	-	-							
-	-	-	-								
	1	1									
	1		1								
										-	- 44
TOTAL DEPTH		1873			-			-		-	
		-			-	-		-		-	-
	-	-	-			-		1		1	
	-	-	-				-	-			
	1			-	1						
Initial Prod. San	1 * At	Completion	→ 50 Days Af	ter *							
Oil											
Gas				4	APPROV	ED					Supt

& Oil in Barrels

TESTS, REPORTS AND REMARKS ON REVERSE SID





WW-4A Revised 6-07

1) Date:	2/5/2019	
2) Operator	's Well Number	
GORRELL, AGNE	\$1	

3) API Well No.: 47 -

95 - 00572

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

(a) Name	yner(s) to be served: John & Leah Starkey	5) (a) Coal Operato Name	r N/A
(a) Name Address	6606 Tyler Highway	Address	N/O
riditess	Sistersville, WV 26175	Audress	
(b) Name		(b) Coal O	wner(s) with Declaration
Address	(-	Mana	N/A
		Address	
(c) Name		Name	1
Address		Address	
(C) I	CDACIN DI EVING	(-) () [ssee with Declaration
6) Inspector Address	CRAGIN BLEVINS 1407 19TH STREET	Name	N/A
Address	VIENNA, WEST VIRGINIA 26105	Address	NA
Telephone	VIETNA, VIED. VIII SIMA 20100	Address	
	-		
Protection the Applic	ying documents for a permit to plug and abandon , with respect to the well at the location describe	n a well with the Chief of t ed on the attached Applicat ered or certified mail or de	operator proposes to file or has filed this Notice and Application and he Office of Oil and Gas, West Virginia Department of Environmental ion and depicted on the attached Form WW-6. Copies of this Notice, livered by hand to the person(s) named above (or by publication in
	Wall Onever	ov. Triad Hunter LLC	
(SET)	Well Operat	The state of the s	
(9) (A)	By:	Mike Horan	Moder
	By:	Mike Horan Operations manager	Math
×	By: Demota K. Nicholson, Notary Pul	Mike Horan Operations manager 125 Putnam Street	Mosta
×	By:	Mike Horan Operations manager 125 Putnam Street	Mosta
× ATE	By: Demota K. Nicholson, Notary Pul strand For Trib 918/850 Ohio ary Commission Expires 8 9 9	Mike Horan Operations manager 125 Putnam Street MARIETTA, OHIO 49 740-868-1324	146 Har
SATE	By: Pampia K. Nicholson, Notary Puling and For The Shaeson Onic My Commission Expires 3 - 7 - Telephone	Mike Horan Operations manager 125 Putnam Street MARIETTA, OHIO 49 740-868-1324	14 Here 15750
Subscribed and	By: Demota K. Nicholson, Notary Pul strand For Trib 918/850 Ohio ary Commission Expires 8 9 9	Mike Horan Operations manager 125 Putnam Street MARIETTA, OHIO 48	11/4 Har

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

WW-9 (5/16)

API Number	47 - 095	_00572	
Operator's W	ell No.		

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Triad Hunter, LLC	OP Code 494494833
Watershed (HUC 10) Hills Run	Quadrangle Porters Falls
Do you anticipate using more than 5,000 bbls of water to compl	lete the proposed well work? Yes No 🗸
Will a pit be used? Yes No V	
If so, please describe anticipated pit waste:	
Will a synthetic liner be used in the pit? Yes	No If so, what ml.?
Proposed Disposal Method For Treated Pit Wastes:	
Land Application (if selected provide	사용 경기를 가는 경기를 가는 것이 가장이 가는 사람들이 가는 것이 되었다.
Underground Injection (UIC Permit Reuse (at API Number	Number)
Off Site Disposal (Supply form WW	V-9 for disposal location)
Other (Explain	
Will closed loop systembe used? If so, describe: All flowback i	materials will be contained in open top pit.
Drilling medium anticipated for this well (vertical and horizont	al)? Air, freshwater, oil based, etc. N/A
-If oil based, what type? Synthetic, petroleum, etc. N/a	Α
Additives to be used in drilling medium? N/A	
Drill cuttings disposal method? Leave in pit, landfill, removed	offsite, etc. N/A
-If left in pit and plan to solidify what medium will be	used? (cement, lime, sawdust) N/A
	disposed by contractor/operator at Mud Masters, LLC: See Attachments
	has of any load of drill cuttings or associated waste rejected at any within 24 hours of rejection and the permittee shall also disclose
on April 1, 2016, by the Office of Oil and Gas of the West Vir provisions of the permit are enforceable by law. Violations of a or regulation can lead to enforcement action. I certify under penalty of law that I have personally application form and all attachments thereto and that, based on	conditions of the GENERAL. WATER POLLUTION PERMIT issued ginia Department of Environmental Protection. I understand that the any term or condition of the general permit and/or other applicable law as examined and am familiar with the information submitted on this my inquiry of those individuals immediately responsible for obtaining te, and complete. I am aware that there are significant penalties for a imprisonment.
11/	CI STATE SALL
Subscribed and sworn before me this 19 day of	Ebruary ADAM ROWAN
adam S. Prouan	ADAM ROWAN Notary Public, State of Ohlo My Commission Expires 11-18-2019
My commission expires November 18, 2019	My Commission Expression
	"Management"

47-095-00572P 03/01/2019

oved Revenatation Tean	tment: Acres Disturbed ON	E Preveg etation	ntt 5.5
Lime TWO	Tons/acre or to correct		PIII
		to pri	
Fertilizer type 10-		W. C.	
Fertilizer amount 5		lbs/acre	
Mulch_ 50 BALE	3 2.0	l'ons/acre	
		Seed Mixtures	
Te	emporary	Pern	nanent
Seed Type	lbs/acre	Seed Type	lbs/acre
		Orchard Grass	30%
		Rye(annual @BT)	35%
		Timothy (Climax)	25%
		Timothy (Omnax)	
ided). If water from the	it and proposed area for land pit will be land applied, prov the land application area.	Clover (Med.Red) application (unless engineered plans inclide water volume, include dimensions (10%
os(s) of road, location, prided). If water from the W), and area in acres, of tocopied section of invo	pit will be land applied, prov	Clover (Med.Red)	10%
os(s) of road, location, p vided). If water from the W), and area in acres, of	pit will be land applied, proventhe land application area.	Clover (Med.Red) application (unless engineered plans include water volume, include dimensions (10%
os(s) of road, location, prided). If water from the W), and area in acres, of toeopied section of invo	pit will be land applied, prov the land application area.	Clover (Med.Red) application (unless engineered plans include water volume, include dimensions (10%
os(s) of road, location, prided). If water from the W), and area in acres, of toeopied section of invo	pit will be land applied, prov the land application area.	Clover (Med.Red) application (unless engineered plans include water volume, include dimensions (10%
os(s) of road, location, prided). If water from the W), and area in acres, of toeopied section of invo	pit will be land applied, prov the land application area.	Clover (Med.Red) application (unless engineered plans include water volume, include dimensions (10%
os(s) of road, location, prided). If water from the W), and area in acres, of toeopied section of invo	pit will be land applied, prov the land application area.	Clover (Med.Red) application (unless engineered plans include water volume, include dimensions (10%
os(s) of road, location, prided). If water from the W), and area in acres, of toeopied section of invo	pit will be land applied, prov the land application area.	Clover (Med.Red) application (unless engineered plans include water volume, include dimensions (10%
os(s) of road, location, prided). If water from the W), and area in acres, of toeopied section of invo	pit will be land applied, prov the land application area.	Clover (Med.Red) application (unless engineered plans include water volume, include dimensions (10%
os(s) of road, location, prided). If water from the W), and area in acres, of toeopied section of invo	pit will be land applied, prov the land application area.	Clover (Med.Red) application (unless engineered plans include water volume, include dimensions (10%

Field Reviewed? (_____) Yes (______) No



Ohio Department of Natural Resources

JOHN R. KASICH, GOVERNOR

JAMES ZEHRINGER, DIRECTOR

Richard J. Simmers, Chief Division of Oil and Gas Resources Management 2045 Morse Road – Bldg. F-2 Columbus. OH 43229-6693

Phone: (614) 265-6922, Fax: (614) 265-6910

ORDER BY THE CHIEF

RECEIVED
Office of Oil and Gas

February 5, 2016

FEB 1 4 2019

ORDER NO. 2016-29

WV Department of Environmental Protection

TO:

Mud Masters

739 Southgate Parkway Cambridge, OH 43725

RE:

Mud Masters Lore City Treatment Facility

Lore City, Ohio

Guernsey County, Lore City Township

SUBJECT:

Temporary Authorization to Store, Recycle, Treat, and Process Brine and

Other Waste Substances Pursuant to R.C. 1509.22

Pursuant to Ohio Revised Code Section 1509.22, the Chief of the Division of Oil and Gas Resources Management ("Chief" or "Division") issues the following Order:

BACKGROUND:

- 1. Mud Masters proposes to operate an oil and gas waste facility to be located at 64036-A Wintergreen Road, Lore City, Ohio in Guernsey County ("Lore City Facility"). The Lore City Facility is a treatment facility that proposes to treat brine or other waste substances associated with the exploration, development, well stimulation, production operations, or plugging of oil and gas resources for lawful disposal. The brine or other waste substances will be treated for the purpose of disposal in an adjacent Class II injection well or if the brine or other waste substances are not suitable for injection, will be stabilized for landfill disposal.
- 2. Division (B)(2)(a) of R.C. 1509.22 states, in pertinent part, that "* * no person shall store, recycle, treat, process, or dispose of in this state brine or other waste substances associated with the exploration, development, well stimulation, production operations, or plugging of oil and gas resources without an order or a permit issued under this section or section 1509.06 or 1509.21 of the Revised Code or rules adopted under any of those sections."

Mud Masters Chief's Order No. 2016-29
Lore City Facility

Page 2 of 4

3. On October 30, 2015, the Division received an application from Mud Masters requesting to temporarily store, treat, and process brine and other waste substances associated with the exploration, development, well stimulation, production operations, or plugging of oil and gas resources at the Lore City Facility. In its application, Mud Masters supplied the Division with information and details regarding its proposed operations. The Lore City Facility will accept liquid and semi-solid oilfield wastes for the purpose of treating them for disposal. Those waste materials suitable for disposal in a Class II underground injection well will be treated prior to pumping them to an adjacent injection well for disposal. The material not suitable for underground injection will be stabilized and tested prior to received transportation to a landfill for lawful disposal.

FEB 1 4 2019

ORDER:

IT IS HEREBY ORDERED:

WV Department of Environmental Protection

Mud Masters has temporary approval at the Lore City Facility to temporarily store, treat, and process brine or other oilfield waste substances associated with the exploration, development, well stimulation, production operations, or plugging of oil and gas resources, subject to the following conditions:

- 1. Mud Masters shall conduct all operations at the Lore City Facility in compliance with R.C. Chapter 1509 and Ohio Adm.Code 1501:9.
- 2. Brine shall not be disposed of in a manner not specified in R.C. 1509.22(C)(1)(a) through R.C. 1509.22(C)(1)(c). Disposal of brine pursuant to R.C. 1509.22(C)(1)(d) requires separate written approval by the Chief.
- 3. Mud Masters shall conduct all operations at the Lore City Facility in accordance with the application submitted to the Division for this facility. Mud Masters shall notify the Division prior to implementing any changes in operations at the Lore City Facility.
- 4. Mud Masters shall stabilize oilfield waste substances by adding quick-lime, Portland cement, or an alternate stabilization agent approved by the Chief, if the waste substance is to be disposed of in this state at a licensed solid waste landfill. If the waste substance is to be transported or disposed of out of state, Mud Masters shall comply with all applicable state and federal laws.
- 5. Mud Masters shall implement the Radiological Protection Plan ("RPP") submitted to the Division with the application for the Lore City Facility and shall continuously update the protocols and procedures in accordance with the plan.
- 6. Not later than one year after the date of this order, Mud Masters shall perform a radiation and contamination survey of the Lore City Facility, including the on-site vessels and equipment, to determine if there is a need to modify the procedures and protocols in the RPP

Mud Masters
Lore City Facility
Page 3 of 4

FEB 1 4 2019

Chief's Order No. 2016-29

WV Department of Environmental Protection

to ensure the protection of its employees, contractors, and the public health and safety as well as the environment. Any modifications of the RPP will be incorporated and made a part of this order and Mud Masters shall operate the Lore City Facility in accordance with the modified plan.

- 7. Mud Masters shall maintain waste and material management records for Lore City Facility and provide those records to the Division upon request. The records shall include, but not be limited to, manifests of all incoming oilfield waste substances and the final disposition of all the outgoing oilfield waste substances.
- 8. Mud Masters shall notify the Division at least 14 days before terminating operations at the Lore City Facility.
- 9. Mud Masters shall remediate any brine or other waste substances associated with the exploration, development, well stimulation, production operations, or plugging of oil and gas resources that is released in ground water or in or on the land or discharged in surface water as a result of the operations at the Lore City Facility.
- 10. This Chief's Order shall terminate upon any of the following, whichever occurs first:
 - a) The Division issues a permit to Mud Masters for the Lore City Facility pursuant to rules promulgated under to R.C. 1509.22(C);
 - b) The Division denies a permit to Mud Masters for the Lore City Facility pursuant to rules promulgated under R.C. 1509.22(C); or
 - c) Six months after the effective date of rules adopted under R.C. 1509.22(C);
 - d) The location of the Lore City Facility changes from 64036-A Wintergreen Road, Lore City, Ohio.
 - e) The ownership of the Lore City Facility changes from Mud Masters.

2/5/2016

Richard J. Simmers, Chief

Division of Oil and Gas Resources Management

Addressee is hereby notified that this action is final and effective and may be appealed pursuant to Section 1509.36 of the Ohio Revised Code. If the Order is appealed to the Ohio Oil and Gas Commission, the appeal must be in writing and must set forth the Orders complained of and the grounds upon which the appeal is based. Such appeal must be filed with the Oil and Gas

47-095-00572P

FEB 1 4 2019

03/01/2019

Mud Masters
Lore City Facility
Page 4 of 4

WV Department of
Environmental Protection

Chief's Order No. 2016-29

Commission, 2045 Morse Road, Building H-3, Columbus, Ohio 43229-6693, within thirty (30) days after receipt of this Order.

In addition, within three (3) days after the appeal is filed with the Oil and Gas Commission, notice of the filing must be submitted to Richard J. Simmers, Chief, Division of Oil and Gas Resources Management, Ohio Department of Natural Resources, 2045 Morse Road, Building F, Columbus, Ohio 43229-6693.

CERTIFIED MAIL No: 91 7199 9991 7036 4067 2414

91 7199 9991 7036 4067 2414

cc: Legal Section

Steve Opritza, Permitting Manager

Engineering Section

Brent Bear, Region Supervisor

Douglas Bennett, Guernsey County Oil and Gas Inspector

NIA

WW-9- GPP Rev. 5/16

	Page	L of Z
API Number 4	7 - 095	- 00572
Operator's Well	No.	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS GROUNDWATER PROTECTION PLAN


Watershed (HUC 10): Hills Run	Quad: Porters Falls
Farm Name:	
 List the procedures used for the treatment and discharge o groundwater; 	f fluids. Include a list of all operations that could contaminate the
Plug to abandon operations.	
Describe procedures and equipment used to protect ground	lwater quality from the list of potential contaminant sources above
Containment will be in place around the well. A	The state of the s
3. List the closest water body, distance to closest water bodischarge area.	dy, and distance from closest Well Head Protection Area to the
N/A	
4. Summarize all activities at your facility that are already reg	gulated for groundwater protection.
N/A	

5. Discuss any existing groundwater quality data for your facility or an adjacent property.

WW-9- GPP Rev. 5/16

Page	2 of 2
API Number 47 - 095	_ 00572
Operator's Well No.	

N/A	
Describes a statement that we constant winterin	ducill be used for delains on the mutarial on the property
Provide a statement that no waste materia	al will be used for deicing or fill material on the property.
No waste materials will be used for material f	for the deicing of area or equipment. And waste materials if fill on the property.
Describe the groundwater protection ins provide direction on how to prevent grou	struction and training to be provided to the employees. Job procedures shall indivate contamination.
site.	every employee. Spill kits and containment are on each work
Provide provisions and frequency for insp	pections of all GPP elements and equipment.
Inspections are done before durin	ng operations by designated employees.
Signature:	
Date:	



Well Name: Gorrell. A #1

Triad Hunter, LLC A subsidiary of Blue Ridge Mountain Resources, Inc.

Tyler County - Ellsworth District - West Virginia

WW-7 8-30-06



West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LOCATION FORM: GPS

WEDD DOC	ATIONTO	tivi. Gi b
API: 47-095-00572		ELL NO.: 1
FARM NAME: GORRELL, AGNES		
RESPONSIBLE PARTY NAME: Triad Hunter, LLC		
COUNTY: TYLER	DIST	RICT: ELLSWORTH
QUADRANGLE: Porters Fal	lls	
SURFACE OWNER: John & Leah Starkey		
ROYALTY OWNER: Unknown		
UTM GPS NORTHING: 4373880.0107		
UTM GPS EASTING: 511472.		PS ELEVATION: 855'
The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements: 1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) – meters. 2. Accuracy to Datum – 3.05 meters 3. Data Collection Method: Survey grade GPS × : Post Processed Differential		
Real-Time Differential X		
Mapping Grade GPS: Post Processed Differential		
Real-Time Differential		
4. Letter size copy of the topography map showing the well location. I the undersigned, hereby certify this data is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and prescribed by the Office of Oil and Gas.		
W.l. Han	Operations M	lanager
Signature / Fig. 2	Title	Date