WR-35 Rev (9-11)

Farm name: Jay-Bee Oil & Gas, Inc.

LOCATION: Elevation: 805'

State of West Virginia Department of Environmental Protection Office of Oil and Gas Well Operator's Report of Well Work

Operator Well No.: Ketel W701-8

Quadrangle: Center Point 7.5'

DATE:	9-18-13
	47-950-2081

11/01/2013

Latitude: 3.610' Feet South of 39 Deg Longitude 7.130' Feet West of 80 Deg		1. 30 Se			
Longitude 7.130' Feet West of 80 Deg	y. <u>42</u> Mii	n. 30 Se	C.		
Company: Jay-Bee Oil & Gas, Inc.					
Address: 3570 Shields Hill Rd.	Casing & Tubing	Used in drilling	Left in well	Cement fill up Cu. Ft.	
Cairo, WV 26337					
Agent: Randy Broda	16"	30'	30'	CTS	
Inspector: Joe Taylor			_		
Date Permit Issued: 1/11/2013	11 3/4"	330'	330'	стѕ	
Date Well Work Commenced: 1/28/2013					
Date Well Work Completed: 7/5/2013	8 5/8"	2755'	2755'	стѕ	
Verbal Plugging:					
Date Permission granted on:	5 1/2"	11714'	11714'	CTS	
Rotary Cable Rig					
Total Vertical Depth (ft): 6,660'					
Total Measured Depth (ft): 11,746'					
Fresh Water Depth (ft.): 255'				-	
Salt Water Depth (ft.): n/a					
Is coal being mined in area (N/Y)? N					
Coal Depths (ft.): n/a					
Void(s) encountered (N/Y) Depth(s) n/a		 	<u> </u>		
void(s) encountered (14/1) Deptit(s)	<u> </u>			<u> </u>	
PEN FLOW DATA (If more than two producing format	-		ata on separate :	sheet)	
Producing formation Marcellus Pay Gas: Initial open flow 5.5 MCF/d Oil: Initial open	zone depth (ft)				
Final open flow 5 MCF/d Final open flow 5		Bbl/d bl/d	L		
Time of open flow between initial and final tests		Hours Received			
Static rock Pressure 2650 psig (surface pressure) a			_		
			SFP 1	9 2013	
Second producing formation Pay zone depth (ft)			OUT I	9 2010	
Gas: Initial open flow MCF/d Oil: Initial open		3b1/d	0 10		
Final open flow MCF/d Final open flow Bbl/d Office of Oil and Gas Time of open flow between initial and final tests Hours WV Dept. of Environmental Pro-			l and Gas		
Static rock Pressure psig (surface pressure) a					
partie rock r resoure hork (antrace blessure)	1101	413			
/1					
fy under penalty of law that I have personally examined	and am familia	r with the infor	mation submitte	d on this documen	

Were Electrical, Mechanical or Geophysical logs recorded on this well? If yes, please listMud logs
NOTE: IN THE AREA BELOW PUT THE FOLLOWING: 1). DETAILS OF PERFORATED INTERVAFRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC. 2). THE WELL LOG WHICH IS A SYSTEMAT DETAILED GEOLOGICAL RECORD OF THE TOPS AND BOTTOMS OF ALL FORMATIONS, INCLUDIC COAL ENCOUNTERED BY THE WELLBORE FROM SURFACE TO TOTAL DEPTH.
Perforated Intervals, Fracturing, or Stimulating:
Perforations: 7, 146' - 11,658' MD (1176 holes)
Frac'd with 34,000 gals 15% acid iron check, 110,845 bbls of water,
5,860 sks 80/100 sand, 14,963 sks 30/50 sand, 3,776 20/40 sand for a total of 24,599 sks of sand.
Plug Back Details Including Plug Type and Depth(s):
- 1. South Details Meldaling 1 rag Type and Depth(s).
Formations Encountered: Top Depth / Bottom Depth Surface:
See Attached.
Receive

SEP 19 2013

JAY BEE OIL & GAS INC.		T
	W701-8	
	PERMIT #	47-950-2081
	ELEVATION	805
FORMATION	TOP	ВОТТОМ
MISC. RED ROCK & SHALES	0	1798
LIME	1798	1898
INJUN	1898	2015
SHALE	2015	2362
GORDON STRAY	2362	2382
SHALE	2382	2578
GORDON	2578	2608
SHALE	2608	2887
BAYARD	2887	2896
SHALE	2896	3225
WARREN	3225	3323
SHALE	3323	3559
BALLTOWN	3559	3722
SHALE	3722	4160
2ND RILEY	4160	4268
SHALE	4268	4419
3RD RILEY	4419	4460
SHALE	4460	4517
BENSON	4517	4520
SHALE	4520	4762
ALEXANDER	4762	4933
SHALE	4933	5178
ELK	5178	5226
SHALE	5226	5922
HAMILTON	5922	6096
SHALE	5916	6620
UPPER Marcellus	6620	6652
PARCELL LIME	6652	6687
SHALE	6687	6711
MARCELLUS	6711	

Received

SEF 1 9 2018 11/01/2013