

#### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax

Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

May 06, 2016

#### WELL WORK PERMIT Horizontal 6A Well

This permit, API Well Number: 47-9502352, issued to ANTERO RESOURCES CORPORATION, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

In addition to the applicable requirements of this permit, and the statutes and rules governing oil and gas activity in WV, this permit may contain specific conditions which must be followed. Permit conditions are attached to this cover letter.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

Operator's Well No: DILLION UNIT 2H

Farm Name: RITCHIE PETROLEUM INC.

James Martin

API Well Number: 47-9502352

Permit Type: Horizontal 6A Well

Date Issued: 05/06/2016

AP.	[N	lumber:	

# PERMIT CONDITIONS 9502352

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

#### **CONDITIONS**

- Operator shall take additional measures with this permitted activity to avoid communication with offset wells. Such additional measures are described in the attached addendum. This addendum is part of the terms of the well work permit, and includes a description of depth and completed formations of offset wells. Also included is a description of monitoring activities that will take place during fracturing operations of the permitted well work.
- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACOE). Through this permit, you are hereby being advised to consult with USACOE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.

Care a series	
API Number:	

# PERMIT CONDITIONS4709502352

- Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the
  operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to
  the Chief and any of the users who may have requested such analyses.
- 7. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 8. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.
- Operator shall provide the Office of Oil & Gas notification of the date that drilling commenced on this well. Such notice shall be provided by sending an email to <u>DEPOOGNotify@wv.gov</u> within 30 days of commencement of drilling.



April 1, 2016

Antero Resources 1615 Wynkoop Street Denver, CO 80202 Office 303.357.7310 Fax 303.357.7315

West Virginia Department of Environmental Protection Office of Oil and Gas Attn: Ms. Laura Adkins 601 57<sup>th</sup> Street Charleston, WV 25304

4709502352

Ms. Laura Adkins:

Antero Resources Corporation (Antero) would like to submit the following applications for new well work permits to explore for Marcellus Shale potential. Our **Mountain** project is located in Tyler County, WV. On the **existing Terry Snider Pad** consists **two new horizontal** shallow wells (Dillon Unit 2H & 3H) that we are requesting approval to drill.

Attached you will find the following:

- Permit Application packages
- > CD with copy of permit applications

If you have any questions please feel free to contact me at (303) 357-7323.

Thank you in advance for your consideration.

Sincerely,

Ashlie Steele

Enclosures

Permitting Supervisor

Antero Resources Corporation

shli Stelle

RECEIVED
Office of Oil and Gas

APR 0 4 2016

WV Department of Environmental Protection



#### Addendum for Antero pads in Ritchie County, WV

4709502352

Markle Unit 3H \*
Dillon Unit 2H\*
Dillon Unit 3H\*

Terry Snider Pad Terry Snider Pad Terry Snider Pad

The following outlines the process to be undertaken by Antero Resources prior to and during completion process of wells in Ritchie County.

•Investigate all wells within 1320' of new wells - for all identified Marcellus vertical wells and any existing well(s) with an interval that is <u>less than</u> 1500 feet from the deepest formation drilled (including, but not specific to the Alexander formation) to the top of Marcellus:

- Contact operator of all wells
- Confirm well status, producing horizon, well completion/stimulation information
- Discuss plans to stimulate the horizontal Marcellus wells and the plans for monitoring potential impact on shallow wells
- Make sure all vertical wells (with an interval that is less than 1500 feet from the deepest formation drilled to the top of Marcellus) have adequate wellhead equipment, Including pressure gauges
- Provide shallow well operator with frac dates and develop plan for monitoring during stimulation
- If well waters out during frac, shut it in until after stimulation, and install adequate well control equipment prior to swabbing in the impacted shallow well
- •Control fracturing parameters during job to limit fracture height growth
  - Limit rate and limit pressures for each segment of fracturing stages

RECEIVED
Office of Oil and Gas

APR 0 4 2016

WV Department of Environmental Protection

<sup>\*</sup>Requested by WVDEP due to SHL of well located in Pennsboro Quad

API NO. 47-095 OPERATOR WELL NO. Dillon Unit 2H Well Pad Name: Existing Terry Snider Pad

#### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS

#### VOLUNTARY STATEMENT OF NO OBJECTION

#### Instructions to Persons Named on Page WW-6A

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

#### **Comment and Waiver Provisions**

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: Provided, That if the applicant certifies that all persons entitled to notice of the application under the provisions of subsection (b), section ten of this article have been served in person or by certified mail, return receipt requested, with a copy of the well work application, including the erosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

#### **VOLUNTARY STATEMENT OF NO OBJECTION** , hereby state that I have read the Instructions to Persons Named on Page WW-6A and the associated provisions listed above, and that I have received copies of a Notice of Application, an Application for a Well Work Permit on Form , including the erosion and sediment control plan, if WW-6A and attachments consisting of pages one (1) through required, and the well plat, all for proposed well work on the tract of land as follows: West Virginia State: Easting: UTM NAD 83 Northing: 4357624m County: Tyler Public Road Access: CR 20 District: Meade Generally used farm name: A Bitchie Petroleum, Inc. Quadrangle: Pennsboro 7.5' Watershed: Outlet Middle Island Creek I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials. FOR EXECUTION BY A NATURAL PERSON \*Please check the box that applies ☐ SURFACE OWNER Signature: Print Name: ☐ SURFACE OWNER (Road and/or Other Disturbance) ☐ SURFACE OWNER (Impoundments/Pits) FOR EXECUTION BY A CORPORATION, ETC. ☐ COAL OWNER OR LESSEE Company: By: \_\_\_\_\_ ☐ COAL OPERATOR Its: RECEIVED Office of Oil and Gas □ WATER PURVEYOR Signature: Date: \_\_\_\_\_\_

Oil and Gas Privacy Notice:

☐ OPERATOR OF ANY NATURAL GAS STORAGE FIELD

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the complex with statutory as a resident to complex with the resident to needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

APR 0 4 2016

WW-6B (04/15)

API NO. 47- 095 _	
OPERATOR WELL N	O. Dillon Unit 2H
Well Pad Name: Exi	

#### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Opera	tor: Antero Re	sources Corp.	494488557	095 - Tyler	Meade	Pennsboro 7.5'
2) Operator's	Well Number:	Pillon Unit 2H	Operator ID Well Pa	County ad Name: Exist	District	Quadrangle Snider Pad
3) Farm Name	/Surface Owner:	Ritchie Petrole	ım, Inc. Public Ro			
4) Elevation, c 5) Well Type	current ground:  (a) Gas X  Other	1147' Oil	Elevation, proposed Und	l post-construct derground Stora		
	(b)If Gas Sh	nallow X prizontal X	Deep	_		Jes Maske
7) Proposed Ta	d: Yes or No Yearget Formation( nale: 6700' TVD,	s), Depth(s), Ant	icipated Thickness less 75 feet, Associa	ated Pressure 28	300#	4-28-16
9) Formation a	otal Vertical Dep	Depth: Marcellu	is Shale	4709	502	352
	Total Measured I Horizontal Leg L	Y THE STATE OF THE				
13) Method to	ite Fresh Water S Determine Fresh ite Saltwater Der	Water Depths:	124', 376' Offset well records. De	epths have been ad	ljusted accord	ing to surface elevation
15) Approxima	te Coal Seam De	epths: None ide	ntified			
16) Approxima	te Depth to Poss	ible Void (coal m	nine, karst, other):	None Anticipa	ted	
		n contain coal sea an active mine?		No	х	
(a) If Yes, pro	ovide Mine Info:	Depth:				
		Seam:		Received	Car	

Office of Oil & Gas

APR 29 2016

API NO. 47-\_095

OPERATOR WELL NO. Dillon Unit 2H Well Pad Name: Existing Terry Snider Pad

18)

#### **CASING AND TUBING PROGRAM**

ТҮРЕ	Size (in)	New or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	20"	New	H-40	94#	40'	40'	CTS, 38 Cu. Ft.
Fresh Water	13-3/8"	New	J-55/H-40	54.5#/48#	430' *see #19	430'	CTS, 667 Cu. Ft.
Coal	9-5/8"	New	J-55	36#	2400'	2400'	CTS 1028 Cu. Ft.
Intermediate							
Production	5-1/2"	New	P-110	20#	7800'	7800'	3091 Cu. Ft.
Tubing	2-3/8"	New	N-80	4.7#		7100'	
Liners							

DAH 3PS 4-28-16 4/28/16

ТҮРЕ	Size (in)	Wellbore Diameter (in)	<u>Wall</u> <u>Thickness</u> (in)	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	20"	24"	0.438"	1530	50	Class A	
Fresh Water	13-3/8"	17-1/2"	0.38"/0.33"	2730/1730	1000	Class A	1.18
Coal	9-5/8"	12-1/4"	0.352"	3520	1500	Class A	<del></del>
Intermediate							· · · · · · · · · · · · · · · · · · ·
Production	5-1/2"	8-3/4" & 8-1/2"	0.361"	12630	2500	Leed-H/POZ & Tai - H	H/POZ-1.44 & H-1.8
Tubing	2-3/8"	4.778"	0.19"	11200			
Liners					4>		
			<u>PACKE</u>	<u>ts</u>		950	2352
Kind:	A 1 / A				<del></del>	·····	<del></del>

Kind:	N/A		
Sizes:	N/A		
Depths Set:	N/A		

Received Office of Oil & Gas

APR 29 2016

API NO. 47- 095

OPERATOR WELL NO. Dillon Unit 2H
Well Pad Name: Existing Terry Snider Pad

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill, perforate, fracture a new horizontal shallow well and complete Marcellus Shale.

\*Antero will be air drilling the fresh water string which makes it difficult to determine when freshwater is encountered, therefore we have built in a buffer for the casing setting depth which helps to ensure that all fresh water zones are covered.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Antero plans to pump Slickwater into the Marcellus Shale formation in order to ready the well for production. The fluid will be comprised of approximately 99 percent water and salid with less than 1 percent special-purpose additives as shown in the attached "List of Anticipated Additives Used for Fracturing or Stimulating Well."

Max Pressure - 9300 lbs Max Rate - 80 bpm DAH 385/K 4/25/K

- 21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 38.07 acres with modification
- 22) Area to be disturbed for well pad only, less access road (acres): 6.64 existing acres
- 23) Describe centralizer placement for each casing string:

Conductor: no centralizers

Surface Casing: one centralizer 10' above the float shoe, one on the insert float collar and one every 4th joint spaced up the hole to surface.

Intermediate Casing: one centralizer above float joint, one centralizer 5' above float collar and one every 4th collar to surface. Production Casing: one centralizer at shoe joint and one every 3 joints to top of cement in intermediate casing.

24) Describe all cement additives associated with each cement type:

Conductor: no additives, Class A cement.

Surface: Class A cement with 2-3% calcium chloride and 1/4 lb of flake. Intermediate: Class A Cement with 1/4 lb of flake, 5 gallons of clay treat.

Production: Lead cement - 50/50 Class H/Poz + 1/5% salt + 1% C-45 + 0.5% C-16a + 0.2% C-12 + 0.45% C-20 + 0.5% C51.

Production: Tail cement - Class H + 45 PPS Calcium Carbonate + 1.0% FL-160 + 0.2% ACGB-47 +0.05% ACSA-51 + 0.2% ACR-20

25) Proposed borehole conditioning procedures:

Conductor: blowhole clean with air, run casing, 10 bbls fresh water.

Surface: blowhole clean with air, trip to conductor shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate pipe capacity + 40 bbls fresh water followed by 25 bbls bentonite mud, 10 bbls fresh water spacer.

Intermediate: blowhole clean with air, trip to surface casing shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate 40 bbls brine water followed by 10 bbls fresh water and 25 bbls bentonite mud, pump 10 bbls fresh water.

Production: circulate with 14 lb/gal NaCl mud, trip to middle of lateral, circulate, pump high viscosity sweep, trip to base of curve, pump high viscosity sweep, trip to top of curve, trip to bottom, circulate, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump 48 bbls barite pill, pump 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls fresh water followed by 48 bbls barite bls flush and 10 bbls fresh water followed by 48 bbls barite bls flush and 10 bbls fresh water followed by 48 bbls barite bls flush and 10 bbls fresh water followed by 48 bbls barite bls flush and 10 bbls flush and 10 b

Office of Oil & Gas

<sup>\*</sup>Note: Attach additional sheets as needed

API	Number	47	÷	095	
-----	--------	----	---	-----	--

#### Operator's Well No. Dillon Unit 2H STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

#### FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Antero Resources Corporation	OP Code 494488557
Outlet Middle Island Outlet	rangle Pennsboro 7.5'
Do you anticipate using more than 5,000 bbls of water to complete the proposition will a pit be used? Yes No	
	ig and Flowback Fluids will be stored in tanks. Cuttings will be tanked and hauled off site.)
Will a synthetic liner be used in the pit? Yes No	If so, what ml.? N/A
Proposed Disposal Method For Treated Pit Wastes:  Land Application Underground Injection (UIC Permit Number Reuse (at API Number_Future permitted well locations	when applicable. API# will be provided on Form WR-34 osal location) (Meadowfill Landfill Permit #SWF-1032-98)
Will closed loop system be used? If so, describe: Yes	
Drilling medium anticipated for this well (vertical and horizontal)? Air, fre	shwater oil hased etc. Durishit from the mediate
-If oil based, what type? Synthetic, petroleum, etc. N/A	Outs/Still Post City, City. Outs/Still Postin, Production - Water asses Mud
Additives to be used in drilling medium? Please See Attachment	
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc.	Stored in tanks, removed offsite and taken to landfill.
-If left in pit and plan to solidify what medium will be used? (cem	ent, lime, sawdust) N/A
-Landfill or offsite name/permit number? Meadowfill Landfill (Permit	
Permittee shall provide written notice to the Office of Oil and Gas of any lo West Virginia solid waste facility. The notice shall be provided within 24 he where it was properly disposed.	ad of drill cuttings or associated waste rejected at any ours of rejection and the permittee shall also disclose
I certify that I understand and agree to the terms and conditions of on August 1, 2005, by the Office of Oil and Gas of the West Virginia Depar provisions of the permit are enforceable by law. Violations of any term of law or regulation can lead to enforcement action.  I certify under penalty of law that I have personally examined application form and all attachments thereto and that, based on my incontaining the information, I believe that the information is true, accurate penalties for submitting false information, including the possibility of fine of	and am familiar with the information submitted on this quiry of those individuals immediately responsible for and complete. I am aware that there are significant
Company Official Signature	
Company Official (Typed Name) Cole Kilstrom	NATALIE KOMP NOTARY PUBLIC
Company Official Title Environmental & Regulatory Manager	STATE OF COLORADO NOTARY ID # 20144028170 MY COMMISSION EXPIRES JULY 18, 2018
Subscribed and swom before me this day of April	, 20 14 Received
My commission expires 18,2018	Notary Public Office of Oil & Gas

sociated Pit Reclamation (3.24) + Wa	09502352
sociated Pit Reclamation (3.24) + Wa	0950235
sociated Pit Reclamation (3.24) + Wa	
sociated Pit Reclamation (3.24) + Wa	
sociated Pit Reclamation (3.24) + Wa	
sociated Pit Reclamation (3.24) + Wa	
<u>ures</u>	ster Containment Pad (1.33) + Borre
Perma	nent
Seed Type	lbs/acre
rownvetch	10 - 15
all Fescue	30
attached Table IV-4A for additional seed typ	ve (Terry Snider Pad Design Page 20)
type of grass seed reque	ntad by surface sures
	-
	<del>-</del>

Yes

Field Reviewed?

Received
Office of Oil & Gas

APR 29 2016

#### Form WW-9 Additives Attachment

#### **SURFACE INTERVAL**

- 1. Fresh Water
- 2. Soap -Foamer AC
- 3. Air

#### **INTERMEDIATE INTERVAL**

STIFF FOAM RECIPE:

- 4709502352
- 1) 1 ppb Soda Ash / Sodium Carbonate-Alkalinity Control Agent
- 2) 1 ppb Conqor 404 (11.76 ppg) / Corrosion Inhibitor
- 3) 4 ppb KLA-Gard (9.17 ppg) / Amine Acid Complex-Shale Stabilizer
- 4) 1ppb Mil Pac R / Sodium Carboxymethylcellulose-Filtration Control Agent
- 5) 12 ppb KCL / Potassium Chloride-inorganic Salt
- 6) Fresh Water 80 bbls
- 7) Air

#### **PRODUCTION INTERVAL**

1. Alpha 1655

Salt Inhibitor

2. Mil-Carb

Calcium Carbonate

3. Cottonseed Hulls

Cellulose-Cottonseed Pellets - LCM

4. Mil-Seal

Vegetable, Cotton & Cellulose-Based Fiber Blend – LCM

5. Clay-Trol

Amine Acid Complex – Shale Stabilizer

6. Xan-Plex

Viscosifier For Water Based Muds

7. Mil-Pac (All Grades)

Sodium Carboxymethylcellulose – Filtration Control Agent

8. New Drill

Anionic Polyacrylamide Copolymer Emulsion – Shale Stabilizer VED

9. Caustic Soda

Sodium Hydroxide – Alkalinity Control

Office of Oil and Gas

10. Mil-Lime

Calcium Hydroxide – Lime

APR 0 4 2016

11. LD-9

Polyether Polyol – Drilling Fluid Defoamer

12. Mil Mica

Hydro-Biotite Mica – LCM

WV Department of Environmental Protection 13. Escaid 110

Drilling Fluild Solvent – Aliphatic Hydrocarbon

14. Ligco

Highly Oxidized Leonardite - Filteration Control Agent

15. Super Sweep

Polypropylene - Hole Cleaning Agent

16. Sulfatrol K

Drilling Fluid Additive - Sulfonated Asphalt Residuum

17. Sodium Chloride, Anhydrous

Inorganic Salt

4709502352

18. D-D

Drilling Detergent – Surfactant

19. Terra-Rate

Organic Surfactant Blend

20. W.O. Defoam

Alcohol-Based Defoamer

21. Perma-Lose HT

Fluid Loss Reducer For Water-Based Muds

22. Xan-Plex D

Polysaccharide Polymer – Drilling Fluid Viscosifier

23. Walnut Shells

Ground Cellulosic Material - Ground Walnut Shells - LCM

24. Mil-Graphite

Natural Graphite – LCM

25. Mil Bar

Barite - Weighting Agent

26. X-Cide 102

Biocide

27. Soda Ash

Sodium Carbonate - Alkalinity Control Agent

28. Clay Trol

Amine Acid complex – Shale Stabilizer

29. Sulfatrol

Sulfonated Asphalt – Shale Control Additive

30. Xanvis

Viscosifier For Water-Based Muds

31. Milstarch

Starch - Fluid Loss Reducer For Water Based Muds

32. Mil-Lube

**Drilling Fluid Lubricant** 

HECEIVED
Office of Oil and Gas

APR 0 4 2016

WV Department of Environmental Protection



#### 911 Address 527 Conaway Run Road Alma, WV 26320

# Well Site Safety Plan 709502352 Antero Resources

Well Name: Dillon Unit 1H, Dillon Unit 2H, Dillon Unit 3H,

Tinker Unit 1H, Tinker Unit 2H, Tinker Unit 3H, Markle Unit 1H, Markle Unit 2H, Markle Unit 3H, Edwards Unit 1H, Edwards Unit 2H, Edwards

Unit 3H

Pad Location: TERRY SNIDER PAD

Brefre County/Meade District

uler

GPS Coordinates: Lat 39°22'05.52"/Long -80°57'50.57" (NAD83)


**Driving Directions:** 


From the intersection of I-50 and WV 74 N/Pullman Drive near the town of Pennsboro, head north on Pullman Drive for 0.4 miles. Turn left onto East Myles Avenue/Old US 50 E for 0.6 miles. Turn right onto Grey Street for 0.1 miles. Slight left to stay on Grey Street for 0.1 miles. Sharp left onto East Penn Avenue for 0.1 miles. Take the 2<sup>nd</sup> right onto 1<sup>st</sup> Street for 446 feet. Slight right onto WV 74 N/Mountain Drive and continue to follow WV 74 N for 4.3 miles. Turn left onto County Road 4/Haddox Run for 3.9 miles. Slight right onto Co Rd 20/McKim Road for 0.3 miles. Lease road will be on the right.

#### **EMERGENCY (24 HOUR) CONTACT 1-800-878-1373**

Received Office of Oil & Gas

> PR 29 2016 05/06/201





Operator's Well Number

Dillon Unit 2H

# INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.

Grantee, lessee, etc.

Royalty

Book/Page

470950235 Flate Rate

#### **Ashford Broadwater Lease**

Ashford Broadwater
South Penn Oil Company
Carter Oil Company
Hope Construction and Refining Company
Hope Natural Gas Company
Consolidation Gas Supply Corporation
Consolidation Gas Transmission Corporation
CNG Development Company
CNG Producing Company
Dominion Exploration & Production, Inc.

**CNX Gas Company, LLC** 

South Penn Oil Company
Carter Oil Company
Hope Construction and Refining Company
Hope Natural Gas Company
Consolidation Gas Supply Corporation
Consolidation Gas Transmission Corporation
CNG Development Company
CNG Producing Company

Dominion Exploration & Production, Inc.

Antero Resources Corporation

CNX Gas Company, LLC

0030/0139 0030/0357 0097/0332 Assignment 0119/0576 Confirmatory Deed 0169/0026 Confirmatory Deed 0249/0287 Assignment 0253/0057 Assignment Harrison County 1131/1015 Merger Name Change Exhibit 2 Affidavit of Name 0384/0191

Changes and Mergers
Assignment 0501/0434

用ECEIVED
Office of Oil and Gas

\*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

\*\*CONTINUED ON NEXT PAGE\*\*
WV Department of

Environmenta on wation

#### INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that -

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
Terry L. Snider Lease	Terry L. Snider	Antero Resources Appalachian Corp	1/8+	0389/0217
	Antero Resources Appalachian Corp.	Antero Resources Corporation	Name Change	Exhibit 1

\*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

4709502352

#### Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

RECEIVED Office of Oil and Gas

APR 0 4 2016

WV Department of The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides replaces of Ion nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator:	Antero Resources Corporation				
By:	Ward McNeilly W Mules				
Its:	Senior VP of Reserves, Planning & Midstream				

Page 1 of



Natalie E. Tennant. Secretary of State 1900 Kanawha Bivd E Bldg 1, Suite 157-K Charleston, WV 25305

FILE ONE ORIGINAL (Two if you want a filed stamped copy returned to you) FEE: \$25.60



Penney Barker, Manager IN THE OFFICE OF Corporations Division SECRETARY OF STATE Fex: (304)558-8381

Website: www.wvsos.com

E-mail: business@wvsos.com

APPLICATION FOR AMENDED CERTIFICATE OF AUTHORITY

Office Hours: Monday - Friday 8:30 a.m. - 5:00 p.m. BT

**	** In accordance with the provisions of the West V applies for an Amended Cortificate of Au	/irginia Code, the undersigned corporation hereby **** thority and submits the following statement:
1.	Name under which the corporation was authorized to transact business in WV:	Antero Resources Appalachian Corporation
2.	Date Certificate of Authority was issued in West Virginia:	6/26/2008
3.	Corporate name has been changed to: (Attach one Certified Conv of Name Change as filed in home State of incorporation.)	Antero Resources Corporation
4.	Name the corporation elects to use in WV: (due to home state name not being available)	Antero Resources Corporation
5.	Other amendments: (attach additional pages if necessary)	4709502352
	4 4	
6.	Name and phone number of contact person. ( the filing, listing a contact person and phone num document.)	(This is optional, however, if there is a problem with mber may avoid having to return or reject the
	Alvyn A. Schopp	(303) 367-7310
	Contact Name	Phone Number
7.	Signature information (See below *Important	Legal Notice Regarding Signature):
	Print Name of Signer: Abyyn A. Schopp	Title/Capacity: Authorized Person
	Signature: #3HOCKSpb	Date: June 10, 2013 Oil and Gas
Any to th	portant Legal Notice Regarding Signature: For West Virgingerson who signs a document he or she knows is false in any a secretary of state for filing is guilty of a misdemessor and, and dollars or confined in the county or regional jall not me	ove then one year, or both. WV Department of
Porm	CF-4 Issued by the Office	Environmental Protection

WY932 - 0426/2013 Walkins Kluner Ordine

FORM WW-6A1 EXHIBIT 2

State of Mest Mirginia

Certificate

I, Ken Hechler, Secretary of State of the State of West Virginia, hereby certify that

riginals of an application by

#### CNG PRODUCING COMPANY

for an amended certificate of authority to transact business in West Virginia are filed in my office, as required by the provisions of Chapter 31, Article 1, Sections 57 and 59 of the West Virginia Code and conform to law. Therefore, I issue this

AMENDED CERTIFICATE OF AUTHORITY

4709502352

to transact business in West Virginia under the name of

DOMINION EXPLORATION & PRODUCTION, INC.

and I attach to this certificate a duplicate original of the application.



Given under my hand and the Great Seat of the State of West Virginia on

WV De May 10 2000 Conmental Protection

Secretary of State 05/06/2016

State of Colorado

DATE: April 1 , 20 16 OPERATOR'S WELL NO. Dillon Unit 2H 095 API NO: 47-State County Permit No.

STATE OF WEST VIRGINIA OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION

AFFIDAVIT4709502352

County of Denver

Thomas Kuhn (the designated owner or operator, or authorized representative thereof), after being duly sworn, do declare that the undersigned is authorized by the owner of the working interest in the well permit application to which this affidavit is attached to state that (he, she, or it) shall tender to the owner of the oil and gas in place not less than one-eighth of the total amount paid to or received by or allowed to the owner of the working interest at the wellhead for the oil or gas so extracted, produced, or marketed before deducting the amount to be paid or set aside for the owner of the oil or gas in place, or all such oil or gas to be extracted, produced, or marketed from the well. West Virginia Code 22-6-8(e).

Taken, subscribed and sworn to before me this 1 , 20 10

Office of Oll and Gas

My Commission expires:

APR 0 4 2016

WV Department of **Environmental Protection** 

NATALIE KOMP NOTARY PUBLIC STATE OF COLORADO NOTARY ID # 20144028170 MY COMMISSION EXPIRES JULY 18, 2018



March 31, 2016

Antero Resources 1615 Wynkoop Street Denver, CO 80202 Office 303,357,7310 Fax 303,357,7315

West Virginia Department of Environmental Protection Chief, Office of Oil and Gas Attn: Mr. James Martin 601 57<sup>th</sup> Street SE Charleston, WV 25304

RE: Dillon Unit 2H

Quadrangle: Pennsboro 7.5°

Tyler County/Meade District, West Virginia

4709502352

Mr. Martin:

Antero Resources Corporation (Antero) is submitting the following application for a new well work permit for the Dillon Unit 2H horizontal shallow well. As an authorized representative, I certify that Antero has the right to extract, produce or market the oil or gas for all leases through which the Dillon Unit 2H horizontal lateral will drill through including any and all roads crossed under as identified on the attached survey plat.

Sincerely

Tom Kuhn Landman

RECEIVED
Office of Oil and Gas

APR 0 4 2016

WV Department of Environments Department

#### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS **NOTICE CERTIFICATION**

	ce Certification: 03/31/2016		No. 47- <u>095       </u>	
		Oper	ator's Well No. Dillo	on Unit 2H
		Well	Pad Name: Existing	g Terry Snider Pad
Notice has l	been given:			
Pursuant to th	ne provisions in West Virginia Code	§ 22-6A, the Operator has provided	the required parties	with the Notice Forms listed
below for the	tract of land as follows:		_	
State:	West Virginia	UTM NAD 83 Easti		
County:	Tyler	Nortl	ning: 4357624m	
District:	Meade	Public Road Access:	CR 20	
Quadrangle:	Pennsboro 7.5'	Generally used farm na	me: Ritchie Petroleu	m, Inc.
Watershed:	Outlet Middle Island Creek			
it has provide information reof giving the requirements Virginia Code	the secretary, shall be verified and sed the owners of the surface description equired by subsections (b) and (c), so surface owner notice of entry to surface owner notice of entry to surface owner notice of entry to surface owner notice of experience (b), section sixteen one § 22-6A-11(b), the applicant shall thave been completed by the applicant	bed in subdivisions (1), (2) and (4) ection sixteen of this article; (ii) that arvey pursuant to subsection (a), se of this article were waived in writing tender proof of and certify to the sec	), subsection (b), se the requirement was ction ten of this art ng by the surface of	ection ten of this article, the s deemed satisfied as a resul- ticle six-a; or (iii) the notice wner; and Pursuant to Wes
that the Ope	West Virginia Code § 22-6A, the Operator has properly served the require	ed parties with the following:		OOG OFFICE USE ONLY
l 🗆			"y r".	
L.I. NO.	FICE OF SEISMIC ACTIVITY or	■ NOTICE NOT REQUIRED E SEISMIC ACTIVITY WAS CON		☐ RECEIVED/ NOT REQUIRED
	FICE OF SEISMIC ACTIVITY or	SEISMIC ACTIVITY WAS CON	NDUCTED	
■ 2. NO		SEISMIC ACTIVITY WAS CON	NDUCTED  AS CONDUCTED  BECAUSE	NOT REQUIRED
■ 2. NO	TICE OF ENTRY FOR PLAT SURV	SEISMIC ACTIVITY WAS CONVEY or NO PLAT SURVEY W  NOTICE NOT REQUIRED F NOTICE OF ENTRY FOR PLAT	AS CONDUCTED BECAUSE SURVEY	NOT REQUIRED  RECEIVED  RECEIVED
■ 2. NO′	TICE OF ENTRY FOR PLAT SURV	SEISMIC ACTIVITY WAS CONVEY or NO PLAT SURVEY W  NOTICE NOT REQUIRED BY NOTICE OF ENTRY FOR PLAT WAS CONDUCTED OF WRITTEN WAIVER BY SU	AS CONDUCTED BECAUSE SURVEY	NOT REQUIRED  RECEIVED  RECEIVED
■ 2. NO′ □ 3. NO′ ■ 4. NO′	TICE OF ENTRY FOR PLAT SURV	SEISMIC ACTIVITY WAS CONVEY or NO PLAT SURVEY W  NOTICE NOT REQUIRED BY NOTICE OF ENTRY FOR PLAT WAS CONDUCTED OF WRITTEN WAIVER BY SU	AS CONDUCTED BECAUSE SURVEY	NOT REQUIRED  RECEIVED  RECEIVED/ NOT REQUIRED

Required Attachments:

APR 1 4 2016

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication Desperator shall serve as proof that the required parties have been noticed as required parties with publication of Notice shall serve as proof that the required parties have been noticed as required parties with publication of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

By:

#### Certification of Notice is hereby given:

THEREFORE, I Ward McNeilly , have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator: Antero Resources Corporation/

Ward McNeilly

Its: Senior VP Reserves Planning & Midstream

Telephone: (303) 357-7310

Address: 1615 Wynkoop Street

Denver, CO 80202

Facsimile: 303-357-7315

Email: asteele@anteroresources.com

NOTARY SEAL

NATALIE KOMP
NOTARY PUBLIC
STATE OF COLORADO
NOTARY ID # 20144028170
MY COMMISSION EXPIRES JULY 18, 2018

Subscribed and sworn before me this 3 day of WWW 2016

Notary Public

My Commission Expires

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

4709502352

Office of Oil and Gas

APR 0 4 2016

WV Department of Environmental Protection

API NO. 47- 095
OPERATOR WELL NO. Dillon Unit 2H
Well Pad Name: Existing Terry Snider Pad

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Not	ice Time Requiren	ent: notice shall be provided no later the	han the filing date of permit application.
	e of Notice: 4/4/2016 ice of:	Date Permit Application Filed: 4/4	4/2016
V	PERMIT FOR AN WELL WORK	하는 그 이 이 이 아들은 아이들이 아이들이 아이들이 아이들이 아이들이 아이들이	
Deli	ivery method pursi	uant to West Virginia Code § 22-6A-1	10(b)
	PERSONAL SERVICE		HOD OF DELIVERY THAT REQUIRES A EIPT OR SIGNATURE CONFIRMATION
sedification sedif	ment control plan reconsurface of the tract or surface of the tract or and gas leasehold being tribed in the erosion a rator or lessee, in the e coal seams; (4) The work, if the surface oundment or pit as do a water well, spring yide water for consum- posed well work active section (b) of this sec- trds of the sheriff req- vision of this article to e R. § 35-8-5.7.a reconsurface.	quired by section seven of this article, and a which the well is or is proposed to be lo ing developed by the proposed well work, and sediment control plan submitted pursu- event the tract of land on which the well owners of record of the surface tract or to tract is to be used for the placement, consecutive in section nine of this article; (5) or water supply source located within on aption by humans or domestic animals; artity is to take place. (c)(1) If more than the tion hold interests in the lands, the applicative to be maintained pursuant to section to the contrary, notice to a lien holder is no	tor signature confirmation, copies of the application, the erosion and the well plat to each of the following persons: (1) The owners of record of cated; (2) The owners of record of the surface tract or tracts overlying the if the surface tract is to be used for roads or other land disturbance as uant to subsection (c), section seven of this article; (3) The coal owner, proposed to be drilled is located [sic] is known to be underlain by one or tracts overlying the oil and gas leasehold being developed by the proposed struction, enlargement, alteration, repair, removal or abandonment of any and Any surface owner or water purveyor who is known to the applicant to be thousand five hundred feet of the center of the well pad which is used to ad (6) The operator of any natural gas storage field within which the ree tenants in common or other co-owners of interests described in ant may serve the documents required upon the person described in the neight, article one, chapter eleven-a of this code. (2) Notwithstanding any of notice to a landowner, unless the lien holder is the landowner. W. Va. provide the Well Site Safety Plan ("WSSP") to the surface owner and any g as provided in section 15 of this rule.
Ø A	Application Notice	☑ WSSP Notice ☑ E&S Plan Notic	ee  Well Plat Notice is hereby provided to:
	URFACE OWNER( ne: PLEASE SEE ATTAC		COAL OWNER OR LESSEE  Name: NO DECLARATIONS ON RECORD WITH COUNTY
		FINIEN,I	Address:
Nan Add	ne:		COAL OPERATOR Name: NO DECLARATIONS ON RECORD WITH COUNTY Address:
Nan	ne: PLEASE SEE ATTAC ress:		WATER PURVEYOR(s)/OWNER(s) OF WATER WELL GAS SPRING OR OTHER WATER SUPPLY/SOURCE NOTE: 2 water wells Were identified but are
	ne:		Address: 2890 Haddox Run Rd. APR 14 2016 located greater than
Add	ress:		Pennsboro, WV 26415 location  OPERATOR OF ANY NATURAL GAS-STORAGE FIELD
Nan	ne:	s) (Impoundments or Pits)	OPERATOR OF ANY NATURAL GAS STORAGE FIELD  Name: WV Departmental Protection  Address: Environmental Protection
Add	iress:		*Please attach additional forms if necessary

API NO. 47-095

OPERATOR WELL NO. Dillon Unit 2H Well Pad Name: Existing Terry Snider Pad

#### Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the Position and sediment control

2 3 7

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oiland-gas/pages/default.aspx.

#### Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a malifiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of the drilling well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

API NO. 47-095

OPERATOR WELL NO. Dillon Unit 2H

Well Pad Name: Existing Terry Snider Pad

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

#### Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:
Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

#### Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

#### Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57<sup>th</sup> St. SE Charleston, WV 25304 (304) 926-0450

RECEIVED Office of Oil and Gas

APR 0 4 2016

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WV Department of

**Environmental Protection** 

OPERATOR WELL NO. Dillon Unit 2H
Well Pad Name: Existing Terry Snider Pad

#### Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have **THIRTY (30) DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

#### **Comment Requirements**

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site <a href="http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx">http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx</a> and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

#### **Permit Denial or Condition**

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

RECEIVED
Office of Oil and Gas

APR 0 4 2016

WV Department of Environmental Protection 05/06/2016

API NO. 47-095 OPERATOR WELL NO. Dillon Unit 2H

Well Pad Name: Existing Terry Snider Pad

Notice is hereby given by:

Well Operator: Antero Resources Corporation

Telephone: (303) 357-7310

Email: asteele@anteroresources.com

Address: 1615 Wynkoop Street

Denver, CO 80202

Facsimile: 303-357-7315

#### Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

NATALIE KOMP NOTARY PUBLIC STATE OF COLORADO NOTARY ID # 20144028170 MY COMMISSION EXPIRES JULY 18, 2018 Subscribed and sworn before me this 1 day of April 2014


My Commission Expires

4709502352

RECEIVED Office of Oil and Gas

APR 0 4 2016

WV Department of **Environmental Protection** 



#### WW-6A Notice of Application Attachment (TERRY SNIDER PAD):

List of Surface Owner(s) with Proposed Disturbance associated with Terry Snider Well Pad:

WELL PAD - All owners were notified of all well work permit applications, and have executed signed Surface Use Agreements with Antero Resources Corporation.

TM 13 PCL 19

Owner:

Terry L. Snider

Address:

P.O. Box 545

Pennsboro, WV 26415

TM 13 PCL 40

Owner:

Ritchie Petroleum, Inc.

Address:

P.O. Box 545

Pennsboro, WV 26415

ROAD AND/OR OTHER DISTURBANCE – All owners have executed signed Surface Use and/or Road Agreements with Antero Resources Corporation. However, they were only notified if their tracts were overlying the oil and gas leasehold being developed by the proposed well work.

TM 13 PCL 19 & 20

Owner:

Terry L. Snider P.O. Box 545

Address:

Pennsboro, WV 26415

TM 13 PCL 40

Owner:

Ritchie Petroleum, Inc.

Address:

P.O. Box 545

Pennsboro, WV 26415

4709500--

TM 13 PCL 20.1

Owner:

Jarret W. Shepherd

Address:

P.O. Box 24

Pennsboro, WV 26415

RECEIVED
Office of Oil and Gas

APR 0 4 2016

WV Department of Environmental Protection

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF ENTRY FOR PLAT SURVEY

entry Date of Notic		Date of Plan	nned Entry: 8/28/2012			a FORTY-FIVE (45) days prior to
Delivery me	thod pursuant t	o West Virginia Co	ode § 22-6A-10a			
□ PERSO SERVIC		REGISTERED MAIL	METHOD OF RECEIPT OR		ERY THAT RE	
on to the surf but no more to beneath such owner of min and Sediment Secretary, whenable the sur	ace tract to cond han forty-five da tract that has fil- erals underlying t Control Manua nich statement sh	duct any plat surveys ays prior to such ent ed a declaration pur- s such tract in the co I and the statutes an hall include contact in btain copies from th	s required pursuant to t try to: (1) The surface of resuant to section thirty- ounty tax records. The ad rules related to oil ar information, including	this artic owner o six, artic notice s nd gas e	le. Such notice s f such tract; (2) t ele six, chapter t hall include a sta exploration and p ress for a web pa	shall provide notice of planned entry shall be provided at least seven days to any owner or lessee of coal seams wenty-two of this code; and (3) any attement that copies of the state Erosion roduction may be obtained from the age on the Secretary's web site, to
SURFA	CE OWNER(s)		, n	COAL	OWNER OR LE	SSEE
	Snider, Palmer & Irene	e Hill c/ Terry L. Snider				CORD WITH COUNTY
Address: PO		Zilli o Tony L. Onlos				
	nsboro, WV 26415					
Name: Alan Do	or Nogle, et al c/o Alan	& Kimberly Nogle /	7			
Address: PO			<b>R</b>	MINER	AL OWNER(s)	
Peni	nsboro, OH 44203				E SEE ATTACHMENT	
Name:						
Address:						
			*pleas	se attach a	dditional forms if ne	cessary
Pursuant to V	reby given: Vest Virginia Co on the tract of la West Virginia		Approx.	Latitud	e & Longitude:	operator is planning entry to conduct 39.3686300, -80,9644331
	Tyler		Public R	toad Ac	cess:	CR 20
County:	-3,					
County: District:	Meade		Watersh		lancour .	Middle Ohio North
					arm name:	Middle Ohio North Snider, Terry L.
County: District: Quadrangle: Copies of the may be obtain Charleston, V obtained from Notice is he Well Operator	Meade Pennsboro 7.5'  state Erosion are ned from the Sec VV 25304 (304-n) the Secretary bereby given by	cretary, at the WV E -926-0450). Copies by visiting <u>www.dep</u> :	Generall  I Manual and the statut Department of Environ	ly used t tes and r mental I addition ages/de	ules related to o rotection headqual information r	
County: District: Quadrangle: Copies of the may be obtain Charleston, V obtained from Notice is he	Meade Pennsboro 7.5'  state Erosion are ned from the Sec VV 25304 (304- in the Secretary beareby given by	cretary, at the WV E -926-0450). Copies by visiting <u>www.dep</u> :	Generall of Manual and the statut Department of Environi s of such documents or b.wv.gov/oil-and-gas/pa	tes and r mental I addition ages/del	ules related to o rotection headqual information r ault.aspx.	Snider, Terry L.  il and gas exploration and production uarters, located at 601 57 <sup>th</sup> Street, SE,

#### Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <a href="https://deprivacyofficer@wv.gov">deprivacyofficer@wv.gov</a>.

#### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

Notice Time Date of Notic	Requirement: notice shall be: 04/04/2016 Da		o later than the filing pplication Filed: 04/0		application. 9 5 0 2 3	52
Delivery met	hod pursuant to West Virg	inia Code §	22-6A-16(c)			
■ CERTII	FIED MAIL		HAND			
	N RECEIPT REQUESTED		DELIVERY			
KLIOI	as RECEII I REQUESTED		DELIVERI			
return receipt the planned of required to be drilling of a l damages to th	requested or hand delivery, peration. The notice requi provided by subsection (b), norizontal well; and (3) A p e surface affected by oil and	give the surfi red by this s section ten o roposed surf gas operatio	ace owner whose lan- ubsection shall inclu of this article to a surf- ace use and compen- ns to the extent the de-	d will be used for de: (1) A copy ace owner whos sation agreemen amages are comp	cation, an operator shall, by certifier the drilling of a horizontal well of this code section; (2) The infect land will be used in conjunction at containing an offer of compension pensable under article six-b of this sted in the records of the sheriff at	notice of ormation with the ation for chapter.
	by provided to the SURFA					
	s listed in the records of the	sheriff at the	The second secon		1	
Name: Terry			Name:	Ritchie Petroleum,	Inc.	
Address: POB	ox 545 sboro, WV 26415	_	Addres	PO Box 545	ALE	
rema	50010, VVV 20415		5-5-0	Pennsboro, WV 26	415	
State: County:	the surface owner's land for West Virginia Tyler	the purpose	UTM NAD 8	Faction	of land as follows: 503102m 4357624m	
District:	Meade		Public Road	And the second second	CR 20	
Quadrangle:	Pennsboro 7.5'		Generally us	ed farm name:	Ritchie Petroleum, Inc.	
Watershed:	Outlet Middle Island Creek					
to be provide horizontal we surface affect information re	Vest Virginia Code § 22-6A-d by W. Va. Code § 22-6A-dl; and (3) A proposed surfaced by oil and gas operation elated to horizontal drilling located at 601 57th Street,	a-10(b) to a be use and co s to the exter may be obta	surface owner whose ompensation agreement the damages are called from the Secre-	e land will be un nt containing ar compensable und tary, at the WV	code section; (2) The information used in conjunction with the drill offer of compensation for damager article six-b of this chapter. A Department of Environmental P or by visiting www.dep.wv.gov	ling of a ses to the dditional rotection
Well Operator	Antero Resources Corporation		Address:	1615 Wynkoop Stre	et	
Telephone:	(303) 357-7310		12441000	Denver, CO 80202	7.5	
Email:	asteele@anteroresources.com		Facsimile:			
The Office of duties. Your	personal information may b	e disclosed t	o other State agenci	es or third parti	telephone number, as part of our recessing the normal course of busing formation. Act requests. Our of	ess or as

appropriately secure your personal information. If you have any questions about our use or your personal information, please contact

DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

Office of Oil and Gas APR 0 4 2016

WV Department of Environmental Protection 05/06/2016



#### WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

**Division of Highways** 

Earl Ray Tomblin Governor 1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

Paul A. Mattox, Jr., P. E. Secretary of Transportation/ Commissioner of Highways

February 22, 2016 4709502352

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57<sup>th</sup> Street, SE Charleston, WV 25304

Subject: DOH Permit for the Terry Snider Pad, Tyler County
Dillon Unit 2H Well site

Dear Mr. Martin,

This well site will be accessed from a DOH permit #06-2013-0110 which has been issued to Antero Resources Corporation for access to the State Road for a well site located off of Tyler Route 20 SLS.

The operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated January 3, 2012.

Very Truly Yours,

Gary K. Clayton, P.E.

Regional Maintenance Engineer Central Office O&G Coordinator

Cc: Natalie Komp

Antero Resources Corporation

CH, OM, D-6

File

RECEIVED
Office of Oil and Gas

APR 0 4 2016

WV Department of Environmental Protection 05/06/2016

470950075

# List of Anticipated Additives Used for Fracturing or Stimulating Well

Fresh Water 2 Phosphobutane 1,2,4 tricarboxylic acid	7732-18-5 37971-36-1 7727-54-0
	7727-54-0
Ammonium Persulfate	
Anionic copolymer	proprietary
Anionic polymer	proprietary
BTEX Free Hydrotreated Heavy Naphtha	64742-48-9
Cellulase enzyme	(Proprietary)
Demulsifier Base	(Proprietary)
Ethoxylated alcohol blend	Mixture
Ethoxylated Nonylphenol	68412-54-4
Ethoxylated oleylamine	26635-93-8
Ethylene Glycol	107-21-1
Glycol Ethers	111-76-2
guar gum	9000-30-0
Hydrogen Chloride	7647-01-0
Hydrotreated light distillates, non-aromatic, BTEX free	64742-47-8
Isopropyl alcohol	67-63-0
liquid, 2,2-dibromo-3-nitrilopropionamide	10222-01-2
Microparticle	proprietary
Petroleum Distillates (BTEX Below Detect)	64742-47-8
Polyacrylamide	57-55-6
Propargyl Alcohol	107-19-7
Propylene Glycol	57-55-6
Quartz	14808-60-7
Sillica, crystalline quartz	7631-86-9
Sodium Chloride	7647-14-5
Sodium Hydroxide	1310-73-2
Sugar	57-50-1
Surfactant	68439-51-0
Suspending agent (solid)	14808-60-7
Tar bases, quinoline derivs, benzyl chloride-quaternized	72480-70-7

RECEIVED
Office of Oil and Gas

APR 0 4 2016

WV Department of Environmental Protection 06/2016

SHEET COVER



HEET 1 OF 26

#### TERRY SNIDER WELL PAD & WATER CONTAINMENT PAD

#### APPROVED WVDEP OOG Modification 3/17/2016

CENTRO(D CF PAD LATITUDE: 39.388215 LANGITUDE: 80.964052 (NAD 81) N 4357620.70 E 202006.82 (NTM ZDME 17 METROS)

LOCATION COORDINATES:
ACCESS ROAD EXTRANCE
LATITUDE 39.772897 LONGITUDE 40.967970 (HAD 63)
4 4358158.08 E 502306.49 (UTM ZONE 17 METERS)

LATHTUDE: 38-367071 LENGTUDE: -80-968214 (NAD 83) N 4357845-58 E 502900.33 (UTB 20NE 17 METERS)

GENERAL DESCRIPTION:

THE ACCESS ROADED, WATER CONTABBMENT PAR AND WELL PAR ARE BRING TO AID IN THE DEVELOPMENT OF INDIVIDUAL MARKELLIS SHALE GAS WELLS.

FLOODPLAIN NOTES:

E PROPOSED SITE IS LOCATED WITHIN FEMA FLOOD ZONE, X. PER FEMA FLOOR MAP #54095C0275C

MISS\_UTILITY\_STATEMENT: ANTERO RESOURCES COMPRIATION WILL NOTHY: MESS UTILITY OF WEST VIRGINIA FOR THE LOCATING OF UTILITIES PROBLED TO THE STATE OF CONSTRUCTION TOR THIS PRODUCT.

ENTRANCE PERMIT

ANTHEM RESPONDENCES COMPORATION WILL CHTAIN AN ENCOUNTERNET PERMIT (FORM NOR-109) FROM THE WEST VARIANTA DEPARTMENT OF TRANSPORTATION DEVELOP OF HIGHWAYS, PRIOR TO COMMUNICATION OF CONSTRUCTION ACTIVITIES.

ENVIRONMENTAL NOTES.

STREAM AND WITHAUD BELINGATION WERE PREFISHED IN MARCH, SOIT - MARCH, SOIR & FERRIAMT,
STREAM AND WITHAUD BELINGATION THE SITE FOR MATERS AND WITHAUS THAT ARE MOT LIKELY
WITHER THE REQULATORY PURVEY OF THE U.S. ARMY CORPS OF PROPAGES (USAGE ARM OF THE WIST
WITHOUGH ADDRESSED OF DEVELOPMENT OF THE WIST
PREPARED BY MALSING ECOLOGY AND SUMMARZES THE RESULTS OF THE FREED BELINGATION. THE MATER
PREPARED BY MALSING ECOLOGY AND SUMMARZES THE RESULTS OF THE FREED BELINGATION. THE MAP
PREPARED BY MALSING ECOLOGY AND SUMMARZES THE RESULTS OF THE FREED BELINGATION. THE MAP
PREPARED BY MALSING ECOLOGY AND SUMMARZES THE RESULTS OF THE FREED BELINGATION. THE MAP
PREPARED BY MALSING PROPAGES AND AND THE MAP WAS AND THE MAP WITHOUT BY
MATERS AND WITHAUD WHICH MAY BE REGULATED BY THE LEGAC OF THE WITHER
THE STRONGAT RECOMMENDED HAT THE AMMORBITHMENT MATERIALS BE CONCURRED AND THE PROPAGE TO
CONSTRUCTION ON THE FEDERAL MAYOR STATE RECULATION FOR EXCHAINT PROPAGED IMPACTS
TO MATERS OF THE U.S. INCLITIONS WETLAND FILLS AND STREAM CROSSINGS.

PROJECT CONTACTS:

OPERATOR: ANTERO RESOURCES CORE 535 WHITE OAKS ELVD. PRINCEPORT, NV 26330 PRINCE (354) 842-4100 PAR (304) 642-4100 UDCES CORPORATION

EL WAGGINER - ENVERONMENTAL ENGINEER CIRUS S. KOMP. PE - PROJECT MANACEM/ENGINEERS OFFICE (D04) 843-4508 CELL (304) 478-9770 MANACEM/ENGINEERS CELL (540) 686-5747 OFFICE (606) 662-4185 CELL (540) 686-5747 JON METVERS - OPERATIONS SUPERINTENDENT

AMBON KUNTLER - CONSTRUCTION SUPERVISOR

ALISTAR ECOLOGY, LLC

RYAN L WARD - ENVIRONMENTAL SCIENTIST

CEL (405) 227-8044

ARBON KUNTLER - CONSTRUCTION SUPERVISOR

RYAN L WARD - ENVIRONMENTAL SCIENTIST

CEL (405) 227-8044

CHARLES E. COMPTON, IN SURVEYING (304) 719-6449

MARK HUTSON LAND AGENT (304) 569-8315 ENGINEER/SURVEYOR

NAVITUS ENGINEERING, INC. CYRUS S. KUMP. PE - PROJECT

ANTHONY SHITH - FIRED ENGINEER

OPFICE (304) 842-4208 CELL (304) 873-8108 PERNOTITANON SOIL & ROCK, INC

LERSTOPHER # SAMING - FRANCIT ENGINEER

(412) 372-8000 CELL (412) 583-0562

RESTRICTIONS NOTES:

THERE ARE NO PERSONNAL STREAMS, WATLANDS, LAKES, POWER, OR RESERVOIRS WITHIN 100 PEET OF THE WELL FAD AND LOD

THERE ARE NO NATURALLY PRODUCING TOOMS STREAMS WITHEN 200 FEET OF THE WELL PAID AND LOD.

THERE ARE NO GROUNDWATER INTAKE OR PUBLIC WATER SUPPLY PACIFIES WITTEN 1000 FEET OF THE WELL PAD AND LOD.

4 THERS ARE NO APPARENT EXISTING WATER WELLS OR DEVELOPED SPRINGS WITHIN 250

THERE ARE NO OCCUPIED DWELLING STRUCTURES WITHIN 625 FEET OF THE CENTER OF

6 THERE ARE NO AUGUSTICAL BUILDINGS LARGER THAN 2,500 SQUARE FRET WITHIN 655 FEET OF THE CENTER OF THE WELL PAID

REPRODUCTION NOTE

HERE PLAYS NEED CHEATED TO BE PLOTTED ON 22704" (ANSI D)

#### AS-BUILT AND EROSION & SEDIMENT CONTROL IMPROVEMENT PLAN

MEADE DISTRICT, TYLER COUNTY, WEST VIRGINIA McKIM CREEK WATERSHED

BENS RUN, ELLENBORO, MIDDLEBOURNE, & PENNSBORO USGS 7.5 QUAD MAPS



WEST VIRGINIA COUNTY MAP



(NOT TO SCALE)

AS-BUILT CERTIFICATIONS: THE BRAWNING CONSTRUCTION NOTES AND REFLEXING COMMERCES ATTACHED MEDITO BAVE-BEEN PREPARED IN ACCORDANCE WHIT THE WIST VIRGINIA CODE OF SAATE BUILS, DOVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND CAS DES 35-8



MISS Utility of West Virginia 1-800-245-4848 West Virginia State Law (Section XIV: Chapter 24-C) Requires that you call two business days before you dig in the state of West Virginia IT'S THE LAW!

#### SHEET INDEX:

- CONCE SEED TO DE SE CONTENE MOTES LIDITARY
  CONSTRUCTION AND EAS CONTENE MOTES LIDITARY
  STURM BRUNKAGE COMPUTATIONS
  EDISTRIS CONSTITUES
  OFERALI FLAN SEET DEEX & YOULKES
  THE SECOND A WELL PLO FLAN
  ACCESS BOAD & WELL PLO FLAN
  ACCESS BOAD BY THE PROPILES
  ACCESS BOAD SCHOOLS
  ACCESS BOAD SCHOOLS
  TO SECOND A SECOND A PET RECLAMATION SECTIONS:
  5 WELL PLO SECTIONS.

- 14-15 WELL PAD SECTIONS 16-23 CONSTRUCTION DETAILS

24	-	TOLESS	EDAD K	XLLX	MUCTION	PLAN			
25	-	PIT REC	LAMATICS	4.3	WATER	CONTAINMENT	PAD	EECLAMATION.	PL
26	-	MCCESS	ECAD &	WE3	L FAD	RECLAMITION	FLAN		

Total Site (Navitre)	Permitted	Modification	Test
Ex. Access Road "A" (2.580")	8.53	2.55	11.08
Ex. Access Road "B" (697")	2.17	0.12	229
Ex.Well Pad	6.64	0.00	\$ 54
Associated Pit Reclamation	3.24	0.00	3.24
Water Containment Pad	1.33	0.00	1.33
Barrow Atea & Ex. Excess Material Stockpile	13.49	0.00	13,49
Total Affected Area	35.40	2.67	38.57
Total Wooded Acres Disturbed	1.87	23	4.17
Impacts to Jamel W. Shep	bord TM 13-29		
Florrow Area & Ex Excess Material Stockpile	0.33	0.60	0.33
Total Affected Area	0.23	0.00	0.33
Total Wooded Acres Disturbed	0.09	0.0	0.09
Impacts to Terry 1. So	ider TM 13-20		
Ex. Access Road "A" (1 255)	3.24	0.00	3.24
Ex. Access Road "B" (349")	1.05	0.00	1.05
Associated Pit Reclamation	0.45	0.00	0.45
Water Containment Pad	1.33	0.00	1.33
Borrow Area & Ex. Excess Material Stockpile	13.16	0.00	13.15
Total Affected Area	19.23	0.00	19.23
Total Wooded Acres Disturbed	1.53	0.0	1.63
impacts to Terry L. Sn		7	
Ex Access Road "A" (1.285")	5.25	255	7.80
Ex. Access Road "B" (348")	1.12	0.12	1.24
Ex Well Pad	2.95	0.00	2.95
Associated Pit Redsmallers	1772	0.00	1.72
Total Affected Area	11.04	2.67	13.71
Total Wooded Acres Disturbed	0.08	2.3	2.38
Impacts to Ritchie Petroleum	Corporation TA	113-40	
Ex Acress Road "A"	0.04	0.00	0.04
Ex Well Pad	3.69	0.00	3.69
Associated Pit Reclamation	1.07	0.00	1.07
Total Affected Area	4.60	0.00	4.50
Total Wooded Acres Disturbed	0.07	0.0	0.07

- 81	mil Name	NAD 97	NAO 83	Zom 17	HOLD BU LIE & COO
-	Dittor:	N 319497.17	N.319521.19	N 4357915.78	LAT 38-32-04 8950
- 100	Unit 3H	£ 1540075.08	E 1554534 05	£ 503/104.18	LONG 40 57 50 2717
100	Timber	N 211500.29	N 319640 30	N 4257621.54	EAT 59-22-04 5844
- 84	TUNE 2H	E 15AMTE OR	E 1554029.94	8: 500102 BB	ECONE #0.07-50.2000
	Dillor	N 319515.40	NJ:9549.43	M 4357834.33	LAT 29-29-05-0739
- 100	UNE 2H	E 1589006.80	E 1054575 82	£ 500101.58	EDMG-60-07-60 3807
- 100	Tinker	N 399504 TZ	N 3/9658 53.	N 4357807 CB	LAT 30-30 ON 1833
- 84	Unit 3H	E 15460/2.74	E 1554621 71	E 103100.26	CONG 30 FF 50 4345
100	Markin	N 210500 65	N 1/0687 85	N 4353639 80	LAT 39-22-05-252T
	Hrst.3H	E transsa.ro	E 155M117 BI	E 800008 95	CONG -FILE 27-50 AMRI
-	Edwards	N 319542 TA	N-319575.76	N 4357632'55	EAT 39 (22-05-3420)
-	Helt 201	E 1580054.51	E 1554513.45	£ 503097,65	LONG 45-57-80.5430
- 100	Moride	N-119551.66	N-210685.87	N 4567858.31	LAT 31-22-05-4214
- 80	Unit 2H	E 1560050.4h	E 1554509.37	E 500,096.36	LONG -80-57-50.5973
100	Edurativ	N 399580.97	W 319554 90	N 4357538 07	(AT 新元の5元年1A.)
- 100	Unit 3H	E 1580045.28	E 1554005 26	E \$03095.06	LONG 40 57 50 65 6
May	S Pad Elevation	1385	-		

LOCATION COORDINATES:

ACCESS ROAD ENTRANCE
LATITUDE: 39.372887 LONGITUDE: -80.967070 (NAD 83)
N 4358158.08 E 502836.46 (UTM ZONE 17 METERS)

LATITUDE: 39.367071 LONGITUDE: -80.966214 (NAD 83) N 4357845.58 E 502910.33 (UTM ZONE 17 METERS) N 4357845.58 E 502910.33

LATITUDE: 39.368215 LONGITUDE: -80.964052 (NAD 83) N 4357639.70 E 503096.62 (UTM ZONE 17 METERS)

# **PPROVED**

3/17/2016

GENERAL DESCRIPTION:

THE ACCESS ROAD(S), WATER CONTAINMENT PAD, AND WELL PAD ARE BEING CONSTRUCTED/UPGRADED TO AID IN THE DEVELOPMENT OF INDIVIDUAL MARCELLUS SHALE GAS WELLS.

FLOODPLAIN NOTES:

THE PROPOSED SITE IS LOCATED WITHIN FEMA FLOOD ZONE "X" PER FEMA FLOOD MAP #54095C0275C.

MISS UTILITY STATEMENT:
ANTERO RESOURCES CORPORATION WILL NOTIFY MISS UTILITY OF WEST VIRGINIA FOR THE LOCATING OF
UTILITIES PRIOR TO THE START OF CONSTRUCTION FOR THIS PROJECT.

ENTRANCE PERMIT:

ANTERO RESOURCES CORPORATION WILL OBTAIN AN ENCROACHMENT PERMIT (FORM MM-109) FROM THE WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS, PRIOR TO COMMENCEMENT OF CONSTRUCTION ACTIVITIES.

ENVIRONMENTAL NOTES:
STREAM AND WETLAND DELINEATIONS WERE PERFORMED IN MARCH, 2012 — MARCH, 2014, & FEBRUARY, 2016 BY ALISTAR ECOLOGY TO REVIEW THE SITE FOR WATERS AND WETLANDS THAT ARE MOST LIKELY WITHIN THE REGULATORY PURVIEW OF THE U.S. ARMY CORPS OF ENGINEERS (USACE) AND/OR THE WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION (WVDEP). THE FEBRUARY 26, 2016 REPORT WAS PREPARED BY ALISTAR ECOLOGY AND SUMMARIZES THE RESULTS OF THE FIELD DELINEATION. THE MAP DOES NOT, IN ANY WAY, REPRESENT A JURISDICTIONAL DETERMINATION OF THE LANDWARD LILITS OF WATERS AND WETLANDS WHICH MAY BE REGULATED BY THE USACE OR THE WYDEP.
IT IS STRONGLY RECOMMENDED THAT THE AFOREMENTIONED AGENCIES BE CONSULTED IN AN EFFORT TO GAIN WRITTEN CONFIRMATION OF THE DELINEATION SHORM ON THIS EXHIBIT PRIOR TO ENGAGING CONSTRUCTION ON THE PROPERTY DESCRIBED HEREIN. THE DEVELOPER SHALL OBTAIN THE APPROPRIATE PERMITS FROM THE FEDERAL AND/OR STATE REGULATORY AGENCIES PRIOR TO ANY PROPOSED IMPACTS TO WATERS OF THE U.S., INCLUDING WEILAND FILLS AND STREAM CROSSINGS.

GEOTECHNICAL NOTES:
A SUBSURFACE INVESTIGATION OF THE PROPOSED SITE WAS PERFORMED BY PENNSYLVANIA SOIL & ROCK, INC. ON JULY 9, 2015 & JULY 29, 2015. THE REPORTS PREPARED BY PENNSYLVANIA SOIL & ROCK, INC. DATED JULY 13, 2015, SEPTEMBER 3, 2015, & FEBRUARY 23, 2016, REFLECTS THE RESULTS OF THE SUBSURFACE INVESTIGATION. THE INFORMATION AND RECOMMENDATIONS CONTAINED IN THESE REPORTS WERE USED IN THE PREPARATION OF THESE PLANS. PLEASE REFER TO THE SUBSURFACE INVESTIGATION REPORTS BY PENNSYLVANIA SOIL & ROCK, INC. FOR ADDITIONAL INFORMATION, AS NEEDED.

#### PROJECT CONTACTS:

OPERATOR: ANTERO RESOURCES CORPORATION 535 WHITE OAKS BLVD. BRIDGEPORT, WV 26330 PHONE: (304) 842-4100 FAX: (304) 842-4102

ELI WAGONER - ENVIRONMENTAL ENGINEER OFFICE: (304) 842-4068 CELL: (304) 476-9770

JON McEVERS - OPERATIONS SUPERINTENDENT OFFICE: (303) 357-6799 CELL: (303) 808-2423

AARON KUNZLER - CONSTRUCTION SUPERVISOR CELL: (405) 227-8344

ANTHONY SMITH - FIELD ENGINEER OFFICE: (304) 842-4208 CELL: (304) 673-6196

CHARLES E. COMPTON, III - SURVEYING COORDINATOR (304) 719-6449

MARK HUTSON - LAND AGENT (304) 669-8315

ENGINEER/SURVEYOR: NAVITUS ENGINEERING, INC. CYRUS S. KUMP, PE - PROJECT MANAGER/ENGINEER OFFICE: (888) 662-4185 CELL: (540) 686-6747

ENVIRONMENTAL

ALISTAR ECOLOGY, LLC
RYAN L. WARD - ENVIRONMENTAL SCIENTIST
(866) 213-2666 CELL: (304) 692-7477

GEOTECHNICAL:
PENNSYLVANIA SOIL & ROCK, INC.
CHRISTOPHER W. SAMIOS — PROJECT ENGINEER (412) 372-4000 CELL: (412) 589-0682

- RESTRICTIONS NOTES:
  1. THERE ARE NO PERENNIAL STREAMS, WETLANDS, LAKES, PONDS, OR RESERVOIRS WITHIN 100 FEET OF THE WELL PAD AND LOD.
- THERE ARE NO NATURALLY PRODUCING TROUT STREAMS WITHIN 300 FEET OF THE WELL PAD AND LOD
- THERE ARE NO GROUNDWATER INTAKE OR PUBLIC WATER SUPPLY FACILITIES WITHIN 1000 FEET OF THE WELL PAD AND LOD.
- THERE ARE NO APPARENT EXISTING WATER WELLS OR DEVELOPED SPRINGS WITHIN 250 FEET OF THE WELL(S) BEING DRILLED.
- THERE ARE NO OCCUPIED DWELLING STRUCTURES WITHIN 625 FEET OF THE CENTER OF THE WELL PAD.
- THERE ARE NO AGRICULTURAL BUILDINGS LARGER THAN 2,500 SQUARE FEET WITHIN 625 FEET OF THE CENTER OF THE WELL PAD.

#### REPRODUCTION NOTE

THESE PLANS WERE CREATED TO BE PLOTTED ON 22"X34" (ANSI D)
PAPER. HALF SCALE DRAWINGS ARE ON 11"X17" (ANSI B) PAPER.

THESE PLANS WERE CREATED FOR COLOR PLOTTING AND ANY REPRODUCTIONS IN GRAY SCALE OR COLOR MAY RESULT IN A LOSS OF INFORMATION AND SHOULD NOT BE USED FOR CONSTRUCTION PURPOSES

### TERRY SNIDER WELL PAD & WA AS-BUILT AND EROSIO CONTROL IMPROVE

MEADE DISTRICT, TYLER COUNTY MCKIM CREEK WATER:

BENS RUN, ELLENBORO, MIDDLEBOURNE, & PEN



SCALE:

WEST VIRGINIA COUNTY MAP



(NOT TO SCALE)

AS-BUILT CERTIFICATIONS:
THE DRAWINGS, CONSTRUCTION NOTES, AND
REFERENCE DIAGRAMS ATTACHED HERETO HAVE
BEEN PREPARED IN ACCORDANCE WITH THE
WEST VIRGINIA CODE OF STATE RULES, DIVISION
OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL
AND GAS CRS 35-8.

## TER CONTAINMENT PAD


#### I & SEDIMENT MENT PLAN

WEST VIRGINIA

SBORO USGS 7.5 QUAD MAPS



#### WYDOH COUNTY ROAD MAP



MISS Utility of West Virginia 1-800-245-4848 West Virginia State Law (Section XIV: Chapter 24-C) Requires that you call two usiness days before you dig in the state of West Virginia. IT'S THE LAW!!

SCALE:

#### SHEET INDEX:

4709502352

SHEET INDEX:

1 - COVER SHEET
2 - CONSTRUCTION AND E&S CONTROL NOTES
3 - LEGEND
4 - MATERIAL QUANTITIES
5 - STORM DRAINAGE COMPUTATIONS
6 - EXISTING CONDITIONS
7 - OVERALL PLAN SHEET INDEX & VOLUMES
8 - ACCESS ROAD PLAN
9 - PIT RECLAMATION & WATER CONTAINMENT PAD PLAN
10 - ACCESS ROAD & WELL PAD PLAN
11 - ACCESS ROAD PROFILES
12 - ACCESS ROAD SECTIONS
13 - WATER CONTAINMENT PAD & PIT RECLAMATION SECTIONS
14-15 - WELL PAD SECTIONS
16-23 - CONSTRUCTION DETAILS
24 - ACCESS ROAD RECLAMATION PLAN
25 - PIT RECLAMATION & WATER CONTAINMENT PAD RECLAMATION PLAN
26 - ACCESS ROAD & WELL PAD RECLAMATION PLAN
26 - ACCESS ROAD & WELL PAD RECLAMATION PLAN

Total Site (Navitus)	Permitted	Modification	Tota
Ex. Access Road "A" (2,580')	8.53	2.55	11.0
Ex. Access Road "B" (697')	2.17	0.12	229
Ex. Well Pad	6.64	0.00	664
Associated Pit Reclamation	3.24	0.00	324
Water Containment Pad	1.33	0.00	133
Borrow Area & Ex. Excess Material Stockpile	13.49	0.00	13.49
Total Affected Area	35.40	2.67	38.0
Total Wooded Acres Disturbed	1.87	2.3	417
Impacts to Jarret W. Shep	herd TM 13-20	.1	
Borrow Area & Ex. Excess Material Stockpile	0.33	0.00	033
Total Affected Area	0.33	0.00	0.33
Total Wooded Acres Disturbed	0.09	0.0	0.09
Impacts to Terry L. Snl	der TM 13-20		
Ex. Access Road "A" (1,295')	3.24	0.00	324
Ex. Access Road "B" (349')	1.05	0.00	1 05
Associated Pit Reclamation	0.45	0.00	0.45
Water Containment Pad	1.33	0.00	133
Borrow Area & Ex. Excess Material Stockpile	13.16	0.00	13.1
Total Affected Area	19.23	0.00	19.2
Total Wooded Acres Disturbed	1.63	0.0	163
Impacts to Terry L. Sni	der TM 13-19		
Ex. Access Road "A" (1,285')	5.25	2.55	780
Ex. Access Road "B" (348')	1.12	0.12	124
Ex. Well Pad	2.95	0.00	295
Associated Pit Reclamation	1.72	0.00	172
Total Affected Area	11.04	2.67	13.7
Total Wooded Acres Disturbed	0.08	2.3	238
Impacts to Ritchie Petroleum C	orporation Th	113-40	
Ex. Access Road 'A"	0.04	0.00	0.04
Ex. Well Pad	3.69	0.00	369
Associated Pit Reclamation	1.07	0.00	107
Total Affected Area	4.80	0.00	4.80
Total Wooded Acres Disturbed	0.07	0.0	0.07

Proposed Well Name	WV North NAD 27	WW North NAD 83	UTM (METERS) Zone 17	NAD 83 Lat & Long
Dillon	N 319497.17	N 319531.19	N 4357618.78	LAT 39-22-04.8950
Unit 3H	E 1586075.08	E 1554634.05	E 503104.16	LONG -80-57-50.2717
Tinker	N 319506.29	N 319540.30	N 4357621.54	LAT 39-22-04.9844
Unit 2H	E 1586070 96	E 1554629.94	E 503102.86	LONG -80-57-50.3260
Dillon	N 319515.40	N 319549.42	N 4357624.29	LAT 39-22-05.0738
Unit 2H	E 1586066.85	E 1554625.82	E 503101.56	LONG -80-57-50.3802
Tinker	N 319524.52	N 319558.53	N 4357627.05	LAT 39-22-05 1633
Unit 3H	E 1586062 74	E 1554621.71	E 503100 26	LONG -80-57-50.4345
Markle	N 319533.63	N 319567.65	N 4357629.80	LAT 39-22-05.2527
Unit 3H	E 1586058 62	E 1554817.60	E 503098.96	LONG -80-57-50.4888
Edwards	N 319542.74	N 319576.76	N 4357632.56	LAT 39-22-05.3420
Unit 2H	E 1586054.51	E 1554613.48	E 503097.66	LONG -80-57-50.5430
Markle	N 319551.85	N 319585.87	N 4357635.31	LAT 39-22-05.4314
Unit 2H	E 1586050.40	E 1554809,37	E 503096.36	LONG -80-57-50.5973
Edwards	N 319560.97	N 319594.99	N 4357638.07	LAT 39-22-05.5208
Unit 3H	E 1586046.28	E 1554605.26	E 503095.06	LONG -80-57-50.6516
Mall Pad Elevation	1 146 5			

Office of Oil & Gassell 4 216

APR 29 2016

# ENGINEERING

ROAD	9 1			
	ALVEN			NEATION
PAD & B	STILLE	GRADIN	REPAIR	TLAND DET
DUCTION I	TE LAD O	D BENCH	#5 & #7	REAM & WE



THIS DOCUMENT
WAS PREPARED FOR:
ANTERO RESOURCES
CORPORATION

MEADE DISTRICT COUNTY, WEST VIRGINIA

COVER SHEET

WELL PAD & WATER CONTAINMENT PAD MEADE DISTRICT



DATE: 06/03/2015 SCALE: AS SHOWN

SHEET CIONE PO