



 west virginia department of environmental protection

Office of Oil and Gas
 601 57th Street, S.E.
 Charleston, WV 25304
 (304) 926-0450
 fax: (304) 926-0452

Austin Caperton, Cabinet Secretary
www.dep.wv.gov

Friday, September 21, 2018
 WELL WORK PERMIT
 Horizontal 6A / New Drill

ANTERO RESOURCES CORPORATION
 1615 WYNKOOP STREET

DENVER, CO 80202

Re: Permit approval for SARAHLNE UNIT 2H
 47-095-02519-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926- 0450.

James A. Martin
 Chief

Operator's Well Number: SARAHLNE UNIT 2H
 Farm Name: ROY A. MEREDITH
 U.S. WELL NUMBER: 47-095-02519-00-00
 Horizontal 6A New Drill
 Date Issued: 9/21/2018

PERMIT CONDITIONS 4709502519 09/21/2018

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

PERMIT CONDITIONS 4709502519 09/21/2018

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.

WW-6B
(04/15)

API NO. 47-095
OPERATOR WELL NO. Sarahlene Unit 2H
Well Pad Name: Meredith Pad

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
WELL WORK PERMIT APPLICATION

CTB
9/18/18

1) Well Operator: Antero Resources Corporation 494507062 095-Tyler Centerville West Union 7.5'
Operator ID County District Quadrangle

2) Operator's Well Number: Sarahlene Unit 2H Well Pad Name: Meredith Pad

3) Farm Name/Surface Owner: Roy A. Meredith, et al Public Road Access: Haymond Road

4) Elevation, current ground: 1117' Elevation, proposed post-construction: 1114'

5) Well Type (a) Gas Oil Underground Storage
Other

(b) If Gas Shallow Deep
Horizontal

6) Existing Pad: Yes or No Yes

7) Proposed Target Formation(s), Depth(s), Anticipated Thickness and Expected Pressure(s):
Marcellus Shale: 7000' TVD, Anticipated Thickness- 75 feet, Associated Pressure- 2800#

8) Proposed Total Vertical Depth: 7000' TVD

9) Formation at Total Vertical Depth: Marcellus

10) Proposed Total Measured Depth: 16600' MD

11) Proposed Horizontal Leg Length: 8947'

12) Approximate Fresh Water Strata Depths: 463', 604', 683'

13) Method to Determine Fresh Water Depths: Offset well records. Depths have been adjusted according to surface elevations.

14) Approximate Saltwater Depths: 1521', 1567', 2109'

15) Approximate Coal Seam Depths: 63', 1239'

16) Approximate Depth to Possible Void (coal mine, karst, other): None Anticipated

17) Does Proposed well location contain coal seams directly overlying or adjacent to an active mine? Yes No

(a) If Yes, provide Mine Info: Name: _____
Depth: _____
Seam: _____
Owner: _____

4709502519 09/21/2018

WW-6B
(04/15)

API NO. 47- 095
OPERATOR WELL NO. Sarahlene Unit 2H
Well Pad Name: Meredith Pad

CTB 9/18/18

18) **CASING AND TUBING PROGRAM**

| <u>TYPE</u> | <u>Size (in)</u> | <u>New or Used</u> | <u>Grade</u> | <u>Weight per ft. (lb/ft)</u> | <u>FOOTAGE: For Drilling (ft)</u> | <u>INTERVALS: Left in Well (ft)</u> | <u>CEMENT: Fill-up (Cu. Ft.)/CTS</u> |
|--------------|------------------|--------------------|--------------|-------------------------------|-----------------------------------|-------------------------------------|--------------------------------------|
| Conductor | 20" | New | H-40 | 94# | 93 | 93 | CTS, 89 Cu. Ft. |
| Fresh Water | 13-3/8" | New | J-55 | 54.5# | 740 *see#19 | 740 *see#19 | CTS, 1028 Cu. Ft. |
| Coal | 9-5/8" | New | J-55 | 36# | 2500 | 2500 | CTS, 1018 Cu. Ft. |
| Intermediate | | | | | | | |
| Production | 5-1/2" | New | P-110 | 23# | 16600 | 16600 | CTS, 4157 Cu. Ft. |
| Tubing | 2-3/8" | New | N-80 | 4.7# | | | |
| Liners | | | | | | | |

| <u>TYPE</u> | <u>Size (in)</u> | <u>Wellbore Diameter (in)</u> | <u>Wall Thickness (in)</u> | <u>Burst Pressure (psi)</u> | <u>Anticipated Max. Internal Pressure (psi)</u> | <u>Cement Type</u> | <u>Cement Yield (cu. ft./k)</u> |
|--------------|------------------|-------------------------------|----------------------------|-----------------------------|---|----------------------|---------------------------------|
| Conductor | 20" | 24" | 0.438" | 1530 | 50 | Class A | ~1.18 |
| Fresh Water | 13-3/8" | 17-1/2" | 0.38" | 2730 | 1000 | Class A | ~1.18 |
| Coal | 9-5/8" | 12-1/4" | 0.352" | 3520 | 1500 | Class A | ~1.18 |
| Intermediate | | | | | | | |
| Production | 5-1/2" | 8-3/4" & 8-1/2" | 0.415" | 12,630 | 2500 | Class H/POZ & Tm - H | H/POZ~1.44 & H~1.8 |
| Tubing | 2-3/8" | 4.778" | 0.19" | 11,200 | | | |
| Liners | | | | | | | |

PACKERS

| | | | | |
|-------------|-----|--|--|--|
| Kind: | N/A | | | |
| Sizes: | N/A | | | |
| Depths Set: | N/A | | | |

WW-6B
(10/14)

4709502519 09/21/2018
API NO. 47-095 -
OPERATOR WELL NO. Sarahlene Unit 2H
Well Pad Name: Meredith Pad

CTP 9/18/18

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill, perforate, fracture a new horizontal shallow well and complete Marcellus Shale.

*Antero will be air drilling the fresh water string which makes it difficult to determine when fresh water is encountered. Therefore, we have built in a buffer for the casing setting depth which helps to ensure that all fresh water zones are covered.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Antero plans to pump Slickwater into the Marcellus Shale formation in order to ready the well for production. The fluid will be comprised of approximately 99 percent water and sand, with less than 1 percent special-purpose additives as shown in the attached "List of Anticipated Additives Used for Fracturing or Stimulating Well."

Anticipated Max Pressure - 9300 lbs
Anticipated Max Rate - 80 bpm

21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): Existing 31.17 acres

22) Area to be disturbed for well pad only, less access road (acres): Existing 7.09 acres

23) Describe centralizer placement for each casing string:

Conductor: no centralizers

Surface Casing: one centralizer 10' above the float shoe, one on the insert float collar and one every 4th joint spaced up the hole to surface.

Intermediate Casing: one centralizer above float joint, one centralizer 5' above float collar and one every 4th collar to surface.

Production Casing: one centralizer at shoe joint and one every 3 joints to top of cement in intermediate casing.

24) Describe all cement additives associated with each cement type:

Conductor: no additives, Class A cement.

Surface: Class A cement with 2-3% calcium chloride and 1/4 lb of flake

Intermediate: Class A cement with 1/4 lb of flake, 5 gallons of clay treat

Production: Lead cement- 50/50 Class H/Poz + 1.5% salt + 1% C-45 + 0.5% C-16a + 0.2% C-12 + 0.45% C-20 + 0.05% C-51

Production: Tail cement- Class H + 45 PPS Calcium Carbonate + 1.0% FL-160 + 0.2% ACGB-47 + 0.05% ACSA-51 + 0.2% ACR-20

25) Proposed borehole conditioning procedures:

Conductor: blowhole clean with air, run casing, 10 bbls fresh water.

Surface: blowhole clean with air, trip to conductor shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate pipe capacity + 40 bbls fresh water followed by 25 bbls bentonite mud, 10 bbls fresh water spacer.


Intermediate: blowhole clean with air, trip to surface casing shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate 40 bbls brine water followed by 10 bbls fresh water and 25 bbls bentonite mud, pump 10 bbls fresh water.

Production: circulate with 14 lb/gal NaCl mud, trip to middle of lateral, circulate, pump high viscosity sweep, trip to base of curve, pump high viscosity sweep, trip to top of curve, trip to bottom, circulate, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump 48 bbls barite pill, pump 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls water.

*Note: Attach additional sheets as needed.



4709502519



RECEIVED
Office of Oil and Gas

SEP 4 2018

WV Department of
Environmental Protection



Antero Resources Corporation

Sarahlene Unit 2H - AOR



WELL SYMBOLS
Gas Well

09/21/2018

4709502519

| Well ID (API/Num) | Well Name | Well Number | Operator | Hist Oper | TD | Perforated Interval (shallowest, deepest) | Perforated Formation(s) | Productive Formation(s) not perf'd |
|-------------------|----------------------|-------------|------------------------------|------------------------------|--------|---|--------------------------|--|
| 47095011390000 | MEREDITH ROY A ET AL | JK-1244 | ALLIANCE PETR CORP | I & J ENTERPRISES | 5,976 | 4585-5289 | Riley, Benson, Alexander | Big Injun, Speechley, Balltown, Bradford |
| 47095009260000 | WELCH N M | J-529 | ENERGY CORP OF AMER | I & J ENTERPRISES | 5,690 | 4597-5103 | Riley, Benson | Big Injun, Speechley, Balltown, Bradford |
| 47095018720000 | CAIN | 10 | ANTERO RESOURCES CORPORATION | N COAST ENERGY INC | 5,641 | 4591-5006 | Riley, Benson | Big Injun, Speechley, Balltown, Bradford |
| 47095011040000 | CAIN HEIRS | 5 | ANTERO RESOURCES CORPORATION | QUAKER STATE OIL RFG | 5,185 | 3645-5012 | Riley, Benson, Alexander | Big Injun, Speechley, Balltown, Bradford |
| 47017067990000 | BOULDER UNIT | 2H | ANTERO RESOURCES CORPORATION | ANTERO RESOURCES CORPORATION | 15,805 | 7140.89-15702.7 | Marnellus Fm. | |

RECEIVED
Office of Oil and Gas

SEP 4 2018

WV Department of
Environmental Protection

WW-9
(4/16)

API Number 47 - 095 - _____
Operator's Well No. Sarahlene Unit 2H

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Antero Resources Corporation OP Code 494507062

Watershed (HUC 10) Headwaters Middle Island Creek Quadrangle West Union 7.5'

Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No

Will a pit be used? Yes No

If so, please describe anticipated pit waste: No pit will be used at this site (Drilling and Flowback Fluids will be stored in tanks. Cuttings will be tanked and hauled off site)

Will a synthetic liner be used in the pit? Yes No If so, what ml.? N/A

Proposed Disposal Method For Treated Pit Wastes:

- Land Application
- Underground Injection (UIC Permit Number UIC Permit # will be provided on Form WR-34)
- Reuse (at API Number Future permitted well locations when applicable. API# will be provided on Form WR-34)
- Off Site Disposal (Supply form WW-9 for disposal location) (Meadowfill Landfill Permit #SWF-1032-98)
- Other (Explain Northwestern Landfill Permit #SWF-1025/WV0109410)

JOB 6/21/2018 DMH 6-21-18

Will closed loop system be used? If so, describe: Yes, fluids stored in tanks, cuttings removed offsite and taken to landfill.

Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc.

Surface - Air/Freshwater, Intermediate - Cutt./Sluff Foam, Production - Water based Mud or Synthetic Based Mud

-If oil based, what type? Synthetic, petroleum, etc. Synthetic

Additives to be used in drilling medium? Please See Attachment

Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Drill cuttings stored in tanks, removed offsite and taken to landfill.

-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A

-Landfill or offsite name/permit number? Meadowfill Landfill (Permit #SWF-1032-98). Northwestern Landfill (Permit # SWF-1025/WV0109410)

Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.

I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action.

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.

Company Official Signature *Gretchen Kohler*

Company Official (Typed Name) Gretchen Kohler

Company Official Title Sr. Environmental & Regulatory Manager

RECEIVED
Office of Oil and Gas
JUN 29 2018

WV Department of
Environmental Protection

Subscribed and sworn before me this 14th day of JUNE, 2018

[Signature] Notary Public
My commission expires MARCH 13, 2022

MEGAN GRIFFITH
NOTARY PUBLIC
STATE OF COLORADO
NOTARY ID 20184011666
MY COMMISSION EXPIRES MARCH 13, 2022

Form WW-9

Operator's Well No. Sarahlene Unit 2H

Antero Resources Corporation

Proposed Revegetation Treatment: Acres Disturbed 31.17 acres Prevegetation pH _____

Lime 2-4 Tons/acre or to correct to pH 6.5

Fertilizer type Hay or straw or Wood Fiber (will be used where needed)

Fertilizer amount 500 lbs/acre

Mulch 2-3 Tons/acre

Access Road "A" (2.55 acres) + Access Road "B" (0.25 acres) + Access Road "C" (0.52) + Access Road "D" (7.75 acres) + Access Road "E" (0.46 acres) + Well Pad (7.09 acres) + Water Containment Pad (2.33 acres) + Excess/Topsoil Material Stockpiles (10.22 acres) = 31.17 acres

| Temporary | | Permanent | |
|---|----------|--|----------|
| Seed Type | lbs/acre | Seed Type | lbs/acre |
| Annual Ryegrass | 40 | Crownvetch | 10-15 |
| Field Bromegrass | 40 | Tall Fescue | 30 |
| <small>See attached Table IV-3 for additional seed type (Meredith Pad Design Page 23)</small> | | <small>See attached Table IV-4A for additional seed type (Meredith Pad Design Page 23)</small> | |
| *or type of grass seed requested by surface owner | | *or type of grass seed requested by surface owner | |

Attach:
Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and area in acreage, of the land application area.

Photocopied section of involved 7.5' topographic sheet.

Plan Approved by: [Signature]
Comments: _____

RECEIVED
Office of Oil and Gas

JUN 29 2018

WV Department of
Environmental Protection

Title: Oil & Gas Inspector Date: 6/21/2018

Field Reviewed? Yes No

4709502519

Form WW-9 Additives Attachment**SURFACE INTERVAL**

1. Fresh Water
2. Soap –Foamer AC
3. Air

INTERMEDIATE INTERVAL***STIFF FOAM RECIPE:***

- 1) 1 ppb Soda Ash / Sodium Carbonate-Alkalinity Control Agent
- 2) 1 ppb Conqor 404 (11.76 ppg) / Corrosion Inhibitor
- 3) 4 ppb KLA-Gard (9.17 ppg) / Amine Acid Complex-Shale Stabilizer
- 4) 1ppb Mil Pac R / Sodium Carboxymethylcellulose-Filtration Control Agent
- 5) 12 ppb KCL / Potassium Chloride-inorganic Salt
- 6) Fresh Water 80 bbls
- 7) Air

PRODUCTION INTERVAL

1. Alpha 1655
Salt Inhibitor
2. Mil-Carb
Calcium Carbonate
3. Cottonseed Hulls
Cellulose-Cottonseed Pellets – LCM
4. Mil-Seal
Vegetable, Cotton & Cellulose-Based Fiber Blend – LCM
5. Clay-Trol
Amine Acid Complex – Shale Stabilizer
6. Xan-Plex
Viscosifier For Water Based Muds
7. Mil-Pac (All Grades)
Sodium Carboxymethylcellulose – Filtration Control Agent
8. New Drill
Anionic Polyacrylamide Copolymer Emulsion – Shale Stabilizer
9. Caustic Soda
Sodium Hydroxide – Alkalinity Control
10. Mil-Lime
Calcium Hydroxide – Lime
11. LD-9
Polyether Polyol – Drilling Fluid Defoamer
12. Mil Mica
Hydro-Biotite Mica – LCM

RECEIVED
Office of Oil and Gas

JUN 14 2018

WV Department of
Environmental Protection

4709502519

13. Escaid 110
Drilling Fluid Solvent – Aliphatic Hydrocarbon
14. Ligco
Highly Oxidized Leonardite – Filtration Control Agent
15. Super Sweep
Polypropylene – Hole Cleaning Agent
16. Sulfatrol K
Drilling Fluid Additive – Sulfonated Asphalt Residuum
17. Sodium Chloride, Anhydrous
Inorganic Salt
18. D-D
Drilling Detergent – Surfactant
19. Terra-Rate
Organic Surfactant Blend
20. W.O. Defoam
Alcohol-Based Defoamer
21. Perma-Lose HT
Fluid Loss Reducer For Water-Based Muds
22. Xan-Plex D
Polysaccharide Polymer – Drilling Fluid Viscosifier
23. Walnut Shells
Ground Cellulosic Material – Ground Walnut Shells – LCM
24. Mil-Graphite
Natural Graphite – LCM
25. Mil Bar
Barite – Weighting Agent
26. X-Cide 102
Biocide
27. Soda Ash
Sodium Carbonate – Alkalinity Control Agent
28. Clay Trol
Amine Acid complex – Shale Stabilizer
29. Sulfatrol
Sulfonated Asphalt – Shale Control Additive
30. Xanvis
Viscosifier For Water-Based Muds
31. Milstarch
Starch – Fluid Loss Reducer For Water Based Muds
32. Mil-Lube
Drilling Fluid Lubricant

RECEIVED
Office of Oil and Gas

JUN 14 2018

WV Department of
Environmental Protection



911 Address
2002 Haymonds Ridge Rd.
Pennsboro, WV 26415

Well Site Safety Plan

Antero Resources

Well Name: Horst Unit 1H-3H, Sterling 1H-4H and Sarahlene Unit 1H-4H

Pad Location: MEREDITH PAD
Tyler County/Centerville District

GPS Coordinates:

Entrance - Lat 39°20'48.69"/Long -80°52'8.20" (NAD83)
Pad Center - Lat 39°20'54.69"/Long -80°52'12.70" (NAD83)

Driving Directions:

From the intersection of I79 and HWY 50 through West Union. Head west on US-50 W for 28.7 miles. Turn right onto WV-18 N for 0.6 miles. Turn left onto Davis St/Old U.S. 50 for 0.1 miles. Turn right onto WV-18N/Sistersville Pike for 12.2 miles. Turn left onto WV-74 S for 2.0 miles. Turn left onto Co Rd 74/1 for 0.8 miles. Turn left to stay on Co Rd 74/1 for 1.0 mile. The access road will be on the left.


RECEIVED
Office of Oil and Gas
JUN 29 2018
WV Department of Environmental Protection

Alternate Route:

From the intersection of I79 and HWY 50 through Alma. Head west on US-50 W for 16.5 miles. Turn right onto WV-23 W for 27.0 miles. Turn left onto WV-18 S for 5.1 miles. Slight right onto WV-74 S for 2.0 miles. Turn left onto Co Rd 74/1 for 0.8 miles. Turn left to stay on Co Rd 74/1 for 1.0 mile. The access road will be on the left.

EMERGENCY (24 HOUR) CONTACT 1-800-878-1373

JEB
6/21/2018
DmH
6-21-18



Antero Resources Corporation
 Appalachian Basin
 Horst Unit 1H-3H, Sarahlene Unit 1H-2H &
 Sterling Unit 1H-4H
 Tyler County

RECEIVED
 Office of Oil and Gas

JUN 14 2018

WV Department of
 Environmental Protection

Quadrangle: West Union
 Watershed: Middle Island Creek
 District: Centerville
 Date: 6/13/2018

LATITUDE 39°22'30"

10,332'

LATITUDE 39°20'00"

7,373' TO BOTTOM HOLE

2,917' TO BOTTOM HOLE
LONGITUDE 80°50'00"

9,615'

LONGITUDE 80°50'00"


Antero Resources Corporation
Well No. Sarahlene Unit 2H

NOTES:
 WELL 2H TOP HOLE INFORMATION:
 N: 312,031ft E: 1,612,615ft
 LAT: 39°20'54.96" LON: 80°52'11.53"
 BOTTOM HOLE INFORMATION:
 N: 303,510ft E: 1,615,448ft
 LAT: 39°19'31.18" LON: 80°51'33.83"
 WEST VIRGINIA COORDINATE SYSTEM OF 1927 NORTH ZONE. ZONE WAS DERIVED FROM MEASUREMENTS TAKEN WITH TREMBLE GEOTECH SUBMETER MAPPING GRADE GPS UNIT. PLAT ORIENTATION, CORNER, AND WELL REFERENCE TIE LINES ARE BASED ON GRID NORTH.

(NAD) 83 (UTM) ZONE 17 COORDS:
 WELL 2H TOP HOLE INFORMATION:
 N: 4,355,479m E: 511,228m
 BOTTOM HOLE INFORMATION:
 N: 4,352,898m E: 512,134m

PAD LAYOUT

NOT TO SCALE




(NAD) 27 (UTM) ZONE 17 COORDS:
 WELL 2H TOP HOLE INFORMATION:
 N: 14,288,888ft E: 1,677,205ft
 POINT OF ENTRY INFORMATION:
 N: 14,288,901ft E: 1,677,342ft
 BOTTOM HOLE INFORMATION:
 N: 14,280,418ft E: 1,680,176ft

JOB # 17-012WA
 DRAWING # SARAHLENE2HR
 SCALE 1" = 1000'
 MINIMUM DEGREE OF ACCURACY SUBMETER
 PROVEN SOURCE OF ELEV. SUBMETER MAPPING GRADE GPS
 STATE OF WEST VIRGINIA DEPARTMENT OF ENERGY DIVISION OF OIL AND GAS

LEGEND
 - - - - - Surface Owner Boundary Lines +/-
 - - - - - Interior Surface Tracts +/-
 - - - - - Existing Fence
 ⊕ Found monument, as noted


DOUGLAS R. ROWE P.S. 2202
 DATE 05/29/18



I THE UNDERSIGNED, HEREBY CERTIFY THAT THIS PLAT IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF AND SHOWS ALL THE INFORMATION REQUIRED BY LAW AND THE RULES ISSUED AND PERSCRIBED BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION.




STATE OF WEST VIRGINIA, DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
 WILLOW LAND SURVEYING PLLC
 220 MASONIC AVE. PENNSBORO WEST VIRGINIA 26415



REFERENCES
 EUGENE R. WALTON ET AL LEASE 1427
 EUGENE WALTON D.B. 266 PG. 197 T.M. 20 PAR. 10 137 AC.±
 MARY LOU WALTON D.B. 266 PG. 197 T.M. 20 PAR. 10.3 24 AC.±
 EUGENE R. WALTON ET AL LEASE
 RICHARD MCCULLOUGH D.B. 209 PG. 027 T.M. 20 PAR. 08 28.75 AC.±

WELL TYPE: OIL GAS LIQUID INJECTION WASTE DISPOSAL OPERATOR'S WELL# SARAHLENE UNIT 2H
 (IF "GAS") PRODUCTION STORAGE DEEP SHALLOW 47 - 095 - 02519
 LOCATION: ELEVATION 1,117' - ORIGINAL 1,114' - PROPOSED WATERSHED HEADWATERS MIDDLE ISLAND CREEK STATE COUNTY PERMIT
 QUADRANGLE WEST UNION 7.5' DISTRICT CENTERVILLE COUNTY TYLER
 SURFACE OWNER ROY A. MEREDITH ACREAGE 59.39 ACRES +/- LEASE ACREAGE 80 AC±; 222 AC±; 95 AC±; 278 AC±
 OIL & GAS ROYALTY OWNER ROY A. MEREDITH ET UX; O.W. GRIFFIN ET UX;
 N. M. WELCH HEIRS; NATHAN CAIN ET AL
 PROPOSED WORK: DRILL CONVERT DRILL DEEPER REDRILL FRACTURE OR STIMULATE
 PLUG OFF OLD FORMATION PERFORATE NEW FORMATION OTHER PHYSICAL CHANGE IN WELL
 (SPECIFY) PLUG & ABANDON CLEAN OUT & REPLUG
 TARGET FORMATION MARCELLUS ESTIMATED DEPTH 7,000' TVD 16,800' MD
 WELL OPERATOR ANTERO RESOURCES CORP. DESIGNATED AGENT DIANNA STAMPER - CT CORPORATION SYSTEM
 ADDRESS 1615 WYNKOOP ST. ADDRESS 5400 D BIG TYLER ROAD
 FORM WW-6 DENVER, CO 80202 CHARLESTON, WV 25313



INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE
Chapter 22, Article 6A, Section 5(a)(5)
IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

| Grantor, lessor, etc. | Grantee, lessee, etc. | Royalty | Book/Page |
|--|--|-------------|-----------|
| <u>Roy A. Meredith, et al Lease</u> | | | |
| Roy A. Meredith | J & J Enterprises | 1/8 | 0257/0527 |
| J & J Enterprises | Eastern American Energy Corp. | Assignment | 0282/0296 |
| Eastern American Energy Corporation | Energy Corporation of America | Assignment | 0371/0528 |
| Energy Corporation of America | Antero Resources Appalachian Corporation | Assignment | 0398/0416 |
| Antero Resources Appalachian Corporation | Antero Resources Corporation | Name Change | Exhibit 1 |
| <u>O.W. Griffin, et ux Lease</u> | | | |
| O.W. Griffin, et ux | R.W. Keener | 1/8 | 0196/0234 |
| R.W. Keener | Columbia Gas Transmission Corporation | Assignment | 0196/0163 |
| Columbia Gas Transmission Corporation | Columbia Natural Resources, Inc | Assignment | 0286/0603 |
| Columbia Natural Resources, Inc | Columbia Natural Resources, LLC | Name Change | 09/01 |
| Columbia Natural Resources, LLC | Chesapeake Appalachia, LLC | Merge | 0349/0536 |
| Chesapeake Appalachia, LLC | SWN Production Company | Assignment | 0465/0463 |
| SWN Production Company | Antero Exchange Properties | Assignment | 0544/0242 |
| Antero Exchange Properties | Antero Resources Corporation | Merge | 0552/0315 |
| <u>N.M. Welch Heirs</u> | | | |
| N.M. Welch Heirs | Petroleum Services, Inc. | 1/8 | 0229/0452 |
| Petroleum Services, Inc. | J&J Enterprises | Assignment | 0231/0301 |
| J&J Enterprises | Eastern American Energy Corporation | Assignment | 0282/0296 |
| Eastern American Energy Corporation | Energy Corporation of America | Merger | 0371/0528 |
| Energy Corporation of America | Antero Resources Appalachian Corporation | Assignment | 0398/0416 |
| Antero Resources Appalachian Corporation | Antero Resources Corporation | Name Change | Exhibit 1 |

*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

****CONTINUED ON NEXT PAGE****

RECEIVED
Office of Oil and Gas

JUN 14 2018

WV Department of
Environmental Protection

WW-6A1
(5/13)

Operator's Well No. Sarahlene Unit 2H

**INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE
Chapter 22, Article 6A, Section 5(a)(5)
IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)**

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:


| Lease Name or Number | Grantor, Lessor, etc. | Grantee, Lessee, etc. | Royalty | Book/Page |
|---------------------------------|---------------------------------------|--|-------------|-----------|
| <u>Nathan Cain, et al Lease</u> | | | | |
| | Nathan Cain, et al | J.E. Trainer | 1/8 | 072/0216 |
| | J.E. Trainer, DBA Sun Gas Company | W.W. Hepburn | Assignment | 0080/0346 |
| | W.W. Hepburn | Eastern Petroleum Company | Assignment | 080/0338 |
| | Eastern Petroleum Company | Clifton Oil & Gas Company | Assignment | 094/061 |
| | Clifton Oil & Gas Company | Quaker State Oil Refining Corporation | Assignment | 0270/0111 |
| | Quaker State Corp. | Quaker State Corporation | Assignment | WVSOS |
| | Quaker State Corporation | Bolden & Blake Corporation | Assignment | 0311/0584 |
| | Bolden & Blake Corporation | Peake Energy | Assignment | 0321/0340 |
| | Peake Energy | North Coast Energy Eastern, Inc. | Assignment | 08/0702 |
| | North Coast Energy Eastern, Inc. | Exco-North Coast Energy Eastern, Inc. | Name Change | 009/080 |
| | EXCO-North Coast Energy Eastern, Inc. | EXCO Resources (WV) Inc. | Name Change | WVSOS |
| | EXCO Resources (WV) Inc. | EXCO Production Company (WV) Inc. | Name Change | WVSOS |
| | EXCO Production Company (WV) Inc. | EXCO Production Company (WV) LLC | Name Change | WVSOS |
| | EXCO Production Company (WV) LLC | Antero Resources Appalachian Corporation | Assignment | 0406/0195 |
| | Antero Resources Appalachian Corp. | Antero Resources Corporation | Name Change | Exhibit 1 |

*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator: Antero Resources Corporation
 By: Kevin Kilstrom 
 Its: Senior Vice President - Production

RECEIVED
Office of Oil and Gas
Page 1 of _____
JUN 14 2018
WV Department of
Environmental Protection

FORM WW-6A1
EXHIBIT 1

FILED

JUN 10 2013

Natalie E. Turrent,
Secretary of State
1900 Kanawha Blvd E
Bldg 1, Suite 157-E
Charleston, WV 25305



Fenny Backer, Manager
Corporations Division
Tel: (304)558-9000
Fax: (304)558-8381
Website: www.wvscd.com
E-mail: business@wvscd.com

APPLICATION FOR
AMENDED CERTIFICATE
OF AUTHORITY

Office Hours: Monday - Friday
8:30 a.m. - 5:00 p.m. ET

FILE ONE ORIGINAL
(Two if you want a filed
stamped copy returned to you)
FEE: \$25.00

*** In accordance with the provisions of the West Virginia Code, the undersigned corporation hereby
applies for an Amended Certificate of Authority and submits the following statement:

- 1. Name under which the corporation was authorized to transact business in WV: Antero Resources Appalachia Corporation
- 2. Date Certificate of Authority was issued in West Virginia: 6/25/2008
- 3. Corporate name has been changed to: Antero Resources Corporation
(Attach one Certified Copy of Name Change as filed in home State of Incorporation.)
- 4. Name the corporation elects to use in WV: Antero Resources Corporation
(due to home state name not being available)
- 5. Other amendments: _____
(attach additional pages if necessary)

6. Name and phone number of contact person. (This is optional; however, if there is a problem with the filing, listing a contact person and phone number may avoid having to return or reject the document.)

Allyn A. Schopp (304) 367-7310
Contact Name Phone Number

7. Signature information (See below **Important Legal Notice Regarding Signatures**):

Print Name of Signer: Allyn A. Schopp Title/Capacity: Authorized Person
Signature: [Handwritten Signature] Date: June 10, 2013

Important Legal Notice Regarding Signatures For West Virginia Code §11D-1-12b. Penalty for signing false document. Any person who signs a document he or she knows is false in any material respect and knows that the document is to be delivered to the secretary of state for filing is guilty of a misdemeanor and, upon conviction thereof, shall be fined not more than one thousand dollars or confined in the county or regional jail not more than one year, or both.

RECEIVED
Office of Oil and Gas
JUN 14 2018
WV Department of
Environmental Protection

4709502519 09/21/2018



Antero Resources
1615 Wynkoop Street
Denver, CO 80202
Office 303.357.7310
Fax 303.357.7315

June 15, 2018

West Virginia Department of Environmental Protection
Chief, Office of Oil and Gas
Attn: Mr. James Martin
601 57th Street SE
Charleston, WV 25304

RE: Sarahlene Unit 2H
Quadrangle: West Union 7.5'
Tyler County/Centerville District, West Virginia

Mr. Martin:

Antero Resources Corporation (Antero) is submitting the following application for a new well work permit for the Sarahlene Unit 2H horizontal shallow well. As an authorized representative, I certify that Antero has the right to extract, produce or market the oil or gas for all leases through which the Sarahlene Unit 2H horizontal lateral will drill through including any and all roads crossed under as identified on the attached survey plat.

Sincerely,

A handwritten signature in blue ink, appearing to read "Thomas Kuhn", is written over a horizontal line. Below the signature, the name "Thomas Kuhn" and title "Senior Landman" are printed in a black sans-serif font.

Thomas Kuhn
Senior Landman

RECEIVED
Office of Oil and Gas
JUN 14 2018
WV Department of
Environmental Protection

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE CERTIFICATION

Date of Notice Certification: 06/13/2018

API No. 47- 095

Operator's Well No. Sarahlene Unit 2H

Well Pad Name: Meredith Pad

Notice has been given:

Pursuant to the provisions in West Virginia Code § 22-6A, the Operator has provided the required parties with the Notice Forms listed below for the tract of land as follows:

| | | | | |
|-------------|--------------------------------|---------------------------|------------------------|----------|
| State: | West Virginia | UTM NAD 83 | Easting: | 511228m |
| County: | Tyler | | Northing: | 4355479m |
| District: | Centerville | Public Road Access: | Haymond Road | |
| Quadrangle: | West Union 7.5' | Generally used farm name: | Roy A. Meredith, et al | |
| Watershed: | Headwaters Middle Island Creek | | | |

Pursuant to West Virginia Code § 22-6A-7(b), every permit application filed under this section shall be on a form as may be prescribed by the secretary, shall be verified and shall contain the following information: (14) A certification from the operator that (i) it has provided the owners of the surface described in subdivisions (1), (2) and (4), subsection (b), section ten of this article, the information required by subsections (b) and (c), section sixteen of this article; (ii) that the requirement was deemed satisfied as a result of giving the surface owner notice of entry to survey pursuant to subsection (a), section ten of this article six-a; or (iii) the notice requirements of subsection (b), section sixteen of this article were waived in writing by the surface owner; and Pursuant to West Virginia Code § 22-6A-11(b), the applicant shall tender proof of and certify to the secretary that the notice requirements of section ten of this article have been completed by the applicant.

| | |
|--|---|
| <p>Pursuant to West Virginia Code § 22-6A, the Operator has attached proof to this Notice Certification that the Operator has properly served the required parties with the following:</p> <p>*PLEASE CHECK ALL THAT APPLY</p> <p><input type="checkbox"/> 1. NOTICE OF SEISMIC ACTIVITY or <input checked="" type="checkbox"/> NOTICE NOT REQUIRED BECAUSE NO SEISMIC ACTIVITY WAS CONDUCTED</p> <p><input type="checkbox"/> 2. NOTICE OF ENTRY FOR PLAT SURVEY or <input checked="" type="checkbox"/> NO PLAT SURVEY WAS CONDUCTED</p> <p><input checked="" type="checkbox"/> 3. NOTICE OF INTENT TO DRILL or <input type="checkbox"/> NOTICE NOT REQUIRED BECAUSE NOTICE OF ENTRY FOR PLAT SURVEY WAS CONDUCTED or</p> <p style="padding-left: 100px;"><input type="checkbox"/> WRITTEN WAIVER BY SURFACE OWNER (PLEASE ATTACH)</p> <p><input checked="" type="checkbox"/> 4. NOTICE OF PLANNED OPERATION</p> <p><input checked="" type="checkbox"/> 5. PUBLIC NOTICE</p> <p><input checked="" type="checkbox"/> 6. NOTICE OF APPLICATION</p> | <p>OOG OFFICE USE ONLY</p> <p><input type="checkbox"/> RECEIVED/ NOT REQUIRED</p> <p><input type="checkbox"/> RECEIVED</p> <p><input checked="" type="checkbox"/> RECEIVED/ NOT REQUIRED</p> <p><input checked="" type="checkbox"/> RECEIVED</p> <p><input checked="" type="checkbox"/> RECEIVED</p> <p><input checked="" type="checkbox"/> RECEIVED</p> |
|--|---|

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.


RECEIVED
Office of Oil and Gas
JUN 14 2018
WV Department of
Environmental Protection

Certification of Notice is hereby given:

THEREFORE, I Kevin Kilstrom, have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator: Antero Resources Corporation
By: Kevin Kilstrom
Its: Senior Vice President - Production
Telephone: 303-357-7310

Address: 1615 Wynkoop Street
Denver, CO 80202
Facsimile: 303-357-7315
Email: mgriffith@anteroresources.com



Subscribed and sworn before me this 13th day of June, 2018.
Megan Griffith Notary Public
My Commission Expires MARCH 13, 2022

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

RECEIVED
Office of Oil and Gas
JUN 14 2018
WV Department of
Environmental Protection

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE OF APPLICATION

Notice Time Requirement: notice shall be provided no later than the filing date of permit application.

Date of Notice: 6/13/2018 Date Permit Application Filed: _____

Notice of:

- PERMIT FOR ANY WELL WORK CERTIFICATE OF APPROVAL FOR THE CONSTRUCTION OF AN IMPOUNDMENT OR PIT

Delivery method pursuant to West Virginia Code § 22-6A-10(b)

- PERSONAL SERVICE REGISTERED MAIL METHOD OF DELIVERY THAT REQUIRES A RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams; (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Application Notice WSSP Notice E&S Plan Notice Well Plat Notice is hereby provided to:

SURFACE OWNER(s)
Name: Roy A. Meredith & Carol A. Meredith
Address: 86 Midland Drive
Washington, WV 26181

Name: _____
Address: _____

SURFACE OWNER(s) (Road and/or Other Disturbance)
Name: _____
Address: _____

Name: _____
Address: _____

SURFACE OWNER(s) (Impoundments or Pits)
Name: _____
Address: _____

COAL OWNER OR LESSEE
Name: NO DECLARATIONS ON RECORD WITH COUNTY
Address: _____

COAL OPERATOR
Name: NO DECLARATIONS ON RECORD WITH COUNTY
Address: _____

WATER PURVEYOR(s)/OWNER(s) OF WATER WELL, SPRING OR OTHER WATER SUPPLY SOURCE
Name: NO DECLARATIONS ON RECORD WITH COUNTY
Address: _____

OPERATOR OF ANY NATURAL GAS STORAGE FIELD
Name: _____
Address: _____

RECEIVED
Office of Oil and Gas
JUN 14 2018

*Please attach additional forms if necessary

JUN 14 2018

09/21/2018

WV Department of
Environmental Protection

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

WW-6A
(8-13)

4709502519
API NO. 47-095 - 09/21/2018
OPERATOR WELL NO. Sarahlene Unit 2H
Well Pad Name: Meredith Pad

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

RECEIVED
Office of Oil and Gas

JUN 14 2018

WV Department of
Environmental Protection

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. **NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.**

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have **THIRTY (30) DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site <http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx> and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

RECEIVED
Office of Oil and Gas
JUN 14 2018
WV Department of
Environmental Protection

WW-6A
(8-13)

API NO. 4709502519
OPERATOR WELL NO. Sarahlena Unit 2H
Well Pad Name: Meredith Pad


Notice is hereby given by:

Well Operator: Antero Resources Corporation
Telephone: (303) 357-7223
Email: mgriffith@anteroresources.com

Address: 1615 Wynkoop Street
Denver, CO 80202
Facsimile: 303-357-7315

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.



Subscribed and sworn before me this 13th day of June 2018.
[Signature] Notary Public
My Commission Expires MARCH 13, 2022

RECEIVED
Office of Oil and Gas
JUN 14 2018
WV Department of
Environmental Protection

4709502519

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Notice Time Requirement: Notice shall be provided at least **TEN (10)** days prior to filing a permit application.

Date of Notice: 03/15/2018 **Date Permit Application Filed:** _____

Delivery method pursuant to West Virginia Code § 22-6A-16(b)

HAND DELIVERY CERTIFIED MAIL RETURN RECEIPT REQUESTED

Pursuant to W. Va. Code § 22-6A-16(b), at least ten days prior to filing a permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner notice of its intent to enter upon the surface owner's land for the purpose of drilling a horizontal well: *Provided*, That notice given pursuant to subsection (a), section ten of this article satisfies the requirements of this subsection as of the date the notice was provided to the surface owner: *Provided, however*, That the notice requirements of this subsection may be waived in writing by the surface owner. The notice, if required, shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative.

Notice is hereby provided to the SURFACE OWNER(s):

Name: Roy A. Meredith
Address: 86 Midland Dr.
Washington, WV 25181

Name: _____
Address: _____

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(b), notice is hereby given that the undersigned well operator has an intent to enter upon the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State: West Virginia UTM NAD 83 Easting: 511183.81m
County: Tyler Northing: 4355460.10m
District: Centerville Public Road Access: CR 74/1
Quadrangle: West Union Generally used farm name: Roy A. Meredith
Watershed: Headwaters Middle Island Creek

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(b), this notice shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Notice is hereby given by:

Well Operator: Antero Resources Appalachian Corporation
Address: 1615 Wynkoop St.
Denver, CO 80202
Telephone: 303-357-7223
Email: mgriffith@anteroresources.com
Facsimile: 303-357-7315

Authorized Representative: Megan Griffith
Address: 1615 Wynkoop St.
Denver, CO 80202
Telephone: 303-357-7223
Email: mgriffith@anteroresources.com
Facsimile: 303-357-7315

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

RECEIVED
Office of Oil and Gas

JUN 14 2018

WV Department of
Environmental Protection

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE OF PLANNED OPERATION

Notice Time Requirement: notice shall be provided no later than the **filing date of permit application.**

Date of Notice: 06/13/2018 **Date Permit Application Filed:** _____

Delivery method pursuant to West Virginia Code § 22-6A-16(c)

- | | |
|--|-------------------------------|
| <input checked="" type="checkbox"/> CERTIFIED MAIL | <input type="checkbox"/> HAND |
| RETURN RECEIPT REQUESTED | DELIVERY |

Pursuant to W. Va. Code § 22-6A-16(c), no later than the date for filing the permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner whose land will be used for the drilling of a horizontal well notice of the planned operation. The notice required by this subsection shall include: (1) A copy of this code section; (2) The information required to be provided by subsection (b), section ten of this article to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. (d) The notices required by this section shall be given to the surface owner at the address listed in the records of the sheriff at the time of notice.

Notice is hereby provided to the SURFACE OWNER(s)

(at the address listed in the records of the sheriff at the time of notice):

Name: Roy A. Meredith & Carol A. Meredith
Address: 86 Midland Drive
Washington, WV 26181

Name: _____
Address: _____

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(c), notice is hereby given that the undersigned well operator has developed a planned operation on the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

| | | |
|--|---|---------------------------|
| State: <u>West Virginia</u> | UTM NAD 83 | Easting: <u>511228m</u> |
| County: <u>Tyler</u> | | Northing: <u>4355479m</u> |
| District: <u>Centerville</u> | Public Road Access: <u>Haymond Road</u> | |
| Quadrangle: <u>West Union 7.5'</u> | Generally used farm name: <u>Roy A. Meredith, et al</u> | |
| Watershed: <u>Headwaters Middle Island Creek</u> | | |

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(c), this notice shall include: (1) A copy of this code section; (2) The information required to be provided by **W. Va. Code § 22-6A-10(b)** to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Well Operator: Antero Resources Corporation
Telephone: (303) 357-7182
Email: mstanton@anteroresources.com

Address: 1615 Wynkoop Street
Denver, CO 80202
Facsimile: 303-357-7315

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

RECEIVED
Office of Oil and Gas

JUN 14 2018

WV Department of
Environmental Protection



09/21/2018
4709502519

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

Division of Highways

1900 Kanawha Boulevard East • Building Five • Room 110
Charleston, West Virginia 25305-0430 • (304) 558-3505

Thomas J. Smith, P. E.
Secretary of Transportation/
Commissioner of Highways

June 12, 2018

Jill M. Newman
Deputy Commissioner

James A. Martin, Chief
Office of Oil and Gas
Department of Environmental Protection
601 57th Street, SE
Charleston, WV 25304

Subject: DOH Permit for the Meredith Pad, Tyler County
Sarahlene Unit 2H Well Site

Dear Mr. Martin,

This well site will be accessed from a DOH permit #06-2017-0517 which has been issued to Antero Resources Corporation for access to the State Road for a well site located off of Tyler County 74/1 SLS.

The operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated January 3, 2012.

Very Truly Yours,

Gary K. Clayton, P.E.
Regional Maintenance Engineer
Central Office O&G Coordinator

Cc: Megan Griffith
Antero Resources Corporation
CH, OM, D-6
File

RECEIVED
Office of Oil and Gas

JUN 14 2018

WV Department of
Environmental Protection

List of Anticipated Additives Used for Fracturing or Stimulating Well

09/21/2018

4709502519

| Additives | Chemical Abstract Service Number (CAS #) |
|--|---|
| Fresh Water | 7732-18-5 |
| 2 Phosphobutane 1,2,4 tricarboxylic acid | 37971-36-1 |
| Ammonium Persulfate | 7727-54-0 |
| Anionic copolymer | Proprietary |
| Anionic polymer | Proprietary |
| BTEX Free Hydrotreated Heavy Naphtha | 64742-48-9 |
| Cellulase enzyme | Proprietary |
| Demulsifier Base | Proprietary |
| Ethoxylated alcohol blend | Mixture |
| Ethoxylated Nonylphenol | 68412-54-4 |
| Ethoxylated oleylamine | 26635-93-8 |
| Ethylene Glycol | 107-21-1 |
| Glycol Ethers | 111-76-2 |
| Guar gum | 9000-30-0 |
| Hydrogen Chloride | 7647-01-0 |
| Hydrotreated light distillates, non-aromatic, BTEX free | 64742-47-8 |
| Isopropyl alcohol | 67-63-0 |
| liquid, 2,2-dibromo-3-nitrilopropionamide | 10222-01-2 |
| Microparticle | Proprietary |
| Petroleum Distillates (BTEX Below Detect) | 64742-47-8 |
| Polyacrylamide | 57-55-6 |
| Propargyl Alcohol | 107-19-7 |
| Propylene Glycol | 57-55-6 |
| Quartz | 14808-60-7 |
| Sillica, crystalline quartz | 7631-86-9 |
| Sodium Chloride | 7647-14-5 |
| Sodium Hydroxide | 1310-73-2 |
| Sugar | 57-50-1 |
| Surfactant | 68439-51-0 |
| Suspending agent (solid) | 14808-60-7 |
| Tar bases, quinoline derivs, benzyl chloride-quaternized | 72480-70-7 |
| Solvent Naphtha, petroleum, heavy aliph | 64742-96-7 |
| Soybean Oil, Me ester | 67784-80-9 |
| Copolymer of Maleic and Acrylic Acid | 52255-49-9 |
| DETA phosphonate | 15827-60-8 |
| Hexamethylene Triamine Penta | 34690-00-1 |
| Phosphino Carboxylic acid polymer | 71050-62-9 |
| Hexamethylene Diamine Tetra | 23605-75-5 |
| 2-Propenoic acid, polymer with 2 propenamide | 9003-06-9 |
| Hexamethylene diamine penta (methylene phosphonic acid) | 23605-74-5 |
| Diethylene Glycol | 111-46-6 |
| Methenamine | 100-97-0 |
| Polyethylene polyamine | 68603-67-8 |
| Coco amine | 61791-14-8 |
| 2-Propyn-1-olcompound with methyloxirane | 38172-91-7 |

RECEIVED
Office of Oil and Gas
JUN 14 2018
WV Department of
Environmental Protection

4709502519

MEREDITH WELL PAD & WATER CONTAINMENT PAD SITE DESIGN & CONSTRUCTION PLAN, EROSION & SEDIMENT CONTROL PLANS

CENTERVILLE DISTRICT, TYLER COUNTY, WEST VIRGINIA
ARNOLD CREEK & CONAWAY RUN-MIDDLE ISLAND CREEK WATERSHEDS

USGS 7.5 PENNSBORO & WEST UNION QUAD MAPS

**APPROVED
WVDEP OOG**
Modification
4/27/2018

LOCATION COORDINATES:
MEREDITH ACCESS ROAD ENTRANCE
LATITUDE: 39.548808 LONGITUDE: -80.896909 (NAD 83)
N 4282578.44 E 511094.44 (UTM ZONE 17 METERS)
INTERSECTION OF RD 50.7 & ACCESS ROAD "D"
LATITUDE: 39.548808 LONGITUDE: -80.910110 (NAD 83)
N 4284899.53 E 510923.94 (UTM ZONE 17 METERS)
INTERSECTION OF RD 74.1 & ACCESS ROAD "D"
LATITUDE: 39.547095 LONGITUDE: -80.876201 (NAD 83)
N 4280205.89 E 511008.17 (UTM ZONE 17 METERS)
INTERSECTION OF RD 74.1 & ACCESS ROAD "T"
LATITUDE: 39.547007 LONGITUDE: -80.871827 (NAD 83)
N 4280680.52 E 511008.87 (UTM ZONE 17 METERS)
CENTER OF PAD
LATITUDE: 39.547442 LONGITUDE: -80.899163 (NAD 83)
N 4280631.01 E 511074.68 (UTM ZONE 17 METERS)
CENTER OF PAD
LATITUDE: 39.548208 LONGITUDE: -80.892005 (NAD 83)
N 4285466.30 E 511083.61 (UTM ZONE 17 METERS)

GENERAL DESCRIPTION:

THE ACCESS ROADS, WATER CONTAINMENT PAD, AND WELL PAD ARE BEING CONSTRUCTED TO AID IN THE DEVELOPMENT OF INDIVIDUAL MARCELLUS SHALE GAS WELLS.

FLOODPLAIN NOTES:

THE PROPOSED SITE IS LOCATED WITHIN FIRM FLOOD ZONE "C" PER FEMA FLOOD MAP #490500030C & 540500070C.

MISS UTILITY STATEMENT:

ANTERO RESOURCES CORPORATION HAS NOTIFIED MISS UTILITY OF WEST VIRGINIA OF THE LOCATION OF ANTERO'S PROPOSED WELL PAD AND WATER CONTAINMENT PAD. IN ADDITION, MISS UTILITY WILL BE CONTACTED BY THE CONTRACTOR PRIOR TO THE START OF CONSTRUCTION FOR THIS PROJECT.

ENTRANCE PERMIT:

ANTERO RESOURCES CORPORATION WILL OBTAIN AN ENCROACHMENT PERMITS (FORM RM-109) FROM THE WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS PRIOR TO COMMENCEMENT OF CONSTRUCTION ACTIVITIES.

ENVIRONMENTAL NOTES:

STREAM AND WETLAND DELINEATIONS WERE PERFORMED ON MAY 8 2017 BY KLEINFELDER AND MAY 2014 JULY 2014 & MARCH 2016 BY ALLSTAR ECOLOGY TO REVIEW THE SITE FOR WATERS AND WETLANDS THAT ARE MOST LIKELY WITHIN THE REGULATORY JURISDICTION OF THE U.S. ARMY CORPS OF ENGINEERS (USACE) AND/OR THE WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION (WVDEP). THE JUNE 8, 2017 DELINEATION MAP WAS PREPARED BY KLEINFELDER AND THE JUNE 26, 2016 DELINEATION MAP WAS PREPARED BY ALLSTAR ECOLOGY AND SUMMARIZED THE RESULTS OF THE FIELD DELINEATION. THIS MAP DOES NOT, IN ANY WAY, REPRESENT A JURISDICTIONAL DETERMINATION OF THE LANDWARD LIMITS OF WATERS AND WETLANDS WHICH MAY BE REGULATED BY THE USACE OR THE WVDEP.

GEO TECHNICAL NOTES:

A SUBSURFACE INVESTIGATION OF THE PROPOSED SITE WAS PERFORMED BY PENNSYLVANIA SOIL & ROCK, INC. IN JULY 2014. THE REPORT PREPARED BY PENNSYLVANIA SOIL & ROCK, INC. DATED AUGUST 13, 2014 (REVISED MAY 19, 2016 AND JANUARY 26, 2017) REFLECTS THE RESULTS OF THE SUBSURFACE INVESTIGATION. THE INFORMATION AND RECOMMENDATIONS CONTAINED IN THIS REPORT WERE USED IN THE PREPARATION OF THESE PLANS. PLEASE REFER TO THE SUBSURFACE INVESTIGATION REPORT BY PENNSYLVANIA SOIL & ROCK, INC. FOR ADDITIONAL INFORMATION, AS NEEDED.

PROJECT CONTACTS:

CHARLES E. COPPON, III - SURVEYING COORDINATOR
CELL: (304) 719-0448

DAVID PATRY - LAND AGENT
CELL: (304) 476-0680

ENGINEER/INSURANCE
NAVVIS ENGINEERING INC.

CHRIS S. RUMD, PE - PROJECT MANAGER/ENGINEER
OFFICE: (888) 692-4182 CELL: (540) 686-6747

ENVIRONMENTAL:

ALLSTAR ECOLOGY, LLC
NEAR L. WARD - ENVIRONMENTAL SCIENTIST
OFFICE: (999) 213-2888 CELL: (304) 963-7477

ALAN KUNZLER - CONSTRUCTION SUPERVISOR
CELL: (407) 227-6344

ROBERT S. KIRKS - FIELD ENGINEER
OFFICE: (304) 842-2130 CELL: (304) 827-7426

GEO TECHNICAL:
PENNSYLVANIA SOIL & ROCK, INC.
CHRISTOPHER W. SAUNDERS - PROJECT ENGINEER
OFFICE: (412) 572-4000 CELL: (412) 519-5632

RESTRICTIONS NOTES:

- THERE ARE NO LAKES, POND, OR RESERVOIRS WITHIN 100 FEET OF THE WELL PAD AND LOD. THERE ARE WETLANDS ADJACENT TO NEARBY STREAM LOCATIONS THAT WILL NEED TO BE PERMITTED BY THE APPROPRIATE AGENCIES. THERE IS A WETLAND ADJACENT TO STENOPILES "A" & "C" WHICH WILL REMAIN UNDEVELOPED.
- THERE ARE NO NATURALLY FORMING TROUT STREAMS WITHIN 300 FEET OF THE WELL PAD AND LOD.
- THERE ARE NO GROUNDWATER DYNAS OR PUBLIC WATER SUPPLY FACILITIES WITHIN 1000 FEET OF THE WELL PAD AND LOD.
- THERE ARE NO APPARENT EXISTING WATER WELLS OR DEVELOPED SPRINGS WITHIN 250 FEET OF THE WELL PAD AND LOD.
- THERE ARE NO OCCUPIED DWELLING STRUCTURES WITHIN 500 FEET OF THE CENTER OF THE WELL PAD.
- THERE ARE NO AGRICULTURAL BUILDINGS LARGER THAN 8000 SQUARE FEET WITHIN 600 FEET OF THE CENTER OF THE WELL PAD.

REPRODUCTION NOTE

THESE PLANS WERE CREATED TO BE PLOTTED ON 30"X42" (ANSI D) PAPER. PLANS PLOTTED ON OTHER SIZES OR IN ANY OTHER SCALE WILL BE UNRELIABLE FOR CONSTRUCTION PURPOSES.

DESIGN CERTIFICATION:

THE DRAWINGS, CONSTRUCTION NOTES, AND EXHIBITS, DRAWINGS ATTACHED HERETO HAVE BEEN PREPARED IN ACCORDANCE WITH THE WEST VIRGINIA CODE OF STATE RULES, DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS CHS 30-8.

MISS Utility of West Virginia
1-800-245-4848
West Virginia State Law
(Section XIV Chapter 24-C)
Requires that you call two
business days before you dig in
the state of West Virginia.
IT'S THE LAW!



MEREDITH WETLAND IMPACT (SQUARE FEET)

| Wetland and Impact Design | FE (SF) | Total Impact (SF) | Total Impact (AC) |
|---------------------------|---------|-------------------|-------------------|
| PEM Wetland 01 (Road "D") | 206 | 206 | 0.59 |
| PEM Wetland 04 (Road "E") | 836 | 836 | 2.51 |

SHEET INDEX:

- COVER SHEET
- CONSTRUCTION AND GAS CONTROL NOTES
- ERF/IMP
- GENERAL QUANTITIES
- STORM DRAINAGE & BAS CONTROL COMPUTATIONS
- EXISTING CONDITIONS
- EXISTING STRUCTURES & FEATURES
- GENERAL PLAN INDEX & VOLUMES
- 13 - ACCESS ROAD, WATER CONTAINMENT PAD, & WELL PAD PLAN
- 14 - WATER CONTAINMENT PAD GRADING PLAN
- 15 - WELL PAD GRADING PLAN
- 16-17 - ACCESS ROAD PROFILES
- 18 - ACCESS ROAD SECTIONS
- 19 - WELL PAD SECTIONS
- 20-21 - STENOPILES AREA SECTIONS
- 22-23 - STREAM CROSSING DETAILS
- 24-25 - CONSTRUCTION DETAILS
- 26-27 - ACCESS ROAD REGULATORY PLAN
- 28 - ACCESS ROAD, WATER CONTAINMENT PAD & WELL PAD DEDICATION PLAN
- 01000-02000 - GEOTECHNICAL DETAILS

MEREDITH LIMITS OF DISTURBANCE AREA (AC)

| Total Site | Permitted | Modification | TOTAL |
|------------------------------------|-----------|--------------|-------|
| Access Road "A" (419) | 2.55 | 0.00 | 2.55 |
| Access Road "B" (406) | 0.26 | 0.00 | 0.26 |
| Access Road "C" (193) | 0.52 | 0.00 | 0.52 |
| Access Road "D" (218) | 7.75 | 0.00 | 7.75 |
| Access Road "E" (217) | 0.46 | 0.00 | 0.46 |
| Well Pad | 7.56 | 0.00 | 7.56 |
| Water Containment Pad | 2.33 | 0.00 | 2.33 |
| Excess/Topsoil Material Stockpiles | 9.74 | 3.48 | 13.22 |
| Total Affected Area | 27.89 | 3.48 | 31.37 |
| Total Wooded Area Disturbed | 7.18 | 0.00 | 7.18 |

Impacts to Roy Afford Meredith TM 47-2

| Access Road "A" (419) | 1.47 | 0.00 | 1.47 |
|------------------------------------|-------|------|-------|
| Access Road "B" (406) | 0.26 | 0.00 | 0.26 |
| Access Road "C" (193) | 0.52 | 0.00 | 0.52 |
| Well Pad | 7.56 | 0.00 | 7.56 |
| Water Containment Pad | 2.33 | 0.00 | 2.33 |
| Excess/Topsoil Material Stockpiles | 2.55 | 0.00 | 2.55 |
| Total Affected Area | 14.49 | 0.00 | 14.49 |
| Total Wooded Area Disturbed | 7.18 | 0.00 | 7.18 |

Impacts to Antero Midstream LLC TM 47-4

| Access Road "A" (419) | 1.08 | 0.00 | 1.08 |
|------------------------------------|-------|------|-------|
| Access Road "C" (193) | 0.46 | 0.00 | 0.46 |
| Excess/Topsoil Material Stockpiles | 2.55 | 0.00 | 2.55 |
| Total Affected Area | 11.16 | 0.00 | 11.16 |
| Total Wooded Area Disturbed | 5.93 | 0.00 | 5.93 |

Impacts to Roger L. & Dorina J. Scott TM 47-7.1

| Access Road "D" (217) | 1.39 | 0.00 | 1.39 |
|------------------------------------|------|------|------|
| Access Road "E" (217) | 0.46 | 0.00 | 0.46 |
| Excess/Topsoil Material Stockpiles | 0.20 | 0.00 | 0.20 |
| Total Affected Area | 2.05 | 0.00 | 2.05 |
| Total Wooded Area Disturbed | 1.80 | 0.00 | 1.80 |


| Proposed Well Name | WV North NAD 83 | WV North NAD 83 | UTM (METERS) | (NAD 83) E & LONG |
|--------------------|-----------------|-----------------|--------------|-------------------|
| Well 1 | N 2178763 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 2 | N 2178405 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 3 | N 2178072 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 4 | N 2177739 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 5 | N 2177406 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 6 | N 2177073 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 7 | N 2176740 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 8 | N 2176407 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 9 | N 2176074 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 10 | N 2175741 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 11 | N 2175408 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 12 | N 2175075 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 13 | N 2174742 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 14 | N 2174409 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 15 | N 2174076 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 16 | N 2173743 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 17 | N 2173410 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 18 | N 2173077 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 19 | N 2172744 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 20 | N 2172411 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 21 | N 2172078 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 22 | N 2171745 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 23 | N 2171412 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 24 | N 2171079 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 25 | N 2170746 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 26 | N 2170413 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 27 | N 2170080 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 28 | N 2169747 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 29 | N 2169414 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 30 | N 2169081 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 31 | N 2168748 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 32 | N 2168415 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 33 | N 2168082 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 34 | N 2167749 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 35 | N 2167416 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 36 | N 2167083 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 37 | N 2166750 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 38 | N 2166417 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 39 | N 2166084 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 40 | N 2165751 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 41 | N 2165418 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 42 | N 2165085 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 43 | N 2164752 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 44 | N 2164419 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 45 | N 2164086 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 46 | N 2163753 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 47 | N 2163420 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 48 | N 2163087 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 49 | N 2162754 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 50 | N 2162421 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 51 | N 2162088 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 52 | N 2161755 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 53 | N 2161422 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 54 | N 2161089 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 55 | N 2160756 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 56 | N 2160423 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 57 | N 2160090 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 58 | N 2159757 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 59 | N 2159424 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 60 | N 2159091 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 61 | N 2158758 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 62 | N 2158425 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 63 | N 2158092 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 64 | N 2157759 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 65 | N 2157426 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 66 | N 2157093 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 67 | N 2156760 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 68 | N 2156427 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 69 | N 2156094 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 70 | N 2155761 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 71 | N 2155428 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 72 | N 2155095 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 73 | N 2154762 | N 212327.58 | N 428045.37 | E 51136.254 6990 |
| Well 74 | N 2154429 | N 212327.58 | | |

OVERALL PLAN SHEET INDEX & VOLUMES

LIMITS OF DISTURANCE
LEGEND
SEE COUNTY
ROAD UPGRADE
PLAN

| Description | MEREDITH TOE BENCH QUANTITIES | | | | | | | | | | | | | Total |
|---|-------------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|--------|
| | Keyway #1A | Keyway #1B | Keyway #1D | Keyway #1C | Keyway #1F | Keyway #1G | Keyway #1H | Keyway #2A | Keyway #2B | Keyway #2C | Keyway #2D | Keyway #2E | Keyway #2F | |
| Drainage Method | D1 | D2 | D3 | D3 | D3 | D3 | D1 | D2 | D2 | D2 | D2 | D2 | D2 | N/A |
| Approximate Depth (F) | 0 | 4 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | N/A |
| Approximate Width (F) min. (L3) | 16 | 15 | 15 | 15 | 15 | 15 | 15 | 16 | 16 | 15 | 15 | 15 | 15 | N/A |
| Length (F) | 456 | 216 | 355 | 690 | 1,000 | 260 | 440 | 965 | 360 | 330 | 760 | 690 | 630 | 6,318 |
| Perimeter Drain (L/F) | 400 | 210 | 330 | 660 | 1,000 | 200 | 440 | 965 | 360 | 330 | 760 | 690 | 630 | 6,318 |
| ASBHD #57 Crown (TONS) | 689 | 32 | 86 | 325 | 152 | 35 | 596 | 1,335 | 55 | 50 | 115 | 103 | 103 | 2,221 |
| 6 oz. Nonwoven Geotextile (SF) | 11,807 | 1,352 | 1,642 | 4,444 | 6,440 | 1,288 | 12,084 | 28,954 | 2,218 | 2,226 | 4,894 | 4,378 | 3,778 | 75,728 |
| Observation (CV) | 2,850 | 1,470 | 1,410 | 5,475 | 4,500 | 1,700 | 2,430 | 8,700 | 1,100 | 2,600 | 6,000 | 5,560 | 4,290 | 47,290 |
| Toe Bench Outlet Drain | | | | | | | | | | | | | | |
| Average Length of Outlet Drain Pipe (F) | 60 | 75 | 60 | 75 | 65 | 75 | 55 | 82 | 45 | 40 | 65 | 60 | 60 | N/A |
| Outlet Drain Pipe (L/F) | 240 | 225 | 150 | 420 | 630 | 195 | 275 | 290 | 180 | 190 | 370 | 420 | 420 | 3,550 |
| 6 oz. Nonwoven Geotextile (SF) | 1,620 | 1,575 | 1,050 | 2,940 | 4,550 | 1,250 | 1,925 | 4,200 | 1,260 | 1,200 | 2,540 | 2,540 | 2,540 | 27,980 |
| ASBHD #57 Crown (TONS) | 27 | 25 | 17 | 47 | 72 | 17 | 31 | 87 | 30 | 18 | 53 | 47 | 47 | 443 |
| Banding Bench | | | | | | | | | | | | | | |
| Approximate Depth (F) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | N/A |
| Approximate Width (F) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | N/A |
| Number of Benches (EA) | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | N/A |
| Length (F) | 236 | 0 | 0 | 0 | 0 | 0 | 0 | 870 | 0 | 0 | 0 | 0 | 0 | 940 |
| Perimeter Drain (L/F) | 270 | 0 | 0 | 0 | 0 | 0 | 0 | 2,310 | 0 | 0 | 0 | 0 | 0 | 2,280 |
| ASBHD #57 Crown (TONS) | 264 | 0 | 0 | 0 | 0 | 0 | 0 | 920 | 0 | 0 | 0 | 0 | 0 | 1,157 |
| 6 oz. Nonwoven Geotextile (SF) | 4,528 | 0 | 0 | 0 | 0 | 0 | 0 | 22,800 | 0 | 0 | 0 | 0 | 0 | 27,328 |
| Observation (CV) | 500 | 0 | 0 | 0 | 0 | 0 | 0 | 3,750 | 0 | 0 | 0 | 0 | 0 | 4,250 |
| Banding Bench Outlet Drain | | | | | | | | | | | | | | |
| Average Length of Outlet Drain Pipe (F) | 60 | 0 | 0 | 0 | 0 | 0 | 0 | 80 | 0 | 0 | 0 | 0 | 0 | N/A |
| Outlet Drain Pipe (L/F) | 180 | 0 | 0 | 0 | 0 | 0 | 0 | 1,260 | 0 | 0 | 0 | 0 | 0 | 1,470 |
| 6 oz. Nonwoven Geotextile (SF) | 1,080 | 0 | 0 | 0 | 0 | 0 | 0 | 8,420 | 0 | 0 | 0 | 0 | 0 | 9,700 |
| ASBHD #57 Crown (TONS) | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 140 | 0 | 0 | 0 | 0 | 0 | 187 |
| Additional Excavation | | | | | | | | | | | | | | |
| Disturbance Material Removed (CY) | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 5,000 | N/A | N/A | N/A | N/A | N/A | 5,000 |

**APPROVED
WVDEP OOG**
Modification
4/27/2018



NOTES:
1. THE EARTHWORK QUANTITIES PROVIDED ARE AN ESTIMATE FOR CONSIDERATION. THE QUANTITIES SHOWN ARE CALCULATED USING A 1:1 CUT/SWELL & FILL SHrink FACTOR. THE EXCESS MATERIAL & TONNAGE STOCKPILED ARE USED TO ACCOMMODATE A CUT/SWELL FACTOR OF 1:1.1. THIS ADDITIONAL MATERIAL IS REFLECTED IN THE TOTAL SPOIL SHOWN ON THE MATERIAL QUANTITIES TABLE. IF THE CALCULATED SPOIL IS LESS THAN 1:1 THE STOCKPILED SPOIL CAN BE REDUCED DURING CONSTRUCTION THE QUANTITIES SHOWN MAY BE GREATER OR LESSER THAN ACTUALLY EXCAVATED. THE ENGINEER IS NOT RESPONSIBLE FOR VARIANCES FROM THE ESTIMATED QUANTITIES AND DOES NOT CERTIFY THEIR ACCURACY.
2. THE TOE BENCH DEPTHS AND QUANTITIES PROVIDED IN THE TABLE ARE AN ESTIMATE CALCULATED FROM THE BROWNS/CAMERONS PROVIDED IN THE GEOLOGICAL REPORT PREPARED BY PENNSYLVANIA SOIL & ROCK, INC. SEE FINISH GRAD - EARTH & GEOTECHNICAL INVESTIGATION REPORT PROVIDED BY PENNSYLVANIA SOIL & ROCK, INC FOR ADDITIONAL TOP FINISH DETAILS, VOLUMES, AND SPECIFICATIONS.

| MATERIAL STOCKPILES | | |
|---------------------|---------------|---------------|
| Name | Excavate | Tonnes |
| B Topsoil Reserved | N/A | 810 |
| B | 14,000 | |
| C | 43,000 | 7,500 |
| D | 0 | 2,240 |
| E | 0 | 1,210 |
| F | 5,130 | 6,210 |
| G | 0 | 9,820 |
| TOTAL | 64,010 | 27,930 |

| MEREDITH WELL PAD & WATER CONTAINMENT PAD | | | | | | |
|---|-----------------|------------------|-----------------|-----------------|---------------|----------------------|
| Description | Cut (CY) | Fill (CY) | Spoil (CY) | Borrow (CY) | Max Slope (%) | Length of Slope (FT) |
| Access Road "A" | 4,424.8 | 0.0 | 3,758.7 | 0.0 | 18.7 | 13.6 |
| Access Road "B" | 1,458.1 | 0.7 | 1,457.4 | 0.0 | 6.7 | 82.0 |
| Access Road "C" | 52.3 | 1,879.8 | 0.0 | 1,877.3 | 7.8 | 50.0 |
| Access Road "D" | 34,696.2 | 2,505.3 | 31,700.9 | 0.0 | 15.0 | 255.4 |
| Access Road "E" | 445.2 | 938.5 | 0.0 | 487.1 | 14.0 | 85.0 |
| Access Road "F" | 2,519.7 | 0.0 | 2,519.7 | 0.0 | 12.0 | 32.7 |
| Well Pad | 24,438.5 | 28,258.1 | 0.0 | 3,442.8 | 7.0 | 78.0 |
| Water Containment Pad | 11,220.3 | 3,024.7 | 7,521.8 | 0.0 | 7.0 | 78.0 |
| Grassed Topsoil (SF) | 10,927.1 | 0.0 | 10,927.1 | 0.0 | 7.0 | 78.0 |
| Material Stockpile | 0.0 | 91,848.0 | 0.0 | 91,848.0 | 7.0 | 78.0 |
| Totals | 60,478.2 | 130,269.0 | 66,006.4 | 97,962.2 | 7.0 | 78.0 |
| | | | | | | -39,927.3 |

DATE: 05/20/2015
SCALE: 1" = 150'
SHEET 8 OF 14

OVERALL PLAN SHEET INDEX & VOLUMES

MEREDITH

WELL PAD & WATER CONTAINMENT PAD

RENTONVILLE DISTRICT
TYLER COUNTY, WEST VIRGINIA


DATE: 05/20/2015
SCALE: 1" = 150'
SHEET 8 OF 14

REVISIONS:

| NO. | DATE | DESCRIPTION |
|-----|------------|--------------------------|
| 1 | 05/20/2015 | ISSUED FOR CONSTRUCTION |
| 2 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 3 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 4 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 5 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 6 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 7 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 8 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 9 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 10 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 11 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 12 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 13 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 14 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 15 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 16 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 17 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 18 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 19 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 20 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 21 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 22 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 23 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 24 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 25 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 26 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 27 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 28 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 29 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 30 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 31 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 32 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 33 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 34 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 35 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 36 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 37 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 38 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 39 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 40 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 41 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 42 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 43 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 44 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 45 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 46 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 47 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 48 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 49 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 50 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 51 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 52 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 53 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 54 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 55 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 56 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 57 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 58 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 59 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 60 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 61 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 62 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 63 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 64 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 65 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 66 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 67 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 68 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 69 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 70 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 71 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 72 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 73 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 74 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 75 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 76 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 77 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 78 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 79 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 80 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 81 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 82 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 83 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 84 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 85 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 86 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 87 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 88 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 89 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 90 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 91 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 92 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 93 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 94 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 95 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 96 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 97 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 98 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 99 | 05/20/2015 | REVISED FOR CONSTRUCTION |
| 100 | 05/20/2015 | REVISED FOR CONSTRUCTION |

ACCESS ROAD PLAN

MATCHLINE 'A'
SEE SHEET 10



APPROVED WVDEP OOG
Modification
4/27/2018

NAVITUS
ENERGY ENGINEERING

Telephone: 800.664.1414 | www.navitusny.com

| DATE | REVISION |
|----------|--------------------------|
| 06/07/17 | REVISED FOR CONSTRUCTION |
| 06/06/17 | REVISED FOR PERMITS |
| 02/08/17 | REVISED FOR PERMITS |
| 06/08/16 | REVISED FOR PERMITS |
| 06/08/16 | REVISED FOR PERMITS |
| 07/08/16 | REVISED FOR PERMITS |
| 07/08/16 | REVISED FOR PERMITS |



THIS DOCUMENT
WAS PREPARED FOR
ANTERO PETROLEUM
CORPORATION

ACCESS ROAD PLAN
MEREDITH
WELL PAD & WATER CONTAINMENT PAD
LUSHTON FIELD
TYLER COUNTY, WEST VIRGINIA




DATE 05/23/2018
SCALE 1" = 80'
SHEET 9 OF 34

- NOTES:**
- ALL PIPELINES RE-ROVERS, CONNECTIONS, VALVES, ETC. SHALL BE INSTALLED IN ACCORDANCE WITH ALL APPLICABLE OPERATOR, ALLIANCE, PETROLEUM COMPANY & CONSOLIDATED STANDARDS AND GUIDELINES. IT IS REQUIRED THAT A REPRESENTATIVE FROM THE OPERATOR (ALLIANCE, PETROLEUM COMPANY) BE PRESENT WHEN THE LINES ARE CONNECTED AND THE INACTIVE WELLS ARE MADE ACTIVE.
 - TOTAL PROPOSED PIPELINE RELOCATION FOR (ALLIANCE PETROLEUM COMPANY) IS =1,180 LF.
 - TOTAL PROPOSED PIPELINE RELOCATION FOR (CONSOLID) IS =1,811 LF.

ACCESS ROAD PLAN

MATCHLINE "B"
SEE SHEET 11



- NOTES**
1. ALL PIPELINE RE-ROUTES, CONNECTIONS, VALVES, ETC. SHALL BE INSTALLED IN ACCORDANCE WITH ALL APPLICABLE OPERATOR, FEDERAL, PETROLEUM COMPANY & CONSUL STANDARDS AND CODES. IT IS REQUIRED THAT A REPRESENTATIVE FROM THE OPERATOR (ALLIANCE PETROLEUM COMPANY) BE PRESENT WHEN THE LINES ARE CONNECTED AND THE INACTIVE WELLS ARE MADE ACTIVE.
 2. TOTAL PROPOSED PIPELINE RELOCATION FOR (ALLIANCE PETROLEUM COMPANY) IS 11,180' FT.
 3. TOTAL PROPOSED PIPELINE RELOCATION FOR (CONSUL) IS 1,511' FT.

MATCHLINE "A"
SEE SHEET 9

APPROVED WVDEP OOG
Modification
4/27/2018

NAVITUS
ENERGY ENGINEERING

| DATE | REVISION |
|------------|--------------------------------------|
| 01/24/2018 | REVISED FOR CONSTRUCTION |
| 02/08/2018 | REVISED FOR PERMIT |
| 02/08/2018 | REVISED FOR CONSTRUCTION (WV DEP) |
| 03/13/2018 | REVISED FOR ACCESS ROAD MODIFICATION |
| 04/03/2018 | REVISED FOR CLIENT REQUEST |
| 07/18/2018 | REVISED FOR PUNCH LIST |
| 07/20/2018 | REVISED STREAM CROSSING |
| 07/20/2018 | REVISED ROAD "F" W/ 4' SIDEWALK |



THIS DOCUMENT WAS PREPARED FOR ANTERO RESOURCES CORPORATION

ACCESS ROAD PLAN
MEREDITH
WELL PAD & WATER CONTAINMENT PAD
CANTONVILLE DISTRICT
TYLER COUNTY, WEST VIRGINIA



DATE: 05/29/2016
SCALE: 1" = 50'
SHEET 10 OF 34