

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Austin Caperton, Cabinet Secretary www.dep.wv.gov

Wednesday, September 26, 2018 WELL WORK PERMIT Horizontal 6A / New Drill

ANTERO RESOURCES CORPORATION 1615 WYNKOOP STREET

DENVER, CO 80202

Permit approval for WINCHESTER UNIT 2H Re: 47-095-02534-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Operator's Well Number: Farm Name: JAMES SINE ET AL

WINCHESTER UNIT 2H

U.S. WELL NUMBER: 47-095-02534-00-00

Horizontal 6A New Drill

Date Issued: 9/26/2018

Promoting a healthy environment.

API Number:	
4700	09/28/2018,

PERMIT CONDITIONS 47095 2 5 3 4

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

API Number:

PERMIT CONDITIONS 470 9502534

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, cessation of drilling, sending an email to DEPOOGNotify@wv.gov.

470959028/20184

API NO. 47-095 ___

OPERATOR WELL NO. Winchester Unit 2H
Well Pad Name: Sine Pad

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operator: An	tero Resources	S Corpora	494507062	095 - Tyler	Meade	Middlebourne 7.5
			Operator ID	County	District	Quadrangle
2) Operator's Well Nu	mber: Winches	ter Unit 2F	Well P	ad Name: Sine	Pad	
3) Farm Name/Surface	Owner: James	Sine et a	Public Ro	ad Access: Wie	ck Rd	
4) Elevation, current gr	ound: 799'	Ele	evation, proposed	l post-construct	ion:	
5) Well Type (a) Gas Other	x <u>X</u>	_ Oil	Unc	derground Stora	ge	
(b)If G	as Shallow	X	Deep			
6) Existing Pad: Yes or	Horizontal No Yes	X			8-7-18	9CB 12018
 Proposed Target For Marcellus Shale: 660 						18/11
8) Proposed Total Vert	ical Depth: 660	0' TVD				
9) Formation at Total V	ertical Depth:	Marcellus				
10) Proposed Total Me	asured Depth:	19300' M)			
11) Proposed Horizonta	l Leg Length:	10215'				
12) Approximate Fresh	Water Strata De	pths:	42'			
13) Method to Determin14) Approximate Saltw			ffset well records. De	epths have been ad	justed accord	ing to surface elevations.
15) Approximate Coal S	Seam Depths: 1	54', 278'				
16) Approximate Depth	to Possible Voi	d (coal mir	ne, karst, other):	None Anticipa	ted	
17) Does Proposed well directly overlying or adj			Yes	No.	х	
(a) If Yes, provide Min	ne Info: Name					
	Depth					
	Seam:	-	1			
	Owner					

WW-6B (04/15)

API NO. 47- 095

OPERATOR WELL NO. Winchester Unit 2H

Well Pad Name: Sino Pad

18)

CASING AND TUBING PROGRAM

TYPE	Size (in)	New or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	20"	New	H-40	94#	95' *see #19	95' *see #19	CTS, 91 Cu. Ft.
Fresh Water							
Coal	13-3/8"	New	J-55	54.5#	308'	308'	CTS, 428 Cu. Ft.
Intermediate	9-5/8"	New	J-55	36#	2500'	2500'	CTS, 1018 Cu. Ft.
Production	5-1/2"	New	P-110	23#	19300'	19300'	CTS, 44899 Cu. Ft
Tubing	2-3/8"	New	N-80	4.7#		7100'	
Liners							

908/2/2018 PAH 8-7-18

TYPE	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	20"	24"	0.438"	1530	50	Class A	~1.18
Fresh Water							
Coal	13-3/8"	17-1/2"	0.38"	2730	1000	Class A	~1.18
Intermediate	9-5/8"	12-1/4"	0.352"	3520	1500	Class A	~1.18
Production	5-1/2"	8-3/4" & 8-1/2"	0.415"	12,630	2500	Less-HPOZ & Test - H	H/POZ-1.44 & H-1.8
Tubing	2-3/8"	4.778"	0.19"	11,200			
Liners							

PACKERS

Kind:	N/A		
Sizes:	N/A		
Depths Set:	N/A		

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill, perforate, fracture a new horizontal shallow well and complete Marcellus Shale.

*Antero will be air drilling the fresh water string which makes it difficult to determine when fresh water is encountered. Therefore, we have built in a buffer for the casing setting depth which helps to ensure that all fresh water zones are covered.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Antero plans to pump Slickwater into the Marcellus Shale formation in order to ready the well for production. The fluid will be comprised of approximately 99 percent water and sand, with less than 1 percent special-purpose additives as shown in the attached "List of Anticipated Additives Used for Fracturing or Stimulating Well."

Anticipated Max Pressure - 9300 lbs Anticipated Max Rate - 80 bpm

21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 20.99 acres

22) Area to be disturbed for well pad only, less access road (acres): 5.55 acres

23) Describe centralizer placement for each casing string:

Conductor: no centralizers

Surface Casing: one centralizer 10' above the float shoe, one on the insert float collar and one every 4th joint spaced up the hole to surface.

Intermediate Casing: one centralizer above float joint, one centralizer 5' above float collar and one every 4th collar to surface.

Production Casing: one centralizer at shoe joint and one every 3 joints to top of cement in intermediate casing.

24) Describe all cement additives associated with each cement type:

Conductor: no additives, Class A cement.

Surface: Class A cement with 2-3% calcium chloride and 1/4 lb of flake Intermediate: Class A cement with 1/4 lb of flake, 5 gallons of clay treat

Production: Lead cement- 50/50 Class H/Poz + 1,5% salt + 1% C-45 + 0.5% C-16a + 0.2% C-12 + 0.45% C-20 + 0.05% C-51
Production: Tail cement- Class H + 45 PPS Calcium Carbonate + 1.0% FL-160 + 0.2% ACGB-47 + 0.05% ACSA-51 + 0.2% ACR-20

25) Proposed borehole conditioning procedures:

Conductor: blowhole clean with air, run casing, 10 bbls fresh water.

Surface: blowhole clean with air, trip to conductor shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate pipe capacity + 40 bbls fresh water followed by 25 bbls bentonite mud, 10 bbls fresh water spacer.

Intermediate: blowhole clean with air, trip to surface casing shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate 40 bbls brine water followed by 10 bbls fresh water and 25 bbls bentonite mud, pump 10 bbls fresh water.

Production: circulate with 14 lb/gal NaCi mud, trip to middle of lateral, circulate, pump high viscosity sweep, trip to base of curve, pump high viscosity sweep, trip to top of curve, trip to bottom, circulate, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump 48 bbls barite pill, pump 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls water.

^{*}Note: Attach additional sheets as needed.



09/28/2018

4709502534

No wells exist within a 500' radius of the wellbore that are reasonably expected to penetrate a depth that could be within the range of fracture propagation; therefore no additional details (perforated formation, producing zones etc.) are required as outlined in 35CSR8-5.11

er Unit 2H



RECEIVED Office of Oil and Gas

JUL 3 1 2018

API Number 47 - 095	
Operator's Well N	O. Winchester Unit 214

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

the second secon	ero Resources Corporation OP Code 494507062
Watershed (HUC 10	Outlet Middle Island Creek Quadrangle Middlebourne 7.5'
	sing more than 5,000 bbls of water to complete the proposed well work? Yes V No
Will a pit be used?	Yes No V
If so, please	e describe anticipated pit waste: No pit will be used at first alts (Orilling and Flowback Fluids will be stored in tanks. Guttings will be tanked and hauled off site.)
Will a synt	hetic liner be used in the pit? Yes No V If so, what ml.? N/A
	Disposal Method For Treated Pit Wastes:
117	Land Application
_	Underground Injection (UIC Permit Number *UIC Permit # will be provided on Form WR-34
_	Reuse (at API Number_Future permitted well locations when applicable. API# will be provided on Form WR-34
=	Off Site Disposal (Supply form WW-9 for disposal location) (Meadowfill Landfill Permit #SWF-1032-98) Other (Explain Northwestern Landfill Permit #SWF-1025/ WV0109410
Will aloud loop out	tem be used? If so, describe: Yes, fluids stored in tanks, cuttings removed offsite and taken to landfill.
	Surface - Air/Freshwater, intermediate -
A CONTRACTOR OF THE PARTY OF TH	icipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc
	i, what type? Synthetic, petroleum, etc. Synthetic
Additives to be used	in drilling medium? Please See Attachment
Drill cuttings dispos	al method? Leave in pit, landfill, removed offsite, etc. Drill cuttings stored in tanks, removed offsite and taken to landfill.
-If left in pi	it and plan to solidify what medium will be used? (cement, lime, sawdust) N/A
-Landfill or	offsite name/permit number? Meadowlif Landlill (Permit #SWF-1032-98), Northwestern Landlill (Permit # SWF-1025/WV0109410)
Permittee shall provi West Virginia solid where it was properl	ide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose y disposed.
on August 1, 2005, I provisions of the pe law or regulation car	at I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the rmit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable in lead to enforcement action. Indeed, the permit and the permit and the permit and the information submitted on this
application form an obtaining the inform penalties for submitt Company Official Si Company Official (ad all attachments thereto and that, based on my inquiry of those individuals immediately responsible for nation, I believe that the information is true, accurate, and complete. I am aware that there are significant ing false information, including the possibility of fine or imprisonment.
application form an obtaining the inform penalties for submitt Company Official Si Company Official (and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for mation, I believe that the information is true, accurate, and complete. I am aware that there are significant ing false information, including the possibility of fine or imprisonment. In a same of the complete
application form an obtaining the inform penalties for submitt Company Official Si Company Official (and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for mation, I believe that the information is true, accurate, and complete. I am aware that there are significant ing false information, including the possibility of fine or imprisonment. Ignature Gretchen Kohler Itle Senior Regulatory & Environmental Manager Typed Name) Gretchen Kohler Itle Senior Regulatory & Environmental Manager KARIN COX NOTARY PUBLIC
application form an obtaining the inform penalties for submitt Company Official Si Company Official (Company Official To	and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for mation, I believe that the information is true, accurate, and complete. I am aware that there are significant ing false information, including the possibility of fine or imprisonment. Ignature Gretchen Kohler Ittle Senior Regulatory & Environmental Manager KARIN COX

Operator's Well No. Winchester Unit 2H

Proposed Revegetation Treatme	ent: Acres Disturbed 20.99 a	cres Prevegetation pl	H
Lime 2-4	Tons/acre or to correct to pI		
Fertilizer type Hay or	straw or Wood Fiber (will be used	where needed)	
Fertilizer amount 500	ı ı	os/acre	
Mulch 2-3	Tons/	асте	
Access Road "A" (0.43 acres) +	Access Road "B" (2.38 acres) + Access Ros	d "C" (0.17) + Access Road "D" (0.15) + Access Ro BOTTOW Area (4.76 acres) + Excess/Topsoil Materia!	rad "E" (0.43) + Well Pad (5.55 acres) Stockpiles (1.36 acres) = 20.99 Ac
		d Mixtures	
Тетр	oorary	Perms	nent
Seed Type	lbs/acre	Seed Type	lbs/acre
Annual Ryegrass	40	Crownvetch	10-15
Field Bromegrass	40	Tall Fescue	30
See attached Table 3 for additional seed	type (Page 22 Sine Pad Design)	See attached Table 4A for additional see	d type (Page 22 Sine Pad Design
*or type of grass seed requ	acted by surface owner	*or time of armse sood requis	
Attach: Maps(s) of road, location, pit an provided). If water from the pit a acreage, of the land application a	d proposed area for land applic will be land applied, include dis area.	*or type of grass seed reque ation (unless engineered plans include mensions (L x W x D) of the pit, and	ling this info have been
Attach: Maps(s) of road, location, pit an	d proposed area for land applic will be land applied, include dis area.	ation (unless engineered plans include	ling this info have been
Attach: Maps(s) of road, location, pit an provided). If water from the pit acreage, of the land application application of involved	d proposed area for land applie will be land applied, include di area. 7.5' topographic sheet.	ation (unless engineered plans include	ling this info have been
Attach: Maps(s) of road, location, pit an provided). If water from the pit acreage, of the land application application of involved Photocopied section of involved	d proposed area for land applic will be land applied, include dis area.	ation (unless engineered plans include	ling this info have been
Attach: Maps(s) of road, location, pit an provided). If water from the pit acreage, of the land application application of involved	d proposed area for land applie will be land applied, include di area. 7.5' topographic sheet.	ation (unless engineered plans include	ling this info have been
Attach: Maps(s) of road, location, pit an provided). If water from the pit acreage, of the land application application of involved Photocopied section of involved	d proposed area for land applie will be land applied, include di area. 7.5' topographic sheet.	ation (unless engineered plans include	ling this info have been
Attach: Maps(s) of road, location, pit an provided). If water from the pit acreage, of the land application application of involved Photocopied section of involved	d proposed area for land applie will be land applied, include di area. 7.5' topographic sheet.	ation (unless engineered plans include	ling this info have been
Attach: Maps(s) of road, location, pit an provided). If water from the pit acreage, of the land application application of involved Photocopied section of involved	d proposed area for land applie will be land applied, include di area. 7.5' topographic sheet.	ation (unless engineered plans include	ling this info have been
Attach: Maps(s) of road, location, pit an provided). If water from the pit acreage, of the land application application of involved Photocopied section of involved	d proposed area for land applie will be land applied, include di area. 7.5' topographic sheet.	ation (unless engineered plans include	ling this info have been
Attach: Maps(s) of road, location, pit an provided). If water from the pit acreage, of the land application application of involved Photocopied section of involved	d proposed area for land applie will be land applied, include di area. 7.5' topographic sheet.	ation (unless engineered plans include	ling this info have been
Attach: Maps(s) of road, location, pit an provided). If water from the pit acreage, of the land application application of involved Photocopied section of involved	d proposed area for land applie will be land applied, include di area. 7.5' topographic sheet.	ation (unless engineered plans include	ling this info have been
Attach: Maps(s) of road, location, pit an provided). If water from the pit acreage, of the land application application of involved Photocopied section of involved	d proposed area for land applie will be land applied, include di area. 7.5' topographic sheet.	ation (unless engineered plans include	ling this info have been
Attach: Maps(s) of road, location, pit an provided). If water from the pit acreage, of the land application application of involved Photocopied section of involved	d proposed area for land applic will be land applied, include dis area. 7.5' topographic sheet.	ation (unless engineered plans include	ling this info have been

Form WW-9 Additives Attachment

SURFACE INTERVAL

- 1. Fresh Water
- 2. Soap -Foamer AC
- 3. Air

INTERMEDIATE INTERVAL

STIFF FOAM RECIPE:

- 1) 1 ppb Soda Ash / Sodium Carbonate-Alkalinity Control Agent
- 2) 1 ppb Conqor 404 (11.76 ppg) / Corrosion Inhibitor
- 3) 4 ppb KLA-Gard (9.17 ppg) / Amine Acid Complex-Shale Stabilizer
- 4) 1ppb Mil Pac R / Sodium Carboxymethylcellulose-Filtration Control Agent
- 5) 12 ppb KCL / Potassium Chloride-inorganic Salt
- 6) Fresh Water 80 bbls
- 7) Air

PRODUCTION INTERVAL

1. Alpha 1655

Salt Inhibitor

2. Mil-Carb

Calcium Carbonate

3. Cottonseed Hulls

Cellulose-Cottonseed Pellets – LCM

4. Mil-Seal

Vegetable, Cotton & Cellulose-Based Fiber Blend – LCM

5. Clay-Trol

Amine Acid Complex - Shale Stabilizer

6. Xan-Plex

Viscosifier For Water Based Muds

7. Mil-Pac (All Grades)

Sodium Carboxymethylcellulose - Filtration Control Agent

8. New Drill

Anionic Polyacrylamide Copolymer Emulsion – Shale Stabilizer

9. Caustic Soda

Sodium Hydroxide - Alkalinity Control

10. Mil-Lime

Calcium Hydroxide - Lime

11. LD-9

Polyether Polyol – Drilling Fluid Defoamer

12. Mil Mica

Hydro-Biotite Mica – LCM

RECEIVED
Office of Oil and Gas

JUL 3 1 2018

4709502534

13. Escaid 110

Drilling Fluild Solvent - Aliphatic Hydrocarbon

14. Ligco

Highly Oxidized Leonardite - Filteration Control Agent

15. Super Sweep

Polypropylene - Hole Cleaning Agent

16. Sulfatrol K

Drilling Fluid Additive - Sulfonated Asphalt Residuum

17. Sodium Chloride, Anhydrous

Inorganic Salt

18. D-D

Drilling Detergent - Surfactant

19. Terra-Rate

Organic Surfactant Blend

20. W.O. Defoam

Alcohol-Based Defoamer

21. Perma-Lose HT

Fluid Loss Reducer For Water-Based Muds

22. Xan-Plex D

Polysaccharide Polymer - Drilling Fluid Viscosifier

23. Walnut Shells

Ground Cellulosic Material - Ground Walnut Shells - LCM

24. Mil-Graphite

Natural Graphite – LCM

25. Mil Bar

Barite - Weighting Agent

26. X-Cide 102

Biocide

27. Soda Ash

Sodium Carbonate - Alkalinity Control Agent

28. Clay Trol

Amine Acid complex - Shale Stabilizer

29. Sulfatrol

Sulfonated Asphalt - Shale Control Additive

30. Xanvis

Viscosifier For Water-Based Muds

31. Milstarch

Starch - Fluid Loss Reducer For Water Based Muds

32. Mil-Lube

Drilling Fluid Lubricant

RECEIVED
Office of Oil and Gas

JUL 3 1 2018

4709502534



911 Address 8086 Wick Rd Middlebourne, WV 26149

Well Site Safety Plan Antero Resources

Well Name: Alpine West Unit 1H, Alpine East Unit 1H-2H,

Garmin Unit 1H - 2H, Remington Unit 1H-2H,

Winchester Unit 1H-2H, Orvis Unit 2H

Pad Location: Sine Pad

Tyler County/Meade District

GPS Coordinates:

Entrance - Lat 39°24′56.6634″/Long -80°57′28.5696″ (NAD83)

Pad Center - Lat 39°24′54.4032″/Long -80°57′24.4866″ (NAD83)


Driving Directions:

From the intersection of I79 and HWY 50: Travel west on US-50 for 28.7 miles. Turn right onto WV-18 N for 0.6 miles. Turn left onto Davis St/Old U.S. 50W for 0.4 miles. Turn right onto Wv-18N/SIstersville Pike for 12.2 miles. Turn left onto WV-74 S for 3.7 miles. Turn right onto Stull Hill Rd for 1.0 mile. Continue onto Big Shank Rd for 0.8 miles. Continue onto Big Sanka Rd for 1.6 miles. Continue onto Bearsville Rd for 1.8 miles. Turn left onto Middlebourne Wick/Wick Rd for 1.8 miles. The access road will be on the left.

Alternate Route:

From the Volunteer Fire Department In Middlebourne: Head southwest on WV-18 S/Main St toward Wilcox Ave for 0.3 miles. Turn right onto Bridgeway Rd for 0.1 miles. Turn left onto Middlebourne-Wick/Wick Rd for 2.0 miles. Turn left onto Middlebourne-Wick for 5.8 miles. The access road will be on the left.

EMERGENCY (24 HOUR) CONTACT 1-800-878-1373



DESIGNATED AGENT DIANNA STAMPER - CT CORPORATION SYSTEM
ADDRESS 5400 D BIG TYLER ROAD
CHARLESTON, WV 25313

ANTERO RESOURCES CORP 1615 WYNKOOP STREET

DENVER, CO 80202

ADDRESS

FORM WW-5

589

Operator's Well Number

Winchester Unit 2H

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that -

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.	Grantee, lessee, etc.	Royalty	Book/Page
James L. Sine et ux Lease			
James L. Sine et ux	Antero Resources Appalachian Corporation	1/8+	0400/0422
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1
Robert S. Carse et ux Lease			
Robert S. Carse et ux	Antero Resources Appalachian Corporation	1/8+	0428/0021
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1
Jason Greathouse Lease			
Jason Greathouse	Antero Resources Corporation	1/8+	0538/0337
David Quentin Carse Lease			
David Quentin Carse	Antero Resources Appalachian Corporation	1/8+	0413/0710
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1
TSAR-WV LLC Lease			
TSAR-WV LLC	Chesapeake Appalachian LLC	1/8	0403/0419
Chesapeake Appalachian LLC	SWN Production Company	Assignment	0465/0463
SWN Production Company	Antero Resources Corporation	Assignment	0544/0242
Thomas W. Moore et al Lease (TM 8 PCL 22)			
Thomas W. Moore et al	Antero Resources Corporation	1/8+	0442/0588
Thomas Moore et al Lease (TM 11 PCL 9)			
Thomas Moore et al	Antero Resources Corporation	1/8+	0442/0590
Reita J. Hall Lease			
Reita J. Hall	Antero Resources Corporation	1/8	0522/0823
Grace Sewell DeCarlo Lease			
Grace Sewell DeCarlo	Antero Resources Corporation	1/8+	0430/0470
The Joelynn Family Preservation Trust Lease			
The Joelynn Family Preservation Trust	Antero Resources Corporation	1/8+	0483/0286
<u>Tessa Peterzak Lease</u>			
Tessa Peterzak	Antero Resources Corporation	1/8+	0525/0399

RECEIVED
Office of Oil and Gas

JUL 3 1 2018

WV Department of

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

	Alma A. Barnard	Antero Resources Corporation	1/8+	0442/0071
Alma A. Barnard Lease				
Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
Lease Name or				

*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

Office of Oil and Gas

JUL 3 1 2018

WV Department of Environmental Protection

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator: Antero Resources Corporation

By: Diana Hoff Wa O His: Vice President - Operations

FORM WW-6A1 EXHIBIT 1

4709502534



Natalie E. Tennant. Secretary of State 1900 Kanawha Bivd B Bidg 1, Suite 157-K Charleston, WV 25305

FILE ONE ORIGINAL (Two if you want a filed stamped copy returned to you) FEE: \$25.00



JUN 1 0 2013

Penney Barker, Manager
IN THE OFFICE OF Corporations Division
SECRETARY OF STATE Tel: (304)558-8000
Penney Barker, Manager

Website: www.tvvsos.com
E-mail: business@wvsos.com

APPLICATION FOR AMENDED CERTIFICATE OF AUTHORITY

*** In accordance with the provisions of the West Virginia Code, the undersigned corporation hereby ***

Office Hours: Monday - Friday 8:30 a.m. - 5:00 p.m. ET

applies for an Amended Certificate of Authority and submits the following statement: 1. Name under which the corporation was Antero Resources Appalachian Corporation authorized to transact business in WV: 2. Date Certificate of Authority was 6/25/2008 issued in West Virginia: Antero Resources Corporation Corporate name has been changed to: (Attach one Certified Conv of Name Change as filed in home State of incorporation.) Antero Resources Corporation 4. Name the corporation elects to use in WV: (due to home state name not being available) 5. Other amendments: (attach additional pages if necessary) Name and phone number of contact person. (This is optional, however, if there is a problem with the filling, listing a contact person and phone number may avoid having to return or reject the document.) Alwn A. Schopp (303) 357-7310 Contact Name Phone Number 7. Signature information (See below *Important Legal Notice Regarding Signature): Title/Capacity; Authorized Person Print Name of Signer: Aleyn A. Schop June 10, 2013 Signature: Date: *Imperiant Level Notice Reserving Structure: For West Virginia Code \$310-1-129. Penalty for signing false document.

Any person value signs a document he or she knows is false in any material respect and knows that the document is to be delivered to the secretary of state for filling is guilty of a misdomestner and, upon conviction theseof, shall be fined not more than one thousand dollars or confined in the county or regional jail not more than one year, or both.

WYOLL - 04/6/2011 Waters Kimer Online

Porm CF-4

Issued by the Office of the Eccreary of State -

Revised 4/13

Office of Oil and Gas

JUL 3 1 2018



July 27th, 2018

Antero Resources 1615 Wynkoop Street Denver, CO 80202 Office 303.357.7310 Fax 303.357.7315

West Virginia Department of Environmental Protection Chief, Office of Oil and Gas Attn: Mr. James Martin 601 57th Street SE Charleston, WV 25304

RE:

Winchester Unit 2H

Quadrangle: Middlebourne 7.5'

Tyler County/Meade District, West Virginia

Mr. Martin:

Antero Resources Corporation (Antero) is submitting the following application for a new well work permit for the Winchester Unit 2H horizontal shallow well. As an authorized representative, I certify that Antero has the right to extract, produce or market the oil or gas for all leases through which the Winchester Unit 2H horizontal lateral will drill through including any and all roads crossed under as identified on the attached survey plat.

Sincerely,

Thomas Kuhn Senior Landman

> RECEIVED Office of Oil and Gas

> > JUL 3 1 2018

WW-6AC (1/12)

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS **NOTICE CERTIFICATION**

Date of Notic	e Certification: 07/27/2018		I No. 47		
		-		Well No. Wind	
		We	ell Pad N	lame: Sine Pa	<u>d</u>
Notice has h		S 22 CA 4b = Outantan ber und de	J 4l	:	with the Netice Forms listed
	e provisions in West Virginia Code tract of land as follows:	§ 22-6A, the Operator has provide	a the req	juired parties v	vith the Notice Forms listed
State:	West Virginia	Fa	sting:	503758m	
County:	Tyler		orthing:	4362846m	
District:	Meade	Public Road Access:	•	Wick Rd	
Quadrangle:	Middlebourne 7.5'	Generally used farm		James Sine et al	
Watershed:	Outlet Middle Island Creek				
it has provide information re of giving the requirements Virginia Code	the secretary, shall be verified and set the owners of the surface described the owners of the surface described and (c), so surface owner notice of entry to so of subsection (b), section sixteen of \$22-6A-11(b), the applicant shall thave been completed by the applicant	bed in subdivisions (1), (2) and ection sixteen of this article; (ii) the arrivey pursuant to subsection (a), of this article were waived in writered in proof of and certify to the state.	(4), substant the restant the section to the sectio	ection (b), sec quirement was ten of this arti- the surface ov	ction ten of this article, the deemed satisfied as a result cle six-a; or (iii) the notice wner; and Pursuant to West
	West Virginia Code § 22-6A, the Oprator has properly served the require		Notice C	ertification	
•	ECK ALL THAT APPLY	e parties with the renewing.			OOG OFFICE USE ONLY
□ 1. NOT	TICE OF SEISMIC ACTIVITY or	■ NOTICE NOT REQUIRED SEISMIC ACTIVITY WAS CO			☐ RECEIVED/ NOT REQUIRED
☐ 2. NOT	TICE OF ENTRY FOR PLAT SURV	/EY or NO PLAT SURVEY	WAS CO	ONDUCTED	☐ RECEIVED
■ 3. NO	FICE OF INTENT TO DRILL or	☐ NOTICE NOT REQUIRED NOTICE OF ENTRY FOR PLAWAS CONDUCTED or			RECEIVED/ NOT REQUIRED
		☐ WRITTEN WAIVER BY (PLEASE ATTACH)	SURFA	CE OWNER	
■ 4. NOT	FICE OF PLANNED OPERATION				☐ RECEIVED
■ 5. PUB	SLIC NOTICE	RE Office o	CEIVED f Oil and	Gas	☑ RECEIVED
■ 6. NOT	TICE OF APPLICATION	JUL	31 20	18	RECEIVED
			epartmer	nt of itection	

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

Certification of Notice is hereby given:

THEREFORE, I Diana Hoff , have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator: Antero Resources, Corporation

By: Diana Hoff

Its: Vice President - Operations

NOTARY PUBLIC

STATE OF COLORADO NOTARY ID 20184014160

MY COMMISSION EXPIRES MARCH 29, 2022

Telephone: 303-357-7310

Address: 1615 Wynkoop Street

Denver, CO 80202

Facsimile: 303-357-7315

Email: kcox@anteroresources.com

Subscribed and sworn before me this 2 day of

Notary Public

My Commission Expires 3/29/2022

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at deprivacyofficer@wv.gov.

RECEIVED Office of Oil and Gas

JUL 3 1 2018

4709502534
API NO. 47-095 - 09/28/2018
OPERATOR WELL NO. Winchester Unit 2H
Well Pad Name: Sine Pad

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Notice Time Requirement: notice shall be provided no later than the filing date of permit application. Date of Notice: 7/30/2018 Date Permit Application Filed: 7/30/2018 Notice of: PERMIT FOR ANY ☐ CERTIFICATE OF APPROVAL FOR THE WELL WORK CONSTRUCTION OF AN IMPOUNDMENT OR PIT Delivery method pursuant to West Virginia Code § 22-6A-10(b) ☐ PERSONAL REGISTERED ☑ METHOD OF DELIVERY THAT REQUIRES A SERVICE MAIL RECEIPT OR SIGNATURE CONFIRMATION Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams; (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule. RECEIVED ☑ Application Notice ☑ WSSP Notice ☑ E&S Plan Notice ☑ Well Plat Notice is hereby provided to: Office of Oil and Gas FI SURFACE OWNER(s) COAL OWNER OR LESSEE JUL 3 1 2018 Name: NO DECLARATIONS ON RECORD WITH COUNTY Name: James L. & Kathy J. Sine Address: 7914 Wick Rd. Address: WV Department of Middlebourne, WV 26149 Environmental Protection Name: COAL OPERATOR Name: NO DECLARATIONS ON RECORD WITH COUNTY Address: Address: SURFACE OWNER(s) (Road and/or Other Disturbance) James L. & Kathy J. Sine MATER PURVEYOR(s)/OWNER(s) OF WATER WELL, Name: SPRING OR OTHER WATER SUPPLY SOURCE Address: 7914 Wick Rd. Name: PLEASE SEE ATTACHMENT Middlebourne, WV 26149 Name: Address: Address: ☐ OPERATOR OF ANY NATURAL GAS STORAGE FIELD ☐ SURFACE OWNER(s) (Impoundments or Pits) Name: Name: Address: Address: *Please attach additional forms if necessary

RECEIVED Office of Oil and Gas

JUL 3 1 2018

API NO. 47-094 7-0

WV Department of Environmental Protection

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Notice is hereby given:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

4709502534

API NO. 47-095 - 0/28/2018
OPERATOR WELL NO. Winderester Unit 2H
Well Pad Name: Sine Pad

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

JUL 3 1 2018

Office of Oil and Gas

WV Department of Environmental Protection

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

API NO. 47- 0947 0 9 5 0 2 5 3 4 OPERATOR WELL NO. 9/28/2018

Well Pad Name: Sine Pad

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have THIRTY (30) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal- Permits/Pages/default.aspx and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

> RECEIVED Office of Oil and Gas

JUL 3 1 2018

API NO. 47-095 0 9 5 0 2 5 3 4
OPERATOR WELL NO. Winchester Unit 2H
Well Pad Name: Sine Pad

Notice is hereby given by:

Well Operator: Antero Resources Corporation
Telephone: (303) 357-7310

Telephone: (303) 357-7310 Email: kcox@anteroresources.com Address: 1615 Wynkoop Street

Denver, CO 80202

Facsimile: 303-357-7315

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

KARIN COX NOTARY PUBLIC STATE OF COLORADO NOTARY ID 20184014160

MY COMMISSION EXPIRES MARCH 29, 2022

Subscribed and sworn before me this 30 day of

or start and

Notary Public

My Commission Expires

RECEIVED Office of Oil and Gas


JUL 3 1 2018

List of Owners with Proposed Disturbance associated with Sine Well Pad:

Owner: Address:	Donald Robinson 3029 Sellers Rd Middlebourne, WV 26149	1	*Please note there are 2 additional water sources shown on the attached map, however they are located greater than
Owner: Address:	Raymond Moore 7764 Wick Rd Middlebourne, WV 26149		1500' from the proposed well location
Owner: Address:	James Sine 7914 Wick Rd Middlebourne, WV 26149	^	
Owner: Address:	Destry Nelson 7760 Wick Rd Middlebourne, WV 26149	1	

RECEIVED Office of Oil and Gas

4709502534 CEIVED 09/28/2018





STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Date of Noti	Requirement: Notice shall be provided ce: 03/23/2018 Date Po	at least TEN (10) days prior to filing a ermit Application Filed: 07/30/2018	permit application.	RECEIVED Office of Oil and Gas
Delivery me	thod pursuant to West Virginia Code §	22-6A-16(b)		JUL 3 1 2018
☐ HAND	WV Department of			
	Environmental Protection			
DELIVI	ERY RETURN RECEIPT RE	EQUESTED		
receipt reque drilling a hor of this subsec- subsection m and if availab	V. Va. Code § 22-6A-16(b), at least ten de sted or hand delivery, give the surface over izontal well: <i>Provided</i> , That notice give etion as of the date the notice was provided ay be waived in writing by the surface over the facsimile number and electronic mail	wher notice of its intent to enter upon to a pursuant to subsection (a), section to ed to the surface owner: <i>Provided, how</i> where. The notice, if required, shall included address of the operator and the operator	ne surface owner's lar en of this article satisf wever, That the notice ude the name, address	nd for the purpose of fies the requirements requirements of this s, telephone number,
Name: James I	ereby provided to the SURFACE O'	Name:		
Address: 791		Address:		
Middlebourne, W		. rusiess.		_ /
State: County: District: Quadrangle: Watershed:	West Virginia Tyler Meade Middlebourne 7.5' Outlet Middle Island Creek	UTM NAD 83 Easting: Northing: Public Road Access: Generally used farm name:	503758m 4362846m Wick Rd. James Sine et al	
County: District: Quadrangle: Watershed: This Notice Pursuant to facsimile nurrelated to hor	Tyler Meade	Public Road Access: Generally used farm name: s notice shall include the name, additional acceptance operator and the operator's authorized Secretary, at the WV Department of	4362846m Wick Rd. James Sine et al eess, telephone number representative. Address fervironmental Protections of the protection of the pro	ditional information ection headquarters.
County: District: Quadrangle: Watershed: This Notice Pursuant to facsimile nur related to hor located at 600000000000000000000000000000000000	Tyler Meade Middlebourne 7.5' Outlet Middle Island Creek Shall Include: West Virginia Code § 22-6A-16(b), this mber and electronic mail address of the rizontal drilling may be obtained from the first of the Street, SE, Charleston, WV 25304 Greby given by:	Public Road Access: Generally used farm name: s notice shall include the name, additional acceptator and the operator's authorized the Secretary, at the WV Department of (304-926-0450) or by visiting www.de	4362846m Wick Rd. James Sine et al eess, telephone number representative. Address fervironmental Protections of the protection of the pro	ditional information ection headquarters.
County: District: Quadrangle: Watershed: This Notice Pursuant to facsimile nurelated to hoo located at 600 Notice is he Well Operator	Tyler Meade Middlebourne 7.5' Outlet Middle Island Creek Shall Include: West Virginia Code § 22-6A-16(b), this mber and electronic mail address of the rizontal drilling may be obtained from the 157th Street, SE, Charleston, WV 25304 (reby given by: Antero Resources Appalachian Corporation	Public Road Access: Generally used farm name: s notice shall include the name, additional acceptator and the operator's authorized Secretary, at the WV Department of (304-926-0450) or by visiting www.defauthorized Representative:	4362846m Wick Rd. James Sine et al eess, telephone number representative. Address fervironmental Protections of the protection of the pro	ditional information ection headquarters.
County: District: Quadrangle: Watershed: This Notice Pursuant to a facsimile nur related to hos located at 60000 Notice is he	Tyler Meade Middlebourne 7.5' Outlet Middle Island Creek Shall Include: West Virginia Code § 22-6A-16(b), this mber and electronic mail address of the rizontal drilling may be obtained from the 157th Street, SE, Charleston, WV 25304 Areby given by: Antero Resources Appalachien Corporation 1615 Wynkoop St.	Public Road Access: Generally used farm name: s notice shall include the name, additional acceptator and the operator's authorized the Secretary, at the WV Department of (304-926-0450) or by visiting www.de	4362846m Wick Rd. James Sine et al ress, telephone numbered representative. Addrepresentative and f Environmental Protego.wv.gov/oil-and-gas	ditional information ection headquarters.
County: District: Quadrangle: Watershed: This Notice Pursuant to facsimile nur related to hoo located at 60: Notice is he Well Operato Address:	Tyler Meade Middlebourne 7.5' Outlet Middle Island Creek Shall Include: West Virginia Code § 22-6A-16(b), this mber and electronic mail address of the rizontal drilling may be obtained from the first of the Street, SE, Charleston, WV 25304 The present the street of the street	Public Road Access: Generally used farm name: s notice shall include the name, additional acceptator and the operator's authorized Secretary, at the WV Department of (304-926-0450) or by visiting www.de Authorized Representative: Address:	4362846m Wick Rd. James Sine et al ress, telephone number representative. Address representative and representative representative. Address representative	ditional information ection headquarters.
County: District: Quadrangle: Watershed: This Notice Pursuant to be facsimile nurrelated to hose located at 60000 Notice is he well Operator Address: Telephone:	Tyler Meade Middlebourne 7.5' Outlet Middle Island Creek Shall Include: West Virginia Code § 22-6A-16(b), this mber and electronic mail address of the rizontal drilling may be obtained from the 157th Street, SE, Charleston, WV 25304 Breby given by: Antero Resources Appalachian Corporation 1615 Wynkoop St. Denver, CO 80202 303-357-5820	Public Road Access: Generally used farm name: s notice shall include the name, additional acceptance and the operator's authorized secretary, at the WV Department of (304-926-0450) or by visiting www.define Authorized Representative: Authorized Representative: Address:	4362846m Wick Rd. James Sine et al ress, telephone numbered representative. Add f Environmental Protepwv.gov/oil-and-gas Karin Cox 1615 Wynkoop St.	ditional information ection headquarters.
County: District: Quadrangle: Watershed: This Notice Pursuant to facsimile nur related to hor located at 60: Notice is he Well Operato Address:	Tyler Meade Middlebourne 7.5' Outlet Middle Island Creek Shall Include: West Virginia Code § 22-6A-16(b), this mber and electronic mail address of the rizontal drilling may be obtained from the first of the Street, SE, Charleston, WV 25304 The present the street of the street	Public Road Access: Generally used farm name: s notice shall include the name, additional acceptator and the operator's authorized Secretary, at the WV Department of (304-926-0450) or by visiting www.de Authorized Representative: Address:	4362846m Wick Rd. James Sine et al ress, telephone numbered representative. Address f Environmental Protesp.wv.gov/oil-and-gas Karin Cox 1615 Wynkoop St. Denver, CO 80202	ditional information ection headquarters, /pages/default.aspx.

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

WW-6A5 (1/12) Operator Well 09/28/20128

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

		tequirement: notice shall be 107/30/2018	ate Permit Applic			application.		
Deliv	ery meth	od pursuant to West Vir	ginia Code § 22-6	A-16(c)				
	CERTIF	ED MAIL	□ на	ND				
		N RECEIPT REQUESTED		LIVERY				
return the p requi drilli dama	n receipt rolanned op red to be pang of a hough reset to the design to the	. Va. Code § 22-6A-16(c), equested or hand delivery, peration. The notice requiprovided by subsection (b), orizontal well; and (3) A particle affected by oil and required by this section slipping.	give the surface of ired by this subsect, section ten of this proposed surface u d gas operations to	wner whose land tion shall include article to a surfice se and compense the extent the date	will be used for le: (1) A copy ace owner whos ation agreemen mages are comp	or the drilling of a least this code section of this code section of the land will be used to containing an of pensable under arti	horizontal well notion; (2) The information with in conjunction with fer of compensation icle six-b of this characteristics.	ce of ation h the n for pter. time
	e address	by provided to the SURFA		of notice):			JUL 312	018
4								
Nam		L. & Kathy J. Sine		Name:			WV Departme	nt of
Nam- Addr Notic	Middlel	ick Rd. bourne, WV 26149 by given:	-16(c), notice is her	Name: Address	*	well operator has d	Environmental Pr	otection
Name Addr Notic Pursi opera State	middled ce is herel uant to We ation on the	over Rd. by given: est Virginia Code § 22-6 A- ne surface owner's land for West Virginia	-16(c), notice is her	Name: Address eby given that the	ne undersigned v I well on the tra 2 Easting:	oct of land as follow 503758m	Environmental Pr	otectio
Name Addr Notice Pursu opera State Cour	ress: 7914 W Middlet ce is herel uant to We attion on the thick the second of the sec	over Rd. over given: est Virginia Code § 22-6A- ne surface owner's land for West Virginia	-16(c), notice is her r the purpose of drif	Name: Address eby given that the lling a horizonta UTM NAD 8	ne undersigned value on the tra Easting: Northing:	503758m 4362846m	Environmental Pr	otectio
Name Addr Notice Pursu opera State Cour Distr	ress: 7914 W Middlel ree is herel uant to We ation on the thick in the second s	over Rd. over given: est Virginia Code § 22-6A- ne surface owner's land for West Virginia Tyler Meade	-16(c), notice is her r the purpose of dri	Name: Address eby given that the lling a horizonta UTM NAD 8 Public Road	te undersigned value on the tra Easting: Northing: Access:	oct of land as follow 503758m	Environmental Pr	otectio
Name Addr Notice Pursi opera State Cour Distr Quad	ress: 7914 W Middlet te is herel uant to We ation on the times. ity: ict: drangle:	over Rd. over given: est Virginia Code § 22-6A- ne surface owner's land for West Virginia	-16(c), notice is her r the purpose of dril	Name: Address eby given that the lling a horizonta UTM NAD 8 Public Road	ne undersigned value on the tra Easting: Northing:	oct of land as follov 503758m 4362846m Wick Rd	Environmental Pr	otectio
Nama Addra Notice Pursi opera State Cour Distr Quace Water This Pursi to be horiz surfa infor head	ress: 7914 W. Middled ce is herel uant to We ation on the ce is herel with the ce is herel with the ce is herel. We provided contal well ace affecte mation re	oy given: st Virginia Code § 22-6A- ne surface owner's land for West Virginia Tyler Meade Middlebourne 7.5' Outlet Middle Island Greek mall Include: est Virginia Code § 22-6A- l by W. Va. Code § 22-6A- l; and (3) A proposed surface of the proposed surface of the proposed of the propos	-16(c), this notice s A-10(b) to a surface use and compens to the extent the g may be obtained	Name: Address eby given that the self-self-self-self-self-self-self-self-	ae undersigned of well on the tra Easting: Northing: Access: ad farm name: A copy of this a land will be undersining arompensable undersy, at the WV	set of land as follow 503758m 4362846m Wick Rd James Sine et al code section; (2) Toused in conjunction offer of compensater article six-b of Department of El	Environmental Pr leveloped a planned ws: The information requestion for damages to this chapter. Addit nvironmental Prote	uired of a o the ional ction
Nam Addr Notice Purst opera State Cour Distr Quac Wate This Purst to be horiz surfa infor head gas/p	ress: 7914 W. Middled ce is herel uant to We ation on the ce is herel uant to We ation on the ce is herel with the ce is herely with the	oy given: est Virginia Code § 22-6A- ne surface owner's land for West Virginia Tyler Meade Middlebourne 7.5' Outlet Middle Island Creek all Include: est Virginia Code § 22-6A- it sand (3) A proposed surface object of and gas operation lated to horizontal drilling located at 601 57th Street ult.aspx.	-16(c), this notice s A-10(b) to a surface use and compens to the extent the g may be obtained	Name: Address eby given that the ling a horizontal UTM NAD 8 Public Road of Generally use that include: (1) the owner whose the sation agreement admages are confrom the Secretary, WV 25304	The undersigned of the transport of transport of the transport of transport	code section; (2) Tused in conjunction offer of compension article six-b of Department of Education of by visiting w	Environmental Pr leveloped a planned ws: The information requestion for damages to this chapter. Addit nvironmental Prote	uired of a o the ional ction
Nama Addra Notice Pursu opera State Cour Distra Quace Water This Pursu to be horiz surfa inford head gas/p	ress: 7914 W. Middlet ce is herel cant to We attion on the carrier cershed: Notice SI cant to We contal well ce affecte mation requarters,	oy given: est Virginia Code § 22-6A- ne surface owner's land for West Virginia Tyler Meade Middlebourne 7.5' Outlet Middle Island Creek all Include: est Virginia Code § 22-6A- it sand (3) A proposed surface object of and gas operation lated to horizontal drilling located at 601 57th Street ult.aspx.	-16(c), this notice s A-10(b) to a surface use and compens to the extent the g may be obtained	Name: Address eby given that the self-self-self-self-self-self-self-self-	ae undersigned of well on the tra Easting: Northing: Access: ad farm name: A copy of this a land will be undersining arompensable undersy, at the WV	code section; (2) Tused in conjunction offer of compension article six-b of Department of Education of by visiting w	Environmental Pr leveloped a planned ws: The information requestion for damages to this chapter. Addit nvironmental Prote	uired of a o the ional ction

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

4709502534

WW-6RW (1-12)

The well operator, Antero Reosurces Corporation

ATTN: JIN WILSON ANTERO RESOURCES

535 WHITE OAKS BLUD

API NO. 47- 095

OPERATOR WELL NO. Multiple Wells on Sine Pac

BRINGEPORT, W 26330-4649Well Pad Name: Sine Pad

is applying for a permit from the State of West Virginia to conduct oil or gas well

STATE OF WEST VIRGINIA

DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS

WELL LOCATION RESTRICTION WAIVER

work. Please be advised that well work permits are valid for twenty-four (24) months. Well Location Restrictions Pursuant to West Virginia Code § 22-6A-12(a), Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. JAMES L SINC Stathy J. Sine WAIVER , hereby state that I have read the Instructions to Persons Named on Page WW-6A and the associated provisions listed above, and that I have received copies of a Notice of Application, an Application for a Well Work Permit on Form , including the erosion and sediment control plan, if WW-6A and attachments consisting of pages one (1) through required, and the well plat, all for proposed well work on the tract of land as follows: West Virginia UTM NAD 83 Easting: State: 504215.83m (pad center) UTM NAD 83 Northing: County: Tyler 4359553.97m (pad center) District: Public Road Access: CR 7 (Middlebourne Wick) Meade Generally used farm name: James Sine et al Quadrangle: Middlebourne 7.5' Outlet Middle Island Creek I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials and I therefore waive all well site restrictions listed under West Virginia Code § 22-6A-12(a). FOR EXECUTION BY A NATURAL PERSON WELL SITE RESTRICTIONS BEING WAIVED Signature de *Please check all that apply RECEIVED Office of Oil and Gas Print Name: ☐ EXISTING WATER WELLS Date: 2/10/ FOR EXECUTION BY A CORPORATION, ETC. JUL 31 2018 □ DEVELOPED SPRINGS Company: Neil A Archer II By: WV Department of Environmental Protection TYLER County 11:52:32 PM DWELLINGS Its: Instrument No 1167068 ☐ AGRICULTURAL BUILDINGS Signature: Date Recorded 02/06/2017 Date: Document: Type OG Well Operator: Signature: Pages Recorded 1 Telephone: Book-Page Its: Recording Fee \$5.00 Adjitional Pebruse \$6.00 OFFICIAL SEAL Notar) Fulfild Bible OF West Virginia Subscribed and sworn before me this JAMES O. WILSON Notary Public 1151 Crest Drive Morgantown, WV 26501 My Commission Expires March 23, 2019 My Commission Expires Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION Division of Highways

1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

> Secretary of Transportation/ Commissioner of Highways

Reissued July 25, 2018

Jill M. Newman Deputy Commissioner

Thomas J. Smith, P. E.

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the Sine Pad, Tyler County

Winchester Unit 2H Well site

RECEIVED Office of Oil and Gas

JUL 3 1 2018

WW Department of Environmental Protection

Dear Mr. Martin,

This well site will be accessed from a DOH permit #06-2014-0702 which has been issued to Antero Resources Corporation for access to the State Road for a site located off of Tyler County Route 7 SLS.

The operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated January 3, 2012.

Very Truly Yours,

Gary K. Clayton, P.E.

Day K. Clayton

Regional Maintenance Engineer Central Office O&G Coordinator

Cc: Karin Cox

Antero Resources Corporation

CH, OM, D-6

File

List of Anticipated Additives Used for Fracturing 9.28/2018 **Stimulating Well**

Presh Water 7732-18-5 2 2 2 2 2 2 2 2 3 3	Additives	Chemical Abstract Service Number (CAS #)]
Ammonium Persulfate 7727-54-0 Anionic copolymer Proprietary Anionic copolymer Proprietary Proprietary BTEX Free Hydrotreated Heavy Naphtha 64742-48-9 Calciluase enzyme Proprietary Demulsifier Base Proprietary Defice of Oil and Gase Defice of Oil and Gase Demulsifier Base Proprietary Defice of Oil and Gase Defice of Oil and Gase Demulsifier Base Proprietary Defice of Oil and Gase Defice of Oil and Gase Demulsifier Base Proprietary Department of Defice of Oil and Gase Defice of Oil and Gase Demulsifier Base Proprietary Department of Defice of Oil and Gase Defice of Oil and Gase Demulsifier Base Proprietary Defice of Oil and Gase Defice of Oil a	Fresh Water		
Anionic copolymer Anionic polymer Anionic polymer Proprietary Mixture Ethoxylated alcohol blend Mixture Ethoxylated alcohol blend Ethoxylated alcohol blend Ethoxylated oleylamine 26635-93-8 Ethylense Glycol 3000-30-0 Hydrogen Chloride Hydrogen Chloride 1072-21-1 3lycol Ethers 3000-30-0 Hydrogen Chloride Hydrogen Chloride 1072-10-1 Hydrogen Chloride Hydrogen Chloride Proprietary Pro	2 Phosphobutane 1,2,4 tricarboxylic acid	37971-36-1	
Anionic polymer Proprietary BTEX Free Hydrotreated Heavy Naphtha 64742-48-9 Demulsifier Base Proprietary Mixture Ethoxylated alcohol blend Mixture Ethoxylated oblend Ethoxylated Oleylamine 26635-93-8 Ethylene Glycol 107-21-1 310-72-1 311-76-2 30ar gum 9000-30-0 Hydrogen Chloride Hydrotreated light distillates, non-aromatic, BTEX free 8opropyl alcohol 10222-01-2 Iduid, 22-dibromo-3-nitrilopropionamide 10222-01-2 Microparticle Petroleum Distillates (BTEX Below Detect) Proprietary Pro	Ammonium Persulfate	7727-54-0	1
Cellulase enzyme	Anionic copolymer	Proprietary	
Proprietary	Anionic polymer	Proprietary	
Demulsifier Base	BTEX Free Hydrotreated Heavy Naphtha	64742-48-9	
Ethoxylated alcohol blend ### Ethoxylated Norylphenol ### Ethoxylated Norylphenol #### Ethoxylated oleylamine #### Ethoxylated oleylamine ##### Ethoxylated oleylamine ###### Ethoxylated oleylamine ###################################	Cellulase enzyme	Proprietary	
Ethoxylated Nonylphenol	Demulsifier Base	Proprietary	
Ethoxylated oleylamine	Ethoxylated alcohol blend	Mixture	
Ethylene Glycol 107-21-1 Siycol Ethers 111-76-2 Siycol Ethers 9000-30-0 Hydrogen Chloride 7647-01-0 Hydroxide 1310-73-2 Hydroxide 1310-73-2 Hydroxide 1310-73-2 Hydroxide 1310-73-2 Hydroxide 7647-01-0 Hydrox	Ethoxylated Nonylphenol	68412-54-4	1
Signate Superage	Ethoxylated oleylamine	26635-93-8	
Suar gum 9000-30-0 Hydrogen Chloride 7647-01-0 RECEIVED Hydrotreated light distillates, non-aromatic, BTEX free 64742-47-8 Office of Oil and Gas Supropyl alcohol 67-63-0 JUL 31 2018 WIcroparticle Proprietary WIcroparticle Proprietary WIcroparticle Proprietary WIcroparticle Proparagyl Alcohol 107-19-7 Propylene Glycol 57-55-6 Propylene Glycol 5	Ethylene Glycol	107-21-1	
Hydrogen Chloride Hydrotreated light distillates, non-aromatic, BTEX free Hydrotreated Hydrotreated light distillates, non-aromatic, BTEX free Hydrotreated	Glycol Ethers	111-76-2	
Arydrotreated light distillates, non-aromatic, BTEX free 64742-47-8 Once of Oil and Gas sopropyl alcohol 67-63-0 1 10222-01-2 JUL 3 1 2018 Microparticle Proprietary Microparticle Proprietary Microparticle 64742-47-8 Environmental Protection Polyacrylamide 757-55-6 Propagni Alcohol 107-19-7 Propylene Glycol 57-55-6 Propagni Alcohol 757-55-6 Propylene Glycol 57-55-6 Propylene Glycol 57-55-5 Prop	Guar gum	9000-30-0	
Sepropy alcohol	Hydrogen Chloride	7647-01-0	
Sepropy alcohol	Hydrotreated light distillates, non-aromatic, BTEX free	64742-47-8 C	RECEIVED fice of Oil and Gas
Proprietary	Isopropyl alcohol		1
Petroleum Distillates (BTEX Below Detect) Polyacrylamide 57-55-6 Propagyl Alcohol 107-19-7 Propylene Glycol 20uartz 14808-60-7 Sillica, crystalline quartz 50dium Chloride 50dium Chloride 50dium Hydroxide 1310-73-2 Sugar 57-50-1 Surfactant 50urfactant 60urfactant 60urfactan	liquid, 2,2-dibromo-3-nitrilopropionamide	10222-01-2	TUL 31 ZUIS
Project 107-19-7 Propargy Alcohol 107-19-7 Propargy Alcohol 107-19-7 Propylene Glycol 57-55-6 Quartz 14808-60-7 Sillica, crystalline quartz 7631-86-9 Sodium Chloride 7647-14-5 Sodium Chloride 1310-73-2 Sugar 57-50-1 Surfactant 68439-51-0 Suspending agent (solid) 14808-60-7 Far bases, quinoline derivs, benzyl chloride-quaternized 72480-70-7 Solvent Naphtha, petroleum, heavy aliph 64742-96-7 Solvent Naphtha, petroleum, heavy aliph 64742-96-7 Sophean Oil, Me ester 67784-80-9 DETA phosphonate 15827-60-8 Hexamthylene Triamine Penta 34690-00-1 Phosphino Carboxylic acid polymer 71050-62-9 Hexamethylene Diamine Tetra 23605-75-5 2-Propenoic acid, polymer with 2 propenamide 9003-06-9 Hexamethylene Glycol 111-46-6 Methenamine 100-97-0 Polyethylene Polyamine 68603-67-8 Coco amine 61791-14-8	Microparticle	Proprietary	AA/ Department of
Propagy Alcohol 107-19-7 Propylene Glycol 57-55-6 Quartz 14808-60-7 Sillica, crystalline quartz 7631-86-9 Sodium Chloride 7647-14-5 Sodium Hydroxide 1310-73-2 Sugar 57-50-1 Surfactant 68439-51-0 Suspending agent (solid) 14808-60-7 Far bases, quinoline derivs, benzyl chloride-quaternized 72480-70-7 Solvent Naphtha, petroleum, heavy aliph 64742-96-7 Sophean Oil, Me ester 67784-80-9 Copolymer of Maleic and Acrylic Acid 52255-49-9 DETA phosphonate 15827-60-8 Hexamthylene Triamine Penta 34690-00-1 Phosphino Carboxylic acid polymer 71050-62-9 Hexamethylene Diamine Tetra 23605-75-5 Dethylene Glycol 111-46-6 Methenamine 100-97-0 Polyethylene Glycol 6603-67-8 Coco amine 66791-14-8	Petroleum Distillates (BTEX Below Detect)	64742-47-8 En	vironmental Protection
Propylene Glycol 57-55-6 Quartz 14808-60-7 Sillica, crystalline quartz 7631-86-9 Sodium Chloride 7647-14-5 Sodium Hydroxide 1310-73-2 Sugar 57-50-1 Surfactant 68439-51-0 Suspending agent (solid) 14808-60-7 Far bases, quinolline derivs, benzyl chloride-quaternized 72480-70-7 Solvent Naphtha, petroleum, heavy aliph 64742-96-7 Solvent Naphtha, petroleum, heavy aliph 64742-	Polyacrylamide	57-55-6	1
14808-60-7	Propargyl Alcohol	107-19-7	
Total	Propylene Glycol	57-55-6	1
Sodium Chloride 7647-14-5 Sodium Hydroxide 1310-73-2 Sugar 57-50-1 Surfactant 68439-51-0 Suspending agent (solid) 14808-60-7 Far bases, quinoline derivs, benzyl chloride-quaternized 72480-70-7 Solvent Naphtha, petroleum, heavy aliph 64742-96-7 Solvent Naphtha, petroleum, heavy aliph 6478-80-9 Copolymer of Maleic and Acrylic Acid 52255-49-9 DETA phosphonate 15827-60-8 Hexamthylene Triamine Penta 34690-00-1 Phosphino Carboxylic acid polymer 71050-62-9 Hexamethylene Diamine Tetra 23605-75-5 2-Propenoic acid, polymer with 2 propenamide 9003-06-9 Hexamethylene diamine penta (methylene phosphonic acid) 23605-74-5 Diethylene Glycol 111-46-6 Methenamine 100-97-0 Polyethylene polyamine 68603-67-8 Coco amine 61791-14-8	Quartz	14808-60-7	1
Sodium Hydroxide 1310-73-2 Sugar 57-50-1 Surfactant 68439-51-0 Suspending agent (solid) 14808-60-7 Far bases, quinoline derivs, benzyl chloride-quaternized 72480-70-7 Solvent Naphtha, petroleum, heavy aliph 64742-96-7 Soybean Oil, Me ester 67784-80-9 Copolymer of Maleic and Acrylic Acid 52255-49-9 DETA phosphonate 15827-60-8 Hexamthylene Triamine Penta 34690-00-1 Phosphino Carboxylic acid polymer 71050-62-9 Hexamethylene Diamine Tetra 23605-75-5 2-Propenoic acid, polymer with 2 propenamide 9003-06-9 Hexamethylene diamine penta (methylene phosphonic acid) 23605-74-5 Diethylene Glycol 111-46-6 Methenamine 100-97-0 Polyethylene polyamine 68603-67-8 Coco amine 61791-14-8	Sillica, crystalline quartz	7631-86-9	
Sugar S7-50-1	Sodium Chloride	7647-14-5	
Surfactant 68439-51-0 Suspending agent (solid) 14808-60-7 Far bases, quinoline derivs, benzyl chloride-quaternized 72480-70-7 Solvent Naphtha, petroleum, heavy aliph 64742-96-7 Solvent Naphtha, heavy aliph 6474-96-9 Solvent Naphtha, heavy aliph 6	Sodium Hydroxide	1310-73-2	
Suspending agent (solid) Tar bases, quinoline derivs, benzyl chloride-quaternized 72480-70-7 Solvent Naphtha, petroleum, heavy aliph 64742-96-7 Soybean Oil, Me ester Copolymer of Maleic and Acrylic Acid 52255-49-9 DETA phosphonate 15827-60-8 Hexamthylene Triamine Penta Phosphino Carboxylic acid polymer Hexamethylene Diamine Tetra 23605-75-5 2-Propenoic acid, polymer with 2 propenamide Hexamethylene Glycol Hexamethylene Glycol 111-46-6 Methenamine Olyethylene polyamine 68603-67-8 Coco amine 61791-14-8	Sugar	57-50-1]
Tar bases, quinoline derivs, benzyl chloride-quaternized 72480-70-7 Solvent Naphtha, petroleum, heavy aliph 64742-96-7 Solvent Naphtha, petroleum, heavy aliph 64742-96-7 Solvent Naphtha, petroleum, heavy aliph 667784-80-9 Copolymer of Maleic and Acrylic Acid 52255-49-9 DETA phosphonate 15827-60-8 Hexamthylene Triamine Penta 23690-00-1 Phosphino Carboxylic acid polymer 71050-62-9 Hexamethylene Diamine Tetra 23605-75-5 2-Propenoic acid, polymer with 2 propenamide 9003-06-9 Hexamethylene diamine penta (methylene phosphonic acid) 23605-74-5 Diethylene Glycol 111-46-6 Methenamine 100-97-0 Polyethylene polyamine 68603-67-8 Coco amine 61791-14-8	Surfactant	68439-51-0	
Solvent Naphtha, petroleum, heavy aliph Soybean Oil, Me ester Copolymer of Maleic and Acrylic Acid DETA phosphonate Hexamthylene Triamine Penta Phosphino Carboxylic acid polymer Hexamethylene Diamine Tetra Peropenoic acid, polymer with 2 propenamide Hexamethylene Glamine penta (methylene phosphonic acid) Diethylene Glycol Methenamine Polyethylene polyamine Coco amine 64742-96-7 67784-80-9 67784-8	Suspending agent (solid)	14808-60-7	
Soybean Oil, Me ester Copolymer of Maleic and Acrylic Acid Copolymer of Maleic and Acrylic Acid CETA phosphonate 15827-60-8 Hexamthylene Triamine Penta 34690-00-1 Phosphino Carboxylic acid polymer 71050-62-9 Hexamethylene Diamine Tetra 23605-75-5 P-Propenoic acid, polymer with 2 propenamide 9003-06-9 Hexamethylene diamine penta (methylene phosphonic acid) 23605-74-5 Diethylene Glycol 111-46-6 Wethenamine 100-97-0 Polyethylene polyamine 68603-67-8 Coco amine 61791-14-8	Tar bases, quinoline derivs, benzyl chloride-quaternized	72480-70-7	
Copolymer of Maleic and Acrylic Acid DETA phosphonate 15827-60-8 Hexamthylene Triamine Penta Phosphino Carboxylic acid polymer T1050-62-9 Hexamethylene Diamine Tetra 23605-75-5 P-Propenoic acid, polymer with 2 propenamide Hexamethylene diamine penta (methylene phosphonic acid) Diethylene Glycol Methenamine Polyethylene polyamine Coco amine 52255-49-9 15827-60-8 14690-00-1 23605-75-5 23605-75-5 23605-75-5 23605-74-5	Solvent Naphtha, petroleum, heavy aliph	64742-96-7	
DETA phosphonate Hexamthylene Triamine Penta Phosphino Carboxylic acid polymer Hexamethylene Diamine Tetra Phosphino Carboxylic acid polymer Hexamethylene Diamine Tetra Phosphino Carboxylic acid polymer Hexamethylene Diamine Tetra Phosphino Carboxylic acid polymer Phosphino Carboxylic a	Soybean Oil, Me ester	67784-80-9	
Hexamthylene Triamine Penta Phosphino Carboxylic acid polymer Hexamethylene Diamine Tetra Phosphino Carboxylic acid polymer Hexamethylene Diamine Tetra Phosphino Carboxylic acid polymer Hexamethylene Diamine Tetra Phosphino Carboxylic acid polymer 23605-75-5 2-Propenoic acid, polymer with 2 propenamide Hexamethylene diamine penta (methylene phosphonic acid) Pletamethylene Glycol Polythylene Glycol Polythylene polyamine Polythylene polyamine Polythylene polyamine Polythylene polyamine Polythylene polyamine Polythylene polyamine Polythylene Glycol Polythylene polyamine Polythylene polyamine Polythylene Glycol Polythylene polyamine Polythylene Glycol	Copolymer of Maleic and Acrylic Acid	52255-49-9	
Phosphino Carboxylic acid polymer Hexamethylene Diamine Tetra Propenoic acid, polymer with 2 propenamide Hexamethylene diamine penta (methylene phosphonic acid) Diethylene Glycol Methenamine Polyethylene polyamine Polyethylene polyamine Coco amine 71050-62-9 23605-75-5 23605-74-5 111-46-6 100-97-0 68603-67-8 61791-14-8	DETA phosphonate	15827-60-8	
Hexamethylene Diamine Tetra 23605-75-5 2-Propenoic acid, polymer with 2 propenamide Hexamethylene diamine penta (methylene phosphonic acid) Diethylene Glycol Methenamine Polyethylene polyamine Coco amine 23605-75-5 23605-74-	Hexamthylene Triamine Penta	34690-00-1	
2-Propenoic acid, polymer with 2 propenamide 9003-06-9 Hexamethylene diamine penta (methylene phosphonic acid) 23605-74-5 Diethylene Glycol 111-46-6 Methenamine 100-97-0 Polyethylene polyamine 68603-67-8 Coco amine 61791-14-8	Phosphino Carboxylic acid polymer	71050-62-9]
Hexamethylene diamine penta (methylene phosphonic acid) 23605-74-5 Diethylene Glycol Methenamine 100-97-0 Polyethylene polyamine 68603-67-8 Coco amine 61791-14-8	Hexamethylene Diamine Tetra	23605-75-5]
Diethylene Glycol 111-46-6 Methenamine 100-97-0 Polyethylene polyamine 68603-67-8 Coco amine 61791-14-8	2-Propenoic acid, polymer with 2 propenamide	9003-06-9	
Methenamine 100-97-0 Polyethylene polyamine 68603-67-8 Coco amine 61791-14-8	Hexamethylene diamine penta (methylene phosphonic acid)	23605-74-5]
Polyethylene polyamine 68603-67-8 Coco amine 61791-14-8	Diethylene Glycol	111-46-6]
Coco amine 61791-14-8	Methenamine	100-97-0]
	Polyethylene polyamine	68603-67-8	
2-Propyn-1-olcompound with methyloxirane 38172-91-7	Coco amine	61791-14-8	
	2-Propyn-1-olcompound with methyloxirane	38172-91-7]

ACCESS ROAD ENTRANCE (ROAD "B")

LATITUDE: 39.415785 LONGITUDE: -80.957940 (NAD 83) LATITUDE: 39.415707 LONGITUDE: -80.958110 (NAD 27) N 4362919.17 E 5503620.60 (UTM ZONE 17 METERS)

ACCESS ROAD ENTRANCE (ROAD "C") LATITUDE: 39.415659 LONGITUDE: -80.955560 (NAD 83) LATITUDE: 39.415581 LONGITUDE: -80.955730 (NAD 27) N 4362905.30 E 503825.49 (UTM ZONE 17 METERS)

ACCESS ROAD ENTRANCE (ROAD "D")

LATITUDE: 39.416253 LONGITUDE: -80.954842 (NAD 83) LATITUDE: 39.416175 LONGITUDE: -80.955011 (NAD 27) N 4362971.22 E 503887.33 (UTM ZONE 17 METERS)

ACCESS ROAD ENTRANCE (ROAD "E")

LATITUDE: 39.416975 LONGITUDE: -80.953180 (NAD 83) LATITUDE: 39.416897 LONGITUDE: -80.953349 (NAD 27) N 4363051.42 E 504030.36 (UTM ZONE 17 METERS)

CENTER OF TANK

LATITUDE: 39.416258 LONGITUDE: -80.954138 (NAD 83) LATITUDE: 39.416180 LONGITUDE: -80.954308 (NAD 27) N 4362971.88 E 503947.89 (UTM ZONE 17 METERS)

CENTROID OF PAD

LATITUDE: 39.415112 LONGITUDE: -80.956802 (NAD 83) LATITUDE: 39.415034 LONGITUDE: -80.956971 (NAD 27) N 4362844.58 E 503718.66 (UTM ZONE 17 METERS)

THE ACCESS ROAD(S), WATER CONTAINMENT PAD, AND WELL PAD WERE CONSTRUCTED TO AID IN THE DEVELOPMENT OF INDIVIDUAL MARCELLUS SHALE GAS WELLS.

FLOODPLAIN NOTES:

THE SITE IS LOCATED WITHIN FEMA FLOOD ZONE "X" PER FEMA FLOOD MAP #54095C0150C.

MISS UTILITY STATEMENT

ANTERO RESOURCES CORPORATION WILL NOTIFY MISS UTILITY OF WEST VIRGINIA FOR THE LOCATING OF UTILITIES PRIOR TO THIS PROJECT DESIGN. IN ADDITION, MISS UTILITY WILL BE CONTACTED BY THE CONTRACTOR PRIOR TO THE START OF CONSTRUCTION FOR THIS PROJECT.

ENTRANCE PERMIT:

ANTERO RESOURCES CORPORATION WILL OBTAIN AN ENCROACHMENT PERMIT (FORM MM-109) FROM THE CONSTRUCTION ACTIVITIES.

ENVIRONMENTAL NOTES

CONFIRMATION OF THE DELINEATION SHOWN ON THIS EXHIBIT PRIOR TO ENGAGING CONSTRUCTION ON THE FEDERAL AND/OR STATE REGULATORY AGENCIES PRIOR TO ANY PROPOSED IMPACTS TO WATERS OF THE U.S., INCLUDING WETLAND FILLS AND STREAM CROSSINGS

GEOTECHNICAL NOTES:

A SUBSURFACE INVESTIGATION OF THE SITE WAS PERFORMED BY PENNSYLVANIA SOIL & ROCK, INC. BETWEEN SEPTEMBER 25, 2014 & OCTOBER 1, 2014. THE REPORT PREPARED BY PENNSYLVANIA SOIL & ROCK, INC. DATED OCTOBER 13, 2014, REVISED MARCH 15, 2017, REFLECTS THE RESULTS OF THE SUBSURFACE INVESTIGATION. THE INFORMATION AND RECOMMENDATIONS CONTAINED IN THIS REPORT WERE USED IN THE PREPARATION OF THESE PLANS. PLEASE REFER TO THE SUBSURFACE INVESTIGATION REPORT BY PENNSYLVANIA SOIL & ROCK, INC. FOR ADDITIONAL INFORMATION, AS

JIM WILSON - LAND AGENT

ENGINEER/SURVEYOR:

NAVITUS ENGINEERING, INC.

KC HARVEY ENVIRONMENTAL, LLC

SHANNON THOMPSON - STAFF SCIENTIST

CIVIL & ENVIRONMENTAL CONSULTANTS, INC.

ENVIRONMENTAL:

ENVIRONMENTAL:

OFFICE: (304) 933-3119

OFFICE: (304) 842-4419 CELL: (304) 671-2708

CYRUS S. KUMP, PE - PROJECT MANAGER/ENGINEER

OFFICE: (888) 662-4185 CELL: (540) 686-6747

OFFICE: (740) 373-1970 CELL: (970) 396-8250

PROJECT CONTACTS:

OPERATOR:

ANTERO RESOURCES CORPORATION 535 WHITE OAKS BLVD. BRIDGEPORT, WV 26330 PHONE: (304) 842-4100 FAX: (304) 842-4102

ELI WAGONER – ENVIRONMENTAL ENGINEER OFFICE: (304) 842-4068 CELL: (304) 476-9770

JON MCEVERS - OPERATIONS SUPERINTENDENT OFFICE: (303) 357-6799 CELL: (303) 808-2423

AARON KUNZLER - CONSTRUCTION SUPERVISOR CELL: (405) 227-8344

ROBERT B. WIRKS - FIELD ENGINEER

GEOTECHNICAL: PENNSYLVANIA SOIL & ROCK, INC. OFFICE: (304) 842-4100 CELL: (304) 627-7405 CHARLES E. COMPTON, III - SURVEYING COORDINATOR CHRISTOPHER W. SAMIOS-PROJECT ENGINEER OFFICE: (412) 372-4000 CELL: (412) 589-0662 CELL: (304) 719-6449

RESTRICTIONS NOTES:

- 1. THERE ARE NO PERENNIAL STREAMS, LAKES, PONDS, OR RESERVOIRS WITHIN 100 FEET OF THE WELL PAD AND LOD. THERE ARE WETLAND IMPACTS THAT HAVE BEEN PERMITTED BY THE APPROPRIATE
- THERE ARE NO NATURALLY PRODUCING TROUT STREAMS WITHIN 300 FEET OF THE WELL PAD AND LOD. THERE ARE NO GROUNDWATER INTAKE OR PUBLIC WATER SUPPLY FACILITIES WITHIN 1000 FEET OF
- THERE ARE NO APPARENT EXISTING WATER WELLS OR DEVELOPED SPRINGS WITHIN 250 FEET OF THE 5. THERE IS AN OCCUPIED DWELLING 398.8' FEET AWAY FROM THE CENTER OF THE PROPOSED WELL PAD.

6. THERE ARE NO AGRICULTURAL BUILDINGS LARGER THAN 2,500 SQUARE FEET WITHIN 625 FEET OF THE CENTER OF THE WELL PAD.

SINE WELL PAD & WATER CONTAINMENT PAD

WVDEP OOG ACCEPTED AS-BUILT

8 / 1 / 2018

AS-BUILT AND EROSION & SEDIMENT CONTROL IMPROVEMENT PLAN

MEADE DISTRICT, TYLER COUNTY, WEST VIRGINIA SUGAR CREEK WATERSHED

USGS 7.5 MIDDLEBOURNE QUAD MAP




WEST VIRGINIA COUNTY MAP



(NOT TO SCALE)

DESIGN CERTIFICATION: THE DRAWINGS. CONSTRUCTION NOTES, AND REFERENCE DIAGRAMS ATTACHED HERETO HAVE BEEN PREPARED IN ACCORDANCE WITH THE WEST VIRGINIA CODE OF STATE RULES, DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS CRS 35-8.

WVDOH COUNTY ROAD MAP



MISS Utility of West Virginia 1-800-245-4848 West Virginia State Law (Section XIV: Chapter 24-C) Requires that you call two business days before you dig in the state of West Virginia. IT'S THE LAW!!

SHEET INDEX:

1 - COVER SHEET 2 - CONSTRUCTION AND E&S CONTP

SINE LIMITS OF DISTURBANCE AREA (AC)							
Total Site	Permitted	Modification	Total				
Access Road "A" (157')	0.43	0.00	0.43				
Access Road "B" (601')	2.32	0.06	2.38				
Access Road "C" (100')	0.17	0.00	0.17				
Access Road "D" (123')	0.00	0.15	0.15				
Access Road "E" (216')	0.00	0.43	0.43				
Well Pad	5.55	0.00	5.55				
Water Containment Pad	0.00	4.36	4.36				
Production Equipment Pad	1.40	0.00	1.40				
Borrow Area	4.76	0.00	4.76				
Excess/Topsoil Material Stockpiles	0.25	1.11	1.36				
Total Affected Area	14.88	6.11	20.99				
Total Wooded Acres Disturbed	1.14	0.00	1.14				
Impacts to Jam	nes L. Sine TM	1 8-30					
Access Road "A" (157')	0.43	0.00	0.43				
Access Road "C" (100')	0.17	0.00	0.17				
Access Road "D" (123')	0.00	0.15	0.15				
Access Road "E" (216')	0.00	0.43	0.43				
Well Pad	5.55	0.00	5.55				
Water Containment Pad	0.00	4.36	4.36				
Production Equipment Pad	1.40	0.00	1.40				
Excess/Topsoil Material Stockpiles	0.25	1.11	1.36				
Total Affected Area	7.80	6.05	13.85				
Total Wooded Acres Disturbed	0.00	0.00	0.00				
Impacts to Jam	nes L. Sine TM	18-29					
Access Road "B" (601')	2.32	0.06	2.38				
Borrow Area	4.76	0.00	4.76				
Total Affected Area	7.08	0.06	7.14				
Total Wooded Acres Disturbed	1.14	0.00	1.14				

Well Name NAD 27 NAD 83 Zone 17 Alpine West Unit 1H N 336623.48 N 336657.60 N 4362847.41 LAT 39-24-54.4968 E 1588245.66 E 1556804.62 E 503678.31 LONG -80-57-26.1734 Alpine West Unit 2H N 336628.53 N 336662.64 N 4362849.02 LAT 39-24-54.5489 E 1588259.79 E 1556818.74 E 503682.59 LONG -80-57-25.9945 Alpine East Unit 1H N 336633.57 N 336667.68 N 4362850.63 LAT 39-24-54.6010 E 1588273.91 E 15568832.87 E 503686.87 LONG -80-57-25.8156 Alpine East Unit 2H N 336638.61 N 336677.77 N 4362852.24 LAT 39-24-54.6531 E 1588288.04 E 1556847.00 E 503691.15 LONG -80-57-25.6366 Garmin Unit 1H N 336643.66 N 336677.77 N 4362853.84 LAT 39-24-54.7053 E 15883302.17 E 1556861.12 E 503695.43 LONG -80-57-25.4577 Remington Unit 1H N 336619.22 N 336653.34 N 4362847.21 LAT 39-24-54.4895 E 1588462.25 E 1557021.20 E 503743.32 LONG -80-57-23.2223<	Proposed	W North	WW North	UTM (METERS)	NAD 83 Lat & Long
Alpine West Unit 1H E 1588245.66 E 1556804.62 E 503678.31 LONG -80-57-26.1734				` '	NAD 03 Lat & Long
E 1588245.66 E 1556804.62 E 503678.31 LONG -80-57-26.1734 Alpine West Unit 2H					LAT 39-24-54 4968
Alpine West Unit 2H N 336628.53 N 336626.64 N 4362849.02 LAT 39-24-54.5489 Alpine East Unit 1H N 336633.57 N 336667.68 N 4362850.63 LAT 39-24-54.6010 E 1588273.91 E 1556832.87 E 503686.87 LONG -80-57-25.8156 Alpine East Unit 2H N 336638.61 N 336672.73 N 4362852.24 LAT 39-24-54.6531 E 1588288.04 E 1556847.00 E 503691.15 LONG -80-57-25.6366 Garmin Unit 1H N 336643.66 N 336677.77 N 4362853.84 LAT 39-24-54.7053 E 1588302.17 E 1556861.12 E 503695.43 LONG -80-57-25.4577 Garmin Unit 2H N 336648.70 N 336682.81 N 4362855.45 LAT 39-24-54.7574 E 1588316.29 E 1556875.25 E 503699.70 LONG -80-57-25.2787 Remington Unit 1H N 336618.08 N 336652.20 N 4362847.21 LAT 39-24-54.4895 E 1588477.20 E 1557036.16 E 503748.88 LONG -80-57-23.2223 Winchester Unit 1H N 336615.80 N 336649.92 N 4362846.67 LAT 39-24-54.44629 E 1588507.12 E 1557066.07 <	74pino vicot cint in				
E 1588259.79 E 1556818.74 E 503682.59 LONG -80-57-25.9945	Alpine West Unit 2H				
Alpine East Unit 1H N 336633.57 N 336667.68 N 4362850.63 LAT 39-24-54.6010 Alpine East Unit 2H E 1588273.91 E 1556832.87 E 503686.87 LONG -80-57-25.8156 Alpine East Unit 2H N 336638.61 N 336672.73 N 4362852.24 LAT 39-24-54.6531 Garmin Unit 1H N 336643.66 N 336677.77 N 4362853.84 LAT 39-24-54.7053 E 1588302.17 E 1556861.12 E 503695.43 LONG -80-57-25.4577 Garmin Unit 2H N 336648.70 N 336682.81 N 4362855.45 LAT 39-24-54.7574 E 1588316.29 E 15568675.25 E 503699.70 LONG -80-57-25.787 Remington Unit 1H N 336619.22 N 336653.34 N 4362847.21 LAT 39-24-54.4895 E 1588462.25 E 1557021.20 E 503744.32 LONG -80-57-23.4131 Remington Unit 2H N 336618.08 N 336651.06 N 4362846.94 LAT 39-24-54.4806 E 1588477.20 E 1557036.16 E 503748.88 LONG -80-57-23.0315 Winchester Unit 2H N 336615.80 N 336649.92 N 4362846.67 LAT 39-24-54.4629 E 1588507.12	7 apinio 1100t Onit 211				
E 1588273.91 E 1556832.87 E 503686.87 LONG -80-57-25.8156	Alpine Fast Unit 1H				
N 336638.61 N 336672.73 N 4362852.24 LAT 39-24-54.6531			E 1556832.87	E 503686.87	
Garmin Unit 1H N 336643.66 N 336677.77 N 4362853.84 LAT 39-24-54.7053 Garmin Unit 2H N 336648.70 N 336682.81 N 4362855.45 LAT 39-24-54.7574 Garmin Unit 2H N 336648.70 N 336682.81 N 4362855.45 LAT 39-24-54.7574 E 1588316.29 E 1556875.25 E 503699.70 LONG -80-57-25.2787 Remington Unit 1H N 336619.22 N 336653.34 N 4362847.21 LAT 39-24-54.4895 E 1588462.25 E 1557021.20 E 503744.32 LONG -80-57-23.4131 Remington Unit 2H N 336618.08 N 336652.20 N 4362846.94 LAT 39-24-54.4806 E 1588477.20 E 1557036.16 E 503748.88 LONG -80-57-23.2223 Winchester Unit 1H N 336616.94 N 336651.06 N 4362846.67 LAT 39-24-54.4717 E 1588492.16 E 1557051.12 E 503753.44 LONG -80-57-23.0315 Winchester Unit 2H N 336615.80 N 336649.92 N 4362846.40 LAT 39-24-54.4629 E 1588507.12 E 1557066.07 E 503758.01 LONG -80-57-22.8407 Orvis Unit 2H N 336613.52 N 336	Alpine Fast Unit 2H				
Garmin Unit 1H N 336643.66 N 336677.77 N 4362853.84 LAT 39-24-54.7053 Garmin Unit 2H N 336648.70 N 336682.81 N 4362855.45 LAT 39-24-54.7574 E 1588316.29 E 1556875.25 E 503699.70 LONG -80-57-25.2787 Remington Unit 1H N 336619.22 N 336653.34 N 4362847.21 LAT 39-24-54.4895 E 1588462.25 E 1557021.20 E 503744.32 LONG -80-57-23.4131 Remington Unit 2H N 336618.08 N 336652.20 N 4362846.94 LAT 39-24-54.4806 E 1588477.20 E 1557036.16 E 503748.88 LONG -80-57-23.2223 Winchester Unit 1H N 336616.94 N 336651.06 N 4362846.07 LAT 39-24-54.4717 E 1588492.16 E 1557051.12 E 503753.44 LONG -80-57-23.0315 Winchester Unit 2H N 336615.80 N 336649.92 N 4362846.40 LAT 39-24-54.4629 E 1588507.12 E 1557066.07 E 503758.01 LONG -80-57-22.8407 Orvis Unit 1H N 336614.66 N 336648.78 N 4362846.13 LAT 39-24-54.4540 E 1588522.07 E 1557095.99 E 5037	, spine Edot Offic Zil				
E 1588302.17	Garmin Unit 1H		N 336677.77	N 4362853.84	
E 1588316.29 E 1556875.25 E 503699.70 LONG -80-57-25.2787			E 1556861.12	E 503695.43	LONG -80-57-25.4577
E 1588316.29 E 1556875.25 E 503699.70 LONG -80-57-25.2787	Garmin Unit 2H	N 336648.70	N 336682.81	N 4362855.45	LAT 39-24-54.7574
E 1588462.25 E 1557021.20 E 503744.32 LONG -80-57-23.4131 Remington Unit 2H		E 1588316.29	E 1556875.25	E 503699.70	LONG -80-57-25.2787
E 1588462.25 E 1557021.20 E 503744.32 LONG -80-57-23.4131 Remington Unit 2H	Reminaton Unit 1H	N 336619.22	N 336653.34		LAT 39-24-54.4895
E 1588477.20 E 1557036.16 E 503748.88 LONG -80-57-23.2223 Winchester Unit 1H	3	E 1588462.25	E 1557021.20	E 503744.32	LONG -80-57-23.4131
E 1588477.20 E 1557036.16 E 503748.88 LONG -80-57-23.2223 Winchester Unit 1H	Reminaton Unit 2H	N 336618.08	N 336652.20	N 4362846.94	LAT 39-24-54.4806
E 1588492.16 E 1557051.12 E 503753.44 LONG -80-57-23.0315 Winchester Unit 2H N 336615.80 N 336649.92 N 4362846.40 LAT 39-24-54.4629 E 1588507.12 E 1557066.07 E 503758.01 LONG -80-57-22.8407 Orvis Unit 1H N 336614.66 N 336648.78 N 4362846.13 LAT 39-24-54.4540 E 1588522.07 E 1557081.03 E 503762.57 LONG -80-57-22.6499 Orvis Unit 2H N 336613.52 N 336647.64 N 4362845.86 LAT 39-24-54.4451 E 1588537.03 E 1557095.99 E 503767.13 LONG -80-57-22.4591	J.	E 1588477.20	E 1557036.16	E 503748.88	LONG -80-57-23.2223
Winchester Unit 2H N 336615.80 N 336649.92 N 4362846.40 LAT 39-24-54.4629 E 1588507.12 E 1557066.07 E 503758.01 LONG -80-57-22.8407 Orvis Unit 1H N 336614.66 N 336648.78 N 4362846.13 LAT 39-24-54.4540 E 1588522.07 E 1557081.03 E 503762.57 LONG -80-57-22.6499 Orvis Unit 2H N 336613.52 N 336647.64 N 4362845.86 LAT 39-24-54.4451 E 1588537.03 E 1557095.99 E 503767.13 LONG -80-57-22.4591	Winchester Unit 1H	N 336616.94	N 336651.06	N 4362846.67	LAT 39-24-54.4717
E 1588507.12 E 1557066.07 E 503758.01 LONG -80-57-22.8407 Orvis Unit 1H N 336614.66 N 336648.78 N 4362846.13 LAT 39-24-54.4540 E 1588522.07 E 1557081.03 E 503762.57 LONG -80-57-22.6499 Orvis Unit 2H N 336613.52 N 336647.64 N 4362845.86 LAT 39-24-54.4451 E 1588537.03 E 1557095.99 E 503767.13 LONG -80-57-22.4591		E 1588492.16	E 1557051.12	E 503753.44	LONG -80-57-23.0315
Orvis Unit 1H N 336614.66 N 336648.78 N 4362846.13 LAT 39-24-54.4540 E 1588522.07 E 1557081.03 E 503762.57 LONG -80-57-22.6499 Orvis Unit 2H N 336613.52 N 336647.64 N 4362845.86 LAT 39-24-54.4451 E 1588537.03 E 1557095.99 E 503767.13 LONG -80-57-22.4591	Winchester Unit 2H	N 336615.80	N 336649.92	N 4362846.40	LAT 39-24-54.4629
E 1588522.07 E 1557081.03 E 503762.57 LONG -80-57-22.6499 Orvis Unit 2H N 336613.52 N 336647.64 N 4362845.86 LAT 39-24-54.4451 E 1588537.03 E 1557095.99 E 503767.13 LONG -80-57-22.4591		E 1588507.12	E 1557066.07	E 503758.01	LONG -80-57-22.8407
Orvis Unit 2H N 336613.52 N 336647.64 N 4362845.86 LAT 39-24-54.4451 E 1588537.03 E 1557095.99 E 503767.13 LONG -80-57-22.4591	Orvis Unit 1H	N 336614.66	N 336648.78	N 4362846.13	LAT 39-24-54.4540
E 1588537.03 E 1557095.99 E 503767.13 LONG -80-57-22.4591		E 1588522.07	E 1557081.03	E 503762.57	LONG -80-57-22.6499
	Orvis Unit 2H	N 336613.52	N 336647.64	N 4362845.86	LAT 39-24-54.4451
Well Pad Elevation 799.0		E 1588537.03	E 1557095.99	E 503767.13	LONG -80-57-22.4591
	Well Pad Elevation	799.0		•	

SINE EPHEMERAL STREAM IMPACT (LINEAR FEET)							
Permanent Impacts Temp. Impacts Temp. Disturb.							
Stream and Impact Cause	Culvert /	Inlets/Outlets	Cofferdam/ E&S	Distance to	Total Impact (LF)		
	Fill (LF)	Structures (LF)	Controls (LF)	L.O.D. (LF)	(LF)		
KLF-Stream 246 (Well Pad) 0 0 32 0							
SINE INTERMITTENT STREAM IMPACT (LINEAR FEET)							

SINE INTERMITTENT STREAM IMPACT (LINEAR FEET)					
Permanent Impacts		Temp. Impacts	Temp. Disturb.	Total Impact	
Culvert	Inlets/Outlets	Cofferdam/ E&S	Distance to	(LF)	
/Fill (LF)	Structures (LF)	Controls (LF)	L.O.D. (LF)	(LF)	
0	0	0	116	0	
	Perma Culvert	Permanent Impacts Culvert Inlets/Outlets	Permanent Impacts Temp. Impacts Culvert Inlets/Outlets Cofferdam/ E&S	Permanent Impacts Temp. Impacts Temp. Disturb. Culvert Inlets/Outlets Cofferdam/ E&S Distance to /Fill (LF) Structures (LF) Controls (LF) L.O.D. (LF)	

SINE WETLAND IMPACT (SQUARE FEET)						
Wetland and Impact Cause	Fill (SF)	Total Impact (SF)	Total Impact (AC)			
KLF-Wetland 219 (Well Pad)	148	148	0.00			
Wetland 6 (Well Pad)	459	459	0.01			
Wetland 7 (Well Pad)	1,718	1,718	0.04			

REPRODUCTION NOTE

THESE PLANS WERE CREATED TO BE PLOTTED ON 22"X34" (ANSI D) PAPER. HALF SCALE DRAWINGS ARE ON 11"X17" (ANSI B) PAPER.

THESE PLANS WERE CREATED FOR COLOR PLOTTING AND ANY REPRODUCTIONS IN GRAY SCALE OR COLOR MAY RESULT IN A LOSS OF INFORMATION AND SHOULD NOT BE USED FOR CONSTRUCTION PURPOSES.



THIS DOCUMENT WAS PREPARED FOR ANTERO RESOURCES CORPORATION

DATE: 04/23/2018 SCALE: AS SHOWN SHEET 1 OF 17

