



west virginia department of environmental protection

Office of Oil and Gas
601 57th Street, S.E.
Charleston, WV 25304
(304) 926-0450
fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary
www.dep.wv.gov

Tuesday, July 26, 2022
WELL WORK PERMIT
Horizontal 6A / New Drill

ANTERO RESOURCES CORPORATION
1615 WYNKOOP STREET
DENVER, CO 80202

Re: Permit approval for EMMONS UNIT 1H
47-095-02801-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926- 0450.

James A. Martin
Chief

Operator's Well Number: EMMONS UNIT 1H
Farm Name: ANTERO MIDSTREAM LLC
U.S. WELL NUMBER: 47-095-02801-00-00
Horizontal 6A New Drill
Date Issued: 7/26/2022

PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

API Number: _____

PERMIT CONDITIONS

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.



west virginia department of environmental protection

Office of Oil and Gas
601 57th Street, S.E.
Charleston, WV 25304
(304) 926-0450
Fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary
dep.wv.gov

**ORDER
ISSUED UNDER
WEST VIRGINIA CODE, CHAPTER 22, ARTICLE 6A**

TO: Antero Resources Corporation
1615 Wynkoop Street
Denver, CO 80202

DATE: April 23, 2021
ORDER NO.: 2021-W-2

INTRODUCTION

This Order (hereinafter "Order") is issued by the Office of Oil and Gas (hereinafter "OOG"), by and through its Chief, pursuant to the authority of W. Va. Code §§ 22-1-1, 22-6-1 and 22-6A-1 *et seq.* to Antero Resources Corporation (hereinafter "Antero" or "Operator"), collectively the "Parties."

FINDINGS OF THE CHIEF

In support of this Order, the Chief hereby finds the following:

1. OOG, an office within the West Virginia Department of Environmental Protection, is the agency with the duty and authority to execute and enforce W. Va. Code §22-6-1 and §22-6A-1 *et seq.*, and the rules and regulations promulgated thereunder.
2. Antero is a "person" as defined by W. Va. Code §22-6-1(n), with a corporate address as 1615 Wynkoop Street, Denver, CO 80202.
3. On March 22, 2021 Antero submitted a well work permit application identified as API# 47- 95-02736. The well is located on the Beech Run Pad fka Oiler Pad in the Ellsworth District of Tyler County, West Virginia.
4. On March 22, 2021 Antero requested a waiver for Wetland KLF_ WETLAND 13 as outlined in Attachment 1, from well location restriction requirements in W. Va. Code §22-6A-12(b) for the well work permit application identified as API# 47- 95-02736. Other wetlands shown on Attachment 1 are excluded from the waiver due to their location inside of the construction area and total coverage under the ACOE permit.

CONCLUSIONS OF LAW

1. West Virginia Code §22-1-6(d) requires, in part, that “in addition to other powers, duties and responsibilities granted and assigned to the secretary by this chapter, the secretary is authorized and empowered to... (3) Enter private lands to make surveys and inspections for environmental protection purposes; to investigate for violations of statutes or rules which the Office of Oil and Gas is charged with enforcing; to serve and execute warrants and processes; to make arrests; issue orders, which for the purposes of this chapter include consent agreements; and to otherwise enforce the statutes or rules which the Office of Oil and Gas is charged with enforcing.”

2. West Virginia Code §22-6A-2(a)(6) requires, in part, that “Concomitant with the broad powers to condition the issuance of well work permits, the secretary should also have broad authority to waive certain minimum requirements of this article when, in his or her discretion, such waiver is appropriate: *Provided*, That the secretary shall submit a written report of the number of waivers granted to the Legislature commencing January 1, 2013, and each year thereafter.”

3. West Virginia Code §22-6A-12(b) requires, in part, that “no well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the Office of Oil and Gas shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The Office of Oil and Gas may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary.”

ORDER

West Virginia Code §22-6A-12(b) requires, in part, that “no well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland. The Office of Oil and Gas grants the request for a waiver for KLF_ WETLAND 13 from well location restriction requirements in W. Va. Code §22-6A-12(b) for the well work permit application identified as API# 47- 95-02736. The Office of Oil and Gas hereby **ORDERS** that Antero shall meet the following site construction and operational requirements for the Beech Run fka Oiler Well Pad:

- a. A berm shall be constructed around the perimeter of the pad to contain any potential spills and storm water runoff. Berm is to be at least twenty-four inches (24”) in height;
- b. Erosion control blankets shall be installed on all slopes and down gradient locations of the pad as erosion and sediment controlling BMPs;
- c. Wetland KLF_ WETLAND is outside of the LOD on a slope where no runoff from the project can reach the wetland;
- d. Disturbed areas not used for operations shall be seeded and mulched per the seeding tables in the WVDEP-OOG Erosion and Sediment Control Manual;
- e. Drill cuttings and associated drilling mud shall be disposed of in a permitted landfill;
- f. Waste generated by the flowback treatment systems shall be sent to offsite disposal at a permitted landfill;
- g. Weekly site inspections shall be conducted to monitor and maintain the integrity of the BMP storm water controls;
- h. Weekly storm water and spill prevention inspections shall be conducted focusing on storm water and spill prevention BMPs and maintenance of these BMPs;
- i. Inspections of the storm water and spill prevention measures shall be conducted after any major storm event defined as a half inch (½”) rain within any twenty-four (24) hour period;
- j. Pad inspections shall be conducted no less than once a week to identify and mitigate potential deficiencies;
- k. All records from inspections shall be maintained on site for the life of the project and be available upon request.

Thus ORDERED, the 27th day of April 2021.

IN THE NAME OF THE STATE OF WEST VIRGINIA:

OFFICE OF OIL AND GAS
DEPARTMENT OF ENVIRONMENTAL PROTECTION
STATE OF WEST VIRGINIA

By: **James Martin** Digitally signed by James Martin
Date: 2021.04.27 13:53:28 -0400

JAMES A. MARTIN, CHIEF

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
WELL WORK PERMIT APPLICATION

1) Well Operator: Antero Resources Corporation 494507062 095-Tyler Ellsworth Porter Falls 7.5'
Operator ID County District Quadrangle

2) Operator's Well Number: Emmons Unit 1H Well Pad Name: Beech Run Pad

3) Farm Name/Surface Owner: Antero Midstream LLC Public Road Access: Beech Run Rd.

4) Elevation, current ground: 1247' Elevation, proposed post-construction: ~1222'

5) Well Type (a) Gas Oil Underground Storage

Other _____

(b) If Gas Shallow Deep

Horizontal

6) Existing Pad: Yes or No Yes

7) Proposed Target Formation(s), Depth(s), Anticipated Thickness and Expected Pressure(s):
Marcellus Shale: 7500' TVD, Anticipated Thickness- 55 feet, Associated Pressure- 2850#

8) Proposed Total Vertical Depth: 7500' TVD ✓

9) Formation at Total Vertical Depth: Marcellus

10) Proposed Total Measured Depth: 14000' MD ✓

11) Proposed Horizontal Leg Length: 6286.9' ✓

12) Approximate Fresh Water Strata Depths: 880' ✓

13) Method to Determine Fresh Water Depths: 47095308530000 ✓


14) Approximate Saltwater Depths: 2289' ✓

15) Approximate Coal Seam Depths: 431'

16) Approximate Depth to Possible Void (coal mine, karst, other): None Anticipated

17) Does Proposed well location contain coal seams directly overlying or adjacent to an active mine? Yes No

(a) If Yes, provide Mine Info: Name: _____
Depth: _____
Seam: _____
Owner: _____



Steve McGeary 7/18/22

4709502801

WW-6B
(04/15)

API NO. 47-095 -
OPERATOR WELL NO. Emmons Unit 1H
Well Pad Name: Beech Run Pad

18)

CASING AND TUBING PROGRAM

TYPE	Size (in)	New or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	20"	New	X-60	78.67#	100	100 ✓	CTS, 96 Cu. Ft.
Fresh Water	13-3/8"	New	J-55	54.5#	930	930 ✓	CTS, 969 Cu. Ft.
Coal	9-5/8"	New	J-55	36#	3000	3000 ✓	CTS, 1221 Cu. Ft.
Intermediate							
Production	5-1/2"	New	P-110HP	20#	14000	14000 ✓	2610 Cu. Ft
Tubing	2-3/8"	New	N-80	4.7#			
Liners							

TYPE	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	20"	24"	0.375"	2250	50	Class A	~1.18
Fresh Water	13-3/8"	17-1/2"	0.38"	2730	1000	Class A	~1.18
Coal	9-5/8"	12-1/4"	0.352"	3520	1500	Class A	~1.18
Intermediate							
Production	5-1/2"	8-3/4" & 8-1/2"	0.415"	14,360	2500	Class G/H	~1.8
Tubing	2-3/8"	4.778"	0.19"	11,200			
Liners							

PACKERS

Kind:	N/A			
Sizes:	N/A			
Depths Set:	N/A			

Steve McRay 7/13/22

4709502801

WW-6B
(10/14)

API NO. 47-095 -
OPERATOR WELL NO. Emmons Unit 1H
Well Pad Name: Beech Run Pad

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill a new horizontal shallow well into the Marcellus Shale.

*Antero will be air drilling the fresh water string which makes it difficult to determine when fresh water is encountered. Therefore, we have built in a buffer for the casing setting depth which helps to ensure that all fresh water zones are covered.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Antero plans to pump Slickwater into the Marcellus Shale formation in order to ready the well for production. The fluid will be comprised of approximately 99 percent water and sand, with less than 1 percent special-purpose additives as shown in the attached "List of Anticipated Additives Used for Fracturing or Stimulating Well."

Anticipated Max Pressure - 9300 lbs
Anticipated Max Rate - 80 bpm

21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 24.47 acres

22) Area to be disturbed for well pad only, less access road (acres): 12.89 acres

23) Describe centralizer placement for each casing string:

Conductor: no centralizers

Surface Casing: one centralizer 10' above the float shoe, one on the insert float collar and one every 4th joint spaced up the hole to surface.

Intermediate Casing: one centralizer above float joint, one centralizer 5' above float collar and one every 4th collar to surface.

Production Casing: one centralizer at shoe joint and one every 3 joints to top of cement in intermediate casing.

24) Describe all cement additives associated with each cement type:

Conductor: no additives, Class A cement.

Surface: Class A cement with 2-3% calcium chloride and 1/4 lb of flake

Intermediate: Class A cement with 1/4 lb of flake, 5 gallons of clay treat

Production: Lead cement- 50/50 Class H/Poz + 1.5% salt + 1% C-45 + 0.5% C-16a + 0.2% C-12 + 0.45% C-20 + 0.05% C-51

Production: Tail cement- Class H + 45 PPS Calcium Carbonate + 1.0% FL-160 + 0.2% ACGB-47 + 0.05% ACSA-51 + 0.2% ACR-20

25) Proposed borehole conditioning procedures:

Conductor: blowhole clean with air, run casing, 10 bbls fresh water.

Surface: blowhole clean with air, trip to conductor shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate pipe capacity + 40 bbls fresh water followed by 25 bbls bentonite mud, 10 bbls fresh water spacer.

Intermediate: blowhole clean with air, trip to surface casing shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate 40 bbls brine water followed by 10 bbls fresh water and 25 bbls bentonite mud, pump 10 bbls fresh water.

Production: circulate with 14 lb/gal NaCl mud, trip to middle of lateral, circulate, pump high viscosity sweep, trip to base of curve, pump high viscosity sweep, trip to top of curve, trip to bottom, circulate, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump 48 bbls barite pill, pump 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls water.

*Note: Attach additional sheets as needed.

Steve McCoy 7/13/22

WW-9
(4/16)

API Number 47 - 095 - _____
Operator's Well No. Emmons Unit 1H

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Antero Resources Corporation OP Code 494507062

Watershed (HUC 10) Outlet Middle Island Creek Quadrangle Porter Falls 7.5'

Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No

Will a pit be used? Yes No

If so, please describe anticipated pit waste: No pit will be used at this site. (Drilling and Flowback Fluids will be stored in tanks. Cuttings will be tanked and hauled off site.)

Will a synthetic liner be used in the pit? Yes No If so, what ml.? N/A

Proposed Disposal Method For Treated Pit Wastes:

- Land Application
- Underground Injection (UIC Permit Number *UIC Permit # will be provided on Form WR-34)
- Reuse (at API Number Future permitted well locations when applicable. API# will be provided on Form WR-34)
- Off Site Disposal (Supply form WW-9 for disposal location) Meadowfill Landfill Permit #SWF-1032-98
- Other (Explain Northwestern Landfill Permit #SWF-1025/WV0109410
Wetzel Co Landfill Permit #SWF-1021)

Will closed loop system be used? If so, describe: Yes, fluids stored in tanks, cuttings removed offsite and taken to landfill.

Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc.

Surface - Air/Freshwater, Intermediate - Dust/Stiff Foam, Production - Water Based Mud

-If oil based, what type? Synthetic, petroleum, etc. Synthetic

Additives to be used in drilling medium? Please See Attachment

Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Drill cuttings stored in tanks, removed offsite and taken to landfill.

-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A

-Landfill or offsite name/permit number? Meadowfill Landfill (Permit #SWF-1032-98), Northwestern Landfill (Permit # SWF-1025/WV0109410)
Wetzel Co Landfill (Permit #SWF-1021)

Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.

I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action.

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.

Company Official Signature Gretchen Kohler

Company Official (Typed Name) Gretchen Kohler

Company Official Title Director of Environmental & Regulatory Compliance

Subscribed and sworn before me this 22 day of June, 2022

Diane Blair

Notary Public



My commission expires 27 Apr 2024

Steve May 7/13/22

Form WW-9 Additives Attachment

SURFACE INTERVAL

1. Fresh Water
2. Soap –Foamer AC
3. Air

INTERMEDIATE INTERVAL

STIFF FOAM RECIPE:

- 1) 1 ppb Soda Ash / Sodium Carbonate-Alkalinity Control Agent
- 2) 1 ppb Conqor 404 (11.76 ppg) / Corrosion Inhibitor
- 3) 4 ppb KLA-Gard (9.17 ppg) / Amine Acid Complex-Shale Stabilizer
- 4) 1ppb Mil Pac R / Sodium Carboxymethylcellulose-Filtration Control Agent
- 5) 12 ppb KCL / Potassium Chloride-inorganic Salt
- 6) Fresh Water 80 bbls
- 7) Air

PRODUCTION INTERVAL

1. Alpha 1655
Salt Inhibitor
2. Mil-Carb
Calcium Carbonate
3. Cottonseed Hulls
Cellulose-Cottonseed Pellets – LCM
4. Mil-Seal
Vegetable, Cotton & Cellulose-Based Fiber Blend – LCM
5. Clay-Trol
Amine Acid Complex – Shale Stabilizer
6. Xan-Plex
Viscosifier For Water Based Muds
7. Mil-Pac (All Grades)
Sodium Carboxymethylcellulose – Filtration Control Agent
8. New Drill
Anionic Polyacrylamide Copolymer Emulsion – Shale Stabilizer
9. Caustic Soda
Sodium Hydroxide – Alkalinity Control
10. Mil-Lime
Calcium Hydroxide – Lime
11. LD-9
Polyether Polyol – Drilling Fluid Defoamer
12. Mil Mica
Hydro-Biotite Mica – LCM

RECEIVED
Office of Oil and Gas

JUN 23 2022

WV Department of
Environmental Protection

13. Escaid 110
Drilling Fluid Solvent – Aliphatic Hydrocarbon
14. Ligco
Highly Oxidized Leonardite – Filtration Control Agent
15. Super Sweep
Polypropylene – Hole Cleaning Agent
16. Sulfatrol K
Drilling Fluid Additive – Sulfonated Asphalt Residuum
17. Sodium Chloride, Anhydrous
Inorganic Salt
18. D-D
Drilling Detergent – Surfactant
19. Terra-Rate
Organic Surfactant Blend
20. W.O. Defoam
Alcohol-Based Defoamer
21. Perma-Lose HT
Fluid Loss Reducer For Water-Based Muds
22. Xan-Plex D
Polysaccharide Polymer – Drilling Fluid Viscosifier
23. Walnut Shells
Ground Cellulosic Material – Ground Walnut Shells – LCM
24. Mil-Graphite
Natural Graphite – LCM
25. Mil Bar
Barite – Weighting Agent
26. X-Cide 102
Biocide
27. Soda Ash
Sodium Carbonate – Alkalinity Control Agent
28. Clay Trol
Amine Acid complex – Shale Stabilizer
29. Sulfatrol
Sulfonated Asphalt – Shale Control Additive
30. Xanvis
Viscosifier For Water-Based Muds
31. Milstarch
Starch – Fluid Loss Reducer For Water Based Muds
32. Mil-Lube
Drilling Fluid Lubricant

RECEIVED
Office of Oil and Gas

JUN 23 2022

WV Department of
Environmental Protection

Form WW-9

Operator's Well No. Emmons Unit 1H

Antero Resources Corporation

Proposed Revegetation Treatment: Acres Disturbed 24.47 acres Prevegetation pH _____

Lime 2-4 Tons/acre or to correct to pH 6.5

Fertilizer type Hay or straw or Wood Fiber (will be used where needed)

Fertilizer amount 500 lbs/acre

Mulch 2-3 Tons/acre

Access Road (5.69 acres) + Well Pad (12.82 acres) + Topsoil Pile "A" (2.78 acres) + Topsoil Pile "B" (1.87 acres) + Stockpile (1.24 acres) = 24.47 Acres

Seed Mixtures

Temporary

Permanent

Seed Type	lbs/acre
Annual Ryegrass	40
Field Bromegrass	40

Seed Type	lbs/acre
Crownvetch	10-15
Tall Fescue	30

See attached Table IV-3 for additional seed type (Beech Run Pad Design)

See attached Table IV-4A for additional seed type (Beech Run Pad Design)

*or type of grass seed requested by surface owner

*or type of grass seed requested by surface owner

Attach:

Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and area in acreage, of the land application area.

Photocopied section of involved 7.5' topographic sheet.

Plan Approved by: Steve McCoy


Comments: _____

Title: Oil & Gas Inspector

Date: 7/13/22

Field Reviewed? () Yes (/) No

BEECH RUN PAD
ANTERO RESOURCES
CORPORATION



RECEIVED
Office of Oil and Gas

JUN 23 2022

WV Department of
Environmental Protection

WILLOW LAND SURVEYING, PLLC
P.O. BOX 17, PENNSBORO, WV 26415
(304) 659-1717

JOB #: 22-005WA

SCALE : 1-INCH = 2000-FEET



DATE: 06/13/22

DRAWN BY: D.L.P.

FILE: EMMONS1HAORs.DWG



911 Address
8781 Wetzel Tyler Ridge Rd.
New Martinsville, WV 26155

Well Site Safety Plan

Antero Resources

Well Name: Beech Run Unit 5H (fka Oiler)

Pad Location: Beech Run PAD

Tyler County/Ellsworth District

GPS Coordinates:

Entrance - Lat 39°53'26.941"/Long -80°77'73.196" (NAD83)

Pad Center - Lat 39°52'88.561"/Long -80°78'22.212" (NAD83)


Driving Directions:

From Reader: Head northwest on Border Lane toward Old Mexico Rd. for 16 ft. - sharp left onto CO Rd. 40/2 for 0.3 miles - continue onto 8 Mile Rd. for 4.0 miles - slight right onto Wetzel Tyler Ridge Rd. for 2.0 miles - turn left onto Right Hand Middle Fork for 0.2 miles - lease road will be on your left.


Alternate Route:

From Middlebourne: Head northeast onto WV-18 N/Main St. toward Court St./Dodd St. for 4.3 miles - turn right onto WV-180 N for 0.2 miles - turn right onto CO Rd. 11/6 for 0.4 miles - continue onto Elk Fork Rd. for 5.3 miles - slight left onto Mudlick Rd. for 0.1 miles - continue onto Left Hand Middle Fork for 0.5 miles - continue onto Right Hand Middle Fork for 1.1 miles - lease road will be on your right.

EMERGENCY (24 HOUR) CONTACT 1-800-878-1373₁



SM 7/13/22



Antero Resources Corporation
 Appalachian Basin
 Beech Run Pad
 Tyler County

Quadrangle: Porter Falls
 Watershed: Outlet Middle Island Creek
 District: Ellsworth
 Date: 3-17-2021

RECEIVED
 Office of Oil and Gas
 JUN 23 2022
 WV Department of
 Environmental Protection

LATITUDE 39°32'30"

9133'

LATITUDE 39°35'00"

9,497'

4,791'

13,405'

LONGITUDE 80°45'00"

LONGITUDE 80°45'00"



Antero Resources Corporation Well No. Emmons Unit 1H

NOTES: WELL 1H TOP HOLE INFORMATION: N: 377,188ft E: 1,638,290ft LAT: 39°31'42.65" LON: 80°46'56.56" BOTTOM HOLE INFORMATION: N: 383,755ft E: 1,638,017ft LAT: 39°32'47.51" LON: 80°47'01.24" WEST VIRGINIA COORDINATE SYSTEM OF 1927 NORTH ZONE. ZONE WAS DERIVED FROM MEASUREMENTS TAKEN WITH TRIMBLE GEOXT SUBMETER MAPPING GRADE GPS UNIT. PLAT ORIENTATION, CORNER, AND WELL REFERENCE TIE LINES ARE BASED ON GRID NORTH.

(NAD) 83 (UTM) ZONE 17 COORDS: WELL 1H TOP HOLE INFORMATION: N: 4,375,460m E: 518,718m BOTTOM HOLE INFORMATION: N: 4,377,460m E: 518,602m

(NAD) 27 (UTM) ZONE 17 COORDS: WELL 1H TOP HOLE INFORMATION: N: 14,354,441ft E: 1,701,780ft POINT OF ENTRY INFORMATION: N: 14,355,055ft E: 1,703,435ft BOTTOM HOLE INFORMATION: N: 14,361,001ft E: 1,701,398ft

NOTE: NO OCCUPIED DWELLINGS OR BUILDINGS TWO THOUSAND FIVE HUNDRED (2,500) SQUARE FEET OR LARGER USED TO HOUSE OR SHELTER DAIRY CATTLE OR POULTRY HUSBANDRY ARE LOCATED WITHIN SIX HUNDRED TWENTY-FIVE (625) FEET OF THE CENTER OF THE WELL PAD.



I THE UNDERSIGNED, HEREBY CERTIFY THAT THIS PLAT IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF AND SHOWS ALL THE INFORMATION REQUIRED BY LAW AND THE RULES ISSUED AND PERSCRIBED BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION.




STATE OF WEST VIRGINIA, DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS. WILLLOW LAND SURVEYING PLLC 220 MASONIC AVE. PENNSBORO WEST VIRGINIA 26415

Table listing landowners and mineral interests in the Ellsworth District - Tyler County and Green District - Wetzel County. Includes names like John Bennett, Karen Clark, Wendi Manion, etc.

Table listing mineral ownership interests, including names like Janet Carroll Jones, BRC Appalachian Minerals I LLC, etc.

JOB # 20-014WA DRAWING # EMMONS1Hs SCALE 1" = 2000' MINIMUM DEGREE OF ACCURACY SUBMETER PROVEN SOURCE OF ELEV. SUBMETER MAPPING GRADE GPS.

LEGEND: Surface Owner Boundary Lines +/-, Adjoining Surface Tracts +/-, Found monument, as noted. THOMAS SUMMERS P.S. 2109



STATE OF WEST VIRGINIA DEPARTMENT OF ENERGY DIVISION OF OIL AND GAS. DATE 06/13/22 OPERATOR'S WELL # EMMONS UNIT #1H

WELL TYPE: OIL ___ GAS X LIQUID INJECTION ___ WASTE DISPOSAL ___ 47 - 095 - 02801 H6A (IF "GAS") PRODUCTION X STORAGE ___ DEEP ___ SHALLOW X STATE COUNTY PERMIT LOCATION: ELEVATION 1,222' - PROPOSED 1,247' - ORIGINAL WATERSHED OUTLET MIDDLE ISLAND CREEK QUADRANGLE PORTER FALLS 7.5' DISTRICT ELLSWORTH COUNTY TYLER SURFACE OWNER ANTERO MIDSTREAM LLC ACREAGE 50 ACRES +/- OIL & GAS ROYALTY OWNER ELAINE L. OILER; HAUGHT FAMILY TRUST; LEASE ACREAGE 50 AC.±; 16.25 AC.±; H3 LLC; OMA ANN FERRELL; DEANNA R. COCHRAN; DANNY RAY BOOHER ET UX; RBMA LLC; 14 AC.±; 67 AC.±; 67 AC.±; 51.5 AC.±; 119.75 AC.±; SHIRLEY L. CARROLL; BRC APPALACHIAN MINERALS I LLC; JANET CARROLL JONES; 1.41 AC.±; 96.38 AC.±; 26.5 AC.±;

PROPOSED WORK: DRILL X CONVERT ___ DRILL DEEPER ___ REDRILL ___ FRACTURE OR STIMULATE X PLUG OFF OLD FORMATION ___ PERFORATE NEW FORMATION X OTHER PHYSICAL CHANGE IN WELL (SPECIFY) PLUG & ABANDON CLEAN OUT & REPLUG TARGET FORMATION MARCELLUS ESTIMATED DEPTH 7,500' TVD 14,000' MD WELL OPERATOR ANTERO RESOURCES CORP. DESIGNATED AGENT DIANNA STAMPER - CT CORPORATION SYSTEM ADDRESS 1615 WYNKOOP ST. ADDRESS 5400 D BIG TYLER ROAD DENVER, CO 80202 CHARLESTON, WV 25313

LATITUDE 39°32'30"

9133'

LATITUDE 39°35'00"

9,497'

Antero Resources Corporation Well No. Emmons Unit 1H

NOTES: WELL 1H TOP HOLE INFORMATION: N: 377,188ft E: 1,638,290ft LAT: 39°31'42.65" LON: 80°46'56.56" BOTTOM HOLE INFORMATION: N: 383,755ft E: 1,638,017ft LAT: 39°32'47.51" LON: 80°47'01.24" WEST VIRGINIA COORDINATE SYSTEM OF 1927 NORTH ZONE. ZONE WAS DERIVED FROM MEASUREMENTS TAKEN WITH TRIMBLE GEOXT SUBMETER MAPPING GRADE GPS UNIT. PLAT ORIENTATION, CORNER, AND WELL REFERENCE TIE LINES ARE BASED ON GRID NORTH.

(NAD) 83 (UTM) ZONE 17 COORDS: WELL 1H TOP HOLE INFORMATION: N: 4,375,460m E: 518,718m BOTTOM HOLE INFORMATION: N: 4,377,460m E: 518,602m

(NAD) 27 (UTM) ZONE 17 COORDS: WELL 1H TOP HOLE INFORMATION: N: 14,354,441ft E: 1,701,780ft POINT OF ENTRY INFORMATION: N: 14,355,055ft E: 1,703,435ft BOTTOM HOLE INFORMATION: N: 14,361,001ft E: 1,701,398ft


NOTE: NO OCCUPIED DWELLINGS OR BUILDINGS TWO THOUSAND FIVE HUNDRED (2,500) SQUARE FEET OR LARGER USED TO HOUSE OR SHELTER DAIRY CATTLE OR POULTRY HUSBANDRY ARE LOCATED WITHIN SIX HUNDRED TWENTY-FIVE (625) FEET OF THE CENTER OF THE WELL PAD.

NOTE: 1 WATER WELL WAS LOCATED WITHIN 2000' OF THE CENTER OF PAD

WELL NO. 1H

1H TOP HOLE

1H BOTTOM HOLE



I THE UNDERSIGNED, HEREBY CERTIFY THAT THIS PLAT IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF AND SHOWS ALL THE INFORMATION REQUIRED BY LAW AND THE RULES ISSUED AND PERSCRIBED BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION.



STATE OF WEST VIRGINIA, DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS



WILLOW LAND SURVEYING PLLC 220 MASONIC AVE. PENNSBORO WEST VIRGINIA 26415

Table listing landowners and acreage for various parcels in the Ellsworth District - Tyler County and Green District - Wetzel County.

Table listing mineral ownership for various parcels, including names like Janet Carroll Jones, BRC Appalachian Minerals I LLC, etc.

JOB # 20-014WA DRAWING # EMMONS1Hs SCALE 1" = 2000' MINIMUM DEGREE OF ACCURACY SUBMETER PROVEN SOURCE OF ELEV. SUBMETER MAPPING GRADE GPS

LEGEND: Surface Owner Boundary Lines +/-, Adjoining Surface Tracts +/-, Found monument, as noted. Signature of Thomas Summers.



STATE OF WEST VIRGINIA DEPARTMENT OF ENERGY DIVISION OF OIL AND GAS

DATE 06/13/22 OPERATOR'S WELL# EMMONS UNIT #1H

WELL TYPE: OIL ___ GAS X LIQUID INJECTION ___ WASTE DISPOSAL ___ 47 - 095 - 62801 H&A (IF "GAS") PRODUCTION X STORAGE ___ DEEP ___ SHALLOW X STATE COUNTY PERMIT LOCATION: ELEVATION 1,222' - PROPOSED 1,247' - ORIGINAL WATERSHED OUTLET MIDDLE ISLAND CREEK QUADRANGLE PORTER FALLS 7.5' DISTRICT ELLSWORTH COUNTY TYLER SURFACE OWNER ANTERO MIDSTREAM LLC ACREAGE 50 ACRES +/-

OIL & GAS ROYALTY OWNER ELAINE L. OILER; HAUGHT FAMILY TRUST; LEASE ACREAGE 50 AC.±; 16.25 AC.±; H3 LLC; OMA ANN FERRELL; DEANNA R. COCHRAN; DANNY RAY BOOHER ET UX; RBMA LLC; 14 AC.±; 67 AC.±; 67 AC.±; 51.5 AC.±; 119.75 AC.±; SHIRLEY L. CARROLL; BRC APPALACHIAN MINERALS I LLC; JANET CARROLL JONES; 1.41 AC.±; 96.38 AC.±; 26.5 AC.±;

PROPOSED WORK: DRILL X CONVERT ___ DRILL DEEPER ___ REDRILL ___ FRACTURE OR STIMULATE X PLUG OFF OLD FORMATION ___ PERFORATE NEW FORMATION X OTHER PHYSICAL CHANGE IN WELL (SPECIFY) PLUG & ABANDON CLEAN OUT & REPLUG TARGET FORMATION MARCELLUS ESTIMATED DEPTH 7,500' TVD 14,000' MD WELL OPERATOR ANTERO RESOURCES CORP. DESIGNATED AGENT DIANNA STAMPER - CT CORPORATION SYSTEM ADDRESS 1615 WYNKOOP ST. ADDRESS 5400 D BIG TYLER ROAD CHARLESTON, WV 25313

4,791' LONGITUDE 80°45'00" 1,3405' LONGITUDE 80°45'00"

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE
Chapter 22, Article 6A, Section 5(a)(5)
IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.	Grantee, lessee, etc.	Royalty	Book/Page
<u>O: Elaine L. Oiler Lease</u>			
Elaine L. Oiler	Petroedge Energy LLC	1/8	0399/0725
Petroedge Energy LLC	Statoil USA Onshore Properties	Assignment	0406/0147
Statoil USA Onshore Properties	EQT Production Company	Assignment	0539/0239
EQT Production Company	Antero Resources Corporation	Assignment	0663/0001
<u>Q: Haught Family Trust Lease</u>			
Haught Family Trust dated 4/17/1989	Montani Energy LLC	1/8+	0392/0069
Montani Energy LLC	Antero Resources Corporation	Assignment	0396/0759
<u>P: H 3 LLC Lease</u>			
H 3 LLC	Antero Resources Appalachian Corporation	1/8+	0417/0257
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	0557/0430
<u>O: Elaine L. Oiler Lease</u>			
Elaine L. Oiler	Petroedge Energy LLC	1/8	0399/0725
Petroedge Energy LLC	Statoil USA Onshore Properties	Assignment	0406/0147
Statoil USA Onshore Properties	EQT Production Company	Assignment	0539/0239
EQT Production Company	Antero Resources Corporation	Assignment	0663/0001
<u>L: Oma Ann Ferrell Lease</u>			
Oma Ann Ferrell	Antero Resources Corporation	1/8+	0617/0754
<u>M: Brian Michael Weekley Lease</u>			
Brian Michael Weekley	Antero Resources Corporation	1/8+	283A/0609
<u>J: Deanna R. Cochran Lease</u>			
Deanna R. Cochran	Antero Resources Corporation	1/8+	270A/0789
<u>I: Danny Ray Booher, et ux Lease</u>			
Danny Ray Booher, et ux	Stone Energy Corporation	1/8	127A/0449
Stone Energy Corporation	EQT Production Company	Assignment	183A/0305
EQT Production Company	Antero Resources Corporation	Assignment	0663/0001
<u>H: RBMA, LLC Lease</u>			
RBMA, LLC	Antero Resources Corporation	1/8+	236A/0481
<u>F: Shirley L. Carroll Lease</u>			
Shirley L. Carroll	Antero Resources Corporation	1/8	085A/0653

*CONTINUED ON NEXT PAGE

RECEIVED
Office of Oil and Gas
JUN 23 2022
WV Department of
Environmental Protection

4709502801

WW-6A1

Operator's Well Number Emmons Unit 1H

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE
Chapter 22, Article 6A, Section 5(a)(5)
IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.	Grantee, lessee, etc.	Royalty	Book/Page
C: BRC Appalachian Minerals I, LLC Lease			
BRC Appalachian Minerals I, LLC	BRC Working Interest Company, LLC	1/8+	0369/0300
BRC Working Interest Company, LLC	Chesapeake Appalachia, LLC	Assignment	0369/0784
Chesapeake Appalachia, LLC	Statoil USA Onshore Properties Inc	Assignment	0378/0764
Statoil USA Onshore Properties Inc	SWN Exchange Titleholder LLC	Assignment	0470/0668
SWN Exchange Titleholder LLC	SWN Production Company LLC	Merger	0009/0404
SWN Production Company, LLC	Antero Exchange Properties	Assignment	0544/0242
Antero Exchange Properties	Antero Resources Corporation	Merger	0525/0315
D: Cheryl Loy Lease			
Cheryl Loy	Antero Resources Corporation	1/8+	187A/0916
C: BRC Appalachian Minerals I, LLC Lease			
BRC Appalachian Minerals I, LLC	BRC Working Interest Company, LLC	1/8+	0369/0300
BRC Working Interest Company, LLC	Chesapeake Appalachia, LLC	Assignment	0369/0784
Chesapeake Appalachia, LLC	Statoil USA Onshore Properties Inc	Assignment	0378/0764
Statoil USA Onshore Properties Inc	SWN Exchange Titleholder LLC	Assignment	0470/0668
SWN Exchange Titleholder LLC	SWN Production Company LLC	Merger	0009/0404
SWN Production Company, LLC	Antero Exchange Properties	Assignment	0544/0242
Antero Exchange Properties	Antero Resources Corporation	Merger	0525/0315

RECEIVED
Office of Oil and Gas
JUN 23 2022
WV Department of
Environmental Protection

*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

WW-6A1
(5/13)

Operator's Well No. Emmons Unit 1H

**INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE
Chapter 22, Article 6A, Section 5(a)(5)
IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)**

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
✓ A: Janet Carroll Jones Lease	Janet Carroll Jones	Antero Resources Corporation	1/8+	239A/0200

*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

**Acknowledgement of Possible Permitting/Approval
In Addition to the Office of Oil and Gas**

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator: Antero Resources Corporation

By: Max Green

Its: VP of Land

Page 1 of 3

RECEIVED
Office of Oil and Gas

JUN 23 2022

WV Department of
Environmental Protection

4709502801



Antero Resources
1615 Wynkoop Street
Denver, CO 80202
Office 303.357.7310
Fax 303.357.7315

June 15, 2022

West Virginia Department of Environmental Protection
Chief, Office of Oil and Gas
Attn: Mr. James Martin
601 57th Street SE
Charleston, WV 25304

RE: Emmons Unit 1H & 2H
Quadrangle: Porter Falls 7.5'
Tyler County/Ellsworth District, West Virginia

Mr. Martin:

Antero Resources Corporation (Antero) is submitting the following applications for new well work permits for the Emmons Unit 1H & 2H horizontal shallow wells. As an authorized representative, I certify that Antero has the right to extract, produce or market the oil or gas for all leases through which the Emmons Unit 1H & 2H horizontal laterals will drill through including any and all roads crossed under as identified on the attached survey plat.

Sincerely,

A handwritten signature in black ink, appearing to read "TK", is written over a horizontal line. Below the signature, the name "Thomas Kuhn" and title "Senior Staff Landman" are printed in a black, sans-serif font.

Thomas Kuhn
Senior Staff Landman

RECEIVED
Office of Oil and Gas

JUN 23 2022

WV Department of
Environmental Protection

**STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE CERTIFICATION**

Date of Notice Certification: 06/21/2022

API No. 47- 095 - _____
Operator's Well No. Emmons Unit 1H
Well Pad Name: Beech Run Pad

Notice has been given:

Pursuant to the provisions in West Virginia Code § 22-6A, the Operator has provided the required parties with the Notice Forms listed below for the tract of land as follows:

State: <u>West Virginia</u>	UTM NAD 83 Easting: <u>518718m</u>
County: <u>Tyler</u>	Northing: <u>4375460m</u>
District: <u>Ellsworth</u>	Public Road Access: <u>Beech Run Rd.</u>
Quadrangle: <u>Porter Falls 7.5'</u>	Generally used farm name: <u>Antero Midstream LLC</u>
Watershed: <u>Outlet Middle Island Creek</u>	

Pursuant to West Virginia Code § 22-6A-7(b), every permit application filed under this section shall be on a form as may be prescribed by the secretary, shall be verified and shall contain the following information: (14) A certification from the operator that (i) it has provided the owners of the surface described in subdivisions (1), (2) and (4), subsection (b), section ten of this article, the information required by subsections (b) and (c), section sixteen of this article; (ii) that the requirement was deemed satisfied as a result of giving the surface owner notice of entry to survey pursuant to subsection (a), section ten of this article six-a; or (iii) the notice requirements of subsection (b), section sixteen of this article were waived in writing by the surface owner; and Pursuant to West Virginia Code § 22-6A-11(b), the applicant shall tender proof of and certify to the secretary that the notice requirements of section ten of this article have been completed by the applicant.

Pursuant to West Virginia Code § 22-6A, the Operator has attached proof to this Notice Certification that the Operator has properly served the required parties with the following:

*PLEASE CHECK ALL THAT APPLY

- 1. NOTICE OF SEISMIC ACTIVITY or NOTICE NOT REQUIRED BECAUSE NO SEISMIC ACTIVITY WAS CONDUCTED
- 2. NOTICE OF ENTRY FOR PLAT SURVEY or NO PLAT SURVEY WAS CONDUCTED
- 3. NOTICE OF INTENT TO DRILL or NOTICE NOT REQUIRED BECAUSE NOTICE OF ENTRY FOR PLAT SURVEY WAS CONDUCTED or WRITTEN WAIVER BY SURFACE OWNER (PLEASE ATTACH)
- 4. NOTICE OF PLANNED OPERATION
- 5. PUBLIC NOTICE
- 6. NOTICE OF APPLICATION

RECEIVED
Office of Oil and Gas
JUN 23 2022
WV Department of
Environmental Protection

OOG OFFICE USE ONLY

- RECEIVED/ NOT REQUIRED
- RECEIVED
- RECEIVED/ NOT REQUIRED
- RECEIVED
- RECEIVED
- RECEIVED

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

Certification of Notice is hereby given:

THEREFORE, I Robert Odenthal, have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator:	<u>Antero Resources Corporation</u>	Address:	<u>1615 Wynkoop Street</u>
By:	<u>Robert Odenthal <i>Robert S. Odenthal</i></u>		<u>Denver, CO 80202</u>
Its:	<u>VP of Drilling</u>	Facsimile:	<u>303-357-7315</u>
Telephone:	<u>303-357-7310</u>	Email:	<u>mstanton@anteroresources.com</u>



Subscribed and sworn before me this 22 day of June 2022.

Diane Blair Notary Public

My Commission Expires 27 Apr 2024

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at deprivacyofficer@wv.gov.

RECEIVED
Office of Oil and Gas
JUN 23 2022
WV Department of
Environmental Protection

WW-6A
(9-13)

4709502801
API NO. 47-095
OPERATOR WELL NO. Emmons Unit 1H
Well Pad Name: Beech Run Pad

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE OF APPLICATION

Notice Time Requirement: notice shall be provided no later than the **filing date of permit application.**

Date of Notice: 06/22/2022 **Date Permit Application Filed:** 06/22/2022

Notice of:

- PERMIT FOR ANY WELL WORK
- CERTIFICATE OF APPROVAL FOR THE CONSTRUCTION OF AN IMPOUNDMENT OR PIT

Delivery method pursuant to West Virginia Code § 22-6A-10(b)

- PERSONAL SERVICE
- REGISTERED MAIL
- METHOD OF DELIVERY THAT REQUIRES A RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams; (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Application Notice WSSP Notice E&S Plan Notice Well Plat Notice is hereby provided to:

SURFACE OWNER(s)

Name: Antero Midstream LLC
Address: PO Box 1826
Cockeysville, MD 21030-7826

Name: _____
Address: _____

SURFACE OWNER(s) (Road and/or Other Disturbance)

Name: _____
Address: _____

Name: _____
Address: _____

SURFACE OWNER(s) (Impoundments or Pits)

Name: _____
Address: _____

COAL OWNER OR LESSEE

Name: NO DECLARATIONS ON RECORD WITH COUNTY
Address: _____

COAL OPERATOR

Name: NO DECLARATIONS ON RECORD WITH COUNTY
Address: _____

SURFACE OWNER OF WATER WELL AND/OR WATER PURVEYOR(s)

Name: Antero Midstream LLC
Address: 1615 Wynkoop St
Denver, CO 80202

OPERATOR OF ANY NATURAL GAS STORAGE FIELD

Name: _____
Address: _____

*Please attach additional forms if necessary

WW-6A
(8-13)

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

WW-6A
(8-13)

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

RECEIVED
Office of Oil and Gas

JUN 23 2022

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. **NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.**

WV Department of
Environmental Protection

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have **THIRTY (30) DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site <http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx> and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

RECEIVED
Office of Oil and Gas
JUN 23 2022
WV Department of
Environmental Protection

WW-6A
(8-13)

4709502801
API NO. 47-095 -
OPERATOR WELL NO. Emmons Unit 1H
Well Pad Name: Beech Run Pad


Notice is hereby given by:

Well Operator: Antero Resources Corporation *Robert S. Odenthal*
Telephone: (303) 357-7310
Email: mstanton@anteroresources.com

Address: 1615 Wynkoop Street
Denver, CO 80202
Facsimile: 303-357-7315

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at deprivacyofficer@wv.gov.



Subscribed and sworn before me this 22 day of June 2022.

Diane Blair Notary Public

My Commission Expires 27 Apr 2024

RECEIVED
Office of Oil and Gas


JUN 23 2022

WV Department of
Environmental Protection

FORM WW-9

PAGE OF

BEECH RUN PAD ANTERO RESOURCES CORPORATION



NOTE: LATITUDE & LONGITUDE SHOWN HEREON BASED ON SUBMETER MAPPING GRADE DGPS.

SURFACE OWNER	ADDRESS	DIST-TAX MAP-PAR	WELL LATITUDE	WELL LONGITUDE
ANTERO MIDSTREAM LLC.	1615 WYNKOOP ST. DENVER, CO 80202	2-12-6	39°31'50.01"	80°46'48.97"

WILLOW LAND SURVEYING, PLLC
P.O. BOX 17, PENNSBORO, WV 26415
(304) 659-1717

TOPO SECTION(S) OF:
PORTER FALLS, WV 7.5'

JOB #: 20-003WA

SCALE : 1-INCH = 1000-FEET



DATE: 06.07.22

DRAWN BY: D.L.P.

FILE: BEECH RUN PAD WW

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Notice Time Requirement: Notice shall be provided at least **TEN (10)** days prior to filing a permit application.

Date of Notice: 05/06/2022 **Date Permit Application Filed:** 06/22/2022

Delivery method pursuant to West Virginia Code § 22-6A-16(b)

- HAND DELIVERY CERTIFIED MAIL
RETURN RECEIPT REQUESTED

Pursuant to W. Va. Code § 22-6A-16(b), at least ten days prior to filing a permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner notice of its intent to enter upon the surface owner's land for the purpose of drilling a horizontal well: *Provided*, That notice given pursuant to subsection (a), section ten of this article satisfies the requirements of this subsection as of the date the notice was provided to the surface owner: *Provided, however*, That the notice requirements of this subsection may be waived in writing by the surface owner. The notice, if required, shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative.

Notice is hereby provided to the SURFACE OWNER(s):

Name: Antero Midstream, LLC
Address: PO Box 1826
Cockeysville, MD 21030-7826

Name: _____
Address: _____

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(b), notice is hereby given that the undersigned well operator has an intent to enter upon the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State: West Virginia UTM NAD 83 Easting: 518718m
County: Tyler Northing: 4375460m
District: Ellsworth Public Road Access: Beech Run Rd.
Quadrangle: Porter Falls 7.5' Generally used farm name: Antero Midstream LLC
Watershed: Outlet Middle Island Creek

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(b), this notice shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Notice is hereby given by:

Well Operator: Antero Resources Corporation
Address: 1615 Wynkoop St.
Denver, CO 80202
Telephone: 303-357-7310
Email: mstanlon@anteroresources.com
Facsimile: 303-357-7315

Authorized Representative: Mallory Stanton
Address: 1615 Wynkoop St.
Denver, CO 80202
Telephone: 303-357-7310
Email: mstanton@anteroresources.com
Facsimile: 303-357-7315

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
VOLUNTARY STATEMENT OF NO OBJECTION

Instructions to Persons Named on Page WW-6A

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

Comment and Waiver Provisions

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: *Provided*, That if the applicant certifies that all persons entitled to notice of the application under the provisions of subsection (b), section ten of this article have been served in person or by certified mail, return receipt requested, with a copy of the well work application, including the erosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

VOLUNTARY STATEMENT OF NO OBJECTION

I, _____, hereby state that I have read the Instructions to Persons Named on Page WW-6A and the associated provisions listed above, and that I have received copies of a Notice of Application, an Application for a Well Work Permit on Form WW-6A and attachments consisting of pages one (1) through _____, including the erosion and sediment control plan, if required, and the well plat, all for proposed well work on the tract of land as follows:

State:	<u>West Virginia</u>	UTM NAD 83	Easting:	<u>518718m</u>
County:	<u>Tyler</u>		Northing:	<u>4375460m</u>
District:	<u>Ellsworth</u>	Public Road Access:	<u>Beech Run Rd.</u>	
Quadrangle:	<u>Porter Falls 7.5'</u>	Generally used farm name:	<u>Antero Midstream, LLC</u>	
Watershed:	<u>Outlet Middle Island Creek</u>			

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials.

*Please check the box that applies

- SURFACE OWNER
- SURFACE OWNER (Road and/or Other Disturbance)
- SURFACE OWNER (Impoundments/Pits)
- COAL OWNER OR LESSEE
- COAL OPERATOR
- WATER PURVEYOR
- OPERATOR OF ANY NATURAL GAS STORAGE FIELD

RECEIVED
Office of Oil and Gas
JUN 23 2022
WV Department of
Environmental Protection

FOR EXECUTION BY A NATURAL PERSON

Signature: _____
Print Name: _____
Date: _____

FOR EXECUTION BY A CORPORATION, ETC.

Company: Antero Midstream LLC
By: Robert Odenthal
Its: VP of Drilling

Signature: Robert S. Odenthal
Date: 06/22/2022

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.



4709502801

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
Division of Highways

1900 Kanawha Boulevard East • Building Five • Room 110
Charleston, West Virginia 25305-0430 • (304) 558-3505

D. Alan Reed, P.E.
State Highway Engineer

Jimmy Wriston, P. E.
Secretary of Transportation
Commissioner of Highways

June 21, 2022

James A. Martin, Chief
Office of Oil and Gas
Department of Environmental Protection
601 57th Street, SE
Charleston, WV 25304

Subject: DOH Permit for the Beech Run Pad, Tyler County
Emmons Unit 1H Well Site

Dear Mr. Martin,

This well site will be accessed from a DOH permit #06-2021-0097 which has been issued to Antero Resources for access to the State Road for a well site located off Tyler County Route 28/1 SLS MP 1.40.

This operator is in compliance with §22-6A-20 of the WV Code. Operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated October 1, 2018. This letter is valid for permitting purposes for one year from the date of this letter.

Very Truly Yours,

Gary K. Clayton, P.E.
Regional Maintenance Engineer
Central Office O&G Coordinator

Cc: Diane Blair
Antero Resources
CH, OM, D-6
File

RECEIVED
Office of Oil and Gas

JUN 23 2022

WV Department of
Environmental Protection

Subdivision 3.3.e A listing of the anticipated additives that may be used in the water used for fracturing or stimulating the well. (A listing of the additives that were actually used in the fracturing or stimulating of the well shall be submitted as part of the completion report required by W. Va. Code 22-6-22.)

FRACTURING/STIMULATING INTERVAL

Additive	Chemical Abstract Service Number (CAS #)
1. Fresh Water	7732-18-5
2. 2 Phosphobutane 1,2,4 tricarboxylic acid	37971-36-1
3. Ammonium Persulfate	7727-54-0
4. Anionic copolymer	Proprietary
5. Anionic polymer	Proprietary
6. BTEX Free Hydrotreated Heavy Naptha	64742-48-9
7. Cellulase enzyme	(Proprietary)
8. Demulsifier Base	(Proprietary)
9. Ethoxylated alcohol blend	Mixture
10. Ethoxylated Nonylphenol	68412-54-4
11. Ethoxylated oleylamine	26635-93-8
12. Ethylene Glycol	107-21-1
13. Glycol Ethers	111-76-2
14. Guar gum	9000-30-0
15. Hydrogen Chloride	7647-01-0
16. Hydrotreated light distillates, non-aromatic, BTEX free	64742-47-8
17. Isopropyl alcohol	67-63-0
18. Liquid, 2,2-dibromo-3- nitrilopropionamide	10222-01-2
19. Microparticle	Proprietary
20. Petroleum Distillates (BTEX Below Detect)	64742-47-8
21. Polyacrylamide	57-55-6
22. Propargyl Alcohol	107-19-7
23. Propylene Glycol	57-55-6
24. Quartz	14808-60-7
25. Sillica crystalline quartz	7631-86-9
26. Sodium Chloride	7647-14-5
27. Sodium Hydroxide	1310-73-2
28. Sugar	57-50-1
29. Surfactant	68439-51-0
30. Suspending agent (solid)	14808-60-7
31. Tar bases, quinolone derivs, benzyl chloride-quarternized	72480-70-7
32. Solvent Naptha, petroleum, heavy aliph	64742-96-7
33. Soybean Oil, Me ester	67784-80-9
34. Copolymer of Maleic and Acrylic Acid	52255-49-9
35. DETA Phosphonate	15827-60-8
36. Hexamethylene Triamine Penta	34690-00-1
37. Phosphino Carboxylic acid polymer	71050-62-9
38. Hexamethylene diamine penta	23605-74-5
39. 2-Propenoic acid, polymer with 2 propenamide	9003-06-9
40. Hexamethylene diamine penta (methylene phosphonic acid)	23605-74-5
41. Diethylene Glycol	111-46-6
42. Methenamine	100-97-0
43. Polyethylene polyamine	68603-67-8
44. Coco amine	61791-14-8
45. 2-Propyn-1-olcompound with methyloxirane	38172-91-7

RECEIVED
Office of Oil and Gas

JUN 23 2022

WV Department of
Environmental Protection

GENERAL DESCRIPTION:
THE ACCESS ROAD(S), WELL PAD AND/OR WATER CONTAMINATION PAD ARE BEING CONSTRUCTED TO AID IN THE DEVELOPMENT OF INDIVIDUAL MARCELLUS SHALE GAS WELLS.

FLOODPLAIN NOTES:
THE PROPOSED SITE LOCATION IS NOT WITHIN ANY IDENTIFIED FLOOD ZONES PER FEMA MAP NUMBER(S) 85405C0075C.

MISS UTILITY STATEMENT:
ANTERO RESOURCES CORPORATION WILL NOTIFY MISS UTILITY OF WEST VIRGINIA FOR THE LOCATION OF UTILITIES PRIOR TO THIS PROJECT DESIGN. TICKET #2024466633. IN ADDITION, MISS UTILITY WILL BE CONTACTED BY THE CONTRACTOR PRIOR TO THE START OF CONSTRUCTION FOR THIS PROJECT.

ENTRANCE PERMIT:
ANTERO RESOURCES CORPORATION WILL OBTAIN AN ENCROACHMENT PERMIT (FORM MA-103) FROM THE WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS, PRIOR TO COMMENCEMENT OF CONSTRUCTION ACTIVITIES.

ENVIRONMENTAL NOTES:
STREAM AND WETLAND DELINEATIONS WERE PERFORMED ON OCTOBER 10th, 2020 BY ENVIRONMENTAL SOLUTIONS & INNOVATIONS, INC. TO REVIEW THE SITE FOR WATERS AND WETLANDS THAT ARE MOST LIKELY WITHIN THE REGULATORY PURVIEW OF THE U.S. ARMY CORPS OF ENGINEERS (USACE) AND/OR THE WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION (WV DEP). THE OCTOBER 10th, 2020 STREAM AND WETLAND DELINEATION MAP WAS PREPARED BY ANTERO RESOURCES CORPORATION AND SUMMARIZES THE RESULTS OF THE FIELD DELINEATIONS. THE MAP DOES NOT, IN ANY WAY, REPRESENT A JURISDICTIONAL DETERMINATION OF THE LANDWARD LIMITS OF WATERS AND WETLANDS WHICH MAY BE REGULATED BY THE USACE OR THE WV DEP. ANTERO RESOURCES CORPORATION SHALL OBTAIN THE APPROPRIATE PERMITS FROM THE FEDERAL AND/OR STATE REGULATORY AGENCIES PRIOR TO ANY PROPOSED IMPACTS TO WATERS OF THE U.S., INCLUDING WETLAND FILLS AND STREAM CROSSINGS.

GEOTECHNICAL NOTES:
THE PROPOSED 2:1 SLOPES SHALL BE VERIFIED BY A CERTIFIED GEOTECHNICAL ENGINEER TO ENSURE THE PROPOSED SLOPES ARE ADEQUATE PRIOR TO CONSTRUCTION. CONSTRUCTION SHALL BE MONITORED BY A REPRESENTATIVE OF THE GEOTECHNICAL ENGINEER OR PROJECT DESIGN ENGINEER DURING CONSTRUCTION.

- RESTRICTIONS NOTES:**
- THERE ARE NO LAKES OR RESERVOIRS WITHIN 100 FEET OF THE WELL PAD.
 - THERE ARE WETLANDS THAT WILL BE IMPACTED WITHIN 100 FEET OF THE WELL PAD LOD AND A WETLAND WAIVER REQUEST WILL BE SUBMITTED FOR THE APPROPRIATE WETLANDS. ADDITIONALLY, SEVERAL WETLANDS ARE TO BE PERMANENTLY IMPACTED AND WILL BE PERMITTED THROUGH THE APPROPRIATE AGENCIES.
 - THERE ARE NO EPHEMERAL, INTERMITTENT, OR PERENNIAL STREAM IMPACTS WITHIN THE LOD.
 - THERE ARE NO NATURALLY PRODUCING TROUT STREAMS WITHIN 300 FEET OF THE WELL PAD AND LOD.
 - THERE ARE NO GROUNDWATER INTAKE OR PUBLIC WATER SUPPLY FACILITIES WITHIN 1,000 FEET OF THE WELL PAD AND LOD.
 - THERE ARE NO APPARENT EXISTING WATER WELLS OR DEVELOPED SPRINGS WITHIN 200 FEET OF THE WELL(S) TO BE DRILLED.
 - THERE ARE NO OCCUPIED DWELLINGS OR AGRICULTURAL BUILDINGS LARGER THAN 2,800 SQUARE FEET WITHIN 425 FEET OF THE CENTER OF THE WELL PAD.

PROJECT CONTACTS:

OPERATOR:
ANTERO RESOURCES CORPORATION
310 WHITE OAKS BLVD.
BRIDGEPORT, WV 26330
PHONE: (304) 933-3119
EMAIL: INFO@CECINC.COM

SURVEYOR:
CIVIL & ENVIRONMENTAL CONSULTANTS, INC.
120 GENESIS BOULEVARD
BRIDGEPORT, WV 26330
PHONE: (304) 933-3119
EMAIL: INFO@CECINC.COM

ENVIRONMENTAL:
ENVIRONMENTAL SOLUTIONS & INNOVATIONS, INC.
1341 OLD FREEDOM ROAD, SUITE 202
COAKESBERRY TOWNSHIP, PA 16808
PHONE: (814) 811-2022
EMAIL: INFO@ENVSIL.COM

REGULATORY MANAGER:
EJ WAGNER - ENVIRONMENTAL &
REGULATORY MANAGER
OFFICE: (304) 842-4959 CELL: (801) 478-9170

CONSTRUCTION MANAGER:
AARON KUNZLER - CONSTRUCTION MANAGER
OFFICE: (304) 842-4171

DESIGN MANAGER:
ROBERT WYKS - DESIGN MANAGER
OFFICE: (304) 842-4401 CELL: (304) 827-7405

UTILITY SUPERVISOR:
SCOTT HOFFER - UTILITY SUPERVISOR
OFFICE: (304) 780-1012 CELL: (304) 875-9885

LAND AGENT:
JIM WILSON - LAND AGENT
OFFICE: (304) 842-4419 CELL: (304) 871-2708

SUP OPERATIONS:
DIANA HOFF - SUP OPERATIONS
OFFICE: (304) 257-6904

DESIGN CERTIFICATION:
THE DRAWINGS, CONSTRUCTION NOTES, AND REFERENCE DIAGRAMS ATTACHED HERETO HAVE BEEN PREPARED IN ACCORDANCE WITH THE WEST VIRGINIA CODE OF STATE RULES, DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS CS-15-8.

PLAN REPRODUCTION NOTE:
THESE PLANS WERE CREATED TO BE PLOTTED ON 24" X 36" (ANSI D) PAPER. HALF SCALE DRAWINGS ARE ON 11" X 17" (ANSI B).

THESE PLANS WERE CREATED FOR FULL COLOR PLOTTING AND ANY SET OF THE PLANS THAT IS NOT PLOTTED IN FULL COLOR WILL NOT BE CONSIDERED ADEQUATE FOR CONSTRUCTION PURPOSES.



INFORMATION MAY BE LOST IN COPYING AND/OR GRAY SCALE PLOTTING.

APPROVED WVDEP OOG
7/26/2022

WEST VIRGINIA 811
CALL BEFORE YOU DIG!
MISS UTILITY OF WEST VIRGINIA
1-800-245-3488
WEST VIRGINIA STATE LAW
(SECTION WV CHAPTER 34-C)
REQUIRES THAT YOU CALL TWO BUSINESS DAYS BEFORE YOU DIG IN THE STATE OF WEST VIRGINIA
IT'S THE LAW!

BEECH RUN WELL PAD SITE DESIGN, CONSTRUCTION PLANS & EROSION AND SEDIMENT CONTROL PLANS

ELLSWORTH DISTRICT, TYLER COUNTY, WEST VIRGINIA
ELK FORK WATERSHED
PORTERS FALLS USGS 7.5 QUAD MAP



SHEET INDEX

C000 - COVER SHEET	C002 - CONSTRUCTION DETAILS
C001 - CONSTRUCTION WEAS NOTES	C003 - CONSTRUCTION DETAILS
C002 - LEGEND	C004 - CONSTRUCTION DETAILS
C100 - EXISTING CONDITIONS	C005 - CONSTRUCTION DETAILS
C200 - ISOPACH MAP	C006 - CONSTRUCTION DETAILS
C300 - OVERALL SITE PLAN	C007 - CONSTRUCTION DETAILS
C301 - SITE PLAN	C008 - CONSTRUCTION DETAILS
C302 - SITE PLAN	C009 - CONSTRUCTION DETAILS
C303 - PROFILES & CROSS SECTIONS	C010 - CONSTRUCTION DETAILS
C304 - PROFILES & CROSS SECTIONS	C011 - CONSTRUCTION DETAILS
C305 - PROFILES & CROSS SECTIONS	C012 - CONSTRUCTION DETAILS
C306 - PROFILES & CROSS SECTIONS	C013 - CONSTRUCTION DETAILS
C307 - PROFILES & CROSS SECTIONS	C014 - CONSTRUCTION DETAILS
C308 - PROFILES & CROSS SECTIONS	C015 - CONSTRUCTION DETAILS
C309 - PROFILES & CROSS SECTIONS	C016 - CONSTRUCTION DETAILS
C310 - PROFILES & CROSS SECTIONS	C017 - CONSTRUCTION DETAILS
C311 - PROFILES & CROSS SECTIONS	C018 - CONSTRUCTION DETAILS
C312 - PROFILES & CROSS SECTIONS	C019 - CONSTRUCTION DETAILS
C313 - PROFILES & CROSS SECTIONS	C020 - CONSTRUCTION DETAILS
C314 - PROFILES & CROSS SECTIONS	C021 - CONSTRUCTION DETAILS
C315 - PROFILES & CROSS SECTIONS	C022 - CONSTRUCTION DETAILS
C316 - PROFILES & CROSS SECTIONS	C023 - CONSTRUCTION DETAILS
C317 - PROFILES & CROSS SECTIONS	C024 - CONSTRUCTION DETAILS
C318 - PROFILES & CROSS SECTIONS	C025 - CONSTRUCTION DETAILS
C319 - PROFILES & CROSS SECTIONS	C026 - CONSTRUCTION DETAILS
C320 - PROFILES & CROSS SECTIONS	C027 - CONSTRUCTION DETAILS
C321 - PROFILES & CROSS SECTIONS	C028 - CONSTRUCTION DETAILS
C322 - PROFILES & CROSS SECTIONS	C029 - CONSTRUCTION DETAILS
C323 - PROFILES & CROSS SECTIONS	C030 - CONSTRUCTION DETAILS
C324 - PROFILES & CROSS SECTIONS	C031 - CONSTRUCTION DETAILS
C325 - PROFILES & CROSS SECTIONS	C032 - CONSTRUCTION DETAILS
C326 - PROFILES & CROSS SECTIONS	C033 - CONSTRUCTION DETAILS
C327 - PROFILES & CROSS SECTIONS	C034 - CONSTRUCTION DETAILS
C328 - PROFILES & CROSS SECTIONS	C035 - CONSTRUCTION DETAILS
C329 - PROFILES & CROSS SECTIONS	C036 - CONSTRUCTION DETAILS
C330 - PROFILES & CROSS SECTIONS	C037 - CONSTRUCTION DETAILS
C331 - PROFILES & CROSS SECTIONS	C038 - CONSTRUCTION DETAILS
C332 - PROFILES & CROSS SECTIONS	C039 - CONSTRUCTION DETAILS
C333 - PROFILES & CROSS SECTIONS	C040 - CONSTRUCTION DETAILS
C334 - PROFILES & CROSS SECTIONS	C041 - CONSTRUCTION DETAILS
C335 - PROFILES & CROSS SECTIONS	C042 - CONSTRUCTION DETAILS
C336 - PROFILES & CROSS SECTIONS	C043 - CONSTRUCTION DETAILS
C337 - PROFILES & CROSS SECTIONS	C044 - CONSTRUCTION DETAILS
C338 - PROFILES & CROSS SECTIONS	C045 - CONSTRUCTION DETAILS
C339 - PROFILES & CROSS SECTIONS	C046 - CONSTRUCTION DETAILS
C340 - PROFILES & CROSS SECTIONS	C047 - CONSTRUCTION DETAILS
C341 - PROFILES & CROSS SECTIONS	C048 - CONSTRUCTION DETAILS
C342 - PROFILES & CROSS SECTIONS	C049 - CONSTRUCTION DETAILS
C343 - PROFILES & CROSS SECTIONS	C050 - CONSTRUCTION DETAILS
C344 - PROFILES & CROSS SECTIONS	C051 - CONSTRUCTION DETAILS
C345 - PROFILES & CROSS SECTIONS	C052 - CONSTRUCTION DETAILS
C346 - PROFILES & CROSS SECTIONS	C053 - CONSTRUCTION DETAILS
C347 - PROFILES & CROSS SECTIONS	C054 - CONSTRUCTION DETAILS
C348 - PROFILES & CROSS SECTIONS	C055 - CONSTRUCTION DETAILS
C349 - PROFILES & CROSS SECTIONS	C056 - CONSTRUCTION DETAILS
C350 - PROFILES & CROSS SECTIONS	C057 - CONSTRUCTION DETAILS
C351 - PROFILES & CROSS SECTIONS	C058 - CONSTRUCTION DETAILS
C352 - PROFILES & CROSS SECTIONS	C059 - CONSTRUCTION DETAILS
C353 - PROFILES & CROSS SECTIONS	C060 - CONSTRUCTION DETAILS
C354 - PROFILES & CROSS SECTIONS	C061 - CONSTRUCTION DETAILS
C355 - PROFILES & CROSS SECTIONS	C062 - CONSTRUCTION DETAILS
C356 - PROFILES & CROSS SECTIONS	C063 - CONSTRUCTION DETAILS
C357 - PROFILES & CROSS SECTIONS	C064 - CONSTRUCTION DETAILS
C358 - PROFILES & CROSS SECTIONS	C065 - CONSTRUCTION DETAILS
C359 - PROFILES & CROSS SECTIONS	C066 - CONSTRUCTION DETAILS
C360 - PROFILES & CROSS SECTIONS	C067 - CONSTRUCTION DETAILS
C361 - PROFILES & CROSS SECTIONS	C068 - CONSTRUCTION DETAILS
C362 - PROFILES & CROSS SECTIONS	C069 - CONSTRUCTION DETAILS
C363 - PROFILES & CROSS SECTIONS	C070 - CONSTRUCTION DETAILS
C364 - PROFILES & CROSS SECTIONS	C071 - CONSTRUCTION DETAILS
C365 - PROFILES & CROSS SECTIONS	C072 - CONSTRUCTION DETAILS
C366 - PROFILES & CROSS SECTIONS	C073 - CONSTRUCTION DETAILS
C367 - PROFILES & CROSS SECTIONS	C074 - CONSTRUCTION DETAILS
C368 - PROFILES & CROSS SECTIONS	C075 - CONSTRUCTION DETAILS
C369 - PROFILES & CROSS SECTIONS	C076 - CONSTRUCTION DETAILS
C370 - PROFILES & CROSS SECTIONS	C077 - CONSTRUCTION DETAILS
C371 - PROFILES & CROSS SECTIONS	C078 - CONSTRUCTION DETAILS
C372 - PROFILES & CROSS SECTIONS	C079 - CONSTRUCTION DETAILS
C373 - PROFILES & CROSS SECTIONS	C080 - CONSTRUCTION DETAILS
C374 - PROFILES & CROSS SECTIONS	C081 - CONSTRUCTION DETAILS
C375 - PROFILES & CROSS SECTIONS	C082 - CONSTRUCTION DETAILS
C376 - PROFILES & CROSS SECTIONS	C083 - CONSTRUCTION DETAILS
C377 - PROFILES & CROSS SECTIONS	C084 - CONSTRUCTION DETAILS
C378 - PROFILES & CROSS SECTIONS	C085 - CONSTRUCTION DETAILS
C379 - PROFILES & CROSS SECTIONS	C086 - CONSTRUCTION DETAILS
C380 - PROFILES & CROSS SECTIONS	C087 - CONSTRUCTION DETAILS
C381 - PROFILES & CROSS SECTIONS	C088 - CONSTRUCTION DETAILS
C382 - PROFILES & CROSS SECTIONS	C089 - CONSTRUCTION DETAILS
C383 - PROFILES & CROSS SECTIONS	C090 - CONSTRUCTION DETAILS
C384 - PROFILES & CROSS SECTIONS	C091 - CONSTRUCTION DETAILS
C385 - PROFILES & CROSS SECTIONS	C092 - CONSTRUCTION DETAILS
C386 - PROFILES & CROSS SECTIONS	C093 - CONSTRUCTION DETAILS
C387 - PROFILES & CROSS SECTIONS	C094 - CONSTRUCTION DETAILS
C388 - PROFILES & CROSS SECTIONS	C095 - CONSTRUCTION DETAILS
C389 - PROFILES & CROSS SECTIONS	C096 - CONSTRUCTION DETAILS
C390 - PROFILES & CROSS SECTIONS	C097 - CONSTRUCTION DETAILS
C391 - PROFILES & CROSS SECTIONS	C098 - CONSTRUCTION DETAILS
C392 - PROFILES & CROSS SECTIONS	C099 - CONSTRUCTION DETAILS
C393 - PROFILES & CROSS SECTIONS	C100 - CONSTRUCTION DETAILS
C394 - PROFILES & CROSS SECTIONS	C101 - CONSTRUCTION DETAILS
C395 - PROFILES & CROSS SECTIONS	C102 - CONSTRUCTION DETAILS
C396 - PROFILES & CROSS SECTIONS	C103 - CONSTRUCTION DETAILS
C397 - PROFILES & CROSS SECTIONS	C104 - CONSTRUCTION DETAILS
C398 - PROFILES & CROSS SECTIONS	C105 - CONSTRUCTION DETAILS
C399 - PROFILES & CROSS SECTIONS	C106 - CONSTRUCTION DETAILS
C400 - PROFILES & CROSS SECTIONS	C107 - CONSTRUCTION DETAILS
C401 - PROFILES & CROSS SECTIONS	C108 - CONSTRUCTION DETAILS
C402 - PROFILES & CROSS SECTIONS	C109 - CONSTRUCTION DETAILS
C403 - PROFILES & CROSS SECTIONS	C110 - CONSTRUCTION DETAILS
C404 - PROFILES & CROSS SECTIONS	C111 - CONSTRUCTION DETAILS
C405 - PROFILES & CROSS SECTIONS	C112 - CONSTRUCTION DETAILS
C406 - PROFILES & CROSS SECTIONS	C113 - CONSTRUCTION DETAILS
C407 - PROFILES & CROSS SECTIONS	C114 - CONSTRUCTION DETAILS
C408 - PROFILES & CROSS SECTIONS	C115 - CONSTRUCTION DETAILS
C409 - PROFILES & CROSS SECTIONS	C116 - CONSTRUCTION DETAILS
C410 - PROFILES & CROSS SECTIONS	C117 - CONSTRUCTION DETAILS
C411 - PROFILES & CROSS SECTIONS	C118 - CONSTRUCTION DETAILS
C412 - PROFILES & CROSS SECTIONS	C119 - CONSTRUCTION DETAILS
C413 - PROFILES & CROSS SECTIONS	C120 - CONSTRUCTION DETAILS
C414 - PROFILES & CROSS SECTIONS	C121 - CONSTRUCTION DETAILS
C415 - PROFILES & CROSS SECTIONS	C122 - CONSTRUCTION DETAILS
C416 - PROFILES & CROSS SECTIONS	C123 - CONSTRUCTION DETAILS
C417 - PROFILES & CROSS SECTIONS	C124 - CONSTRUCTION DETAILS
C418 - PROFILES & CROSS SECTIONS	C125 - CONSTRUCTION DETAILS
C419 - PROFILES & CROSS SECTIONS	C126 - CONSTRUCTION DETAILS
C420 - PROFILES & CROSS SECTIONS	C127 - CONSTRUCTION DETAILS
C421 - PROFILES & CROSS SECTIONS	C128 - CONSTRUCTION DETAILS
C422 - PROFILES & CROSS SECTIONS	C129 - CONSTRUCTION DETAILS
C423 - PROFILES & CROSS SECTIONS	C130 - CONSTRUCTION DETAILS
C424 - PROFILES & CROSS SECTIONS	C131 - CONSTRUCTION DETAILS
C425 - PROFILES & CROSS SECTIONS	C132 - CONSTRUCTION DETAILS
C426 - PROFILES & CROSS SECTIONS	C133 - CONSTRUCTION DETAILS
C427 - PROFILES & CROSS SECTIONS	C134 - CONSTRUCTION DETAILS
C428 - PROFILES & CROSS SECTIONS	C135 - CONSTRUCTION DETAILS
C429 - PROFILES & CROSS SECTIONS	C136 - CONSTRUCTION DETAILS
C430 - PROFILES & CROSS SECTIONS	C137 - CONSTRUCTION DETAILS
C431 - PROFILES & CROSS SECTIONS	C138 - CONSTRUCTION DETAILS
C432 - PROFILES & CROSS SECTIONS	C139 - CONSTRUCTION DETAILS
C433 - PROFILES & CROSS SECTIONS	C140 - CONSTRUCTION DETAILS
C434 - PROFILES & CROSS SECTIONS	C141 - CONSTRUCTION DETAILS
C435 - PROFILES & CROSS SECTIONS	C142 - CONSTRUCTION DETAILS
C436 - PROFILES & CROSS SECTIONS	C143 - CONSTRUCTION DETAILS
C437 - PROFILES & CROSS SECTIONS	C144 - CONSTRUCTION DETAILS
C438 - PROFILES & CROSS SECTIONS	C145 - CONSTRUCTION DETAILS
C439 - PROFILES & CROSS SECTIONS	C146 - CONSTRUCTION DETAILS
C440 - PROFILES & CROSS SECTIONS	C147 - CONSTRUCTION DETAILS
C441 - PROFILES & CROSS SECTIONS	C148 - CONSTRUCTION DETAILS
C442 - PROFILES & CROSS SECTIONS	C149 - CONSTRUCTION DETAILS
C443 - PROFILES & CROSS SECTIONS	C150 - CONSTRUCTION DETAILS
C444 - PROFILES & CROSS SECTIONS	C151 - CONSTRUCTION DETAILS
C445 - PROFILES & CROSS SECTIONS	C152 - CONSTRUCTION DETAILS
C446 - PROFILES & CROSS SECTIONS	C153 - CONSTRUCTION DETAILS
C447 - PROFILES & CROSS SECTIONS	C154 - CONSTRUCTION DETAILS
C448 - PROFILES & CROSS SECTIONS	C155 - CONSTRUCTION DETAILS
C449 - PROFILES & CROSS SECTIONS	C156 - CONSTRUCTION DETAILS
C450 - PROFILES & CROSS SECTIONS	C157 - CONSTRUCTION DETAILS
C451 - PROFILES & CROSS SECTIONS	C158 - CONSTRUCTION DETAILS
C452 - PROFILES & CROSS SECTIONS	C159 - CONSTRUCTION DETAILS
C453 - PROFILES & CROSS SECTIONS	C160 - CONSTRUCTION DETAILS
C454 - PROFILES & CROSS SECTIONS	C161 - CONSTRUCTION DETAILS
C455 - PROFILES & CROSS SECTIONS	C162 - CONSTRUCTION DETAILS
C456 - PROFILES & CROSS SECTIONS	C163 - CONSTRUCTION DETAILS
C457 - PROFILES & CROSS SECTIONS	C164 - CONSTRUCTION DETAILS
C458 - PROFILES & CROSS SECTIONS	C165 - CONSTRUCTION DETAILS
C459 - PROFILES & CROSS SECTIONS	C166 - CONSTRUCTION DETAILS
C460 - PROFILES & CROSS SECTIONS	C167 - CONSTRUCTION DETAILS
C461 - PROFILES & CROSS SECTIONS	C168 - CONSTRUCTION DETAILS
C462 - PROFILES & CROSS SECTIONS	C169 - CONSTRUCTION DETAILS
C463 - PROFILES & CROSS SECTIONS	C170 - CONSTRUCTION DETAILS
C464 - PROFILES & CROSS SECTIONS	C171 - CONSTRUCTION DETAILS
C465 - PROFILES & CROSS SECTIONS	C172 - CONSTRUCTION DETAILS
C466 - PROFILES & CROSS SECTIONS	C173 - CONSTRUCTION DETAILS
C467 - PROFILES & CROSS SECTIONS	C174 - CONSTRUCTION DETAILS
C468 - PROFILES & CROSS SECTIONS	C175 - CONSTRUCTION DETAILS
C469 - PROFILES & CROSS SECTIONS	C176 - CONSTRUCTION DETAILS
C470 - PROFILES & CROSS SECTIONS	C177 - CONSTRUCTION DETAILS
C471 - PROFILES & CROSS SECTIONS	C178 - CONSTRUCTION DETAILS
C472 - PROFILES & CROSS SECTIONS	C179 - CONSTRUCTION DETAILS
C473 - PROFILES & CROSS SECTIONS	C180 - CONSTRUCTION DETAILS
C474 - PROFILES & CROSS SECTIONS	C181 - CONSTRUCTION DETAILS
C475 - PROFILES & CROSS SECTIONS	C182 - CONSTRUCTION DETAILS
C476 - PROFILES & CROSS SECTIONS	C183 - CONSTRUCTION DETAILS
C477 - PROFILES & CROSS SECTIONS	C184 - CONSTRUCTION DETAILS
C478 - PROFILES & CROSS SECTIONS	C185 - CONSTRUCTION DETAILS
C479 - PROFILES & CROSS SECTIONS	C186 - CONSTRUCTION DETAILS
C480 - PROFILES & CROSS SECTIONS	C187 - CONSTRUCTION DETAILS
C481 - PROFILES & CROSS SECTIONS	C188 - CONSTRUCTION DETAILS
C482 - PROFILES & CROSS SECTIONS	C189 - CONSTRUCTION DETAILS
C483 - PROFILES & CROSS SECTIONS	C190 - CONSTRUCTION DETAILS
C484 - PROFILES & CROSS SECTIONS	C191 - CONSTRUCTION DETAILS
C485 - PROFILES & CROSS SECTIONS	C192 - CONSTRUCTION DETAILS
C486 - PROFILES & CROSS SECTIONS	C193 - CONSTRUCTION DETAILS
C487 - PROFILES & CROSS SECTIONS	C194 - CONSTRUCTION DETAILS
C488 - PROFILES & CROSS SECTIONS	C195 - CONSTRUCTION DETAILS
C489 - PROFILES & CROSS SECTIONS	C196 - CONSTRUCTION DETAILS
C490 - PROFILES & CROSS SECTIONS	C197 - CONSTRUCTION DETAILS
C491 - PROFILES & CROSS SECTIONS	C198 - CONSTRUCTION DETAILS
C492 - PROFILES & CROSS SECTIONS	C199 - CONSTRUCTION DETAILS
C493 - PROFILES & CROSS SECTIONS	C200 - CONSTRUCTION DETAILS

SITE LOCATION COORDINATES

SITE LOCATION	WV MAP (NORTH ZONE)	UTM (NORTH ZONE)	UTM (EASTING)
ACCESS ROAD	30 528941	-80 772158	437094.91
WELL PAD	30 528951	-80 772212	437549.63

WELLHEAD LEGEND

WELL NAME	WV NORTH ZONE	NAD 83 LAT & LONG	UTM (NORTH ZONE)	NAD83 LAT & LONG
CRYSTAL	N 377158.00	LAT: 39° 31' 42.580" N LONG: 80° 49' 58.648" W	N 437541.31 E 31819.25	LAT: 39° 31' 42.645" N LONG: 80° 49' 58.610" W
CRYSTAL	N 377173.17	LAT: 39° 31' 42.503" N LONG: 80° 49' 58.568" W	N 437545.97 E 31871.78	LAT: 39° 31' 42.700" N LONG: 80° 49' 58.590" W
EMMONS	N 377177.74	LAT: 39° 31' 42.682" N LONG: 80° 49' 58.261" W	N 437549.43 E 31871.78	LAT: 39° 31' 42.537" N LONG: 80° 49' 58.222" W
EMMONS	N 37202.21	LAT: 39° 31' 42.732" N LONG: 80° 49' 58.502" W	N 437544.88 E 31871.78	LAT: 39° 31' 43.075" N LONG: 80° 49' 58.084" W
ATWOOD	N 37718.08	LAT: 39° 31' 43.052" N LONG: 80° 49' 58.477" W	N 437549.34 E 31870.28	LAT: 39° 31' 42.237" N LONG: 80° 49' 58.847" W
FORSTER	N 37721.49	LAT: 39° 31' 43.081" N LONG: 80° 49' 58.432" W	N 437547.85 E 31871.33	LAT: 39° 31' 43.302" N LONG: 80° 49' 58.896" W
FORSTER	N 37748.03	LAT: 39° 31' 43.204" N LONG: 80° 49' 58.305" W	N 437548.29 E 31872.35	LAT: 39° 31' 43.579" N LONG: 80° 49' 58.767" W
OLESEN	N 37768.35	LAT: 39° 31' 42.453" N LONG: 80° 49' 58.865" W	N 437544.38 E 31871.09	LAT: 39° 31' 42.742" N LONG: 80° 49' 58.254" W
PROPOSED WELL PAD ELEVATION		1222 #		

LIMITS OF DISTURBANCE AREAS

DESCRIPTION	ACRES
ACCESS ROAD	5.89
WELL PAD/AUXILIARY PAD	12.86
TOPSOIL/STRIPPING PILE #1	2.78
TOPSOIL/STRIPPING PILE #2	1.87
STOCKPILE #1	1.24
TOTAL	34.47
FREE CLEARING	18.30


LIMITS OF DISTURBANCE PARCEL BREAKDOWN

PROPERTY OWNER	TAX MAP PARCEL	PARCELS ACRES	TYPE OF DISTURBANCE	SQ FEET DISTURBED
ANTERO MIDSTREAM LLC	05-19-08	31.73	WELL PAD, ACCESS ROAD, TOPSOIL/STRIPPING PILE, STOCKPILE & TREE CLEARING	13,12
ANTERO MIDSTREAM LLC	05-12-18	80.00	WELL PAD, ACCESS ROAD, TOPSOIL/STRIPPING PILE, STOCKPILE & TREE CLEARING	10,15
MARY ADAMS LEWIS ET AL	05-19-21	87.00	ACCESS ROAD & TREE CLEARING	1,18
TOTALS			DISTURBED ACRES TOTAL	34.47

WETLAND IMPACTS WITHIN LOD

ID	TOTAL ACRES	TEMPORARY IMPACT	PERMANENT IMPACT	NO IMPACT	COMMENTS
ESLIVE LANDS1	0.00	N/A	0.002	N/A	WITHIN WORK AREA
RFL_WETLAND13	0.553	N/A	0.005	N/A	FILL PLACEMENT
RFL_WETLAND14	0.005	N/A	0.006	N/A	FILL PLACEMENT
RFL_WETLAND14.8	0.771	N/A	0.771	N/A	WITHIN WORK AREA
TOTALS	0.278	0	0.278	0	

SITE PLAN



COASTAL FOREST RESOURCES COMPANY
TAX MAP 12 PARCEL 9
DEED BOOK 343 PAGE 459


ANTERO MIDSTREAM LLC
TAX MAP 12 PARCEL 6
DEED BOOK 617 PAGE 391

BEECH RUN WELL PAD CENTROID
NAD83 LAT: 39.5286561
NAD83 LONG: -80.7822212
ELEVATION: 1222.4

ANTERO MIDSTREAM LLC
TAX MAP 12 PARCEL 18
DEED BOOK 617 PAGE 391

JON M. AND LISA M. DUMARS
TAX MAP 12 PARCEL 19
DEED BOOK 759 PAGE 464

APPROVED
WVDEP OOG
7/26/2022



WELLHEAD INDEX	
⊙	CRYSTAL UNIT 2H
⊙	CRYSTAL UNIT 2H
⊙	EMMONS UNIT 2H
⊙	EMMONS UNIT 2H
⊙	ATWOOD UNIT 2H
⊙	FORSTER UNIT 2H
⊙	FORSTER UNIT 2H

REVISION #	DATE




SITE PLAN
BEECH RUN WELL PAD
ELLSWORTH DISTRICT
TYLER COUNTY, WEST VIRGINIA

DATE: 2/7/2022
SCALE: AS SHOWN
SHEET: C302

NOTE: THESE PLANS WERE CREATED IN ADOBE CADSWITCH AND PLOTTED IN ADOBE CADD. THE PLOTTER IS A HP PLOTTER. THE PLOTTER IS A HP PLOTTER. THE PLOTTER IS A HP PLOTTER.

SITE PLAN



COASTAL FOREST RESOURCES COMPANY
TAX MAP 12 PARCEL 9
DEED BOOK 343 PAGE 459

ANTERO MIDSTREAM LLC
TAX MAP 12 PARCEL 6
DEED BOOK 617 PAGE 397

ANTERO MIDSTREAM LLC
TAX MAP 12 PARCEL 16
DEED BOOK 617 PAGE 397

JOH N AND LISA M. DUMARS
TAX MAP 12 PARCEL 19
DEED BOOK 256 PAGE 444

APPROVED
WVDEP OOG
7/26/2022



WELLHEAD INDEX	
⊙	CRYSTAL UNIT 3H
⊙	CRYSTAL UNIT 2H
⊙	EMMONS UNIT 3H
⊙	EMMONS UNIT 2H
⊙	ATWOOD UNIT 3H
⊙	FORSTER UNIT 2H
⊙	FORSTER UNIT 3H

REVISION	
DATE	
	
THIS DOCUMENT WAS PREPARED BY:	
SITE PLAN BEECH RUN WELL PAD ELLSWORTH DISTRICT TYLER COUNTY, WEST VIRGINIA	
DATE: 2/7/2022	
SCALE: AS SHOWN	
SHEET: C302	