

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Monday, November 27, 2023 WELL WORK PLUGGING PERMIT Vertical Plugging

UNKNOWN - DEP PAID PLUGGING CONTRACT 601 57TH STREET

CHARLESTON, WV 25304

Permit approval for Hattie Pierpoint #1, 47-095-80191 Re:

47-095-02817-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number:

Farm Name: Wilson, Rebecca

U.S. WELL NUMBER: 47-095-02817-00-00

Vertical Plugging

Date Issued: 11/27/2023

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.


CONDITIONS

- 1. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 2. Well work activities shall not constitute a hazard to the safety of persons.
- 3. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing.

1) Date 11-14	, 20 23
2)Operator's	
Well No. Hattie	Pirpoint #1
3) API Well No.	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

APPLICATION FOR A PER	MIT TO PLUG AND ABANDON
4) Well Type: Oil X / Gas / Liquid	d injection / Waste disposal /
	derground storage) Deep/ Shallow
5) Location: Elevation 674'	Watershed Middle Island Creek
District Elsworth	County Tyler Quadrangle Middlebourne
	\ (1
6) Well Operator Uknown-DEP Paid Plugging	, sortgine see rigente
Address 601 57th Street SE	Address 601 57th St. SE
Charleston, WV 25304	Charleston WV 25304
0)	•
8) Oil and Gas Inspector to be notified Name Stephen McCoy	
Address 13016 Indian Creek Road	Name Unknown O this time
Jacksonburg, WV 26377	Address
duktoriburg, ** * 20077	
10) Work Order: The work order for the mann See attached for Plugging Prognosis	ner of plugging this well is as follows:
Notification must be given to the district oi work can commence.	l and gas inspector 24 hours before permitted
Work order approved by inspector David K. Scrar	nage Date 11-14-2023



(Attachment) Plugging Prognosis Hattie Pierpoint #1

- 1. Notify County Inspector within 24 hours of plugging commencement.
- 2. Move in and set approximately 5'x 36" plastic pipe over the wooden conductor for containment purposes. Set 120' of 8 5/8" casing and cement as needed.
- 3. WOC nipple up on 8 5/8" casing.
- 4. Run in hole with work string clean well bore to an estimated total depth of 1600' (TD) with gel.
- 5. Set a minimum of 100' bottom hole cement plug with 30% excess from 1600' -1500'. TOH w/work string, wait on cement WOC.
- 6. Run in hole with work string and tag cement plug, add cement if needed.
- 7. If cement plug is found to be of adequate thickness, pull work string up to 724' set a minimum of 100' cement plug from 724'-624' and TOH.
- 8. TIH with work string tag cement plug if plug is found to be of adequate thickness pull work string to approximately 450' and set a minimum 100' cement plug from 450'- 350'.
- 9. TOH with work string and WOC.
- 10. TIH with work string tag cement plug at an estimated depth of 350' if plug is of adequate thickness. If adequate thickness is not achieved pump additional cement.
- 11. If adequate plug thickness is achieved pull work string up and set a minimum of 100° cement plug to surface.
- 12. ***Pull all free pipe in any is found in well bore. ***
- 13. Set a minimum of 6" diameter monument of 12.5 feet in length.
- 14. Rig down move equipment and reclaim site.

1)	Date:	11-14-2023	
2)	Operato	or's Well Number	
Hat	tie Pier	point #1	

3) API Well No.: 47 -

95 - 02817

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

4) Surface Own (a) Name Address (b) Name Address	Milson, Rebecca C. 2841 Sellers Road Middlebourne, WV 26149	N.	N/A ner(s) with Declaration
(c) Name Address		Name Address	
6) Inspector Address Telephone	David Scranage Inspector Specialist (304) 380-3749	(c) Coal Less Name Address	see with Declaration
(1) The ap well it (2) The pl The reason y However, you Take notice accompanying Protection, we the Applicate the second	oplication to Plug and Abandon a Well on a and the plugging work order; and at (surveyor's map) showing the well location or received these documents is that you have right are not required to take any action at all. That under Chapter 22-6 of the West Virginia Cooling documents for a permit to plug and abandon a with respect to the well at the location described of	Form WW-4B, which so ion on Form WW-6. ghts regarding the application de, the undersigned well of well with the Chief of the on the attached Application do or certified mail or deli	sets out the parties involved in the work and describes the ation which are summarized in the instructions on the reverses side. Operator proposes to file or has filed this Notice and Application and Office of Oil and Gas, West Virginia Department of Environmental on and depicted on the attached Form WW-6. Copies of this Notice, ivered by hand to the person(s) named above (or by publication in
601 577 My C	By: OFFICIAL SEAL NOTARY PUBLIC ITATE OF WEST VIRGINIA EINAE DAWN WHITLOCK In Street, SE, Charleston, WV 28304 Ommission Expires April 06, 2027 Telephone	Henry J, Harm Agent 601 57th Stree Charleston, W (304) 926-0450	et SE V 25304
My Commission	an aun le lit	lay of 1 5UE	Notary Public

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

SURFACE OWNER WAIVER

Operator's Well Number

Hattie Pierpoint #1

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

objection to a normit hair minuted and the planner	ed work described in these metarials and I have a
objection to a permit being issued on those materials.	od work described in these materials, and I have no
FOR EXECUTION BY A NATURAL PERSON	FOR PURCLEMENT OF THE
ETC.	FOR EXECUTION BY A CORPORATION,
When the last and all all and a second a second and a second a second and a second a second and a second and a second and	Jame
Cignotius	
Bignature	У
It	Date

Signature

12/08/2023

API No.	47-095-02817
Farm Name	
Well No.	Hattie Pierpoint #1

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

NAZIA ENZERTO

	WAIVER
has examined this proposed plugging wor	/ owner/ lessee/ of the coal under this well location order. The undersigned has no objection to the work proposed to be operator has complied with all applicable requirements of the Wesns.
Date:	
	Ву:
	Its



west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 Phone (304) 926-0450 Harold D. Ward, Cabinet Socretary dep.wv.gov

BEFORE THE OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION STATE OF WEST VIRGINIA

IN THE MATTER OF A VARIANCE FROM)	
LEGISLATIVE RULE 35CSR4)	ORDER NO. 2022-13
SECTION 14.1. AND LEGISLATIVE RULE)	
35CSR8 SECTION 20.1,)	
RELATING TO THE CEMENTING)	
OF OIL AND GAS WELLS)	

REPORT OF THE OFFICE

In response to industry requests, the West Virginia Department of Environmental Protection, Office of Oil and Gas has reviewed the proposed use of American Petroleum Institute (API) Class L cement to be used in place of API Class A cement for well plugging.

FINDINGS OF FACT

- On July 28, 2022, Diversified Gas & Oil Co. (DGO) submitted a variance request from Legislative Rule 35CSR4 for the use of API Class L cement in place of API Class A cement, relating to the plugging of conventional wells.
- Laboratory analysis submitted by DGO on July 28, 2022, indicates API Class L cement is comparable to API Class A cement and thereby satisfies the requirements of the West Virginia Code.
- 3. Contemporaneously, the Chief of the Office of Oil and Gas also chose to consider a variance to Legislative Rule 35CSR8 Section 20.1., for the use of API Class L cement in place of API Class A cement, relating to the plugging of horizontal wells.

 On August 18, 2022, the Office of Oil and Gas provided public notice of acceptance of public comments on the variance consideration. During the 20-day public comment period, no comments were received.

CONCLUSIONS OF LAW

Pursuant to Article 6 and Article 6A, Chapter 22 of the Code of West Virginia, the Office of Oil and Gas has jurisdiction over the subject matter, and the persons interested therein, and jurisdiction to promulgate the hereinafter prescribed Order.

Pursuant to Legislative Rule 35CSR4, Section 18 and Legislative Rule 35CSR8, Section 14, the Chief of the Office of Oil and Gas may grant a variance from any requirement of these rules.

ORDER

It is ordered that the Class L cement product approved and monogramed by API is approved for use in place of API Class A cement for well plugging subject to the provisions of Legislative Rule 35CSR4 and Legislative Rule 35CSR8.

Dated this, the 13th day of September, 2022.

IN THE NAME OF THE STATE OF WEST VIRGINIA

OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION OF THE STATE OF WEST VIRGINIA

James Martin, Chief Office of Oil and Gas


601 57th Street, SE, Charleston, WV 25304 My Cammission Expires April 06, 2027

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Uknown	OP Code
Watershed (HUC 10) Mildle Islan) Creek	Quadrangle Middle barre
Do you anticipate using more than 5,000 bbls of water	r to complete the proposed well work? Yes No
Will a pit be used? Yes No	
	Disposed of off site and contained in tanks.
Will a synthetic liner be used in the pit? Yes	No If so, what ml.?
Proposed Disposal Method For Treated Pit W	astes:
	ed provide a completed form WW-9-GPP)
Underground Injection (Ul Reuse (at API Number	IC Permit Number)
The state of the s	form WW-9 for disposal location)
Other (Explain	
Will closed loop systembe used? If so, describe: n/a	
Drilling medium anticipated for this well (vertical and	horizontal)? Air, freshwater, oil based, etc. n/a
	n, etc. <u>n/a</u>
FRANK I W. W. W. W. D. D. D. D. D. D.	
Drill cuttings disposal method? Leave in pit, landfill, 1	removed offsite, etc. n/a
-If left in pit and plan to solidify what medium	n will be used? (cement, lime, sawdust)
-Landfill or offsite name/permit number?	
Permittee shall provide written notice to the Office of West Virginia solid waste facility. The notice shall be where it was properly disposed.	Oil and Gas of any load of drill cuttings or associated waste rejected at any provided within 24 hours of rejection and the permittee shall also disclose
on April 1, 2016, by the Office of Oil and Gas of the provisions of the permit are enforceable by law. Violat or regulation can lead to enforcement action. I certify under penalty of law that I have perapplication form and all attachments thereto and that, be the information, I believe that the information is true, submitting false information, including the possibility of Company Official Signature Company Official Title Company Official Title	Harmon down
1 1 1 10	ay of 1 Jovenhy, 20 23
Lencin aux Chatte	Notary Public Summer
My commission expires Que le 12	OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST UPPER TORK

Lime Minimum	2 Tons/acre or to corre	ct to pH	
Fertilizer type 10-	20-20 or equivelant		
Fertilizer amount	00	lbs/acre	
Mulch_2		Tons/acre	
		Seed Mixtures	
T	emporary	Pern	nanent
Seed Type	lbs/acre	Seed Type	lbs/acre
Orchard	40	Orchard	40
Landino Clover	5	Landino Clover	5
Perinnel Rye	30	Perinnel Rye	30
T: 41	25	Timothy	25
Attach: Maps(s) of road, location, p provided). If water from the (L, W), and area in acres, of	it and proposed area for land pit will be land applied, pro the land application area.	d application (unless engineered plans incl ovide water volume, include dimensions (I	uding this info have bee
Attach: Maps(s) of road, location, p provided). If water from the (L, W), and area in acres, of Photocopied section of invo	it and proposed area for land pit will be land applied, pro the land application area. lved 7.5' topographic sheet.	d application (unless engineered plans incl ovide water volume, include dimensions (I	uding this info have bee
Attach: Maps(s) of road, location, p provided). If water from the (L, W), and area in acres, of	it and proposed area for land pit will be land applied, pro the land application area. lved 7.5' topographic sheet.	d application (unless engineered plans incl ovide water volume, include dimensions (I	uding this info have bee
Attach: Maps(s) of road, location, p provided). If water from the (L, W), and area in acres, of Photocopied section of invo Plan Approved by:	it and proposed area for land pit will be land applied, pro the land application area. lved 7.5' topographic sheet.	d application (unless engineered plans incl ovide water volume, include dimensions (I	uding this info have bee
Attach: Maps(s) of road, location, p provided). If water from the (L, W), and area in acres, of Photocopied section of invo Plan Approved by:	it and proposed area for land pit will be land applied, profite land application area. It is a few short topographic sheet. Scranage	d application (unless engineered plans incl ovide water volume, include dimensions (I	uding this info have bee
Attach: Maps(s) of road, location, p provided). If water from the (L, W), and area in acres, of Photocopied section of invo Plan Approved by:	it and proposed area for land pit will be land applied, profite land application area. It is a few short topographic sheet. Scranage	d application (unless engineered plans incl ovide water volume, include dimensions (I	uding this info have bee
Attach: Maps(s) of road, location, p provided). If water from the (L, W), and area in acres, of Photocopied section of invo Plan Approved by:	it and proposed area for land pit will be land applied, profite land application area. It is a few short topographic sheet. Scranage	d application (unless engineered plans incl ovide water volume, include dimensions (I	uding this info have bee
Attach: Maps(s) of road, location, p provided). If water from the (L, W), and area in acres, of Photocopied section of invo Plan Approved by:	it and proposed area for land pit will be land applied, profite land application area. It is a few short topographic sheet. Scranage	d application (unless engineered plans incl ovide water volume, include dimensions (I	uding this info have bee
Attach: Maps(s) of road, location, p provided). If water from the (L, W), and area in acres, of Photocopied section of invo Plan Approved by:	it and proposed area for land pit will be land applied, profite land application area. It is a few short topographic sheet. Scranage	d application (unless engineered plans incl ovide water volume, include dimensions (I	uding this info have bee
Attach: Maps(s) of road, location, p provided). If water from the (L, W), and area in acres, of Photocopied section of invo Plan Approved by:	it and proposed area for land pit will be land applied, profite land application area. It is a few short topographic sheet. Scranage	d application (unless engineered plans incl ovide water volume, include dimensions (I	uding this info have bee
Attach: Maps(s) of road, location, p provided). If water from the (L, W), and area in acres, of Photocopied section of invo Plan Approved by:	it and proposed area for land pit will be land applied, profit the land application area. Ived 7.5' topographic sheet.	d application (unless engineered plans incl ovide water volume, include dimensions (I	uding this info have bee





West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LOCATION FORM: GPS

WELL EC	CHILOM LORINI GI	S
API:	WELL NO.	#1
FARM NAME: Hattie Pierpoint		
RESPONSIBLE PARTY NAME:	Unknown	· · · · · · · · · · · · · · · · · · ·
COUNTY: Tyler	DISTRICT: Els	sworth
QUADRANGLE: Middlebourne		
SURFACE OWNER: Wilson, Re	ebecca C.	
ROYALTY OWNER: Rebecca		
UTM GPS NORTHING: 4370777	7.20	
UTM GPS EASTING: 505638.73	GPS ELEVA	ATION:
The Responsible Party named above preparing a new well location plat f above well. The Office of Oil and Othe following requirements: 1. Datum: NAD 1983, Zon height above mean sea le 2. Accuracy to Datum – 3.0 3. Data Collection Method: Survey grade GPS: Post Page 1.	For a plugging permit or assigne Gas will not accept GPS coording the: 17 North, Coordinate Units: evel (MSL) – meters. 15 meters	d API number on the lates that do not meet
Real-T	ime Differential	
Mapping Grade GPS: Pos		
	al-Time Differential	
4. Letter size copy of the 1 I the undersigned, hereby certify this belief and shows all the information prescribed by the Office of Oil and	required by law and the regula	y knowledge and
David R. Daranese	Inspector Specialist	11-14-2023
Signature	Title	Date

Pluggin	g Permit
$\overline{\Box}$	WW-4B WW-4B signed by inspector WW-4A
	SURFACE OWNER WAIVER or PROOF THAT APPLICATION WAS SENT BY REGISTERED OR CERITFIED MAIL
	COAL OWNER/COAL OPERATOR/COAL LESSEE WAIVERS or PROOF THAT APPLICATION WAS SENT BY REGISTERED OR CERTIFIED MAIL
<u></u> \	WW-9 PAGE 1 (NOTARIZED)
$oxed{\square}_{'}$	WW-9 PAGE 2 with attached drawing of road, location, pit and proposed area for land application
	WW-9 GPP PAGE 1 and 2 if well effluent will be land applied
	RECENT MYLAR PLAT OR WW-7
<u></u>	WELL RECORDS/COMPLETION REPORT
<u></u>	TOPOGRAPHIC MAP OF WELL, SHOWING PIT IF PIT IS USED
	MUST HAVE VALID BOND IN OPERATOR'S NAME
	CHECK FOR \$100 IF PIT IS USED



Kennedy, James P < james.p.kennedy@wv.gov>

plugging permit issued 4709502817

1 message

Kennedy, James P <james.p.kennedy@wv.gov>

Mon, Nov 27, 2023 at 2:08 PM

To: Henry J Harmon henry.j.harmon@wv.gov">henry.j.harmon@wv.gov, David K Scranage david.k.scranage@wv.gov, Stephen E McCoy stephen.e.mccoy@wv.gov, Ijackson@wvassessor.com, jturner@wvassessor.com

To whom it may concern, a plugging permit has been issued for 4709502817.

James Kennedy

WVDEP OOG

