



Tribune Resources



Borehole:	BFT 6H	Well:	BFT 6H	Field:	WV Tyler County (NAD 27)	Structure:	Tribune Resources BFT Pad
-----------	--------	-------	--------	--------	--------------------------	------------	---------------------------

Gravity & Magnetic Parameters	Surface Location	Measurements
Model: HOGM 2024 MagDec: -8.031°	Dip: 66.173° Date: 06-Dec-2024 Gravity FS: 999.35mgal (9.80665 Based)	NAD27 West Virginia State Plane, Northern Zone, US Feet Lat: N 39 27 39.00 Northing: 362180.631US Easting: 1864028.421US Grid Conv: -0.7689° Scale Fact: 0.99994483
		Slot: BFT 6H TVD Ref: RKB (907,000 ft above MSL) Plan: Tribune Resources BFT 6H Rev6 SLB 16Dec24

Target Name	Slack	Direction	Latitude	Longitude	Depth	TVD	VSM	SLB	Local Count
BFT Lease Line 3	Proble	N/A	N 39 27 32.80	W 80 41 36.80	101617.20	100260.77	0.00	8.47	-1028.71
BFT Lease Line 7	Proble	N/A	N 39 28 36.08	W 80 42 5.71	308080.88	100270.46	0.00	-4828.82	-1028.71
BFT Lease Line 4	Proble	N/A	N 39 27 33.04	W 80 41 36.81	101606.97	100261.89	0.00	8.82	-1028.71
BFT Lease Line 6	Proble	N/A	N 39 27 32.80	W 80 41 36.81	101617.20	100260.77	0.00	8.47	-1028.71
BFT 6H Bit	Point	N/A	N 39 28 53.87	W 80 40 15.21	301463.78	100270.46	0.00	-4828.82	-1028.71
BFT 6H LF	Point	N/A	N 39 27 33.04	W 80 41 36.81	101606.97	100261.89	0.00	8.82	-1028.71

Comments	Survey MD (ft)	Instrument (ft)	Annular (ft)	TVD (ft)	VSM (ft)	SLB (ft)	EW (ft)	Sub-Sea (ft)	Dist (m)
Surface	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-907.00
Final 3rd Party MWD	5,981.00	17.56	291.72	5,866.14	-771.06	375.43	-892.06	4,959.14	0.75
Final SLB_MWD	6,093.00	18.08	289.10	5,972.77	-797.46	387.37	-924.18	5,065.77	0.85
Final SLB_MWD	19,443.00	90.00	149.66	6,913.58	11,878.26	-10,700.13	5,223.05	6,006.58	0.19
PTB	19,479.00	90.00	149.66	6,913.58	11,914.26	-10,731.20	5,241.24	6,006.58	0.00

CONTROLLED

Plan and
Surveying
Copy number
Date
Drawn By
Checked By


Tribune Resources BFT 6H Rev6 SLB 16Dec24

1 of 3


24-01-2025

J.C. Sams

for



Vertical Section (ft) Azim = 150.01° Scale = 1:650.00 (ft) Origin = 0N/-S, 0E/-W



RECEIVED
Office Of Oil and Gas
NOV 6 2025
WV Department of
Environmental Protection

12/19/2025



Tribune Resources BFT 6H Surveys Off to 19479ft MD Survey Geodetic Report

Report Date: October 24, 2025 - 09:19 PM (UTC 0)
Client: Tribune Resources
Field: WV Tyler County (NAD 27)
Structure / Shot: Tribune Resources BFT Pad / BFT 6H
Well: BFT 6H
Borehole: BFT 6H
USNG / API / JobNumber: Unknown / Unknown / Unknown
Survey Name / Version: Tribune Resources BFT 6H Surveys Off to 19479ft MD / 1
Survey Date: December 06, 2024
Tort / AHD / DDI / ERD Ratio: 227.459 " / 13852.528 ft / 6.945 / 1.990
Coordinate Reference System: NAD27 West Virginia State Plane, Northern Zone, US Feet
Location Lat / Long: N 39°27'39.02280" W 80°41'23.85735"
Location Grid N/E Y/X: N 352160.030 S/E 1664026.420 S/E
CRS Grid Convergence Angle: -0.759"
Grid Scale Factor: 0.99994488(Applied)
Engine Version: 2025.1.0.1

Survey / DLS Computation: Minimum Curvature / Lubinski
Vertical Section Azimuth: 150.010 (Grid North)
Vertical Section Origin: 0.000 ft, 0.000 ft
TVD Reference Datum: RKB
TVD Reference Elevation: 907.000 ft above MSL
Seabed / Ground Elevation: 800.000 ft above MSL
Magnetic Declination: -0.031"
Total Gravity Field Strength: 999.3407mgm (9.80095 Based)
Gravity Model: GARM
Total Magnetic Field Strength: 51485.8 nT
Magnetic Dip Angle: 66.173"
Declination Date: December 06, 2024
Magnetic Declination Model: HDGM 2024
North Reference: Grid
Local Coord Referenced To: Well Head

Comments	MD	Ind	Azim	TVD	VSEC	NS	EW	TVDSS	DLS	Northing	Easting	Latitude	Longitude
Surface	(ft)	(ft)	(°)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)	(°N)	(°W)
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-607.00	0.00	352.180.63	1.664.026.42	N 39°27'39.00"	W 80°41'23.89"
	130.00	0.72	158.00	130.00	0.81	-0.76	0.31	-777.00	0.55	352.178.88	1.664.026.73	N 39°27'39.00"	W 80°41'23.89"
	189.00	0.90	166.02	188.99	1.62	-1.55	0.56	-718.01	0.36	352.178.06	1.664.026.99	N 39°27'39.00"	W 80°41'23.89"
	284.00	1.04	172.35	283.98	3.14	-3.13	0.85	-623.02	0.19	352.177.50	1.664.027.27	N 39°27'39.07"	W 80°41'23.89"
	373.00	0.70	216.68	372.97	4.10	-4.37	0.63	-534.03	0.82	352.176.27	1.664.027.05	N 39°27'39.06"	W 80°41'23.89"
	461.00	1.40	240.29	460.95	4.31	-5.33	-0.62	-448.05	0.92	352.175.30	1.664.025.80	N 39°27'38.99"	W 80°41'23.90"
	502.00	1.91	245.80	501.91	4.15	-4.50	-2.97	-305.09	0.59	352.174.13	1.664.023.45	N 39°27'38.94"	W 80°41'23.93"
	568.00	2.06	243.23	567.90	4.10	-4.74	-3.47	-338.10	1.09	352.173.89	1.664.022.95	N 39°27'38.94"	W 80°41'23.94"
	641.00	2.87	245.49	640.84	3.86	-4.09	-4.30	-266.16	1.12	352.172.54	1.664.020.12	N 39°27'38.92"	W 80°41'23.98"
	731.00	3.72	264.64	730.66	2.42	-4.30	-11.26	-176.31	1.53	352.171.34	1.664.015.16	N 39°27'38.91"	W 80°41'24.04"
	821.00	4.98	280.02	820.44	-1.74	-4.30	-17.86	-86.56	2.48	352.172.34	1.664.008.56	N 39°27'38.92"	W 80°41'24.12"
	910.00	5.24	295.85	909.08	-6.02	-6.27	-25.17	2.08	0.74	352.175.37	1.664.001.25	N 39°27'38.95"	W 80°41'24.22"
	1,000.00	5.17	301.53	998.71	-14.99	-1.35	-32.33	91.71	0.58	352.179.28	1.663.994.10	N 39°27'38.99"	W 80°41'24.31"
	1,089.00	4.98	303.64	1,087.36	-21.97	2.68	-38.96	180.36	0.30	352.183.52	1.663.987.46	N 39°27'39.03"	W 80°41'24.39"
	1,179.00	4.77	305.42	1,177.04	-28.87	7.22	-45.26	270.04	0.29	352.187.85	1.663.981.16	N 39°27'39.07"	W 80°41'24.48"
	1,269.00	4.70	302.13	1,266.73	-35.54	11.35	-51.43	359.73	0.31	352.191.98	1.663.974.89	N 39°27'39.11"	W 80°41'24.55"
	1,359.00	4.90	297.33	1,355.42	-41.96	15.03	-57.90	448.42	0.50	352.195.85	1.663.968.53	N 39°27'39.14"	W 80°41'24.64"
	1,448.00	5.27	296.90	1,445.07	-48.86	18.66	-65.00	538.07	0.41	352.199.30	1.663.961.42	N 39°27'39.18"	W 80°41'24.73"
	1,537.00	5.57	294.29	1,533.67	-55.59	22.29	-72.58	626.67	0.44	352.202.92	1.663.953.84	N 39°27'39.21"	W 80°41'24.83"
	1,627.00	6.24	293.30	1,623.16	-63.05	26.02	-81.05	716.19	0.75	352.206.85	1.663.945.37	N 39°27'39.25"	W 80°41'24.94"
	1,716.00	5.68	307.14	1,711.71	-70.99	30.59	-89.01	804.71	1.73	352.211.23	1.663.937.42	N 39°27'39.29"	W 80°41'25.04"
	1,805.00	5.67	306.59	1,800.28	-78.08	35.87	-96.05	893.28	0.66	352.216.51	1.663.930.38	N 39°27'39.34"	W 80°41'25.13"
	1,895.00	5.97	303.58	1,889.81	-87.35	41.11	-103.52	982.81	0.48	352.221.74	1.663.922.91	N 39°27'39.40"	W 80°41'25.22"
	1,985.00	6.42	299.51	1,979.29	-95.88	46.18	-111.80	1,072.29	0.70	352.226.81	1.663.914.83	N 39°27'39.44"	W 80°41'25.33"
	2,074.00	7.16	296.23	2,067.86	-104.93	51.34	-120.87	1,160.66	0.83	352.231.97	1.663.906.46	N 39°27'39.49"	W 80°41'25.45"
	2,164.00	7.84	296.56	2,156.89	-114.99	57.01	-131.25	1,249.89	0.76	352.237.64	1.663.896.17	N 39°27'39.55"	W 80°41'25.58"
	2,254.00	8.32	295.27	2,246.00	-125.57	62.73	-142.53	1,339.00	0.74	352.243.36	1.663.883.89	N 39°27'39.60"	W 80°41'25.73"
	2,343.00	8.36	291.47	2,334.06	-135.93	67.85	-154.38	1,427.06	0.82	352.248.47	1.663.872.95	N 39°27'39.65"	W 80°41'25.85"
	2,433.00	8.85	287.10	2,423.05	-146.12	72.28	-167.08	1,516.05	0.91	352.252.90	1.663.858.35	N 39°27'39.70"	W 80°41'26.04"
	2,523.00	8.90	283.00	2,511.97	-155.93	75.88	-180.48	1,604.97	0.70	352.256.51	1.663.845.85	N 39°27'39.73"	W 80°41'26.21"
	2,612.00	9.00	278.90	2,599.89	-165.00	78.50	-194.07	1,692.89	0.73	352.259.13	1.663.832.36	N 39°27'39.75"	W 80°41'26.38"
	2,702.00	8.77	274.74	2,688.81	-173.33	80.16	-207.86	1,781.81	0.76	352.260.79	1.663.818.57	N 39°27'39.77"	W 80°41'26.56"
	2,791.00	8.49	272.30	2,776.80	-180.70	80.88	-221.19	1,869.80	0.52	352.261.61	1.663.805.24	N 39°27'39.77"	W 80°41'26.73"
	2,881.00	8.73	267.99	2,865.79	-187.48	81.01	-234.65	1,958.79	0.76	352.261.64	1.663.791.78	N 39°27'39.77"	W 80°41'26.90"
	2,972.00	8.36	264.58	2,911.28	-190.48	80.57	-241.47	2,044.77	1.36	352.261.23	1.663.778.46	N 39°27'39.77"	W 80°41'27.09"
	3,022.00	7.77	260.75	3,005.34	-195.63	78.89	-254.68	2,098.34	0.84	352.259.52	1.663.771.75	N 39°27'39.75"	W 80°41'27.16"
	3,112.00	8.05	270.93	3,094.48	-201.02	78.01	-268.99	2,187.48	1.59	352.258.64	1.663.759.44	N 39°27'39.74"	W 80°41'27.31"
	3,201.00	9.03	287.72	3,182.51	-208.39	80.24	-279.88	2,275.51	3.00	352.260.87	1.663.746.56	N 39°27'39.78"	W 80°41'27.48"
	3,291.00	9.18	302.93	3,271.39	-221.01	86.29	-292.63	2,364.39	2.87	352.268.92	1.663.733.80	N 39°27'39.82"	W 80°41'27.64"
	3,381.00	8.43	302.64	3,360.33	-233.26	93.75	-304.21	2,453.33	0.83	352.274.38	1.663.722.22	N 39°27'39.85"	W 80°41'27.81"
	3,470.00	7.09	298.49	3,448.51	-243.74	99.89	-314.53	2,541.51	1.63	352.280.52	1.663.711.80	N 39°27'39.89"	W 80°41'27.92"
	3,560.00	8.12	304.68	3,537.72	-254.22	108.16	-324.84	2,630.72	1.46	352.286.79	1.663.701.79	N 39°27'40.01"	W 80°41'28.05"
	3,650.00	8.48	305.24	3,626.78	-265.98	113.60	-335.29	2,719.78	0.41	352.294.23	1.663.691.15	N 39°27'40.08"	W 80°41'28.19"
	3,739.00	7.75	302.06	3,714.89	-277.25	120.58	-345.74	2,807.89	0.96	352.301.20	1.663.680.70	N 39°27'40.15"	W 80°41'28.35"
	3,829.00	8.59	299.66	3,803.97	-288.45	127.15	-356.76	2,896.97	1.07	352.307.77	1.663.669.68	N 39°27'40.21"	W 80°41'28.47"
	3,919.00	8.95	298.16	3,892.96	-300.00	133.67	-368.57	2,985.95	0.26	352.314.29	1.663.657.87	N 39°27'40.28"	W 80°41'28.62"
	4,008.00	9.47	296.30	3,980.85	-311.94	140.39	-380.81	3,073.85	1.01	352.321.01	1.663.645.63	N 39°27'40.34"	W 80°41'28.78"
	4,098.00	9.15	297.94	4,069.65	-324.37	147.36	-393.59	3,162.66	0.43	352.327.99	1.663.632.85	N 39°27'40.41"	W 80°41'28.94"
	4,187.00	9.42	297.76	4,157.49	-336.53	154.07	-406.29	3,250.49	0.31	352.334.70	1.663.620.16	N 39°27'40.47"	W 80°41'29.10"
	4,277.00	10.55	300.41	4,246.13	-348.92	161.67	-419.91	3,339.13	1.36	352.342.30	1.663.608.53	N 39°27'40.59"	W 80°41'29.25"
	4,367.00	11.20	299.58	4,334.51	-364.62	170.16	-434.62	3,427.51	0.74	352.350.78	1.663.591.83	N 39°27'40.63"	W 80°41'29.47"
	4,456.00	11.94	298.93	4,421.70	-379.79	178.60	-450.34	3,514.70	1.02	352.359.22	1.663.578.10	N 39°27'40.71"	W 80°41'29.61"
	4,546.00	12.56	297.48	4,509.65	-395.84	187.33	-467.33	3,602.65	0.70	352.367.95	1.663.559.12	N 39°27'40.79"	W 80°41'29.85"
	4,636.00	14.25	297.23	4,596.23	-413.21	196.81	-485.85	3,690.23	1.80	352.377.43	1.663.540.80	N 39°27'40.88"	W 80°41'30.12"
	4,725.00	15.69	297.29	4,683.17	-432.76	207.45	-506.32	3,778.17	1.60	352.388.08	1.663.520.13	N 39°27'40.99"	W 80°41'30.39"
	4,815.00	17.09	295.74	4,769.51	-453.93	218.78	-529.05	3,862.51	1.63	352.399.40	1.663.497.40	N 39°27'41.10"	W 80°41'30.68"
	4,904.00	18.39	293.57	4,854.28	-476.03	230.07	-553.70	3,947.28	1.64	352.410.69	1.663.472.78	N 39°27'41.20"	W 80°41'31.00"
	4,994.00	19.32	292.58	4,839.45	-499.28	241.48	-580.45	4,032.45	1.09	352.422.08	1.663.446.00	N 39°27'41.31"	W 80°41'31.34"
	5,084.00	20.82	293.13	5,024.22	-523.36	252.20	-608.30	4,117.22	0.70	352.433.82	1.663.418.15	N 39°27'41.43"	W 80°41'31.70"
	5,174.00	20.70	294.05	5,108.63	-548.60	263.86	-636.06	4,201.63	1.05	352.446.48	1.663.389.80	N 39°27'41.55"	W 80°41'32.06"
	5,263.00	21.46	295.02	5,191.67	-574.78	276.31	-665.91	4,284.67	0.87	352.459.92	1.663.360.55	N 39°27'41.68"	W 80°41'32.41"
	5,353.00	21.34	294.64	5,275.47	-601.61	283.10	-695.71	4,368.47	0.20	352.473.71	1.666		

8.914.00	08.30	151.30	0.844.30	090.27	-1.230.82	-251.50	0.037.30	0.21	300.040.88	1.023.794.05	N 302723.81	W 001728.64
8.922.00	08.40	149.84	0.843.34	1.036.28	-1.306.49	-187.00	0.037.34	1.83	300.872.31	1.023.858.44	N 302723.80	W 001728.07
8.930.00	08.50	148.84	0.843.38	1.130.25	-1.384.30	-142.91	0.039.30	0.21	300.748.42	1.023.883.52	N 302723.79	W 001725.48
8.938.00	09.00	150.33	0.847.47	1.218.24	-1.464.33	-88.10	0.040.47	0.47	300.718.30	1.023.928.33	N 302723.78	W 001724.80
8.946.00	09.10	150.13	0.848.40	1.308.24	-1.541.58	-53.91	0.041.43	0.23	300.630.14	1.023.972.51	N 302723.70	W 001724.37
8.954.00	09.20	150.45	0.848.35	1.398.23	-1.619.75	-4.31	0.042.55	0.41	300.580.80	1.024.017.11	N 302723.69	W 001723.74
8.962.00	09.30	150.32	0.850.71	1.487.22	-1.697.12	34.08	0.043.71	0.18	300.483.81	1.024.051.05	N 302723.64	W 001723.17
8.970.00	09.40	150.12	0.851.02	1.577.21	-1.775.23	79.30	0.044.85	0.30	300.403.51	1.024.084.78	N 302723.67	W 001722.50
8.978.00	09.50	150.34	0.852.43	1.667.21	-1.853.38	124.04	0.046.43	0.25	300.357.38	1.024.120.45	N 302723.65	W 001721.83
8.986.00	10.00	150.01	0.853.18	1.757.20	-1.931.70	167.49	0.048.19	0.27	300.274.65	1.024.154.30	N 302723.64	W 001721.16
8.994.00	10.10	149.82	0.853.05	1.847.20	-2.010.05	212.02	0.049.89	1.81	300.172.50	1.024.188.42	N 302723.62	W 001720.49
8.998.00	10.20	149.70	0.854.43	1.937.19	-2.088.29	256.77	0.047.48	0.50	300.090.40	1.024.224.87	N 302723.63	W 001719.82
9.000.00	10.30	149.80	0.853.14	2.027.19	-2.166.57	301.55	0.045.14	0.21	300.017.60	1.024.259.85	N 302723.61	W 001719.15
9.002.00	10.40	149.80	0.853.78	2.117.19	-2.244.80	346.13	0.043.79	0.12	300.040.87	1.024.294.83	N 302723.59	W 001718.48
9.004.00	10.50	150.18	0.853.31	2.207.18	-2.323.10	390.81	0.043.21	0.28	300.063.00	1.024.329.81	N 302723.57	W 001717.81
9.006.00	10.60	150.34	0.853.84	2.297.18	-2.401.38	435.18	0.044.84	0.22	300.085.17	1.024.364.79	N 302723.55	W 001717.14
9.008.00	10.70	149.44	0.857.25	2.387.18	-2.479.64	480.20	0.046.35	1.01	300.107.34	1.024.399.77	N 302723.53	W 001716.47
9.010.00	10.80	149.49	0.858.03	2.477.17	-2.557.91	525.22	0.048.19	0.43	300.030.02	1.024.434.75	N 302723.51	W 001715.80
9.012.00	10.90	149.05	0.858.70	2.567.17	-2.636.18	570.24	0.050.70	0.72	300.052.17	1.024.469.73	N 302723.49	W 001715.13
9.014.00	11.00	150.21	0.859.01	2.657.17	-2.714.45	615.26	0.052.01	0.39	300.074.17	1.024.504.71	N 302723.47	W 001714.46
9.016.00	11.10	149.84	0.859.21	2.747.17	-2.792.72	660.28	0.053.21	0.35	300.096.04	1.024.539.69	N 302723.45	W 001713.79
9.018.00	11.20	149.05	0.859.30	2.837.17	-2.870.99	705.30	0.054.80	0.10	300.118.10	1.024.574.67	N 302723.43	W 001713.12
9.020.00	11.30	149.84	0.859.25	2.927.17	-2.949.26	750.32	0.056.40	0.23	300.140.16	1.024.609.65	N 302723.41	W 001712.45
9.022.00	11.40	149.05	0.859.25	3.017.17	-3.027.53	795.34	0.058.00	0.14	300.162.22	1.024.644.63	N 302723.39	W 001711.78
9.024.00	11.50	149.05	0.859.25	3.107.17	-3.105.80	840.36	0.059.58	0.42	300.184.28	1.024.679.61	N 302723.37	W 001711.11
9.026.00	11.60	149.05	0.859.25	3.197.17	-3.184.07	885.38	0.061.18	0.23	300.206.34	1.024.714.59	N 302723.35	W 001710.44
9.028.00	11.70	149.05	0.859.25	3.287.17	-3.262.34	930.40	0.062.78	0.48	300.228.40	1.024.749.57	N 302723.33	W 001709.77
9.030.00	11.80	149.05	0.859.25	3.377.17	-3.340.61	975.42	0.064.38	0.52	300.250.46	1.024.784.55	N 302723.31	W 001709.10
9.032.00	11.90	149.05	0.859.25	3.467.17	-3.418.88	1.020.44	0.065.98	0.57	300.272.52	1.024.819.53	N 302723.29	W 001708.43
9.034.00	12.00	149.05	0.859.25	3.557.17	-3.497.15	1.065.46	0.067.58	0.82	300.294.58	1.024.854.51	N 302723.27	W 001707.76
9.036.00	12.10	149.05	0.859.25	3.647.17	-3.575.42	1.110.48	0.069.18	0.43	300.316.64	1.024.889.49	N 302723.25	W 001707.09
9.038.00	12.20	149.05	0.859.25	3.737.17	-3.653.69	1.155.50	0.070.78	0.64	300.338.70	1.024.924.47	N 302723.23	W 001706.42
9.040.00	12.30	149.05	0.859.25	3.827.17	-3.731.96	1.200.52	0.072.38	0.44	300.360.76	1.024.959.45	N 302723.21	W 001705.75
9.042.00	12.40	149.05	0.859.25	3.917.17	-3.810.23	1.245.54	0.073.98	0.64	300.382.82	1.024.994.43	N 302723.19	W 001705.08
9.044.00	12.50	149.05	0.859.25	4.007.17	-3.888.50	1.290.56	0.075.58	0.84	300.404.88	1.025.029.41	N 302723.17	W 001704.41
9.046.00	12.60	149.05	0.859.25	4.097.17	-3.966.77	1.335.58	0.077.18	0.43	300.426.94	1.025.064.39	N 302723.15	W 001703.74
9.048.00	12.70	149.05	0.859.25	4.187.17	-4.045.04	1.380.60	0.078.78	0.64	300.448.00	1.025.099.37	N 302723.13	W 001703.07
9.050.00	12.80	149.05	0.859.25	4.277.17	-4.123.31	1.425.62	0.080.38	0.84	300.470.06	1.025.134.35	N 302723.11	W 001702.40
9.052.00	12.90	149.05	0.859.25	4.367.17	-4.201.58	1.470.64	0.081.98	0.64	300.492.12	1.025.169.33	N 302723.09	W 001701.73
9.054.00	13.00	149.05	0.859.25	4.457.17	-4.279.85	1.515.66	0.083.58	0.84	300.514.18	1.025.204.31	N 302723.07	W 001701.06
9.056.00	13.10	149.05	0.859.25	4.547.17	-4.358.12	1.560.68	0.085.18	0.43	300.536.24	1.025.239.29	N 302723.05	W 001700.39
9.058.00	13.20	149.05	0.859.25	4.637.17	-4.436.39	1.605.70	0.086.78	0.64	300.558.30	1.025.274.27	N 302723.03	W 001699.72
9.060.00	13.30	149.05	0.859.25	4.727.17	-4.514.66	1.650.72	0.088.38	0.84	300.580.36	1.025.309.25	N 302723.01	W 001699.05
9.062.00	13.40	149.05	0.859.25	4.817.17	-4.592.93	1.695.74	0.089.98	0.43	300.602.42	1.025.344.23	N 302722.99	W 001698.38
9.064.00	13.50	149.05	0.859.25	4.907.17	-4.671.20	1.740.76	0.091.58	0.64	300.624.48	1.025.379.21	N 302722.97	W 001697.71
9.066.00	13.60	149.05	0.859.25	4.997.17	-4.749.47	1.785.78	0.093.18	0.84	300.646.54	1.025.414.19	N 302722.95	W 001697.04
9.068.00	13.70	149.05	0.859.25	5.087.17	-4.827.74	1.830.80	0.094.78	0.43	300.668.60	1.025.449.17	N 302722.93	W 001696.37
9.070.00	13.80	149.05	0.859.25	5.177.17	-4.906.01	1.875.82	0.096.38	0.64	300.690.66	1.025.484.15	N 302722.91	W 001695.70
9.072.00	13.90	149.05	0.859.25	5.267.17	-4.984.28	1.920.84	0.097.98	0.84	300.712.72	1.025.519.13	N 302722.89	W 001695.03
9.074.00	14.00	149.05	0.859.25	5.357.17	-5.062.55	1.965.86	0.099.58	0.43	300.734.78	1.025.554.11	N 302722.87	W 001694.36
9.076.00	14.10	149.05	0.859.25	5.447.17	-5.140.82	2.010.88	0.101.18	0.64	300.756.84	1.025.589.09	N 302722.85	W 001693.69
9.078.00	14.20	149.05	0.859.25	5.537.17	-5.219.09	2.055.90	0.102.78	0.84	300.778.90	1.025.624.07	N 302722.83	W 001693.02
9.080.00	14.30	149.05	0.859.25	5.627.17	-5.297.36	2.100.92	0.104.38	0.43	300.800.96	1.025.659.05	N 302722.81	W 001692.35
9.082.00	14.40	149.05	0.859.25	5.717.17	-5.375.63	2.145.94	0.105.98	0.64	300.823.02	1.025.694.03	N 302722.79	W 001691.68
9.084.00	14.50	149.05	0.859.25	5.807.17	-5.453.90	2.190.96	0.107.58	0.84	300.845.08	1.025.729.01	N 302722.77	W 001691.01
9.086.00	14.60	149.05	0.859.25	5.897.17	-5.532.17	2.235.98	0.109.18	0.43	300.867.14	1.025.764.00	N 302722.75	W 001690.34
9.088.00	14.70	149.05	0.859.25	5.987.17	-5.610.44	2.280.99	0.110.78	0.64	300.889.20	1.025.799.00	N 302722.73	W 001689.67
9.090.00	14.80	149.05	0.859.25	6.077.17	-5.688.71	2.326.01	0.112.38	0.84	300.911.26	1.025.834.00	N 302722.71	W 001689.00
9.092.00	14.90	149.05	0.859.25	6.167.17	-5.766.98	2.371.03	0.113.98	0.43	300.933.32	1.025.869.00	N 302722.69	W 001688.33
9.094.00	15.00	149.05	0.859.25	6.257.17	-5.845.25	2.416.05	0.115.58	0.64	300.955.38	1.025.904.00	N 302722.67	W 001687.66
9.096.00	15.10	149.05	0.859.25	6.347.17	-5.923.52	2.461.07	0.117.18	0.84	300.977.44	1.025.939.00	N 302722.65	W 001686.99
9.098.00	15.20	149.05	0.859.25	6.437.17	-6.001.79	2.506.09	0.118.78	0.43	300.999.50	1.025.974.00	N 302722.63	W 001686.32
9.100.00	15.30	149.05	0.859.25	6.527.17	-6.080.06	2.551.11	0.120.38	0.64	301.021.56	1.026.009.00	N 302722.61	W 001685.65
9.102.00	15.40	149.05	0.859.25	6.617.17	-6.158.33	2.596.13	0.121.98	0.84	301.043.62	1.026.044.00	N 302722.59	W 001684.98
9.104.00	15.50	149.05	0.859.25	6.707.17	-6.236.60	2.641.15	0.123.58	0.43	301.065.68	1.026.079.00	N 302722.57	W 001684.31
9.106.00	15.60	149.05	0.859.25	6.797.17	-6.314.87	2.686.17	0.125.18	0.64	301.087.74	1.026.114.00	N 302722.55	W 001683.64
9.108.00	15.70	149.05	0.859.25	6.887.17	-6.393.14	2.731.19	0.126.78	0.84	301.109.80	1.026.149.00	N 302722.53	W 001682.97
9.110.00	15.80	149.05	0.859.25	6.977.17	-6.471.41	2.776.21	0.128.38	0.43	301.131.86	1.026.184.00	N 302722.51	W 001682.30
9.112.00	15.90	149.05	0.859.25	7.067.17	-6.549.68	2.821.23	0.129.98	0.64	301.153.92	1.026.219.00	N 302722.49	W 001681.63
9.114.00	16.00	149.05	0.859.25	7.157.17	-6.627.95	2.866.25	0.131.58	0.84	301.175.98	1.026.254.00	N 302722.47	W 001680.96
9.116.00	16.10	149.05	0.859.25	7.247.17	-6.706.22	2.911.27	0.133.18					

Survey Type: Definitive Survey

Survey Error Model: ISOWSA Rev 4 *** 3-D 95 % Confidence 2.7935 sigma

Survey Program:

Description	Part	MD From (ft)	MD To (ft)	CDU Pres (ft)	Expected Max Inclination (deg)	Survey Tool Code	Vendor / Tool	Borehole / Survey
	1	0.000	5,001.000 Act Str			A001MB_MWYD		BFT OH / Tribune Resources BFT OH Surveys 02 to 19470R MD
	1	5,001.000	19,479.000 Act Str			A000MB_MWYD-WR1+US		BFT OH / Tribune Resources BFT OH Surveys 02 to 19470R MD

CDU Geometry:

End MD (ft)	Hole Size (in)	Casing Size (in)	Name
650.000	17.500	13.375	
3,000.000	12.250	9.625	
5,001.000	8.750	5.500	
19,479.000	8.500	5.500	

RECEIVED
Office Of Oil and Gas
NOV 6 2025
WV Department of
Environmental Protection