

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Monday, March 13, 2023 WELL WORK PERMIT Horizontal 6A / New Drill

ANTERO RESOURCES CORPORATION 1615 WYNKOOP STREET

DENVER, CO 80202

Permit approval for LOKI UNIT 1H

47-095-02849-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing easing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-045

Chief

Operator's Well Number: LOKI UNIT 1H

Farm Name: ANTERO RESOURCES CORP

U.S. WELL NUMBER: 47-095-02849-00-00

Horizontal 6A New Drill

Date Issued: 3/13/2023

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE).
 Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled Water Well Regulations, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no
 later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who
 may have requested such analyses.
- 7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief
 or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.
- 11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of DEPOOGNotify@wv.gov.

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

				·				/
1) Well Operator	: Antero F	Resources	Corpora	49450	07062	095 - Tyler	Union /	Middlebourne 7.5'
	8			Oper	ator ID	County	District	Quadrangle
2) Operator's We	ell Number:	Loki Unit 1	Н		Well Pa	d Name: Ron	na Lou Pad	
3) Farm Name/Su	urface Own	er: Antero F	lesources	Corp.	Public Ro	ad Access: Se	ellers Road	
4) Elevation, curi	rent ground:	As-built	883' El	evation	, proposed	l post-construc	tion:	
	a) Gas $\frac{\lambda}{2}$	(lerground Stor		
	2°	Shallow	Χ		Deep			
		Horizontal	X		-			•
6) Existing Pad: `	Yes or No	No						
7) Proposed Targ Marcellus Shal						and Expected iated Pressure-		
8) Proposed Tota	l Vertical D	epth: 6500	D' TVD	1				
9) Formation at T	Total Vertica	al Depth:	Marcellus					
10) Proposed Tot	tal Measure	d Depth:	16500' M	D ′				
11) Proposed Ho	rizontal Leg	Length: 8	3000' *0	Open to	modifica	ation at a later	date /	
12) Approximate	Fresh Wate	er Strata Dej	oths:	168'	/			
13) Method to De 14) Approximate			_	170950\ 2 7	130 ⁻⁽¹⁾ Offset w	ell records. Depths ha	ve been adjusted	according to surface elevations.
15) Approximate	Coal Seam	Depths: N	one Antic	cipated				
16) Approximate	Depth to Po	ossible Voic	l (coal mi	ne, kars	st, other):	None Anticip	ated	
17) Does Propose directly overlying					es	N	o <u>X</u>	
(a) If Yes, prov	ide Mine In	fo: Name:						
		Depth:	83 10				P Office	RECEIVED of Oil and Gas
		Seam:					FEE	· V
		Owner	:					
								Department of

Page 1 of 3

4709502849

OPERATOR WELL NO. Loki Unit 1H
Well Pad Name: Roma Lou Pad

18)

CASING AND TUBING PROGRAM

TYPE	Size (in)	New or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	20"	New	H-40	79#	100'	100'	CTS, 96 Cu. Ft.
Fresh Water	13-3/8"	New	J/K-55	54.5#	300'	300'	CTS, 313 Cu. Ft.
Coal	9-5/8"	New	J-/K55	36#	2990'	2990'	CTS, 1217 Cu. Ft.
Intermediate							
Production	5-1/2"	New	P-110CY	20#	16500'	16500' /	CTS, 3230 Cu. Ft.
Tubing	2-3/8"	New	N-80	4.7#			
Liners							

TYPE	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	20"	24"	0.375"	2250	50	Class A/L	~1.18
Fresh Water	13-3/8"	17-1/2"	0.38"	2730	1000	Class A/L	~1.18
Coal	9-5/8"	12-1/4"	0.352"	3520	1500	Class A/L	~1.18
Intermediate							
Production	5-1/2"	8-3/4" & 8-1/2"	0.415"	14,360	2500	Class G/H	~1.8
Tubing	2-3/8"	4.778"	0.19"	11,200			
Liners							

PACKERS

Kind:	N/A	
Sizes:	N/A	RECEIVED Office of Oil and Gas
Depths Set:	N/A	FEB 21 2023

WV Department of Environmental Protection

Page 2 of 3



4709502849

OPERATOR WELL NO. Loki Unit 1H
Well Pad Name: Roma Lou Pad

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill a new horizontal shallow well into the Marcellus Shale.

*Antero will be air drilling the fresh water string which makes it difficult to determine when fresh water is encountered. Therefore, we have built in a buffer for the casing setting depth which helps to ensure that all fresh water zones are covered.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Antero plans to pump Slickwater into the Marcellus Shale formation in order to ready the well for production. The fluid will be comprised of approximately 99 percent water and sand, with less than 1 percent special-purpose additives as shown in the attached "List of Anticipated Additives Used for Fracturing or Stimulating Well."

Anticipated Max Pressure - 9300 lbs Anticipated Max Rate - 80 bpm

21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 21.24 acres

22) Area to be disturbed for well pad only, less access road (acres): 12.19 acres

23) Describe centralizer placement for each casing string:

Conductor: no centralizers

Surface Casing: one centralizer 10' above the float shoe, one on the insert float collar and one every 4th joint spaced up the hole to surface.

Intermediate Casing: one centralizer above float joint, one centralizer 5' above float collar and one every 4th collar to surface.

Production Casing: one centralizer at shoe joint and one every 3 joints to top of cement in intermediate casing.

24) Describe all cement additives associated with each cement type:

Conductor: no additives, Class A/L cement.

Surface: Class A/L cement with 2-3% calcium chloride and 1/4 lb of flake

Intermediate: Class A/L cement with 1/4 lb of flake, 5 gallons of clay treat

Production: Lead cement- 50/50 Class H/Poz + 1.5% salt + 1% C-45 + 0.5% C-16a + 0.2% C-12 + 0.45% C-20 + 0.05% C-51

Production: Tail cement- Class G/H + 45 PPS Calcium Carbonate + 1.0% FL-160 + 0.2% ACGB-47 + 0.05% ACSA-51 + 0.2% ACR-20

RECEIVED
Office of Oil and Gas

FEB 6 2023

WV Department of Environmental Protection

25) Proposed borehole conditioning procedures:

Conductor: blowhole clean with air, run casing, 10 bbls fresh water.

Surface: blowhole clean with air, trip to conductor shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate pipe capacity + 40 bbls fresh water followed by 25 bbls bentonite mud, 10 bbls fresh water spacer.

Intermediate: blowhole clean with air, trip to surface casing shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate 40 bbls brine water followed by 10 bbls fresh water and 25 bbls bentonite mud, pump 10 bbls fresh water.

Production: circulate with 14 lb/gal NaCl mud, trip to middle of lateral, circulate, pump high viscosity sweep, trip to base of curve, pump high viscosity sweep, trip to top of curve, trip to bottom, circulate, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump 48 bbls barite pill, pump 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls water.

*Note: Attach additional sheets as needed.

Page 3 of 3

WW-9 (4/16)

API Number 47 - 095

Operator's Well No. Loki Unit 1H

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Antero Resources Corporation OP Code 49450700	62
Watershed (HUC 10) Outlet Middle Island Creek Quadrangle Middlebourne 7.5'	
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes	No No
Will a pit be used? Yes No V	
If so, please describe anticipated pit waste: No plt will be used at this site (Drilling and Flowback Fluids will be stored in tanks. Cutt	ings will be tanked and hauled off site.)
Will a synthetic liner be used in the pit? Yes No If so, what ml.? N/A	
Proposed Disposal Method For Treated Pit Wastes:	
Land Application	
Underground Injection (UIC Permit Number_*UIC Permit # will be provided on	
Reuse (at API Number Future permitted well locations when applicable. API# will be provided	d on Form WR-34
Off Site Disposal (Supply form WW-9 for disposal location) (Meadowfill Lan Other (Explain Northwestern La	ndfill Permit #SWF-1032-98) andfill Permit #SWF-1025/
WV0109410	
Will closed loop system be used? If so, describe: Yes, fluids stored in tanks, cuttings removed offsite an	andfill (Permit #SWF-1021) d taken to landfill.
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc.	ce - Air/Freshwater, Intermediate - Stiff Foam, Production - Water Based Mud
-If oil based, what type? Synthetic, petroleum, etc. Synthetic	
Additives to be used in drilling medium? Please See Attachment	
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etcDrill cuttings stored in tanks, removed.	ved offsite and taken to landfill.
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A	
-Landfill or offsite name/permit number? Meadowfill Landfill (Permit #SWF-1032-98), Northwestern Landfill (Permit #SWF-1021)	ermit # SWF-1025/WV0109410)
Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permuter it was properly disposed.	ated waste rejected at any mittee shall also disclose
I certify that I understand and agree to the terms and conditions of the GENERAL WATER P on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Proprovisions of the permit are enforceable by law. Violations of any term or condition of the general plaw or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the inapplication form and all attachments thereto and that, based on my inquiry of those individuals obtaining the information, I believe that the information is true, accurate, and complete. I am away consistent for submitting false information, including the possibility of fine or imprisonment. Company Official Signature Gretchen Kohler	tection. I understand that the ermit and/or other applicable aformation submitted on this immediately responsible for
Company Official (Typed Name) Gretchen Kohler	DEOFNER
Company Official Title Director Environmental & Regulatory Compliance	RECEIVED Office of Oil and Gas
Company Official Title Shootof Environmental & Regulatory Compliance	FEB 21 2023
Subscribed and swom before me this 3 day of February , 20 23	WV Department of Environmental Protection
Notary Public	
My commission expires November 15, 2026	STEFAN GASPAR NOTARY PUBLIC STATE OF COLORADO NOTARY ID 20224043669



Operator's Well No. Loki Unit 1H

Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.	Proposed Kelledetation Treatme	int: Agree Disturbed 21.2	24 acres	TY
Fertilizer type Hay or straw or Wood Fiber (will be used where needed)				on pH
Fertilizer amount 500 Ibs/acre Mulch 2-3 Tons/acre Main. Access Road (4.41 acres) + Access Road 2 (1.05 acres) + Well Pad (12.19 acres) + Spoil Pile 1 (1.23 acres) + Topsoil/Stripping Pile 1 (2.36 acres) = 21.24 Acres Seed Mixtures Temporary Permanent Seed Type Ibs/acre Seed Type Ibs/acre Annual Ryegrass 40 Crownvetch 10-15 Field Bromegrass 40 Tall Fescue 30 See attached Table IV-3 for additional seed type (Roma Lou Pad Design) *or type of grass seed requested by surface owner *or type of grass seed requested by surface owner Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and icreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.	Uay as a	The control of the co	•	
Mulch 2-3 Tons/acre Main Access Road (4.41 acres) + Access Road 2 (1.03 acres) + Well Pad (12.19 acres) + Spoil Pile 1 (1.23 acres) + Topsoil/Stripping Pile 1 (2.36 acres) = 21.24 Acres Seed Mixtures Temporary Permanent Seed Type Ibs/acre Annual Ryegrass 40 Crownvetch 10-15 Field Bromegrass 40 Tall Fescue 30 See attached Table IV-3 for additional seed type (Roma Lou Pad Design) *or type of grass seed requested by surface owner *or type of grass seed requested by surface owner Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.	retuitzet type			
Main Access Road (4.41 acres) + Access Road 2 (1.05 acres) + Well Pad (12.19 acres) + Spoil File 1 (1.23 acres) + Topsoil/Stripping File 1 (2.36 acres) = 21.24 Acres Seed Mixtures	22.1 (20.1		_lbs/acre	
Seed Type Ibs/acre Seed Type Ibs/acre Seed Type Ibs/acre Annual Ryegrass 40 Crownvetch 10-15 Field Bromegrass 40 Tall Fescue 30 See attached Table IV-3 for additional seed type (Roma Lou Pad Design) *or type of grass seed requested by surface owner *or type of grass seed requested by surface owner Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.	17141011			cres) +Topsoil/Stripping Pile 1 (2.36
Seed Type Ibs/acre Seed Type Ibs/acre Annual Ryegrass 40 Crownvetch 10-15 Field Bromegrass 40 Tall Fescue 30 See attached Table IV-3 for additional seed type (Roma Lou Pad Design) See attached Table IV-4A for additional seed type (Roma Lou Pad Design) *or type of grass seed requested by surface owner *or type of grass seed requested by surface owner Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.			acres) = 21.24 Acres	• • • • • • • • • • • • • • • • • • • •
Annual Ryegrass 40 Field Bromegrass 40 See attached Table IV-3 for additional seed type (Roma Lou Pad Design) *or type of grass seed requested by surface owner Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.	Тетр		1990	ermanent
Field Bromegrass 40 See attached Table IV-3 for additional seed type (Roma Lou Pad Design) *or type of grass seed requested by surface owner *or type of grass seed requested by surface owner Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.	Seed Type	lbs/acre	Seed Type	lbs/acre
See attached Table IV-3 for additional seed type (Roma Lou Pad Design) *or type of grass seed requested by surface owner *or type of grass seed requested by surface owner Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.	Annual Ryegrass	40	17.0	10-15
*or type of grass seed requested by surface owner *or type of grass seed requested by surface owner Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.	Field Bromegrass	40	Tall Fescue	30
Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.	See attached Table IV-3 for additional se	ed type (Roma Lou Pad Design)	See attached Table IV-4A for addit	ional seed type (Roma Lou Pad Design
Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.	*or type of grass seed requ	ested by surface owner	*or type of grass seed re	equested by surface owner
	Maps(s) of road, location, pit an provided). If water from the pit acreage, of the land application a	will be land applied, include area.	plication (unless engineered plans in edimensions (L x W x D) of the pit	ncluding this info have been , and dimensions (L x W), and
	Maps(s) of road, location, pit an provided). If water from the pit sacreage, of the land application a Photocopied section of involved	will be land applied, include area. 7.5' topographic sheet.	e dimensions (L x W x D) of the pit	ncluding this info have been, and dimensions (L x W), and
	Maps(s) of road, location, pit an provided). If water from the pit sacreage, of the land application a Photocopied section of involved	will be land applied, include area. 7.5' topographic sheet.	e dimensions (L x W x D) of the pit	ncluding this info have been, and dimensions (L x W), and
	Maps(s) of road, location, pit an provided). If water from the pit sacreage, of the land application a Photocopied section of involved	will be land applied, include area. 7.5' topographic sheet.	e dimensions (L x W x D) of the pit	ncluding this info have been, and dimensions (L x W), and
	Maps(s) of road, location, pit an provided). If water from the pit sacreage, of the land application a Photocopied section of involved	will be land applied, include area. 7.5' topographic sheet.	e dimensions (L x W x D) of the pit	ncluding this info have been, and dimensions (L x W), and
	Maps(s) of road, location, pit an provided). If water from the pit sacreage, of the land application a Photocopied section of involved	will be land applied, include area. 7.5' topographic sheet.	e dimensions (L x W x D) of the pit	ncluding this info have been, and dimensions (L x W), and
	Maps(s) of road, location, pit an provided). If water from the pit sacreage, of the land application a Photocopied section of involved	will be land applied, include area. 7.5' topographic sheet.	e dimensions (L x W x D) of the pit	ncluding this info have been, and dimensions (L x W), and
RE	Maps(s) of road, location, pit an provided). If water from the pit sacreage, of the land application a Photocopied section of involved	will be land applied, include area. 7.5' topographic sheet.	e dimensions (L x W x D) of the pit	, and dimensions (L x W), and
Title: M Mil Car Sugar lad	Maps(s) of road, location, pit an provided). If water from the pit sacreage, of the land application a Photocopied section of involved	will be land applied, include area. 7.5' topographic sheet.	distabled does.	, and dimensions (L x W), and
OTTICE C	Maps(s) of road, location, pit an provided). If water from the pit acreage, of the land application a Photocopied section of involved Plan Approved by: Comments: Photocopied section of involved by: Comments: Photocopied section of involved by: Comments:	will be land applied, include area. 7.5' topographic sheet.	Date: 211413	, and dimensions (L x W), and Office of



911 Address 5082 Sellers Road Middlebourne, WV 26149

Well Site Safety Plan Antero Resources

Well Name: Roma Lou Unit 5H, Fleetwood Unit 1H-2H, Patty Unit 1H-2H & Roy Unit 1H-2H, Calvin Unit 1H-2H, Loki Unit 1H, Sophie Unit 1H

Pad Location: ROMA LOU PAD

Tyler County/Union District

GPS Coordinates:

Entrance - Lat 39.481364/Long -80.969484 (NAD83)

Pad Center - Lat 39.485403/Long -80.973885 (NAD83)

Driving Directions:

- From WV 18 in Middlebourne, WV, turn east onto CO. 2/4 and travel for 0.1 miles.
- 2. Turn left onto CO. 24 (Sellers Road) and travel for 3.4 miles.
- Turn left onto CO. 10/1 and continue for 1.5 miles.
- 4. The entrance to the lease road will be on the right.

RECEIVED Office of Oil and Gas

FEB 21 2023


WV Department of Environmental Protection


EMERGENCY (24 HOUR) CONTACT 1-800-878-13731

03/08/21

SSP Page 1


03/17/2023





Antero Resources Well No. Loki 1. PAGE 2 of 2

Antero Resources Corporation



ID	TM-Par	Owner	Bk/Pg	Acres
1	10-4.1	Antero Resources Corporation	OR12/739	60.38
2	9-9.1	Jennifer K. & Diane M. Thomas	AR46/754	40.00
3	10-4	Kevin L. & Tammy J. Thomas	OR7/290	32.22
4	10-5.3	Richard Daniel Bowen	344/814	25.92
5	10-5.5	Bowen Family Irrevocable Trust	372/303	22.89
6	10-5	Timothy Brian Bowen, et al	652/440	48.36
7	9-4	Steven D. Zechman & Linda M. Jensen	348/422	250.00
8	6-3	Eldon J. & Ruth A. Helman	383/761	72.80
9	6-1	Eldon J. & Ruth A. Helman	383/761	169.00
10	5-16	Charity Gas Inc.	358/516	393.00
11	6-4	Darren E. Thacker	616/762	67.00
12	6-5.2	Julia Fetty Carolus	323/585	5.50
13	5-26	Paul R. Fetty	288/126	82.22

	Leases
Α	Berna J. Hammel
В	Mary Faye Grove
С	Sally & Mitchell Dunn
D	J&N Management Enterprises, LLC
Е	WVDNR
F	Steven D. Zechman & Linda M. Jensen
G	Jay Edward Smith
Н	Norma R. Spencer
1	Haught Family Trust
J	Greenbrier Royalty Fund III, LLC

FILE NO: 259-54-U-22	
DRAWING NO: Loki Unit 1H	
SCALE: 1" = 1500'	
MINIMUM DEGREE OF ACCURACY: Submeter	
PROVEN SOURCE OF ELEVATION:	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OIL AND GAS DIVISION

DATE: _	Jan	uary 23		20_23
OPERATO	R'S WE	ELL NO	Lo	ki 1H
	Α	PI WELL	N	0
47		095	. 556	02849
STATE		COUNTY		PERMIT

PROVEN SOURCE OF ELEVATION: WVDOT, Harrisville, WV	OIL AND GAS DIVISION	47 - 095 - 02849 STATE COUNTY PERMIT	- 1			
WELL TYPE: ☐ OIL ☒ GAS (IF GAS) PRODUCTION	□ LIQUID INJECTION □ WASTE DISPOS ON: □ STORAGE □ DEEP ☒ SHALL	LOW				
LOCATION: ELEVATION: As-Built 883'	WATERSHED: Outlet Middle Island Creek	TH: Middlebourne QUADRANGLE: BH: Paden City				
DISTRICT: Union		COUNTY: Tyler 03/17/20	123			
SURFACE OWNER: Antero Resources Corp.	- Harris Early Toron Control Control	ACREAGE: 60.38				
ROYALTY OWNER: Berna J. Hammel; WVDNR	Haught Family Trust; Greenbrier Royalty Fund III, LLC; Steven D. Zechman & Linda M. Jensen; Jay Edward Smith;	LEASE NO:ACREAGE: 72.88; 339.71; 65.4	:3; 62			
PROPOSED WORK: ☑ DRILL ☐ CONVERT ☐ DRILL DEEPER ☑ FRACTURE OR STIMULATE ☐ PLUG OFF OLD FORMATION						
☑PERFORATE NEW FORMATION		SPECIFY)	-			
□ PLUG AND ABANDON □ CLEAN OUT AND REPLUG TARGET FORMATION: Marcellus Shale ESTIMATED DEPTH: 16,500' MD						
WELL OPERATOR: Antero Resources Corporation DESIGNATED AGENT: Kevin Ellis						
ADDRESS: 1615 Wynkoop Street	ADDRESS:	535 White Oaks Blvd.	\Box			
Denver, CO 80202		Bridgeport, WV 26330	-1			

Operator's Well Number

Loki Unit 1H

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

	Grantor, lessor, etc.	Grantee, lessee, etc.	Royalty	Book/Page
-	A: Berna J. Hammel Lease Berna J. Hammel	Antero Resources Corporation	1/8+	0587/0076
/	E: WVDNR Lease WVDNR	Antero Resources Corporation	1/8+	0121/0242
1	F: Steven D. Zechman & Linda M. Jensen Lease Steven D. Zechman & Linda M. Jensen	Antero Resources Corporation	1/8+	0105/0308
	E: WVDNR Lease WVDNR	Antero Resources Corporation	1/8+	0121/0242
1	G: Jay Edward Smith Lease Jay Edward Smith Montani Energy LLC Antero Resources Appalachian Corporation	Montani Energy LLC Antero Resources Appalachian Corporation Antero Resources Corporation	1/8 Assignment Name Change	0404/0001 0404/0754 0557/0430
1	E: WVDNR Lease WVDNR	Antero Resources Corporation	1/8+	0121/0242
/	I: Haught Family Trust Lease Haught Family Trust Antero Resources Appalachian Corporation	Antero Resources Appalachian Corporation Antero Resources Corporation	1/8+ Name Change	0404/0244 0557/0430

RECEIVED Office of Oil and Gas

FEB 6 2023

WW-6A1 (5/13)

Operator's	Well No.	Loki Unit 1H
------------	----------	--------------

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that -

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

1	Lease Name or Number See Number Royalty Fund III LLC Lease	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
		Greenbrier Royalty Fund III LLC	Antero Resources Corporation	1/8+	0108/0295

*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

RECEIVED Office of Oil and Gas

FEB 6 2023

WV Department of Environmental Protection

WV Division of Natural Resources WV Division of Highways

- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator: Antero Resources Corporation

By:

Max Green

Its:

Vice President of Land

Page 2 of 2



Antero Resources 1615 Wynkoop Street Denver, CO 80202 Office 303.357.7310 Fax 303.357.7315

January 31, 2023

West Virginia Department of Environmental Protection Chief, Office of Oil and Gas Attn: Mr. James Martin 601 57th Street SE Charleston, WV 25304

RE:

Loki Unit 1H

Quadrangle: Middlebourne 7.5'

Tyler County/Union District, West Virginia

Mr. Martin:

Antero Resources Corporation (Antero) is submitting the following application for a new well work permit for the Loki Unit 1H horizontal shallow well. As an authorized representative, I certify that Antero has the right to extract, produce or market the oil or gas for all leases through which the Loki Unit 1H horizontal lateral will drill through including any and all roads crossed under as identified on the attached survey plat.

Sincerely,

Tyler Adams Landman

> RECEIVED Office of Oil and Gas

FEB 6 2023

WW-PN (11-18-2015)

Horizontal Natural Gas Well Work Permit Application Notice By Publication

Notice is hereby given:

Pursuant to West Virginia Code 22-6A-10(e) prior to filing an application for a permit for a horizontal well the applicant shall publish in the county in which the well is located or is proposed to be located a Class II legal advertisement.

Paper: Tyler Star News			
Public Notice Date: 11/16/2022 & 11/23/202	22		
The following applicant intends to apply for surface excluding pipelines, gathering lines at any thirty day period.	a horizontal na nd roads or uti	tural well wor lizes more than	k permit which disturbs three acres or more of n two hundred ten thousand gallons of water in
Applicant: Antero Resources Corporation		Well Nun	nber: Loki Unit 1H
Address: 1615 Wynkoop St. Denver, CO 802	202		
Business Conducted: Natural gas production	n.		
Location –			
State: West Virginia		County:	Tyler
District: Union		Quadrangle:	Middlebourne 7.5'
UTM Coordinate NAD83 Northing:	4370599.573m		
UTM coordinate NAD83 Easting: Watershed: Outlet Middle Island Creek	502234.922m		

Coordinate Conversion:

To convert the coordinates above into longitude and latitude, visit: http://tagis.dep.wv.gov/convert/llutm_conus.php

Electronic notification:

To receive an email when applications have been received or issued by the Office of Oil and Gas, visit http://www.dep.wv.gov/insidedep/Pages/DEPMailingLists.aspx to sign up.

Reviewing Applications:

Copies of the proposed permit application may be reviewed at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE Charleston, WV 25304 (304-926-0450). Full copies or scans of the proposed permit application will cost \$15, whether mailed or obtained at DEP headquarters. Copies may be requested by calling the office or by sending an email to DEP.comments@wv.gov.

Submitting Comments:

Comments may be submitted online at https://apps.dep.wv.gov/oog/comments/comments.cfm, or by letter to Permit Review, Office of Oil and Gas, 601 57th Street, SE Charleston, WV 25304. Please reference the county, well number, and operator when using this option.

Regardless of format for comment submissions, they must be received no later than thirty days after the permittice of Oil and Gas application is received by the Office of Oil and Gas.

For information related to horizontal drilling visit: www.dep.wv.gov/oil-and-gas/pages/default.aspx

FEB 6 2023

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS **NOTICE CERTIFICATION**

Date of Notice Certification: 02/02/2023	API No. 47- 095	_
	Operator's Well N	o. Loki Unit 1H
Notice has been a	Well Pad Name:	
Notice has been given:		
Pursuant to the provisions in West Virginia Code § 2 below for the tract of land as follows:	22-6A, the Operator has provided the required pa	rties with the Notice Forms listed
State: West Virginia	To de la constant	
County: Tyler	UTM NAD 83 Easting: 502234.9 Northing: 4370599.	
District: Union	Northing: 4370599. Public Road Access: Sellers R	
Quadrangle: Middlebourne 7.5'		esources Corp.
Watershed: Outlet Middle Island Creek		
Pursuant to West Virginia Code § 22-6A-7(b), exprescribed by the secretary, shall be verified and sha it has provided the owners of the surface described information required by subsections (b) and (c), section giving the surface owner notice of entry to survequirements of subsection (b), section sixteen of the Virginia Code § 22-6A-11(b), the applicant shall tend of this article have been completed by the applicant.	d in subdivisions (1), (2) and (4), subsection (1) on sixteen of this article; (ii) that the requirement pursuant to subsection (a), section ten of the pursuant to subsection (a), section ten of the pursuant to subsection (b).	ification from the operator that (ib), section ten of this article, that was deemed satisfied as a result article six-a; or (iii) the notice
Pursuant to West Virginia Code § 22-6A, the Operathat the Operator has properly served the required particles. *PLEASE CHECK ALL THAT APPLY	ator has attached proof to this Notice Certification parties with the following:	OOG OFFICE USE
	EISMIC ACTIVITY WAS CONDUCTED	RECEIVED/
☐ 2. NOTICE OF ENTRY FOR PLAT SURVEY	or NO PLAT SURVEY WAS CONDUCT	ED RECEIVED
N	NOTICE NOT REQUIRED BECAUSE OTICE OF ENTRY FOR PLAT SURVEY VAS CONDUCTED or	RECEIVED/ NOT REQUIRED
	WRITTEN WAIVER BY SURFACE OWN (PLEASE ATTACH)	ER
■ 4. NOTICE OF PLANNED OPERATION		☐ RECEIVED
■ 5. PUBLIC NOTICE		☐ RECEIVED
		- RECEIVED

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of the services. the return receipt card or other postal receipt for certified mailing.

FEB 6 2023

Certification of Notice is hereby given:

THEREFORE, I Jon McEvers , have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator: Antero Resources Corporation Address: 1615 Wynkoop Street

By: Jon McEvers Denver, CO 80202

Its: Senior VP of Operations Facsimile: 303-357-7315

Telephone: 303-357-6799 Email: mturco@anteroresources.com

STEFAN GASPAR
NOTARY PUBLIC
STATE OF COLORADO
NOTARY ID 20224043669
MY COMMISSION EXPIRES NOVEMBER 15, 2026

Subscribed and sworn before me this 3 day of Fcb, 2023

My Commission Expires November 15, 2026

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

RECEIVED
Office of Oil and Gas

FEB 6 2023

API NO. 47- 095
OPERATOR WELL NO. Loki Unit 1H
Well Pad Name: Roma Lou Pad

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Notice Time Requirement: notice shall be provided no later than the filing date of permit application. Date of Notice: 02/03/2023 Date Permit Application Filed: 02/03/2023 Notice of: PERMIT FOR ANY ☐ CERTIFICATE OF APPROVAL FOR THE WELL WORK CONSTRUCTION OF AN IMPOUNDMENT OR PIT Delivery method pursuant to West Virginia Code § 22-6A-10(b) ☐ PERSONAL ☐ REGISTERED METHOD OF DELIVERY THAT REQUIRES A **SERVICE** MAIL. RECEIPT OR SIGNATURE CONFIRMATION Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams; (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule. ☑ Application Notice ☑ WSSP Notice ☑ E&S Plan Notice ☑ Well Plat Notice is hereby provided to: ☑ SURFACE OWNER(s) ☐ COAL OWNER OR LESSEE Name: Antero Resources Name: NO DECLARATIONS ON RECORD WITH COUNTY Address: 1615 Wynkoop Street Address: Denver, CO 80202 Name: ☐ COAL OPERATOR Address: Name: NO DECLARATIONS ON RECORD WITH COUNTY Address: SURFACE OWNER(s) (Road and/or Other Disturbance) Name: SURFACE OWNER OF WATER WELL Address: AND/OR WATER PURVEYOR(s) Name: PLEASE SEE ATTACHMENT Name: Address: Address: □ OPERATOR OF ANY NATURAL GAS STORAGE FIELD ☐ SURFACE OWNER(s) (Impoundments or Pits) Name: Name: Address: Address: RECEIVED *Please attach additional forms if necessary Office of Oil and Gas FEB 6 2023 WV Department of

Environmental Protection

API NO. 47-095

OPERATOR WELL NO. Loki Unit 1H

Well Pad Name: Roma Lou Pad

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.

Well Location Restrictions

FEB 6 2023

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be already by the six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

API NO. 47-095

OPERATOR WELL NO. Loki Unit 1H

Well Pad Name: Roma Lou Pad

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

RECEIVED Office of Oil and Gas

FEB 6 2023

WV Department of

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

API NO. 47- 095

OPERATOR WELL NO. Loki Unit 1H
Well Pad Name: Roma Lou Pad

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have THIRTY (30) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list

RECEIVED Office of Oil and Gas

FEB 6 2023

Telephone: __

Email:

4709502849

API NO. 47-095

OPERATOR WELL NO. Loki Unit 1H Well Pad Name: Roma Lou Pad

Notice is hereby given by: Well Operator: Antero Resources Corporation

mturco@anteroresources.com

(303) 357-7310

1615 Wynkoop Street Denver, CO 80202

Facsimile: 303-357-7315

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

STEFAN GASPAR NOTARY PUBLIC STATE OF COLORADO NOTARY ID 20224043669 MISSION EXPIRES NOVEMBER 15, 2026

Subscribed and sworn before me this _3 day of Feb, 2023

RECEIVED Office of Oil and Gas

FEB 6 2023

Operator Well No. Loki Unit 1H

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Notice Time Date of Noti	Requirement: Notice shall be provided at least ice: 02/03/2023 Date Permit	st TEN (10) days prior to filing Application Filed: 02/03/2023	a permit application.
Delivery me	thod pursuant to West Virginia Code § 22-6A	A-16(b)	
☐ HAND			
DELIVI	- CERTIFIED WIAIL		
	TETORITRECENT REQUES		
drilling a hor of this subsection mand if availab	W. Va. Code § 22-6A-16(b), at least ten days prested or hand delivery, give the surface owner notize the control well: <i>Provided</i> , That notice given pursition as of the date the notice was provided to the ay be waived in writing by the surface owner. Sole, facsimile number and electronic mail address	uant to subsection (a), section in the surface owner: <i>Provided, ho</i> The notice, if required, shall income of the operator and the operator	the surface owner's land for the purpose of ten of this article satisfies the requirements twever, That the notice requirements of this
Notice is he	reby provided to the SURFACE OWNER	R(s):	
Name. Antero R	tesources Corporation		
Address: 1615	er, CO 80202	Address:	
Delive	61, 60 60202		
State: County: District: Quadrangle: Watershed:	Vest Virginia Code § 22-6A-16(b), notice is her wher's land for the purpose of drilling a horizont West Virginia Tyler Union Middlebourne 7.5' Outlet Middle Island Creek	reby given that the undersigned tal well on the tract of land as for UTM NAD 83 UTM NAD 83 Public Road Access: Generally used farm name:	well operator has an intent to enter upon ollows: 502234.922m 4370599.573m Sellers Road Antero Resources Corp.
Pursuant to W facsimile num related to horizontal	Shall Include: Vest Virginia Code § 22-6A-16(b), this notice ber and electronic mail address of the operate zontal drilling may be obtained from the Secre 57 th Street, SE, Charleston, WV 25304 (304-92)	of and the operator's authorize	ed representative. Additional information
Notice is her	eby given by:		
Well Operator:	Antero Resources Corporation	Authorized Representative:	Mallory Turco
Address:	1615 Wynkoop St.	Address:	1615 Wynkoop St.
	Denver, CO 80202		Denver, CO 80202
Telephone:	303-357-7323	Telephone:	303-357-7223
Email:	mturco@anteroresources.com	Email:	
Facsimile:	303-357-7315	Facsimile:	mturco@anteroresources.com
Oil and Gas l	Privacy Notice:		303-357-7315

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

RECEIVED Office of Oil and Gas

FEB 6 2023

WW-6A5 (1/12)

4709502849 Operator Well No. Loki Unit 1H

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

Notice Time Date of Notic	Requirement: notice shall be provided no e: 02/03/2023 Date Permit Ap	later than the filing date of perr plication Filed: 02/03/2023	nit application.
Delivery met	hod pursuant to West Virginia Code § 2	2-6A-16(c)	
CERTIF	FIED MAIL	HAND DELIVERY	
the planned or required to be drilling of a h damages to the	V. Va. Code § 22-6A-16(c), no later than requested or hand delivery, give the surface peration. The notice required by this sulprovided by subsection (b), section ten of orizontal well; and (3) A proposed surface surface affected by oil and gas operations.	the date for filing the permit apple owner whose land will be used osection shall include: (1) A copthis article to a surface owner whose use and compensation agreements the context the context to the output to the	plication, an operator shall, by certified mail for the drilling of a horizontal well notice of by of this code section; (2) The information lose land will be used in conjunction with the lent containing an offer of compensation for mpensable under article six-b of this chapter. listed in the records of the sheriff at the time
Notice is here (at the address Name: Antero Re Address: 1615 V Denver, CO	Vynkoop Street	ne of notice): Name:	
State: County: District: Quadrangle:	by given: est Virginia Code § 22-6A-16(c), notice is ne surface owner's land for the purpose of West Virginia Tyler Union Middlebourne 7.5' Dutlet Middle Island Creek	hereby given that the undersigned drilling a horizontal well on the t UTM NAD 83 Public Road Access: Generally used farm name:	ract of land as follows: 502234.922m 4370599.573m Sellers Road
horizontal well; surface affected information rela	st Virginia Code § 22-6A-16(c), this notice by W. Va. Code § 22-6A-10(b) to a sur and (3) A proposed surface use and complete by oil and gas operations to the extent that does not not be contacted to horizontal drilling may be obtained be cated at 601 57th Street, SE. Charlest	pensation agreement containing a he damages are compensable un	s code section; (2) The information required used in conjunction with the drilling of a an offer of compensation for damages to the der article six-b of this chapter. Additional V Department of Environmental Protection or by visiting

duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

RECEIVED
Office of Oil and Gas

FEB 6 2023

API NO. 47- 095	-			
OPERATOR WEL	L NO.	Loki L	Jnit 1H	
Well Pad Name: Ro				

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS VOLUNTARY STATEMENT OF NO OBJECTION

Instructions to Persons Named on Page WW-6A

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

Comment and Waiver Provisions

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: *Provided*, That if the applicant certifies that all person or by certified mail, return receipt requested, with a copy of the well work application, including the erosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

VOLUNTARY STATEMENT OF NO OBJECTION

			OZ ZIO OD	DECTION
WW-6A and required, and State: County: District: Quadrangle: Watershed:	, hereby state that I have received copies of attachments consisting of pages one (1) the well plat, all for proposed well work on West Virginia Tyler Union Middlebourne 7.5' Outlet Middle Island Creek	the tract of land UTM NA Public Ro Generally	Application, an Ap, including I as follows: D 83 Easting: Northing: ad Access: used farm name:	plication for a Well Work Permit on Form the erosion and sediment control plan, if 502234.922m 4370599.573m Sellers Road Antero Resources Corp.
issued on thos	that I have no objection to the planned work se materials.	described in th	ese materials, and	I have no objection to a permit being
issued on thos	se materials.			y when we will be a seen of the seen of th
*Please check	the box that applies		NAME OF THE OWNER O	
			FOR EXECUTI	ION BY A NATURAL PERSON
SURFACE	CE OWNER			
			Signature:	
■ SURFAC	E OWNER (Road and/or Other Disturba	ance)		
1		,	Date:	
D SURFAC	E OWNER (Impoundments/Pits)			
□ COAL O	WNER OR LESSEE		FOR EXECUTI	ON BY A CORPORATION, ETC.
The second			Company: Antero R	tesources Corporation
☐ COAL O	PERATOR		By: Jon McEvers	
THE WAR THE TOTAL OF THE TOTAL	District		Its: Senior VP of Ope	erations RECEIVED
WATER	PURVEYOR		Cionatuus	Office of Oil and Gas
□ OPER AT	OP OF ANY NATURAL CAS STORY		Doto:	FFR 6 2022
= OI EKAT	OR OF ANY NATURAL GAS STORA	GE FIELD	Date:	FEB 6 2023
01 10 5				WV Department of

Oil and Gas Privacy Notice:

WV Department of Environmental Protection

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

Division of Highways

D. Alan Reed, P.E. State Highway Engineer 1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

Jimmy Wriston, P. E. Secretary of Transportation Commissioner of Highways

January 31, 2023

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the Roma Lou Pad, Tyler County Loki Unit 1H Well Site

Dear Mr. Martin,

This well site will be accessed from a DOH permit #06-2019-0758 which has been issued to Antero Resources for access to the State Road for a well site located off Tyler County Route 10/1 SLS MP 0.59.

This operator is in compliance with §22-6A-20 of the WV Code. Operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated October 1, 2018. This letter is valid for permitting purposes for one year from the date of this letter.

Very Truly Yours,

Gary K. Clayton, P.E.

Regional Operations Engineer

Central Office O&G Coordinator

Cc:

Stefan Gaspar Antero Resources CH, OM, D-6

File

RECEIVED
Office of Oil and Gas

FEB 6 2023

WV Department of Environmental Protection

E.E.O./AFFIRMATIVE ACTION EMPLOYER

Subdivision 3.3.e A listing of the anticipated additives that may be used in the water used for fracturing or stimulating the well. (A listing of the additives that were actually used in the fracturing or stimulating of the well shall be submitted as part of the completion report required by W. Va. Code 22-6-22.)

FRACTURING/STIMULATING INTERVAL

	Additive	
	1. Fresh Water	Chemical Abstract Service Number (CAS #)
	2. 2 Phosphobutane 1,2,4 tricarboxylic acid	7732-18-5
	3. Ammonium Persulfate	37971-36-1
	4. Anionic copolymer	7727-54-0
	5. Anionic polymer	Proprietary
-	BTEX Free Hydrotreated Heavy Naphtha	Proprietary
Optionering	Cellulase enzyme	64742-48-9
	8. Demulsifier Base	(Proprietary)
-	Ethoxylated alcohol blend	(Proprietary)
	10. Ethoxylated Nonylphenol	Mixture
	11. Ethoxylated oleylamine	68412-54-4
-	12. Ethylene Glycol	26635-93-8
	13. Glycol Ethers	107-21-1
-	14. Guar gum	111-76-2 9000-30-0
-	15. Hydrogen Chloride	7647-01-0
-	16. Hydrotreated light distillates, non-aromatic, BTEX free	64742-47-8
-	17. Isopropyi alcohol	67-63-0
department.	18. Liquid, 2,2-dibromo-3- nitrilopropionamide	10222-01-2
-	19. Microparticle	Proprietary
	20. Petroleum Distillates (BTEX Below Detect)	64742-47-8
	21. Polyacrylamide	57-55-6
	22. Propargyl Alcohol	107-19-7
	23. Propylene Glycol	57-55-6
	24. Quartz	14808-60-7
	25. Sillica crystalline quartz	7631-86-9
	26. Sodium Chloride	7647-14-5
	27. Sodium Hydroxide	1310-73-2
	28. Sugar	57-50-1
	29. Surfactant	68439-51-0
	30. Suspending agent (solid)	14808-60-7
	31. Tar bases, quinolone derivs, benzyl chloride-quarternized	72480-70-7
	32. Solvent Naptha, petroleum, heavy aliph	64742-96-7
	33. Soybean Oil, Me ester	67784-80-9
	34. Copolymer of Maleic and Acrylic Acid	52255-49-9
	35. DETA Phosphonate	15827-60-8
	36. Hexamythylene Triamine Penta	34690-00-1
	37. Phosphino Carboxylic acid polymer	71050-62-9
	38. Hexamethylene diamine penta	23605-74-5
	39. 2-Propenoic acid, polymer with 2 propenamide	0002.00.0
	40. Hexamethylene diamine penta (methylene phosphonic acid	d) 23605-74-5
	41. Diethylene Glycol 42. Methenamine	111-46-6
		100-97-0
	43. Polyethylene polyamine 44. Coco amine	68603-67-8
		61791-14-8
	45. 2-Propyn-1-olcompound with methyloxirane	38172-91-7

SIGNATURE:
IONS CHECKLIST

HORIZONTAL 6A WELL

Well Restrictions

√	At Least 100 Feet from Pad and LOD (including any E&S Control Feature) Perennial Stream, Lake, Pond, Reservoir or Wetland; OR	to any	
	DEP Waiver and Permit Conditions		
✓	At Least 300 Feet from Pad and LOD (including any E&S Control Feature) Naturally Producing Trout Stream; OR	to any	
	DEP Waiver and Permit Conditions		
\checkmark	At Least 1000 Feet from Pad and LOD (including any E&S Control Feature Groundwater Intake or Public Water Supply; OR) to any	
	DEP Waiver and Permit Conditions		
\checkmark	At Least 250 Feet from an Existing Water Well or Developed Spring to Well Drilled; OR	l Being	
	Surface Owner Waiver and Recorded with County Clerk, OR		
	DEP Variance and Permit Conditions		
\checkmark	At Least 625 Feet from an Occupied Dwelling Structure to Center of the Pac	l: OR	
	Surface Owner Waiver and Recorded with County Clerk, OR	,	
	DEP Variance and Permit Conditions		
\checkmark	At Least 625 Feet from Agricultural Buildings Larger than 2500 Square Feet of the Pad; OR	to the Cer	nter
	Surface Owner Waiver and Recorded with County Clerk, OR	RE(Office of	CEIVED Oil and Gas
	DEP Variance and Permit Conditions	FEB	6 2023
		WV Dep Environmer	artment of tal Protection



west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 Fax: (304) 926-0452

Austin Caperton, Cabinet Secretary dep.wv.gov

ORDER ISSUED UNDER WEST VIRGINIA CODE, CHAPTER 22, ARTICLE 6A

TO:

Antero Resources Corporation 1615 Wynkoop Street Denver, CO 80202

DATE: March 2, 2020 ORDER NO.: 2020-W-2

INTRODUCTION

This Order (hereinafter "Order") is issued by the Office of Oil and Gas (hereinafter "OOG"), by and through its Chief, pursuant to the authority of W. Va. Code §§ 22-1-1, 22-6-1 and 22-6A-1 et seq. to Antero Resources Corporation (hereinafter "Antero" or "Operator"), collectively the "Parties."

FINDINGS OF THE CHIEF

In support of this Order, the Chief hereby finds the following:

- 1. OOG, an office within the West Virginia Department of Environmental Protection, is the agency with the duty and authority to execute and enforce W. Va. Code §22-6-1 and §22-6A-1 et seq., and the rules and regulations promulgated thereunder.
- 2. Antero is a "person" as defined by W. Va. Code §22-6-1(n), with a corporate address as 1615 Wynkoop Street, Denver, CO 80202
- On January 16, 2020 Antero submitted a well work permit application identified as API# 47-095-02684. The proposed well is to be located on the Roma Lou Pad in the Union District of Tyler County, West Virginia.
- 4. On January 16, 2020 Antero requested a waiver for Wetland 2 along with Pond 1 as outlined in Exhibit 1, from well location restriction requirements in W. Va. Code §22-6A-12(b) for the well work permit application identified as API# 47-095-02684.

Promoting a healthy environment.

CONCLUSIONS OF LAW

- 1. West Virginia Code §22-1-6(d) requires, in part, that "in addition to other powers, duties and responsibilities granted and assigned to the secretary by this chapter, the secretary is authorized and empowered to...(3) Enter private lands to make surveys and inspections for environmental protection purposes; to investigate for violations of statutes or rules which the Office of Oil and Gas is charged with enforcing; to serve and execute warrants and processes; to make arrests; issue orders, which for the purposes of this chapter include consent agreements; and to otherwise enforce the statutes or rules which the Office of Oil and Gas is charged with enforcing."
- 2. West Virginia Code §22-6A-2(a)(6) requires, in part, that "Concomitant with the broad powers to condition the issuance of well work permits, the secretary should also have broad authority to waive certain minimum requirements of this article when, in his or her discretion, such waiver is appropriate: *Provided*, That the secretary shall submit a written report of the number of waivers granted to the Legislature commencing January 1, 2013, and each year thereafter."
- 3. West Virginia Code §22-6A-12(b) requires, in part, that "no well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the Office of Oil and Gas shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The Office of Oil and Gas may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary."

Order No. 2020-W-2

Page 2

ORDER

West Virginia Code §22-6A-12(b) requires, in part, that "no well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland. The Office of Oil and Gas grants the request for a waiver for Wetland 2 and Pond 1 from well location restriction requirements in W. Va. Code §22-6A-12(b) for the well work permit application identified as API# 47-095-02684. The Office of Oil and Gas hereby **ORDERS** that Antero shall meet the following site construction and operational requirements for the Roma Lou Well Pad:

- A berm shall be constructed around the perimeter of the pad to contain any potential spills and storm water runoff. Berm is to be at least twenty-four inches (24") in height;
- b. Erosion control blankets shall be installed on all slopes and down gradient locations of the pad as erosion and sediment controlling BMPs;
- c. Wetland 2 and Pond 1 shall be protected by 2 layers of Smart Fence HD. This along with temporary and permanent vegetative cover will prevent sediment from reaching the wetlands
- d. Disturbed areas not used for operations shall be seeded and mulched per the seeding tables in the WVDEP-OOG Erosion and Sediment Control Manual;
- e. Drill cuttings and associated drilling mud shall be disposed of in a permitted landfill;
- f. Waste generated by the flowback treatment systems shall be sent to offsite disposal at a permitted landfill;
- Weekly site inspections shall be conducted to monitor and maintain the integrity of the BMP storm water controls;
- Weekly storm water and spill prevention inspections shall be conducted focusing on storm water and spill prevention BMPs and maintenance of these BMPs;
- i. Inspections of the storm water and spill prevention measures shall be conducted after any major storm event defined as a half inch (½") rain within any twenty-four (24) hour period;
- j. Pad inspections shall be conducted no less than once a week to identify and mitigate potential deficiencies;
- k. All records from inspections shall be maintained on site for the life of the project and be available upon request.

Order No. 2020-W-2

Page 3

IN THE NAME OF THE STATE OF WEST VIRGINIA:

OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION STATE OF WEST VIRGINIA

By:

JAMES A. MARTIN, CHIEF