



New Location
 Drill Deeper
 Abandonment X

Company A. M. Snider
 Address Garrison, Pa.
 Farm Alpheus Lewis
 Tract ONE Acres 50 Lease No. 26620
 Well (Farm) No. One Serial No. 6543
 Elevation (Spirit Level) 965'
 Quadrangle New Martinsville
 County Tyler District Ellsworth
 Engineer A. L. Headley
 Engineer's Registration No. ✓
 File No. _____ Drawing No. _____
 Date 10-8-1946 Scale 1 in = 500 Ft

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO TYL-418-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

Ellsworth District, Tyler County, W. Va.
 Hope Natural Gas Co.
 Drilling completed July 14, 1924.
 Gas sample No. by Swing.

~~TYL-418-A~~
 TYL-418-A

	Top.	Bottom.
Pittsburgh Coal	665	- 667
Little Dunkard Sand	1035	- 1048
Big Dunkard Sand	1138	- 1168
First Salt Sand	1425	- 1458
Second Salt Sand (water at 1665')	1540	- 1725
Maxton Sand	1779	- 1792
Big Injun Sand (gas at 1925-30' and 1938-61'; water at 2033')	1924	- 2152
Berea Sand	2294	- 2394
50-Ft. Sand	2515	- 2521
30-Ft. Sand	2572	- 2584
Gordon Sand (gas, 2753-58' and 2771-79')	2752	- 2784
Total depth		2905

Well No. 6543 Lease No. Name Alpheus Lewis District
District E. I. S. W. O. R. T. A. County T. Y. L. E. R. State

Location Made First Work Done
Rig Commenced Rig Completed
Drilling Commenced Drilling Completed July 14, 1924
Rig Contractor { Drilling Contractor }
Drillers { If N. N. G. Co. Tools, String No. }
Tool Dressers

FORMATION	Open or Close Hard or Soft	TOP	BOTTOM	Steel Line Measurements	Water Found Depth	Oil Found Depth	Gas Found Depth	REMARKS
Native Coal								
Pittsburgh Coal		665	667					
Little Dunkard		1035	1048					
Big Dunkard		1138	1168					
Gas Sand								
First Salt		1425	1458					
Second Salt		1540	1725		1665			
Third Salt								
Maxon		1779	1792					
Little Lime								
Pencil Cave								
Big Lime								
Keener								
Big Injun		1974	2152		2033		1925-30 1938-61	
Squaw								
Weir								
Berea		2294	2394					
Gantz								
Fifty Foot		2515	2521					
Thirty Foot		2572	2584					
Gordon Stray								
Gordon		2752	2784				2753-58 2771-79	
Fourth								
Fifth								
Total Depth			2905					

SIZE	Charged to Well		Put in Well		Pulled Out		Left in Well		Transferred Before Completing		Left at Well Not in Use		Steel Line Measurement		If more than two strings of casing are left in hole, give reasons for leaving additional strings
	Feet	In.	Feet	In.	Feet	In.	Feet	In.	Feet	In.	Feet	In.	Feet	In.	
13" Csg.															
10" "															
8 1/4" "															
6 5/8" "															
5 3/8" "															
Tbg.															

PACKER RECORD

SIZE	KIND	Amount Anchor	Amount Above Anchor	REMARKS

SHOOTING RECORD (If shot before or upon completion of well)

DATE	Quarts	Top of Shell	Bottom of Shell	Diameter	Sand	TEST BEFORE SHOT			TEST AFTER SHOT			Test Taken After Shot No. Hours	By Whom Shot
						Reading	Liquid	Opening	Reading	Liquid	Opening		

CEMENTING RECORD

Date Cemented..... Size Hole Cemented..... Size Casing Cemented.....
Top Pittsburgh Coal..... Top Cementing..... Amount Cement Used.....
Bottom Pittsburgh Coal..... Bottom Cementing..... Amount Sand Used.....
Mr. of Coal Company on ground when coal was cemented
Remarks: Signature of persons who cemented well