



New Location   
 Drill Deeper   
 Abandonment

(Note - Elevations ran by Hope Construction & Refining Co.'s Engineers.)

Company Frank Lando  
 Address Box 356 Bellair, Ohio  
 Farm N. Salisbury  
 Tract 1 Acres 240 Lease No. 8-8-11-12-10  
 Well (Farm) No. 14-2-9-23 Serial No. 192  
 Elevation (Spirit Level) 3-837' 9-986' 11-1042' 12-1049' 14-1041' 15-885'  
 Quadrangle New Martinsville  
 County Tyler District Lincoln  
 Engineer David L. Figgie  
 Engineer's Registration No. 026-1 Drawing No. Aug. 647, 77 Scale 1" = 60 f

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 JYL-478-A-#8 CHARLESTON JYL-480-A-#10  
 JYL-479-A-#9 JYL-481-A-#11  
**WELL LOCATION MAP**  
 FILE NO. JYL-482-A-#12  
 JYL-440-A-#1 JYL-483-A-#14  
 JYL-441-A-#3 JYL-484-A-#23  
 + Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.



476

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WELL RECORD

Permit No. 476 A

Oil or Gas Well 011

(KIND)

Company Frank Lando  
 Address Box 356 - Bellaire, Ohio  
 Farm N. Salisbury Acres 240  
 Location (waters) Slaughter House Run  
 Well No. 1 One Elev. 831'  
 District Lincoln County Tyler  
 The surface of tract is owned in fee by N. Salisbury  
**Heirs** Address Sistersville  
 Mineral rights are owned by Mrs. Mazie Manning and  
Ira Salisbury Address Sistersville  
 Drilling commenced August 1, 1892  
 Drilling completed September 8, 1892  
 Date Shot 4/5/38 From 1645 To 1655  
 With 5 Quarts

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	<b>80'</b>	<b>80'</b>	Size of
8 1/4			
6 1/2"	<b>1250'</b>	<b>1250'</b>	Depth set
5 3/16			
3			Perf. top
2 Tbg.		<b>1655'</b>	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Open Flow /10ths Water in \_\_\_\_\_ Inch  
 /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil **35** \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
 Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
 COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
In jun			1632'	1656'			
Oil			1645'	1655'			
Total Depth				1693'			



