STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

To THE DEPARTMENT OF MINES,					
Charleston, W. Va.					
	TRITUUM P				
COAL OPERATOR OR COAL OWNER	UNITED FUEL GAS CO.,				
% G. H. Moore					
	P.O. Box 12	73, Charl	eston 25, W. Va.		
ADDRESS		COMPLETE ADDR	ESS		
	1	March 10	,19_48_		
COAL OPERATOR OR COAL OWNER		POSED LOC			
	PRO	POSED LOC	ATION		
		Lincoln	District		
ADDRESS			District		
UNITED FUEL GAS CO.,		Wayne	County		
OWNER OF MINERAL RIGHTS			38°00'		
P.O. Pow 1002 Chara to 07 W	Well No.	6288			
P.O. Box 1273, Charleston 25, W. Va.					
, and the same of	UNITE Fee T	D FUEL GA	S CO., Farm		
GENTLEMEN:	100 1	ract #12	rarm		
The undersigned well operator is entitled to de	rill upon the above	named farm	or treat of land for		
oil and gas, having fee title thereto, (or as the case n					
December 26, 1946 , made	by HUNTINGTO	ON DEV. &	GAS CO., to		
UNITED FUEL GAS CO.,	. 81	nd recorded	on the 27th day		
of December 27 10/6	, 00	ad rocorded	on theuay		
of <u>December 27</u> , 1946 , in	the office of the C	ounty Clerk	for said County in		
Book 234, page 318					
and County above named, determined by survey and colland marks. The undersigned well operator is informed and hof coal beneath said farm or tract of land on which sa aries of the same, who have mapped their workings are coal operators or coal owners (if any) above respectively.	pelieves there are no id well is located, o	o coal opera	tors operating beds		
coal operators or coal owners (if any) above named as					
The above named coal operators or coal owners (indesire to make to such proposed location, or which they the drilling of a well at said proposed location will cause coal mines, must be received by, or filed with the Department of copy of this notice and accompanying plat by said Department forms for use in making such objections will be promptly on request and that all such objections must suggested or grounds on which such objections are based location should be moved to overcome same.	are required to mage a dangerous condi- ment of Mines within epartment. Said coa- be furnished to them et forth as definited	ke by Section tion in or all n ten* days all operators n by the De	n 3 of said Code, if yout their respective from the receipt of are further notified epartment of Mines		
(The next paragraph is to be completed only in	Department's con	v.)			
Copies of this notice and the enclosed plat were m	ailed by registered	mail or del	ivered to the above		
named coal operators or coal owners at their above shor on the same day with the mailing or delivery of the Vest Virginia.	own respective addre	sa Same	dow hofens		
HONG TO BE NOT HONOR TO SELECT A SELECTION OF THE SELECT	aly yours,				
VANA					
19192021222	UNITED	FUEL GAS	00.		
16 1 A CES	'	VELL OPERATOR			
MAR 1948	% G. H.	Moore			
MAR 1948 Address of Well Operator		STREET			
Well Operator	P.O. Box 12	73, Charl	eston 25		
(8)		CITY OR TOWN			
Sec. Sec.	West V	irginia	11/17/2023		
		STATE			
*Section 3 If no such objections be filed or be for and days from the receipt of said notice and plat by the depart	and by the departmen	t of mines, v	vithin said period of		

ment shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections approved and the well operator authorized to proceed to drill at said location. TRANSPORTED JARRETT PRINTING COMPANY, CHARLESTON, W. VA. WAY-564

PERMIT NUMBER

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
	1						
	100 AND				00 me (20)	-13-48 in	of the same
				46.7	CONTRACTOR IN THE	- 622 M -	Texon
				**	MITT WALL		
ow reduct							
the mock man			TOO TOO	7-770 - 7-77-0 - 7-77-0	η σχού 13.4 -	13745-3306	10/10 1 pro 21
d com cheill		10 G	1171	TITT			
id Les sabell			888	080 027 080	ater 80)	, to toller	a dar hr.
to a shell d to a shell			170 170	750 730 721			
re, a chelli a			7,238 -4,25, ; -5,52	4.05 - 24 5.52 367 - 2			
ng g co-se byroghe			809 809	345 345 340			
g STr			Toy.	300			
Taring			0	10"		r Igi	
Farmatina		Mard of Deft	Lob	Bustom	OSL SALE OT MALE	Popul Found	Bernsthn
ean Value	t pay	The second secon	(96)	16.16 E.1		68	
ek Prosente			intra per 22 ma.			a sa	
10 10	/16ths Mars 2 M = Mars	5.	Ch. Fe	CASING GENO		en Ma	
116. 3, 51.36 18. 1.35			inen i			1	er bettom.
aliste semplere Mang pemplere Ng sher Mats	PHILESPA SHILLIS THOSE From			S. Landre Used			
negal zigilia ali	oaden pi gg	A library Observed a	Sport S p.	68 18 18 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			el page Trag
e partime of the		FOULAND.		8.8	1110		STEE AVIOLET
Mark Tireo	3.33 34.	Comy 102, 1	04,00,4 GT • 1	14.3/6		ò .	OC.OL
correct Conservation	or tell in	of Left	. of house	Sibo			•
hypney (i. ef	3 40 L G	, ce;	A MAR	Costage and Cubing	Uned in Indiing	Left to Well	Packers
wait No. 11.	e.2(A)		WEIT	RECORE		Oil or (11	/17/2023

APPROVED UNITED FUEL GAS CO.

By Chief Engineer (Title) R.



Naugatuck

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES OIL AND GAS DIVISION

						011 01 0	as Well Gas
Company UNIT			25, W.Va.	Casing and Tubing	Used in Drilling	Left in Well	Packers
Location (waters)	Laurel E	r. of Left F	Acres 864.39 k. of Moses	Size			Kind of Packer
			Elev. 860 Gr.	16 13_3/8	9	9	Anchor
			ne	10	216	216	Size of
					1110	1110	3"X8-1/4"X16"
			S CO.				Depth set 1196
			eston 25. W.V.				
Drilling commenc	ed 4-22-1	8				1210	Perf. top
							Perf. bottom
				Liners Used			Perf. top
			Total	10000			Perf. bottom
			Inch		NTED	SIZE	No. Ft. Dat
			Cu. Ft.	CASING CEMI	ZN I ED	SIZE	110.1
			hrs.				
Oil			_bbls., 1st 24 hrs.		NCOUNTERED		
Fresh water 16	6,860	feet	feet	FEE	rINCI	HES	FEETINCHES
Salt water		feet	feet	FEE	rINCI	HES	FEETINCHES
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	
oil and Late and Late & shell	S S		0 2 104 136 208 270 385 428 435 552 567 750 780 821 888 955 980 1111 1114 1130 1189 1210	2 104 136 208 270 385 428 435 552 567 750 780 821 888 955 980 1111 1114 1130 1189 1210		0' 4 bail	ers per hr. 09 16/10 Merc 2" 622 M
	1516	71819202/22	3		WELL NOT	SHOT - 622 M	– Maxon

TO THE DEPARTMENT OF MINES,

NOTE: PERMIT IS NOT TRANSFERABLE.

Blanket Bond



STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

Charleston, W. Va.	
rought orace 102 - 1021 -	ida a die,
	United Fuel Gas Company
Coal Operator	P. O. Box 1273 Well Operator
10222	Charleston, West Virginia 25325
Address	Complete Address
1.32	gring to let le mil
United Fuel Gas Co.	October 12, 1966
Coal Owner	Date
1.00	WELL TO BE ABANDONED
	Lincoln District
Address	ing
That had Thank Commence	Wayne County
United Fuel Gas Company	Tyde opbide tell for the
Lease or Property Owner	Well No. 6288
Charleston II Vo	eCoping to don to themos shows ; sag
Charleston, W. Va.	HUNTINGTON DEVELOPMENT & GAS CO. Farm
Inspector to be notified Ken Butcher	City Barbours rell Telephone RE 6193.
Inspector to be notified	City Telephone
LTN	is in appoint of subject of
Gentlemen:—	
	121
The undersigned well operator is about to	abandon the above described well and will commence
*eesimme end eveds 'C of	The most energy earns despend to o and
J and will beer him insertiguion	reminer ell es eves la la elle elle delle
the work of plugging and abandoning said well not be less than five days after the day on wh should be received by the Department of Mines	on the date inspector is notified (which date shall nich this notice so mailed is received, or in due course s).
plugging and filling of said well. You are furt represented the undersigned will proceed on t well in the manner required by Section 10, Ar the reverse side of this notice, in "Work Order	
This notice is being mailed by registered above date.	mail to each of you at the above addresses on the
	Very truly yours,
	0
131415 1617	INTERP THET CAC COMPANY
Bio	UNITED FUEL GAS COMPANY Well Operator
(S) 630	Well Operator
registered engineer, shall be filed with THREE "WORK ORDER" AND TWO COPIES OF T show the district and county in which the trac- the name or names of the owners and names of	
NOTE: In case plugging is not commenced shall expire and be of no further force or effect	within four months from the date of permit, same

Permit Number

PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

Pull 3" Tubing

12201

Mud & Clay

1210' - 1169' - 20' above Maxon

Cement

1169' - 1159'

Crushed Stone

1159' - 1154'

Pull 8-1/4" Casing

1128'

Mud & Clay

1154' - 730' - 20' above Salt Sand

Cement

730' - 720'

Crushed Stone

720' - 715'

Set Bridge at

247'

- 30 below 10" Casing

Charleston, W. Va.

Put 2 sacks cement on top of bridge

10, 1965

Crushed Stone

237' - 232'

Pull 10" Casing

217'

Mud & Clay

232' - 12'

Cement

12' - 10'

Run 6" of larger size pipe from 10' to 3' above the surface.
This pipe will serve as the monument and will bear the inscription
"United Fuel Gas Company Well No. 6288 - Abandoned Date

Cement

10' - Surface

To the Department of Mines Coal Owner or Operator, Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date inspector is notified after permit is issued.

Very truly yours,

UNITED FUEL GAS COMPANY

Well Operator

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approper to the plugging and filling of the well above mentioned.

14 day of Oct , 19-64.

DEPARTMENT OF MINES

Oil and Gas Division

NOTE: This "work order" shall be filed in triplicate, one copy for the files of the Department of Mines; one to be approved or corrected and returned to the well operator as his authority for plugging said well; and one for the well inspector.

By:_

STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

•••••••••••••••••••••••••••••••••••••••		ted Fuel Gas Co.		
COAL O		O. BoxNancorswell or rleston, W. Va.		1
	ADDRESS	COMPLETE ADDRESS		
United Fuel	Gas Co. Octo	ober 12,		1966
COAL	BERATOR OWNER	WELL AND LOC	ATION	
	ADDRESS	coln		District
United Fuel		ne		a
	R PROPERTY OWNER			County
Charleston, V	v. Va. Well N	To. 6288		
	ADDRESS			
	Hun	tington Developm	ment & Ga	s Co. Farm
CM A MED TAICDES CHOOL C	SUPERVISING PLUGGING Kenneth B	utcher PED #1	Barhoure	erille. W
STATE INSPECTOR S	SUPERVISING PLUGGING	drougt, kro wi	Darbour	SVIII W
	AFFIDAVIT			
STATE OF WEST	VIRGINIA,			
	ss:			
County of Line		(mm) - 101		
Leslie A	alualu	irgle Plumley		
	orn according to law depose and say the			work of
plugging and filling	oil and gas wells and were employed by	Hal Pack & Con	npany	
	participated in the work of plugging and			
was commenced on	the 3 day of December	, 19 66 , and that th	e well was	plugged
and filled in the following	lowing manner:			100
SAND OR ZONE RECORD	FILLING MATERIAL	PLUGG VSED	CAS	BING
FORMATION	Parted 3" tubing at 1210' &	SIZE & KIND	CSG	CSG
	set permanent bridge		PULLED	LEFT IN
	Cement 1210' - 1200'	3" tubing	1210'	10'
	Crushed stone 1200' - 1195'			
	Crushed stone 1200' - 1195' Mud & Clay 1195' - 1169'			
	Mud & Clay 1195' - 1169' Cement 1169' - 1159'			
	Mud & Clay 1195' - 1169' Cement 1169' - 1159' Crushed stone 1159' - 1154'			
	Mud & Clay 1195' - 1169' Cement 1169' - 1159' Crushed stone 1159' - 1154' Mud & Clay 1154' - 730'	8 1/4" Casing	1128	None
	Mud & Clay 1195' - 1169' Cement 1169' - 1159' Crushed stone 1159' - 1154' Mud & Clay 1154' - 730' Cement 730' - 720'	8 1/4" Casing	1128	None
	Mud & Clay 1195' - 1169' Cement 1169' - 1159' Crushed stone 1159' - 1154' Mud & Clay 1154' - 730' Cement 730' - 720' Crushed stone 720' - 715'	8 1/4" Casing	1128	None
	Mud & Clay 1195' - 1169' Cement 1169' - 1159' Crushed stone 1159' - 1154' Mud & Clay 1154' - 730' Cement 730' - 720' Crushed stone 720' - 715' Set permanent bridge at 247'	8 1/4" Casing	1128	None
	Mud & Clay 1195' - 1169' Cement 1169' - 1159' Crushed stone 1159' - 1154' Mud & Clay 1154' - 730' Cement 730' - 720' Crushed stone 720' - 715' Set permanent bridge at 247' Cement 247' - 237'	8 1/4" Casing	1128	None
	Mud & Clay 1195' - 1169' Cement 1169' - 1159' Crushed stone 1159' - 1154' Mud & Clay 1154' - 730' Cement 730' - 720' Crushed stone 720' - 715' Set permanent bridge at 247' Cement 247' - 237' Crushed stone 237' - 232'	8 1/4" Casing	1128	None
	Mud & Clay 1195' - 1169' Cement 1169' - 1159' Crushed stone 1159' - 1154' Mud & Clay 1154' - 730' Cement 730' - 720' Crushed stone 720' - 715' Set permanent bridge at 247' Cement 247' - 237'	8 1/4" Casing	217'	None
	Mud & Clay 1195' - 1169' Cement 1169' - 1159' Crushed stone 1159' - 1154' Mud & Clay 1154' - 730' Cement 730' - 720' Crushed stone 720' - 715' Set permanent bridge at 247' Cement 247' - 237' Crushed stone 237' - 232'			
	Mud & Clay 1195' - 1169' Cement 1169' - 1159' Crushed stone 1159' - 1154' Mud & Clay 1154' - 730' Cement 730' - 720' Crushed stone 720' - 715' Set permanent bridge at 247' Cement 247' - 237' Crushed stone 237' - 232' Mud & Clay 232' - 12' Cement 12' - 10'			
	Mud & Clay 1195' - 1169' Cement 1169' - 1159' Crushed stone 1159' - 1154' Mud & Clay 1154' - 730' Cement 730' - 720' Crushed stone 720' - 715' Set permanent bridge at 247' Cement 247' - 237' Crushed stone 237' - 232' Mud & Clay 232' - 12'			
COAL SEAMS	Mud & Clay 1195' - 1169' Cement 1169' - 1159' Crushed stone 1159' - 1154' Mud & Clay 1154' - 730' Cement 730' - 720' Crushed stone 720' - 715' Set permanent bridge at 247' Cement 247' - 237' Crushed stone 237' - 232' Mud & Clay 232' - 12' Cement 12' - 10' Ran 6" pipe from 10' - 3' above surface which served	10" Casing	217'	None
	Mud & Clay 1195' - 1169' Cement 1169' - 1159' Crushed stone 1159' - 1154' Mud & Clay 1154' - 730' Cement 730' - 720' Crushed stone 720' - 715' Set permanent bridge at 247' Cement 247' - 237' Crushed stone 237' - 232' Mud & Clay 232' - 12' Cement 12' - 10' Ran 6" pipe from 10' - 3' above surface which served as the monument.	10" Casing DESCRIPTION	217'	None
ME)	Mud & Clay 1195' - 1169' Cement 1169' - 1159' Crushed stone 1159' - 1154' Mud & Clay 1154' - 730' Cement 730' - 720' Crushed stone 720' - 715' Set permanent bridge at 247' Cement 247' - 237' Crushed stone 237' - 232' Mud & Clay 232' - 12' Cement 12' - 10' Ran 6" pipe from 10' - 3' above surface which served	10" Casing DESCRIPTION "United Fuel	217' OF MONUME	None NT Dany -
ME)	Mud & Clay 1195' - 1169' Cement 1169' - 1159' Crushed stone 1159' - 1154' Mud & Clay 1154' - 730' Cement 730' - 720' Crushed stone 720' - 715' Set permanent bridge at 247' Cement 247' - 237' Crushed stone 237' - 232' Mud & Clay 232' - 12' Cement 12' - 10' Ran 6" pipe from 10' - 3' above surface which served as the monument.	10" Casing DESCRIPTION	217' OF MONUME	None NT Dany -
ME)	Mud & Clay 1195' - 1169' Cement 1169' - 1159' Crushed stone 1159' - 1154' Mud & Clay 1154' - 730' Cement 730' - 720' Crushed stone 720' - 715' Set permanent bridge at 247' Cement 247' - 237' Crushed stone 237' - 232' Mud & Clay 232' - 12' Cement 12' - 10' Ran 6" pipe from 10' - 3' above surface which served as the monument.	10" Casing DESCRIPTION "United Fuel	217' OF MONUME	None NT Dany -
COAL SEAMS ME) ME)	Mud & Clay 1195' - 1169' Cement 1169' - 1159' Crushed stone 1159' - 1154' Mud & Clay 1154' - 730' Cement 730' - 720' Crushed stone 720' - 715' Set permanent bridge at 247' Cement 247' - 237' Crushed stone 237' - 232' Mud & Clay 232' - 12' Cement 12' - 10' Ran 6" pipe from 10' - 3' above surface which served as the monument.	10" Casing DESCRIPTION "United Fuel	217' OF MONUME	None NT Dany -
ME) ME) ME)	Mud & Clay 1195' - 1169' Cement 1169' - 1159' Crushed stone 1159' - 1154' Mud & Clay 1154' - 730' Cement 730' - 720' Crushed stone 720' - 715' Set permanent bridge at 247' Cement 247' - 237' Crushed stone 237' - 232' Mud & Clay 232' - 12' Cement 12' - 10' Ran 6" pipe from 10' - 3' above surface which served as the monument. Cement 10' - 0'	DESCRIPTION "United Fuel Well #6288 - 6	217' of MONUME Gas Comp	None NT Deny -
ME) ME) ME) and that the work	Mud & Clay 1195' - 1169' Cement 1169' - 1159' Crushed stone 1159' - 1154' Mud & Clay 1154' - 730' Cement 730' - 720' Crushed stone 720' - 715' Set permanent bridge at 247' Cement 247' - 237' Crushed stone 237' - 232' Mud & Clay 232' - 12' Cement 12' - 10' Ran 6" pipe from 10' - 3' above surface which served as the monument. Cement 10' - 0'	DESCRIPTION "United Fuel Well #6288 - 6	217' of MONUME Gas Comp	None NT Dany -
ME) ME) ME)	Mud & Clay 1195' - 1169' Cement 1169' - 1159' Crushed stone 1159' - 1154' Mud & Clay 1154' - 730' Cement 730' - 720' Crushed stone 720' - 715' Set permanent bridge at 247' Cement 247' - 237' Crushed stone 237' - 232' Mud & Clay 232' - 12' Cement 12' - 10' Ran 6" pipe from 10' - 3' above surface which served as the monument. Cement 10' - 0'	DESCRIPTION "United Fuel Well #6288 - 6	217' of MONUME Gas Comp	None NT Deny -
ME) ME) ME) and that the work December	Mud & Clay 1195' - 1169' Cement 1169' - 1159' Crushed stone 1159' - 1154' Mud & Clay 1154' - 730' Cement 730' - 720' Crushed stone 720' - 715' Set permanent bridge at 247' Cement 247' - 237' Crushed stone 237' - 232' Mud & Clay 232' - 12' Cement 12' - 10' Ran 6" pipe from 10' - 3' above surface which served as the monument. Cement 10' - 0'	DESCRIPTION "United Fuel Well #6288 - 6	217' of MONUME Gas Comp	None NT Deny -
ME) ME) ME) and that the work December	Mud & Clay 1195' - 1169' Cement 1169' - 1159' Crushed stone 1159' - 1154' Mud & Clay 1154' - 730' Cement 730' - 720' Crushed stone 720' - 715' Set permanent bridge at 247' Cement 247' - 237' Crushed stone 237' - 232' Mud & Clay 232' - 12' Cement 12' - 10' Ran 6" pipe from 10' - 3' above surface which served as the monument. Cement 10' - 0'	DESCRIPTION "United Fuel Well #6288 - 6	217° OF MONUME Gas Compabandon ec	None None None 1 12/8/66 day of
ME) ME) ME) and that the work December And further dep	Mud & Clay 1195' - 1169' Cement 1169' - 1159' Crushed stone 1159' - 1154' Mud & Clay 1154' - 730' Cement 730' - 720' Crushed stone 720' - 715' Set permanent bridge at 247' Cement 247' - 237' Crushed stone 237' - 232' Mud & Clay 232' - 12' Cement 12' - 10' Ran 6" pipe from 10' - 3' above surface which served as the monument. Cement 10' - 0'	DESCRIPTION "United Fuel Well #6288 - 6	217' OF MONUME Gas Compabandon ec	None None None 12/8/66 day of
ME) ME) ME) and that the work December And further dep	Mud & Clay 1195' - 1169' Cement 1169' - 1159' Crushed stone 1159' - 1154' Mud & Clay 1154' - 730' Cement 730' - 720' Crushed stone 720' - 715' Set permanent bridge at 247' Cement 247' - 237' Crushed stone 237' - 232' Mud & Clay 232' - 12' Cement 12' - 10' Ran 6" pipe from 10' - 3' above surface which served as the monument. Cement 10' - 0' of plugging and filling said well was , 1966 conents saith not.	DESCRIPTION "United Fuel Well #6288 - 6	217' OF MONUME Gas Compabandon ec	None None None 1 12/8/66 day of
me) me) and that the work December And further dep	Mud & Clay 1195' - 1169' Cement 1169' - 1159' Crushed stone 1159' - 1154' Mud & Clay 1154' - 730' Cement 730' - 720' Crushed stone 720' - 715' Set permanent bridge at 247' Cement 247' - 237' Crushed stone 237' - 232' Mud & Clay 232' - 12' Cement 12' - 10' Ran 6" pipe from 10' - 3' above surface which served as the monument. Cement 10' - 0' of plugging and filling said well was	DESCRIPTION "United Fuel Well #6288 - a	217' OF MONUME Gas Compabandon ec	None None None 12/8/66 day of 17/2023 19_66
and that the work December And further dep	Mud & Clay 1195' - 1169' Cement 1169' - 1159' Crushed stone 1159' - 1154' Mud & Clay 1154' - 730' Cement 730' - 720' Crushed stone 720' - 715' Set permanent bridge at 247' Cement 247' - 237' Crushed stone 237' - 232' Mud & Clay 232' - 12' Cement 12' - 10' Ran 6" pipe from 10' - 3' above surface which served as the monument. Cement 10' - 0' of plugging and filling said well was , 1966 conents saith not.	DESCRIPTION "United Fuel Well #6288 - a	217' OF MONUME Gas Compabandon ec	None None None 12/8/66 day of 17/2023 19_66

United Fuel Cas Co. P. O. Bogwieg Gweenen Coarleston, W. Ve. 2532 United Puel Gen Co. Charleston, V.

stire western an antime manning. Kenneth Datcher, RED #1, Barboursville,

			Parted 3" tubing or 1210' &	ADDISABON .
	1210,	galdus "E	Set permanent bridge Cerent 1210' - 1200'	
			Chishel stone 12001 - 11 51 Mud & Cley 11951 - 11651	
			Cereson 1160' - 11:0'	
			Urushed stone 1159' - 1154'	
	1138	8 1/4" Cacing	Mud & Clay 1154! - 730!	
			Coment 730' - 780'	
			Crished stone 730' - 715'	
			Set nermenent bridge et 247'	
			Cement 247' - 237'	
			Critched stone 237' - 83.'	
	23.71	10" Cading	Mad & Clay 232' - 13'	
			Cemout 12' - 10'	
			Ren 6" pipe from 10' - 3'	
			above surface which served	
	CONTROL TO		as the monument.	
		Carring forting	10 - 101 grameD	
12, 3, 36		Woll #5288 - c		

11/17/2023