



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

To THE DEPARTMENT OF MINES,  
Charleston, W. Va.

|                             |                                     |
|-----------------------------|-------------------------------------|
| COAL OPERATOR OR COAL OWNER | F. H. Yates Estate                  |
| ADDRESS                     | NAME OF WELL OPERATOR               |
| COAL OPERATOR OR COAL OWNER | 2d Nat'l Bank Bldg., - Ashland, Ky. |
| ADDRESS                     | COMPLETE ADDRESS                    |
| OWNER OF MINERAL RIGHTS     | January 26, 1949, 19                |
| ADDRESS                     | PROPOSED LOCATION                   |
| ADDRESS                     | Lincoln District                    |
| ADDRESS                     | Wayne County                        |
| ADDRESS                     | Well No. 6                          |
| ADDRESS                     | Arnett Heirs Farm                   |

GENTLEMEN:

The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas, having fee title thereto, (or as the case may be) under grant or lease dated \_\_\_\_\_, made by \_\_\_\_\_, to \_\_\_\_\_, and recorded on the \_\_\_\_\_ day of \_\_\_\_\_, in the office of the County Clerk for said County in Book \_\_\_\_\_, page \_\_\_\_\_.

The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points, or land marks.

The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundaries of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees.

The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Code, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by, or filed with the Department of Mines within ten\* days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same.

(The next paragraph is to be completed only in Department's copy.)

Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above named coal operators or coal owners at their above shown respective address \_\_\_\_\_ day before, or on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston, West Virginia.

Very truly yours,

Address  
of  
Well Operator }

|               |
|---------------|
| WELL OPERATOR |
| STREET        |
| CITY OR TOWN  |
| STATE         |

11/17/2023

\*Section 3 . . . . If no such objections be filed or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.









STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

*Naugatuck*

WELL RECORD

Permit No. *Way-659*

Oil or Gas Well *dry hole*  
(KIND)


Company *J. H. Yates Estate*  
 Address *25d. Nat Bank Ashland Ky*  
 Farm *Arnett Home* Acres *200*  
 Location (waters) *Anderson Branch*  
 Well No. *6 SW* Elev. *710'*  
 District *Lincoln* County *Wayne*  
 The surface of tract is owned in fee by *Roscoe Justice Co*  
*Kermit 2 1/4* Address  
 Mineral rights are owned by *Francis Corn*  
*Crum 2 1/4* Address  
 Drilling commenced *Oct 25-48*  
 Drilling completed *Dec 28-48*  
 Date Shot *NO* From *-* To *-*  
 With *-*

| Casing and Tubing | Used in Drilling | Left in Well | Packers        |
|-------------------|------------------|--------------|----------------|
| Size              |                  |              | Kind of Packer |
| 16                |                  |              |                |
| 13                |                  |              |                |
| 10                |                  |              | Size of        |
| 8 1/4             | <i>30</i>        | <i>30</i>    |                |
| 6 3/4             | <i>760</i>       | <i>760</i>   | Depth set      |
| 5 3/16            |                  |              |                |
| 3                 |                  |              | Perf. top      |
| 2                 |                  |              | Perf. bottom   |
| Liners Used       |                  |              | Perf. top      |
|                   |                  |              | Perf. bottom   |

Open Flow */10ths Water in* Inch  
*/10ths Merc. in* Inch  
 Volume *-* Cu. Ft.  
 Rock Pressure *-* lbs. hrs.  
 Oil *-* bbls., 1st 24 hrs.  
 Fresh water *60* feet feet  
 Salt water *-* feet feet

| CASING CEMENTED         | SIZE | No. Ft. | Date   |
|-------------------------|------|---------|--------|
|                         |      |         |        |
| COAL WAS ENCOUNTERED AT |      |         |        |
|                         |      | FEET    | INCHES |
|                         |      | FEET    | INCHES |
|                         |      | FEET    | INCHES |
|                         |      | FEET    | INCHES |

| Formation             | Color        | Hard or Soft | Top        | Bottom     | Oil, Gas or Water | Depth Found | Remarks |
|-----------------------|--------------|--------------|------------|------------|-------------------|-------------|---------|
| <i>Gravel</i>         | <i>-</i>     |              |            | <i>30</i>  |                   |             |         |
| <i>Slate + Shells</i> | <i>B + W</i> | <i>H + S</i> | <i>30</i>  | <i>125</i> |                   |             |         |
| <i>Sand</i>           | <i>White</i> | <i>Hard</i>  | <i>125</i> | <i>175</i> |                   |             |         |
| <i>Slate + Shells</i> | <i>B + W</i> | <i>H + S</i> | <i>175</i> | <i>230</i> |                   |             |         |
| <i>Sand</i>           | <i>White</i> | <i>Hard</i>  | <i>230</i> | <i>270</i> |                   |             |         |
| <i>Slate</i>          | <i>Black</i> | <i>Soft</i>  | <i>270</i> | <i>280</i> |                   |             |         |
| <i>Sand</i>           | <i>White</i> | <i>"</i>     | <i>280</i> | <i>295</i> |                   |             |         |
| <i>Slate</i>          | <i>Black</i> | <i>"</i>     | <i>295</i> | <i>410</i> |                   |             |         |
| <i>Slate</i>          | <i>White</i> | <i>"</i>     | <i>410</i> | <i>435</i> |                   |             |         |
| <i>Sand</i>           | <i>"</i>     | <i>Hard</i>  | <i>435</i> | <i>535</i> |                   |             |         |
| <i>Slate</i>          | <i>"</i>     | <i>Soft</i>  | <i>535</i> | <i>538</i> |                   |             |         |
| <i>Sand</i>           | <i>"</i>     | <i>"</i>     | <i>538</i> | <i>630</i> |                   |             |         |
| <i>Slate</i>          | <i>"</i>     | <i>"</i>     | <i>630</i> | <i>632</i> |                   |             |         |
| <i>Sand</i>           | <i>Black</i> | <i>"</i>     | <i>632</i> | <i>740</i> |                   |             |         |
| <i>Sand</i>           | <i>White</i> | <i>Hard</i>  | <i>632</i> | <i>780</i> |                   |             |         |
| <i>Slate + Shells</i> | <i>B + W</i> | <i>H + S</i> | <i>740</i> | <i>780</i> |                   |             |         |
| <i>Slate</i>          | <i>White</i> | <i>Soft</i>  | <i>780</i> | <i>820</i> |                   |             |         |
| <i>"</i>              | <i>Brown</i> | <i>"</i>     | <i>820</i> | <i>830</i> |                   |             |         |
| <i>"</i>              | <i>White</i> | <i>"</i>     | <i>830</i> | <i>875</i> |                   |             |         |
| <i>Sand</i>           | <i>"</i>     | <i>Hard</i>  | <i>875</i> | <i>920</i> |                   |             |         |
| <i>Slate</i>          | <i>Black</i> | <i>Soft</i>  | <i>920</i> | <i>925</i> |                   |             |         |



*dry hole*  
*Want Permit to Plug*  
*No 6*

*Total depth*  
*925 ft*



B-7

May - 2 - 49  
1037 Madison Ave.  
Huntington W Va.

Mr. C. M. Hall.  
Charleston W Va  
Dear Sir

Am sending you the  
pluging report of the No 6 on the  
Arnett Davis Farm That is the only  
one I got plugged The Yates Estate  
has not been settled yet and they  
dont know what they want to do.

Yours Ref.  
E K Durham.

May-659





1037 Washington St  
New York

Mr. C. M. Hall  
Charleston S.C.  
S.C.

Dear Sir,  
I have the honor to acknowledge the receipt of your letter of the 10th inst. in relation to the above named matter. That as the only one I get referred to the State Court has not been settled yet and they don't know what they want to do.

Yours truly,  
C. M. Hall



PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

*According to Request by Bureau of Mines*

WORK ORDER PREPARED BY THE DEPARTMENT OF MINES

Total Depth 925'

Fill with red clay from bottom 925' - 790' - 30' below 6-5/8" casing  
Neat Cement 790' - 780'  
5' crushed stone on cement plug - sealing hole completely below 6-5/8" casing  
Full casing

SET A PERMANENT BRIDGE AT 250'  
2 sacks neat cement and 5' crushed stone on bridge  
Pull 8-1/4" casing and  
Fill with clay to surface

Erect marker such as is described in Rule 18, 1931 Regulations

To the Department of Mines  
Coal Owner or Operator,  
Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

*J. H. Yal's Estate*

*E. R. Pugh* Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved 11/17/2023

26th day of JANUARY, 1949, 19 \_\_\_\_

DEPARTMENT OF MINES  
Oil and Gas Division

By: \_\_\_\_\_

NOTE: This "work order" shall be filed in triplicate, one copy for the files of the Department of Mines; one to be approved or corrected and returned to the well operator as his authority for plugging said well; and one for the well inspector.





STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

To THE DEPARTMENT OF MINES,  
Charleston, W. Va.

Francis Corn  
COAL OPERATOR OR COAL OWNER

J. H. Yates Estate  
NAME OF WELL OPERATOR

Crum W Va  
ADDRESS

3rd Nat Bank Ashland Ky  
COMPLETE ADDRESS

\_\_\_\_\_  
COAL OPERATOR OR COAL OWNER

Jan 25 1949  
WELL TO BE ABANDONED

\_\_\_\_\_  
ADDRESS

Lincoln District

\_\_\_\_\_  
LEASE OR PROPERTY OWNER

Wayne County  
37° 55'

\_\_\_\_\_  
ADDRESS


Well No. 6-514 82° 20'  
Arnett Heers Farm

Gentlemen:— NOTIFY INSPECTOR DANA E. LAWSON - HAMLIN - TELEPHONE 63  
24 HOURS IN ADVANCE OF PLUGGING DATE

The undersigned well operator is about to abandon the above described well and will commence the work of plugging and abandoning said well on the \_\_\_\_\_ day of \_\_\_\_\_, 19 \_\_\_\_, (which date shall not be less than five days after the day on which this notice so mailed is received, or in due course should be received by the Department of Mines.)

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.



Very truly yours,

J. H. Yates Estate  
Well Operator.

E. K. Pugh 11/17/2023

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners and adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

(Over)



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE. ONE COPY MAILED TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) SHOULD BE MAILED TO EACH COAL OPERATOR AT THEIR RESPECTIVE ADDRESSES.

Francis Crum COAL OPERATOR OR OWNER  
Crum W Va ADDRESS

J. H. Yates Estate NAME OF WELL OPERATOR  
302 Nat Bank Ashland Ky COMPLETE ADDRESS

COAL OPERATOR OR OWNER  
ADDRESS

WELL AND LOCATION 1949  
Lincoln District  
Wayne County

LEASE OR PROPERTY OWNER  
ADDRESS

Well No. 6

Arnett Hurs Farm

STATE INSPECTOR SUPERVISING PLUGGING Pan E Lawson

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of Calhoun } SS:  
E. K. Penhance and

being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by J. H. Yates Estate, well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 25 day of Jan, 1949, and that the well was plugged and filled in the following manner:

| SAND OR ZONE RECORD | FILLING MATERIAL         |                                    |         | PLUGS USED | CASING      |                      |
|---------------------|--------------------------|------------------------------------|---------|------------|-------------|----------------------|
|                     | FORMATION                | CONTENT                            | FROM TO |            | SIZE & KIND | CSG PULLED           |
|                     |                          | <u>Total D. 925</u>                |         |            |             | <u>750 ft 5 inch</u> |
|                     |                          | <u>Clay - 925-790</u>              |         |            |             | <u>8 40 ft</u>       |
|                     |                          | <u>Cement - 790-780</u>            |         |            |             |                      |
|                     |                          | <u>5 ft of Stone</u>               |         |            |             |                      |
|                     |                          | <u>Budget @ 250 ft</u>             |         |            |             |                      |
|                     |                          | <u>2 sacks of Cement</u>           |         |            |             |                      |
|                     |                          | <u>5 ft of Stone</u>               |         |            |             |                      |
|                     |                          | <u>Filled with Clay to Surface</u> |         |            |             |                      |
| COAL SEAMS          | DESCRIPTION OF MONUMENT  |                                    |         |            |             |                      |
| (NAME)              | <u>Cement Plug in</u>    |                                    |         |            |             |                      |
| (NAME)              | <u>10 inch Conductor</u> |                                    |         |            |             |                      |
| (NAME)              |                          |                                    |         |            |             |                      |
| (NAME)              |                          |                                    |         |            |             |                      |

and that the work of plugging and filling said well was completed on the 3 day of Feb, 1949.

And further deponents saith not.

Sworn to and subscribed before me this 28 day of April, 1949.

My commission expires:

Feb. 2, 1953

E. K. Penhance  
Notary Public  
11/17/2023  
Permit No. Way-659-P



DEPARTMENT OF MINES  
AND GEOLOGICAL SURVEY

OFFICE OF THE SUPERVISOR OF MINE SAFETY

J. H. ...  
...  
#1

...  
...

...  
...  
...  
...

#1 ... #2

...  
#1

...  
...  
...

...  
...  
...

...



11/17/2023