FORM OG-1

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES
OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

To The Department of Mines, Charleston, W. Va.

Henry D.Hatfield	Hatfield Gas Company	N F
COAL OPERATOR OR COAL OWNER	% R.H.Adkins	
Huntington, W.Va.	Hamlin, W.Va.	
ADDRESS	COMPLETE ADDRESS	
	November 8th	,19 49
COAL OPERATOR OR COAL OWNER	PROPOSED LOCATION	_,19
	PROPOSED LOCATION	
ADDRESS	Union	_District
Henry D.Hatfield	Wayne 38° 20'	_County
OWNER OF MINERAL RIGHTS		
Huntington, W.Va.	Well No. F-3, S-4 82° 25'	
ADDRESS	Henry D.Hatfield	
GENTLEMEN:	nonly Dinaulicia	Farm
The undersigned well operator is entitled to dr	ill upon the shove named farm or tract of	land for
oil and gas, having fee title thereto, (or as the case m		
, made t	by Henry D.Hatfield	, to
R.H.Adkinss	, and recorded on the	day
of, in	the office of the County Clerk for said C	ounty in
Book, page		
and County above named, determined by survey and coland marks. The undersigned well operator is informed and be of coal beneath said farm or tract of land on which said aries of the same, who have mapped their workings an eoal operators or coal owners (if any) above named as. The above named coal operators or coal owners (if desire to make to such proposed location, or which they the drilling of a well at said proposed location will caus coal mines, must be received by, or filed with the Departs a copy of this notice and accompanying plat by said Dethat forms for use in making such objections will be promptly on request and that all such objections must seground or grounds on which such objections are based posed location should be moved to overcome same. (The next paragraph is to be completed only in Copies of this notice and the enclosed plat were manamed coal operators or coal owners at their above she or on the same day with the mailing or delivery of the West Virginia. Very traces.	pelieves there are no coal operators operated well is located, or within 500 feet of the diffied their maps as required by law, except addressees. If any) are notified that any objections to are required to make by Section 3 of said see a dangerous condition in or about their rement of Mines within ten* days from the repartment. Said coal operators are further see furnished to them by the Department set forth as definitely as is reasonably posted and indicate the direction and distance on Department's copy.) Inailed by registered mail, or delivered to the own respective address	ting beds the bound- pting the they may Code, if respective receipt of r notified of Mines ssible the the pro- the above before,
	- 10. 10. 2	
199101170	Hatfield Gas Company WELL OPERATOR	
(6)	% R.H.Adkins	
NOV 1949 Address	% N.II. MURIIIS	
MECT MECHANA S of }	Hamlin	
GEPARIMENT OF MINES Well Operator)	CITY OR TOWN	
	West Virginia. 11/1	10/2023
*Section 3 If no such objections be filed or be for ten days from the receipt of said notice and plat by the department shall forthwith issue to the well operator a drilling perhave been made by the coal operators to the location, or for approved and the well operator authorized to proceed to drill	rtment of mines, to said proposed location, the rmit reciting the filing of such plat, that no ound thereto by the department, and that the	e depart-

CHARLESTON, W. VA.

PERMIT NUMBER

DEPARTMENT OF MINES

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

TO THE DEPARTMENT OF MINES, Charleston, W. Va.

	mod est bleittsH	Henry D. Hatfield
HOY	R.H.Adkins	COAL OPERATOR OR COAL OWNER
	Hamlin, W.Va.	Huntington, W.Va.
	COMPLETE ADDRESS	ADDRESS
19 49	November 8th	
	PROPOSED LOCAT	COAL OPERATOR OR COAL OWNER
Distric	Union	ADDRESS
	Wayne	Henry D. Hatfield
Se Roll	811 (31	OVINER OF MINERAL MIGHTS
	Well No. F-3, 8-4 3	Huntington, W.Vs.
6.0	alfan C www.u	ADDRESS
d d land	Henry D. Hatfie	Generally:
tract of land fo	Il upon the above named farm or	The undersigned well operator is entitled to drill
	y be) under grant or lease dated_	oil and gas, having fee title thereto, (or as the case ma
at .	Henry D. Hatfield	
	no bebroost bus,	
	the office of the County Clerk fo	
n famoo mee m	it wister futures and to some and	
apusterial District manent points, or rs operating beda lect of the bound	crater on the farm and in the M rees and distances from two per fleves there are no coal operato I well is localed, or within 500 f	Book page. The enclosed plat was prepared by a competent enter to be drilled for oil and gas by the undersigned well open and County above named, determined by survey and couland marks. The undersigned well operator is informed and be of coal beneath said farm or tract of land on which said
agusterial District mauent points, or mauent points, or leef of the bound law, excepting the law, excepting the defined they may their respective their respective refurther notified artinent of Mines distance the pro- ered to the above	erator on the farm and in the Masses and distances from two per lives there are no coal operator within 500 factors. It will is located, or within 500 factors and factors maps as required by any are notified that any object are required to make by Section a dangerous condition in or about of Mines within tent days the matter of Mines within tent days the forth as definitely as is reason and indicate the direction and and indicate the direction and lifed by registered mail, or deliver respective address.	The enclosed plat was prepared by a competent ence to be drilled for oil and gas by the undersigned well operated County above named, determined by survey and couland marks. The undersigned well operator is informed and be
agustrial District mauent points, or mauent points, or leef of the bound law, excepting the law, excepting the sof said Code, if it their respective re further notified articent of Mines distance the pro- ered to the above	erator on the farm and in the Masses and distances from two per lives and distances from two per lives a faceled, or within 500 if well is localed, or within 500 if addressees. Any) are notified that any objust required to make by Section a dangerous condition in or about a dangerous condition in or about of Mines within tent days in military. Said roal operators are furnished to them by the Department of the direction and and indicate the direction and and indicate the direction and lifed by registered mail, or delive a copy to the Department of Mines and accept to the Department of Mines and accept to the Department of Mines accept the Depart	The enclosed plat was prepared by a competent enter to be drilled for oil and gas by the undersigned well operated and County above named determined by survey and coul land marks. The undersigned well operator is informed and be of coal beneath said farm or tract of land on which said aries of the sains, who have mapped their workings and coal operators or coal owners (if any) above named as desire to make to such proposed location, or which they a desire to make to such proposed location, or which they a coal mines, must be received by, or filed with the Department of this notice and accompanying plat by said Department forms for use in making such objections will be promptly on request and that all such objections must set promptly on request and that all such objections must set promptly on request and that all such objections are based pround or grounds on which such objections are based formed coal objection should be moved to overcome saine. (The next paragraph is to be completed only in Lemed coal operators are coal owners at their above showned coal operators are coal owners at their above showned coal operators are coal owners at their above showned coal operators are coal owners at their above showned coal operators are coal owners at their above showned coal operators are coal owners at their above showned coal operators are coal owners at their above showned coal operators are coal owners at their above showned coal operators are coal owners at their above showned coal operators are coal owners at their above showned coal operators are coal owners at their above showned to the coal operators are coal order.
agusterial District mauent points, or mauent points, or leet of the bound leet, excepting the law, excepting the 3 of said Code, if their respective com like receipt of arther notified arthaer notified arthaer to Mines distance the pro- ered to the above day before	erator on the farm and in the Marses and distances from two per lives there are no coal operators will be a seed that a seed any are notified that any object any are notified that any object are required to make by Section and of Mines within ten" days to make of Mines within ten" days to be firmlished to their by the Days and indicate the direction and and indicate the direction and liked by registered mail, or deliver copy to the Department's copy.) Hatfield Gas Corely yours,	The enclosed plat was prepared by a competent enter to be drilled for oil and gas by the undersigned well operator and County above named determined by survey and coulend marks. The undersigned well operator is informed and be of coal beneath said farm or tract of land on which said aries of the sains, who have mapped their workings and coal operators or coal owners (if any) above named as desire to make to such proposed location or which they a desire to make to such proposed location or which they a coal mines, must be received by or filed with the Department of a well at said proposed location will cause a copy of this notice and accompanying plat by said Department for use in making such objections will be promptly on request and that all such objections must set promptly on request and that all such objections must set proved to cation should be moved to overcome saine. (The next paragraph is to be completed only in a cubic sains of this notice and the enclosed plat were made and operators are coal owners at their above show or on the same day with the maiting or delivery of this or on the same day with the maiting or delivery of this or or on the same day with the maiting or delivery of this or or or the same day with the maiting or delivery of this or
agusterial District mauent points, or mauent points, or res operating beds leet of the bound law, excepting the softons they may a of said Code of their respective or line receipt of arther notified arther notified distance the pro- ered to the above clay before	erator on the farm and in the Masses and distances from two per lives and distances from two per lives their are no coal operator. I well is located, or within 500 is addressees. Any) are notified that any object any are required to make by Section are required to make by Section and of Mines within tent days in a dangerous condition in or about of Mines within tent days in furnished to them by the Department. Said roal operators are furnished to them by the Department as definitely as is reason and indicate the direction and and indicate the direction and liked by registered mail, or delives a copy to the Department of Mines and Matfield Gas Core	The enclosed plat was prepared by a competent en to be drilled for oil and gas by the undersigned well operated County above named, determined by survey and coul land marks. The undersigned well operator is informed and be of coal beneath said farm or tract of land on which said aries of the same, who have mapped their workings and coal operators or coal owners (if any) above named as design to make to such proposed location or which they a coal muse, must be received by or filed with the Departm of a copy of this notice and accompanying plat by said Department for use in making such objections will be proposed location while a copy of this notice and accompanying plat by said Department for request and that all such objections must set proposed location should be noted to evercome same. (The next paragraph is to be completed only in posed location should be noted to evercome same. (The next paragraph is to be completed only in passed coal operators of this notice and the enclosed plat were may call operators of this notice and the enclosed plat were may call operators of this notice and the enclosed plat were may call operators of coal owners at their above shown or on the same day with the uniting on delivery of this or or the same day with the uniting on delivery of this
agusterial District maneri points, or maneri points, or re operating beds leet of the bound law, excepting the 3 of said Code of their respective com like receipt of arther notified arthaent of Mines distance the pro- ered to the above ered to the above cas at Charleston	erator on the farm and in the Mores can distances from two per reses and distances from two per twell is located, or within 500 is well as located, or within 500 is differences. Any) are notified that any object any are required by Section are required to make by Section are required to make by Section and of Mines within ten" days to parlinent. Said coal operators are forth as definitely as is reason and indicate the direction and and indicate the direction and we respective address a copy to the Department's copy.) Ratfield Gas Cov Wyours, Hatfield Gas Cov Wans, Ratfield Gas Cov Wans, Ratfield Gas Cov	The enclosed plat was prepared by a competent en to be drilled for oil and gas by the undersigned well operated marks. The undersigned well operator is informed and be land marks. The material farm or tract of land on which said arise of the same, who have mapped their workings and coal operators or coal owners (if any) above named as desire to make to coal owners (if any) above named as desire to make to said proposed location, or which they a the drilling of a well at said proposed location will cause coal marks, must be received by or field with the Department at copy of this notice and accompanying plat by said Department for use in making such objections will be promptly on request and that all such objections must set of the forms for use in making such objections must set proceed oceation should be enayed to evercome same. (The next paragraph is to be completed only in complete oal operators or coal owners at their above shown and coal operators or coal owners at their above shown or on the same day with the maiting or delivery of this near case owners at their above shown or on the same day with the maiting or delivery of this were man as the same day with the maiting or delivery of this out the same day with the maiting or delivery of this out the same day with the maiting or delivery of this out the same day with the maiting or delivery of this course.
agusterial District maneri points, or maneri points, or re operating beds leet of the bound law, excepting the 3 of said Code of their respective com like receipt of arther notified arthaent of Mines distance the pro- ered to the above ered to the above cas at Charleston	erator on the farm and in the Mores cand distances from two per sees and distances from two per sees there are no coal operator will in stocated, or within 500 in the Linear maps as required by any) are notified that any object on the required to make by Section are required to make by Section and of Mines within ten" days to be a dangerous condition in or about of Mines within ten" days the Department. Said coal operators are forth as definitely as is reason and indicate the direction and and indicate the direction and we respective address a copy to the Department of Mines and Matfield Gas Core was corrected. Hatfield Gas Core was corrected.	The enclosed plat was prepared by a competent en to be drilled for oil and gas by the undersigned well optal and both marks. The undersigned well operator is informed and be land beneath said farm or tract of land on which said of oos beneath said farm or tract of land on which said aries of the same, who have mapped their workings and coal operators or coal owners (if any) above named as a desire to make to said proposed location, or which they a desire to make to said proposed location, or which they are drilling of a well at said proposed location will cause coal munes must be received by or filed with the Deparim the tiorus. For use in making such objections will be promptly on request and that all such objections must set promptly on request and that all such objections must set promptly on request and that all such objections must set promptly on request and that all such objections must set of the next paragraph is to be completed only in posed location should be moved to overcome same. (The next paragraph is to be completed only in a course of this notice and the enclosed plat were may are decided only in the same day with the mailing or delivery of the pared of the same day with the mailing or delivery of the west virginia. Very trul
agusterial District maneral points, or maneral points, or respective beds law, excepting the law, excepting the law, excepting the law, excepting the law file reseived com like receipt of their respective respectived respective res	erator on the farm and in the Mores can distances from two per reses and distances from two per twell is located, or within 500 is well as located, or within 500 is differences. Any) are notified that any object any are required by Section are required to make by Section are required to make by Section and of Mines within ten" days to parlinent. Said coal operators are forth as definitely as is reason and indicate the direction and and indicate the direction and we respective address a copy to the Department's copy.) Ratfield Gas Cov Wyours, Hatfield Gas Cov Wans, Ratfield Gas Cov Wans, Ratfield Gas Cov	The enclosed plat was prepared by a competent en to be drilled for oil and gas by the undersigned well operated and Country above named, determined by survey and coul land marks. The undersigned well operator is informed and be arise of the same who have mapped their workings and coal operators or coal owners (if any) above named as desire to make to such proposed location, or which they a desire to make to such proposed location, or which they a coal mares, must be received by or filed with the Departm coal mares, must be received by or filed with the Departm at the drilling of a well at said proposed location will cause as copy of this notice and accompanying plat by said Departm forms for use in making such objections will be proughtly on request and that all such objections must set proughtly on request and that all such objections must set proughtly on request and that all such objections are based from all of grounds or arounds on which such objections are based from the nation allowed only in the same docal operators or coal owners at their above shown or on the same day, with the mailing or delivery of this were made on the same day, with the mailing or delivery of this or or the same day, with the mailing or delivery of this were well as the completed only in the same day, with the mailing or delivery of this were well as the completed only in the same day, with the mailing or delivery of this were well as the completed only in the same day, with the mailing or delivery of this were well as the completed only in the same day, with the mailing or delivery of this particle.
agusterial District manery points, or manery points, or set of the bound- law, excepting the law is receipt of their respective er further notified articent of Mines articent of Mines distance the pro- ered to the above ered to the above has at Charleston	erator on the farm and in the Marses and distances from two per reses and distances from two per lives there are no coal operators will in slocated, or within 500 if the their maps as required by addressees. Any are notified that any object and the second of Mines within tent days in a dangerous condition in or about of Mines within tent days in and roth as definitely as is reason furnished to them by the Department's copy.) Department's copy.) The partment's copy.) And registered mail, or delive a copy to the Department of Mines wither the direction and him was respective address. Hatfield Gas Covernors. Reflicial Gas Covernors. Hatfield Gas Covernors. Reflicial Gas Covernors.	The enclosed plat was prepared by a competent en and County above named, determined by survey and couland marks. The undersigned well operator is mioraned and be land marks. The nadersigned well operator is mioraned and be arres of the same, who have mapped their workings and cost operators or coal owners (if any) above named as alease to make to the same, who have mapped their workings and cost operators or coal owners (if any) above named as a desire to make to same proposed location, or which they a coal munes, must be received by or filed with the Deparim the drilling of a well at said proposed location will cause as copy of this notice and accompanying plat by said Department forms, for use in making such objections must set that forms for use in making such objections must set promptly on request and that all such objections must set promptly on request and that all such objections must set promptly on request and that all such objections must set promptly on request and that all such objections must set of the next paragraph is to be completed only in a continue and operators are cost owners at their above show or on the same day with the mailing or delivery of the west virginia. Very trul

WAY-702 PERMIT NUMBER

A-10

R. H. ADKINS

PRODUCER OF NATURAL GAS
DRILLING CONTRACTOR

HAMLIN, WEST VIRGINIA March 29, 1950

W. Va. State Mine Department, Charleston, W. Va.

Attention of Mr. C. N. Hall

Dear Mr. Hall:

Some time ago you requested us to submit a well log on Hatfield Well No. 3 in Wayne County, W. Va.

We are sorry to advise that we have had a great deal of trouble with this well and same has not as yet been completed. We are getting the data together for the other wells you requested and will submit same in the next day or two.

Very truly yours,

Hatfield Gas Company

By AJ. Deple



PHACKERS.

SAD JAMUTAN TO MEDUCONS

Pamein west wearen - Agroji 23, 1950

W. Va. State Ming Department,

As ortion of Mr. C. H. 1922

: Dell . The chart -

Bone time a companied us to contanted us to contain a well led on the tield Well Mas. S in . Wesne County. W. V.

pend of the anid salves of the control of the salves of the following the first location and a first location and the control of the control

. Trates value error

wma med and blaithing

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
Total D	2 of			2088 Ep*			
F1 740 8	030		5858	2052			
Sign of the	0.30		5 T2 /	5882 5-72			
Tolton	316.10		2655	2725			
Gray Sal	76		5000 5000	S650 S655			
Slate to Brown St	ejo		2725 0273	S952			
Lichtage	Cada Gale		8.575	2450			
Slate a	1011 C. Michile		STS2	2275 2275			
Grown Si			7822	1832			and the second
83,950	Trans		7828				
phone e	cle nd	7800	1020 2040 1030	1072			
Sinte st	rg (Melle		1430	7950			
21400 3	(eps.);s		7000 - H	COOL			
Toner a	and		1206	1985			
EI. DIN			1128	1888			
FOR CLL	UAG .		11.50	1150			
Slate			1135	-3340			
	d Shells nd		7078	TIME			
Esla Sta	Ç i		350	1016			
Slete er	and d Shells		209	680 202			
Slate a	d shells		80	550			
Sariece	gaca.	2000	00	5 .			
	cojor .	Mark of	100	porecus	01 1 WAC	gonag	· Maindage
	marking and						
	220	ar part of		San 23 - 22 - 23 - 23 - 23 - 23 - 23 - 23	3000		
			ope Distra	Property as a			
			10.00	No. of			And the second s
	- 200 2000 - 100 aprese		7 TO 1 TO 1	Swangharan	Control of the contro		
	1000000	T _n	149	and the second second second			
	Deterate			Andrew Property and			Control -
	18 J820_	2550	3028	Possil Joseph		1.7	ton
	102	. 27, 1948		gette Maria		14.5	E STORY CONT
		verse ranor	inchon, a.	o" a magini		TSM	
	and high age	. D. Labi	rerq	GW ST		De	UN MODELLE
	Charles & Const. No.			100		SEF	
make the	11	Torrigo Torrigo	20			57	
Weather S.	8-58-4)			10-1			THE SECTION
recognit confect	3,-031	e ore gre	OJC	4 2/2			•
	-		3 700	The state of the s			
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 2 30 Bas	1 - 22	· California	12 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	THE PARTY	LI KONTA
a Character	8.0.040		Anna de la Company			4414	N/2022
	100		AL WESTER			11/1)/2023
	A 39		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
	1			- Andrew			

Date Cleg. 14, 195/ APPROVED Hatfield Bus Confer, Owner By CHAPKING Particles

MATINES PRINTING AND LITHOGRAPHING CO



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES

OL AND GAS DIVISION

WELL RECORD

Permit No. Way-722

Oil or Gas Well Gas

		Gas Compan		Casing and	Used in Drilling	Left in Well	Packers
		18					
		e Pole Cre		Size			
	A SECOND PROPERTY OF THE PROPE			16	t .		_ Kind of Packer
		County Way		13			
The surface of tra	act is owned in	fee by H. D	. Hatfield	10		24	Size of
		Address Hunt	ington, W.	Va84		251	
		H. D. Hatf				7.000	_ Depth set
				a. 53/16		1987	
				. 3			Perf. top
Drilling complete	d 1950an	7 1950		2			Perf. bottom
Date Shot Jan	12 From	2530 To	3052	Liners Used			Perf. top
	TO SHOW THE RESERVE OF THE PARTY OF THE PART						Perf. bottom
		in 1 ¹¹			animed.	CIZE	No Et Date
					ENTED	SIZE	No. Ft. Date
		lbs					
		IDS		COAT TITAC TO	NCOUNTERED	AT	FEETINCHES
		feet			INCI	HES	FEETINCHES
							FEETINCHES
Dail Water							
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	
							李 安全人
Surface			00	5			
Slate	Gray	Soft	5	90			
	d Shells		90	250			A CANADA
Broken S			250	305			
	d Shells		305	920			
Salt Sar	ıd		920	1015			
Salt Sar Slate ar	nd nd Shells		920 1015	1015 1100			
Salt Sar Slate ar Maxon Sa	nd nd Shells		920 1015 1100	1015 1100 1135			
Salt Sar Slate ar Maxon Sa Slate	nd nd Shells and		920 1015 1100 1135	1015 1100 1135 1140			
Salt Sar Slate an Maxon Sa Slate Little I	nd nd Shells and Lime		920 1015 1100 1135 1140	1015 1100 1135 1140 1150			
Salt San Slate an Maxon Sa Slate Little I Pencil (nd Shells and ime ave		920 1015 1100 1135 1140 1150	1015 1100 1135 1140 1150 1152			
Salt Sar Slate ar Maxon Sa Slate Little I Pencil C Big Lime	nd Shells and Lime Save		920 1015 1100 1135 1140 1150 1152	1015 1100 1135 1140 1150 1152 1286			
Salt Sar Slate ar Maxon Sa Slate Little I Pencil C Big Lime Keener S	id id Shells and lime lave send		920 1015 1100 1135 1140 1150 1152 1286	1015 1100 1135 1140 1150 1152 1286 1325			
Salt San Slate an Maxon Sa Slate Little I Pencil O Big Lime Keener S Injun Sa	id id Shells and lime lave send		920 1015 1100 1135 1140 1150 1152	1015 1100 1135 1140 1150 1152 1286			
Salt San Slate an Maxon Sa Slate Little I Pencil O Big Lime Keener S Injun Sa	id Shells and Sime Save Send and Shells		920 1015 1100 1135 1140 1150 1152 1286 1325	1015 1100 1135 1140 1150 1152 1286 1325 1380			
Salt San Slate an Maxon Sa Slate Little I Pencil O Big Lime Keener S Injun Sa Slate an Big Shel	id Shells and Save Sand and Shells id Shells and shells		920 1015 1100 1135 1140 1150 1152 1286 1325 1380 1440 1470	1015 1100 1135 1140 1150 1152 1286 1325 1380 1440 1470 1940			
Salt San Slate an Maxon Sa Slate Little I Pencil O Big Lime Keener S Injun Sa Slate an Big Shel Slate an Brown Sh	id Shells and Save sand and Shells id Shells id Shells id Shells		920 1015 1100 1135 1140 1150 1152 1286 1325 1380 1440 1470	1015 1100 1135 1140 1150 1152 1286 1325 1380 1440 1470 1940 1954			
Salt San Slate an Maxon Sa Slate Little I Pencil O Big Lime Keener S Injun Sa Slate an Big Shel Slate an Brown Sh Berea Sa	id Shells and Save sand and Shells id Shells id Shells id Shells		920 1015 1100 1135 1140 1150 1152 1286 1325 1380 1440 1470 1470	1015 1100 1135 1140 1150 1152 1286 1325 1380 1440 1470 1940 1954 1972			
Salt San Slate an Maxon Sa Slate Little I Pencil O Big Lime Keener S Injun Sa Slate an Big Shel Slate an Brown Sh Berea Sa Slate	id Shells and Shells and Shells ale and		920 1015 1100 1135 1140 1150 1152 1286 1325 1380 1440 1470 1470	1015 1100 1135 1140 1150 1152 1286 1325 1380 1440 1470 1940 1954 1972			
Salt San Slate an Maxon Sa Slate Little I Pencil O Big Lime Keener S Injun Sa Slate an Big Shel Slate an Brown Sh Berea Sa Slate Hard She	id Shells and Shells and Shells ale and		920 1015 1100 1135 1140 1150 1152 1286 1325 1380 1440 1470 1470 1954 1972	1015 1100 1135 1140 1150 1152 1286 1325 1380 1440 1470 1940 1954 1972 1973			
Salt San Slate an Maxon Sa Slate Little I Pencil O Big Lime Keener S Injun Sa Slate an Big Shel Slate an Brown Sh Berea Sa Slate Hard She Brown Sh	id Shells and Save Sand and Shells ale and shells and shells ale and shells ale and shells ale and shells and shells and shell and shells and shells and shells and shells and shells and shell and shell are and sh	1940	920 1015 1100 1135 1140 1150 1152 1286 1325 1380 1440 1470 1470 1972 1973 2035	1015 1100 1135 1140 1150 1152 1286 1325 1380 1440 1470 1940 1954 1972 1973 2035 2125			
Salt San Slate an Maxon Sa Slate Little I Pencil O Big Lime Keener S Injun Sa Slate an Big Shel Slate an Brown Sh Berea Sa Slate Hard She Brown Sh Slate an	id Shells and Sand and Shells ale and shells ale and ale and ale and ale and shells ale and shells ale and shells ale and shells ale and ale a	1940	920 1015 1100 1135 1140 1150 1152 1286 1325 1380 1440 1470 1470 1974 1972 1973 2035 2125	1015 1100 1135 1140 1150 1152 1286 1325 1380 1440 1470 1940 1954 1972 1973 2035 2125 2375			
Salt San Slate an Maxon Sa Slate Little I Pencil O Big Lime Keener S Injun Sa Slate an Big Shel Slate an Brown Sh Berea Sa Slate Hard She Brown Sh Slate an Light Br	id Shells and save sand and Shells ale and shells ale and shells own Shalls own Shalls	19 4 0	920 1015 1100 1135 1140 1150 1152 1286 1325 1380 1440 1470 1470 1470 1972 1973 2035 2125 2375	1015 1100 1135 1140 1150 1152 1286 1325 1380 1440 1470 1940 1954 1972 1973 2035 2125 2375 2430	AFAE TO		
Salt San Slate an Maxon Sa Slate Little I Pencil O Big Lime Keener S Injun Sa Slate an Big Shel Slate an Brown Sh Berea Sa Slate Hard She Brown Sh Slate an Light Br	id Shells and Shells and Shells ale and Shells own Shall ad Shells own Shall ad Shells	19 4 0	920 1015 1100 1135 1140 1150 1152 1286 1325 1380 1440 1470 1470 1974 1972 1973 2035 2125	1015 1100 1135 1140 1150 1152 1286 1325 1380 1440 1470 1940 1954 1972 1973 2035 2125 2375	3767576777		
Salt San Slate an Maxon Sa Slate Little I Pencil O Big Lime Keener S Injun Sa Slate an Big Shel Slate an Brown Sh Berea Sa Slate Hard She Brown Sh Slate an Light Br Slate an Brown Sh	id Shells and Shells and Shells ale own Shall ale shells ale shells ale	19 4 0	920 1015 1100 1135 1140 1150 1152 1286 1325 1380 1440 1470 1470 1470- 1954 1972 1973 2035 2125 2375 2430	1015 1100 1135 1140 1150 1152 1286 1325 1380 1440 1470 1940 1954 1972 1973 2035 2125 2375 2430 2545	Q TO 15 16 17 7	O GOOD N	
Salt San Slate an Maxon Sa Slate Little I Pencil O Big Lime Keener S Injun Sa Slate an Big Shel Slate an Brown Sh Berea Sa Slate Hard She Brown Sh Slate an Light Br Slate an Brown Sh Gray Sha Brown Sh	id Shells and Save Sand and Shells ale and Shells ale ale ale ale ale ale	19 4 0	920 1015 1100 1135 1140 1150 1152 1286 1325 1380 1440 1470 1470 1470- 1954 1972 1973 2035 2125 2375 2430 2545 2600 2630	1015 1100 1135 1140 1150 1152 1286 1325 1380 1440 1470 1940 1954 1972 1973 2035 2125 2375 2430 2545 2600 2630 2655	AUG 19	S COLUMN TO SERVICE STATE OF THE SERVICE STATE OF T	
Salt San Slate an Maxon Sa Slate Little I Pencil O Big Lime Keener S Injun Sa Slate an Big Shel Slate an Brown Sh Berea Sa Slate Hard She Brown Sh Slate an Light Br Slate an Brown Sh Gray Sha Brown Sh Broken Sh	id Shells and Save Sand and Shells ale and Shells ale ale shale	19 4 0	920 1015 1100 1135 1140 1150 1152 1286 1325 1380 1440 1470 1470- 1954 1972 1973 2035 2125 2375 2430 2545 2600 2630 2655	1015 1100 1135 1140 1150 1152 1286 1325 1380 1440 1470 1940 1954 1972 1973 2035 2125 2375 2430 2545 2600 2630 2655 2725	WEST VIRG	INA E	1/10/2022
Salt San Slate an Maxon Sa Slate Little I Pencil O Big Lime Keener S Injun Sa Slate an Big Shel Slate an Brown Sh Berea Sa Slate Hard She Brown Sh Slate an Light Br Slate an Brown Sh Slate an Brown Sh Brown Sh Brown Sh Brown Sh Brown Sh	id Shells and Sand and Shells ale ale shale ale ale ale ale ale	19 4 0	920 1015 1100 1135 1140 1150 1152 1286 1325 1380 1440 1470 1470- 1954 1972 1973 2035 2125 2375 2430 2545 2600 2655 2725	1015 1100 1135 1140 1150 1152 1286 1325 1380 1440 1470 1940 1954 1972 1973 2035 2125 2375 2430 2545 2600 2630 2655 2725 2815	WEST VIRG	INA E	1/10/2023
Salt San Slate an Maxon Sa Slate Little I Pencil O Big Lime Keener S Injun Sa Slate an Big Shel Slate an Brown Sh Berea Sa Slate Hard She Brown Sh Slate an Light Br Slate an Brown Sh Slate an Brown Sh Slate an Brown Sh Slate an Brown Sh	id Shells and Shells and Shells ale ale shells ale ale ale shells ale ale shells ale ale shells all shells ale shells ale shells ale shells ale shells ale shells all shells ale shells ale shells all shells ale shells all	19 4 0	920 1015 1100 1135 1140 1150 1152 1286 1325 1380 1440 1470 1470 1470 1972 1973 2035 2125 2375 2430 2545 2600 2630 2655 2725 2815	1015 1100 1135 1140 1150 1152 1286 1325 1380 1440 1470 1940 1954 1972 1973 2035 2125 2375 2430 2545 2600 2655 2725 2815 2985	AUG 19 WEST VIRG	INA E	1/10/2023
Salt San Slate an Maxon Sa Slate Little I Pencil O Big Lime Keener S Injun Sa Slate an Big Shel Slate an Brown Sh Berea Sa Slate Hard She Brown Sh Slate an Light Br Slate an Brown Sh Slate an Brown Sh	id Shells and Save Sand and Shells ale ale shale ale ale ale ale ale ale ale ale ale	19 4 0	920 1015 1100 1135 1140 1150 1152 1286 1325 1380 1440 1470 1470- 1954 1972 1973 2035 2125 2375 2430 2545 2600 2655 2725	1015 1100 1135 1140 1150 1152 1286 1325 1380 1440 1470 1940 1954 1972 1973 2035 2125 2375 2430 2545 2600 2655 2725 2815 2985 3052	WEST VIRG	INA E	1/10/2023
Salt San Slate an Maxon Sa Slate Little I Pencil O Big Lime Keener S Injun Sa Slate an Big Shel Slate an Brown Sh Berea Sa Slate Hard She Brown Sh Slate an Light Br Slate an Brown Sh Slate an Brown Sh Slate an Brown Sh Slate an Brown Sh	id Shells and Save Sand and Shells ale ale shale ale ale ale ale ale ale ale ale ale	19 4 0	920 1015 1100 1135 1140 1150 1152 1286 1325 1380 1440 1470 1470 1470 1972 1973 2035 2125 2375 2430 2545 2600 2630 2655 2725 2815	1015 1100 1135 1140 1150 1152 1286 1325 1380 1440 1470 1940 1954 1972 1973 2035 2125 2375 2430 2545 2600 2655 2725 2815 2985	WEST VIRG	INA E	1/10/2023
Salt San Slate an Maxon Sa Slate Little I Pencil O Big Lime Keener S Injun Sa Slate an Big Shel Slate an Brown Sh Berea Sa Slate Hard She Brown Sh Slate an Light Br Slate an Brown Sh Slate an Brown Sh	id Shells and Save Sand and Shells ale ale shale ale ale ale ale ale ale ale ale ale	19 4 0	920 1015 1100 1135 1140 1150 1152 1286 1325 1380 1440 1470 1470 1470 1972 1973 2035 2125 2375 2430 2545 2600 2630 2655 2725 2815	1015 1100 1135 1140 1150 1152 1286 1325 1380 1440 1470 1940 1954 1972 1973 2035 2125 2375 2430 2545 2600 2655 2725 2815 2985 3052	WEST VIRG	INA E	1/10/2023
Salt San Slate an Maxon Sa Slate Little I Pencil O Big Lime Keener S Injun Sa Slate an Big Shel Slate an Brown Sh Berea Sa Slate Hard She Brown Sh Slate an Light Br Slate an Brown Sh Slate an Brown Sh	id Shells and Save Sand and Shells ale ale shale ale ale ale ale ale ale ale ale ale	19 4 0	920 1015 1100 1135 1140 1150 1152 1286 1325 1380 1440 1470 1470 1470 1972 1973 2035 2125 2375 2430 2545 2600 2630 2655 2725 2815	1015 1100 1135 1140 1150 1152 1286 1325 1380 1440 1470 1940 1954 1972 1973 2035 2125 2375 2430 2545 2600 2655 2725 2815 2985 3052	WEST VIRG	INA E	1/10/2023
Salt San Slate an Maxon Sa Slate Little I Pencil O Big Lime Keener S Injun Sa Slate an Big Shel Slate an Brown Sh Berea Sa Slate Hard She Brown Sh Slate an Light Br Slate an Brown Sh Slate an Brown Sh	id Shells and Save Sand and Shells ale ale shale ale ale ale ale ale ale ale ale ale	19 4 0	920 1015 1100 1135 1140 1150 1152 1286 1325 1380 1440 1470 1470 1470 1972 1973 2035 2125 2375 2430 2545 2600 2630 2655 2725 2815	1015 1100 1135 1140 1150 1152 1286 1325 1380 1440 1470 1940 1954 1972 1973 2035 2125 2375 2430 2545 2600 2655 2725 2815 2985 3052	WEST VIRG	INA E	1/10/2023

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No. 1104, 702,			Oil o	r Gas Well	
Company Hatfield Gas Co.	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACE	(ERS
Address 90 H. W. adkins Humlin 11.	Z Size				tobi y illiy
Farm Henry & Washild	16		1997 (1992)	Kind of Pac	ker
Well No. 3- Sr. 4.	10		THE PERSONAL PROPERTY.	Size of	
District Thion County Wagne	81/4				
Drilling commenced Nov. 16, 49.	65/8			Depth set	
Drilling completed Jan 7,50 Total depth 3052.	5 3/16		a.Ar-	Perf. top	
Date shot Jan, 10-50 Depth of shot shot, 3052,	2			Perf. bottor	n
Initial open flow/10ths Water inInch	Liners Used			Perf. top Perf. bottor	
Open flow after tubing/10ths Merc. inInch				Terr, botton	
Volume 30,000 M. Cu. Ft.	CASING CEME	NTED	SIZE	No. FT	Date
Rock pressurelbshrs.					
Oilbbls., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT	_FEET	INCHES
Fresh waterfeetfeet	FEET_	INCH	ES	_FEET	INCHES
Salt waterfeetfeet	FEET_	INCH	ES	_FEET	INCHES
Drillers' Names Maruin Egnor -	B.N. 12	rumfu	iel		Company of
Remarks:					

1-11-50 DATE



Odalem

11/10/2023

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No.					Wel	II No	A CM Testal	
COMPANY			ADD	RESS				
FARM	21 12 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	DISTRIC	OT	COUNTY				
Filling Material Used			- 64-5					
Liner Lo	cation	Amount		Packer	Location			
PLUGS USED A	AND DEPTH PLACED			BRIDGES	CASING AND TUBIN		BING	
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONST	RUCTION-LOCATION	RECOVERED	SIZE	LOST	
							e jednicih)	
				The second of th		I ferresir	ary halfing	
				10 10 10 10 10 10 10 10 10 10 10 10 10 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	A fee balls	anie politici	
				17 41 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
100 mg 3 kg 5 mg							Special Editor	
				Rant			Legal fallin	
						alliest in		
						105		
							and and Many	
		MINING A	1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2				in the	
Drillers' Names								
							et dans versa matter som between	
Remarks:		contain in						
					•			
			#7					
DATE	I hereby certify I v	risited the ab	ove well on	this date.				

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No. Wa	4-702	2P		7 7			We	II No	3
COMPANY FARM	alfiel	d !	Jas labistrio	GO AD	dress X	av	nlin unty 4	was	va.
Filling Material Use	ed Cl	lay,	Sto	Ene	Cem	ent			
Liner	Location		Amoun	t	Packer		Location	ı	-
PLUGS	USED AND DEPT	H PLACED			BRIDGES		CASIN	G AND TUI	BING
CEMENT-THICKN	ESS WOO	D-SIZE	LEAD	CON	STRUCTION-LOCA	TION	RECOVERED	SIZE	LOST
01	0-			10-	6 day 2	85-	251	8=	
								10=	24
Drillers' Names	John	iny	11	e C	alli	ter			gw
Remarks:									
7-13-		JU! REC	2122232 1964 EIVED st Virginia st Virginia ot. of Mines	150 T 1829 NO 30 ST					
/ -/ -	Thereby	certify Ivi	sited the al	bove well o	n this date.	, -			

DATE

DISTRICT WELL INSPECTOR 11/10/2023

Permit No.

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

Rotary	
Spudder	
Cable Tools	
Storage	

Oil or Gas Well__

INSPECTOR'S WELL REPORT

				(KIN	ID)	1274
Company		CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACK	ERS
Address		Size				
Farm		16			Kind of Pack	
		10			Size of	
District	County	81/4				
Drilling commenced		65% 5 3/16			Depth set	
Drilling completed	Total depth	3			Perf. top	
Date shot	Depth of shot	2			Perf. bottom	
Initial open flow	/10ths Water inInch	Liners Used			Perf. top Perf. bottom	
Open flow after tubing	/10ths Merc. inInch				7 1011, 00000	
Volume	Cu. Ft.	CASING CEME	ENTED	SIZE	No. FT	Date
Rock pressure	lbshrs.	NAME OF SE	RVICE COMP	PANY		
Oil	bbls., 1st 24 hrs.	COAL WAS E	NCOUNTERE	D AT	_FEET	INCHES
Fresh water	feetfeet	FEET	IN(CHES	_FEET	INCHES
Salt water	feetfeet	FEET	INC	CHES	_FEET	INCHES
Drillers' Names						
Remarks:						



STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

R. H. alkens

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

To THE DEPARTMENT OF MINES, Charleston, W. Va.	10 agan & tami . 1000f da ag	
No coal	R. H. ADKINS Hatfield Gas	company
Coal Operator	Name of Well Operator	ulm illi
.encia tu anno il hea desego	Hamlin, W.Va.	elied i
Address	Complete Address	
	Dec. 3, 1963	
. Office Double Coal Owner	Date	
. ances pensage to bear	WELL TO BE ABANDONE Union	rived to
Address	Onloa	District
	Wayne	County
Lease or Property Owner	.eselinua on Q	t deen of
Lease of Froperty Owner	Well No. 3 (Sr. 4)	
	.Tal to bedingseng estanin	1091
Address	H.D. Hatfield	Farm
Gentlemen:— The undersigned well operator is about to all	pandon the above described well and wi	ll commence
the work of plugging and abandoning said well on the less than five days after the day on which should be received by the Department of Mines. This notice is given you in order that your plugging and filling of said well. You are further represented the undersigned will proceed on the well in the manner required by Section 10, Article the reverse side of this notice, in "Work Order."	respective representatives may be pre- er notified that whether you are represent date, or shortly thereafter, to plug at the code and given	esent at the ented or not and fill said
This notice is being mailed by registered mabove date.	very truly yours,	esses on the
(C) DEC 1963 3	promise and helithering keep shows	
RECEIVED 5	Hatfield Gas Comp	
West Virginia Dept. of Mines	Well Or The Well	Operator
NOTE: Upon the abandonment of any well dril registered engineer, shall be filed with THREE O "WORK ORDER" AND TWO COPIES OF TH show the district and county in which the tract of the name or names of the owners and names of a abandoned, determined by survey with the countent points or landmarks on said tract.	COPIES OF APPLICATION, (OGIE WELL RECORD, (OG-10). The of land is located, the name and acrea adjacent tracts and the location of the	G-9) AND e map must ege of same, e well to be
NOTE: In case plugging is not commenced we shall expire and be of no further force or effect.	vithin four months from the date of p	ermit, same
NOTE: PERMIT IS NOT TRANSFERABLE		in the second second

BLANKET BOND

WAY-702-P
Pers

Permit Number

PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

Set bridge at 2000'. Run 2 bags of cement and 5' crushed stone.

Lift 5 3/16 ' easing to 1140'.

Fill with clay to 1930' Run 2 bags of cement and 5' crushed stone.

at 1390'. Run 2 bags of cement and 5' crushed stone.

Remove all casing as hole is filled.

Fill with clay to 900'. Run 2 bags of cement and 5' crushed stone.

Set bridge at 300' 2 bags of cement and 5' crushed stone.

Fill with clay to 3110

Cement from 5 to surface.

Erect marker as prescribed by law.in amended Rule 12,1963

To the Department of Mines Coal Owner or Operator, Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date inspector is notified after permit is issued.

Very truly yours,

Hatfield Gas Company

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approbable 2023

day of DECIMBER, 19-63.

reconstated 6-25-1964

DEPARTMENT OF MINES Oil and Gas Division

By: Merie E.

NOTE: This "work order" shall be filed in triplicate, one copy for the files of the Department of Mines; one to be approved or corrected and returned to the well operator as his authority for plugging said well; and one for the well inspector.

MATHEWS PRINTING AND LITHOGRAPHING CO

STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

DBA HATFIELD GAS COMPANY NAME OF WELL OPERATOR P. O. BOX # 555, Hamlin, W.Va. COMPLETE ADDRESS DECEMber 03, 1965 WELL AND LOCATION UNION District WAYNE County II No. Three (Sr.#4) D. HATFIELD Farm BUTCHER T JOHN McCALLISTER ay that they are experienced in the work of d by R. H. ADKINS and filling the above well, that said work and filling the above well was plugged PLUGS USED CASING Of SIZE & KIND Of SIZE & KIND COSG PULLED LEFT IN Ched Stone O', then Ched Stone
December 03, 1965 WELL AND LOCATION UNION District WAYNE County II No. Three (Sr.#4) D. HATFIELD Farm BUTCHER T JOHN McCALLISTER ay that they are experienced in the work of d by R. H. ADKINS; and filling the above well, that said work 1964, and that the well was plugged PLUGS USED CASING Of SIZE & KIND Of SIZE & KIND Of them shed Stone
December 03, 1965 WELL AND LOCATION UNION District WAYNE County II No. Three (Sr.#4) D. HATFIELD Farm BUTCHER T JOHN McCALLISTER ay that they are experienced in the work of d by R. H. ADKINS and filling the above well, that said work and filling the above well, that said work year of size a kind Cosc Cosc Cosc Cosc Cosc Cosc Cosc Cosc
UNION District WAYNE County II No. Three (Sr.#4) D. HATFIELD Farm BUTCHER T JOHN McCALLISTER ay that they are experienced in the work of d by R. H. ADKINS and filling the above well, that said work that he well was plugged PLUGS USED CASING Of SIZE & KIND PULLED LEFT IN then thed Stone. O', then then then then then then then then
UNION District WAYNE County II No. Three (Sr.#4) D. HATFIELD Farm BUTCHER T JOHN McCALLISTER ay that they are experienced in the work of d by R. H. ADKINS and filling the above well, that said work that he well was plugged PLUGS USED CASING Of SIZE & KIND PULLED LEFT IN then thed Stone. O', then then then then then then then then
WAYNE County Il No. Three (Sr.#4) D. HATFIELD Farm BUTCHER T JOHN McCALLISTER ay that they are experienced in the work of d by R. H. ADKINS and filling the above well, that said work and filling the above well was plugged PLUGS USED CASING Of SIZE & KIND PULLED LEFT IN them thed Stone O', then thed Stone O', then the stone O', then thed Stone O', then the stone
D. HATFIELD Farm BUTCHER JOHN McCALLISTER ay that they are experienced in the work of d by R. H. ADKINS and filling the above well, that said work and filling the above well was plugged PLUGS USED CASING Of SIZE & KIND CSG CSG CSG CSG CSG PULLED LEFT IN then thed Stone. Other then the Stone of the ran
D. HATFIELD Farm BUTCHER JOHN McCALLISTER ay that they are experienced in the work of d by R. H. ADKINS and filling the above well, that said work and filling the above well was plugged PLUGS USED CASING Of SIZE & KIND CSG
D. HATFIELD Farm BUTCHER JOHN McCALLISTER ay that they are experienced in the work of d by R. H. ADKINS and filling the above well, that said work and filling the above well was plugged PLUGS USED CASING Of SIZE & KIND CSG
JOHN McCALLISTER ay that they are experienced in the work of d by R. H. ADKINS and filling the above well, that said work , 1964, and that the well was plugged PLUGS USED CASING Of SIZE & KIND CSG PULLED CASING CSG CSG CSG PULLED CASING Of then Ched Stone
JOHN McCALLISTER ay that they are experienced in the work of d by R. H. ADKINS and filling the above well, that said work , 1964, and that the well was plugged PLUGS USED CASING CSG PULLED CASING CSG CSG PULLED CASING CSG CSG CSG PULLED CASING CSG CSG CSG CSG CSG CSG CSG CSG CSG C
JOHN McCALLISTER ay that they are experienced in the work of d by R. H. ADKINS and filling the above well, that said work , 1964, and that the well was plugged PLUGS USED CASING CSG PULLED CASING CSG CSG PULLED CASING CSG CSG CSG PULLED CASING CSG CSG CSG CSG CSG CSG CSG CSG CSG C
JOHN McCALLISTER ay that they are experienced in the work of d by R. H. ADKINS , and filling the above well, that said work , 1961, and that the well was plugged PLUGS USED CASING Of SIZE & KIND CSG CSG PULLED LEFT IN CHECK CSG Of then Check Stone Of then Check Stone Of then Check Stone Of then Check Stone Of then Check Stone CSG PULLED CSG PULLED CSG PULLED CSG LEFT IN CSG CSG PULLED CSG LEFT IN CHECK CSG CSG CSG PULLED CSG LEFT IN CSG CSG CSG CSG CSG PULLED CSG LEFT IN CHECK CSG
ay that they are experienced in the work of d by R. H. ADKINS, and filling the above well, that said work 1964, and that the well was plugged PLUGS USED CASING Of SIZE & KIND Of LEFT IN CHECK CASE C
ay that they are experienced in the work of d by R. H. ADKINS, and filling the above well, that said work 1964, and that the well was plugged PLUGS USED CASING Of SIZE & KIND Of LEFT IN CHECK CASE C
ay that they are experienced in the work of d by R. H. ADKINS, and filling the above well, that said work 1964, and that the well was plugged PLUGS USED CASING Of SIZE & KIND Of LEFT IN CHECK CASE C
ay that they are experienced in the work of d by R. H. ADKINS, and filling the above well, that said work 1964, and that the well was plugged PLUGS USED CASING Of SIZE & KIND Of LEFT IN CHECK CASE C
d by R. H. ADKINS and filling the above well, that said work , 1964, and that the well was plugged PLUGS USED CASING Of SIZE & KIND CSG PULLED CASING CSG CSG PULLED LEFT IN Ched Stene Ot, then Ched Stone Ot, then Ched Stone Ot, then Ched Stone Ot, then Ched Stone
PLUGS USED CASING Of SIZE & KIND CSG CSG CSG PULLED LEFT IN ed Stone Ottone then thed Stone ottone then thed Stone ottone ottone ottone ottone ottone ottone
PLUGS USED CASING Of SIZE & KIND CSG CSG CSG PULLED LEFT IN ed Stone Ottone then thed Stone ottone then thed Stone ottone ottone ottone ottone ottone ottone
PLUGS USED CASING Of SIZE & KIND CSG CSG PULLED LEFT IN ed Stone Of then hed Stone of then hed Stone of then hed Stone
of size a KIND CSG CSG LEFT IN ed Stene of them shed Stene shed Stene shed Stone shed Stone shed Stone shed Stone shed Stone
of size a kind pulled Left in ed Stene O', them thed Stene O', then then the stene O', then then the stene
ed Stene O', then thed Stene O', then thed Stone O', then
or, then thed Stane. or, then thed Stone. or, then thed Stone.
thed Stone. O', then thed Stone. O', then ran
hed stone.
thed stone.
then ran
Stone.
Stone.
9 001
15 1 1 VIII 05 151
1. 1
(E)
65.95.95.65
65.85.85.100
\$\$\$\$\$\$\\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
DESCRIPTION OF MONUMENT
DESCRIPTION OF MONUMENT Erected Marker as prescribed by
DESCRIPTION OF MONUMENT
DESCRIPTION OF MONUMENT Erected Marker as prescribed by
Stone. P & ran ned Stone .

. O. BOX # SSS, Hamlin, Docemer 03, 1-65 faree (cr. h) C. D. HARMAN scini duix do 1000.0 2 by s of sount : 1 crushed stone silled with med Clay to 1830, then ran 2 bage cenent & 51 ordina Stine. ren 2 bege concut of cruses Stone.

[1] a with ad aley to of them ren

2 bege cenent of cruse a tone. Met o paintte bridge at 5001 & ran 2 have or consut & I' crushed blone. ell eith od lay to 10'. .cocland of 'CI mora turno' rected war or prescribed by law is surios enla 11 of 103. idti 1001 11/10/2023 - Figure

March 10, 1966

-207-700

BIR. H. adpers

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No. 11	107-1	702P			Well N	103	,
COMPANY_	Hali	rield &	las Co	9, ADDRESS Har	nlin,	w	va.
FARM	D	Hathie	Coistrict	21,	OUNTY W	ay	ne
	1 77 1	Pour	17	tous Course	+		
Filling Materia	al Used	Garaj	NA	ma Cama	4		
Liner	Lo	cation	Amount	Packer	Location		
P	LUGS USED A	ND DEPTH PLACED		BRIDGES	CASING A	AND TUBIN	3
CEMENT-TH	IICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LUCATION	RECOVERED SIZE		LOST
		- 8		£			
					1311232		
				Blo	MAR 1965		
				526	FCEIVED	9 0	
				324	West Virginia	117	
				E	DAPL OF WILL	7	
					E9181 1731 747		
D ''' 1 N	4	Ohnsu	M	(Callistes			The Colombia of the State of the Colombia
Drillers' Name		/					
Remarks:	,_ `	^	0 -	Tion Made	0.	1	
	-ena	el ens	ped	ion made	jar	na	ng
20000	218						
line	car (
1-2	3-65	I hereby certify I	visited the ab	ove well on this date.	2		
DAT	TE	_ noton, convirg i		ove well on this date.	Bi	let.	1

11/10/2023

Permit No.

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Rotary	
Spuddor	Г

Sp	Ide	der	
_		_	

Cable Tools Storage

Oil or Gas Well_

Company	uan	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS
Address	C surent	Size	Do 4	Colle	
Farm		16			Kind of Packer
		13			
Well No		10			Size of
District	County	81/4	, to t	L.	
Drilling commenced		65%			Depth set
		5 3/16			
Drilling completed	Total depth	3			Perf. top
Date shot	Depth of shot	2			Perf. bottom
Initial open flow	/10ths Water inInch	Liners Used			Perf. top
	/10ths Merc. inInch				Perf. bottom
	Cu. Ft.	CASING CEME	NTED	SIZE	No. FTDate
		NAME OF SEI			No. FTDate
tock pressure	lbshrs.	THIND OF BEI	TOWN A	71/1	
Dil	bbls., 1st 24 hrs.	COAL WAS EN	NCOUNTERED	AT	_FEETINCHES
resh water	feetfeet	FEET.	INCH	HES	FEETINCHES
Salt water	feetfeet	FEET	EN PLAN	Rhu	
Orillers' Names	2770				

BIN



State of West Mirginia

Department of Mines Oil and Gas Division Charleston 5

> MARIE GRIFFITH EXECUTIVE SECRETARY

GURMER WAMOCK

W. F. EIGENBROD DIRECTOR

March 1, 1965

Mr. R. H. Adkins Hamlin • West Virginia

In Re: Permit WAY-702-P
Farm H. D. Hatfield
Well No. 3
District Union
County Wayne

Gentlemen:

The final inspection report for your well which is described above has been received in our office.

Please be advised that the well, which is covered by the above permit number, has been released under your Blanket Bond.

Yours very truly,

Gurmer Wamock
Deputy Director
OIL AND GAS DIVISION

SM