

- New Location...
 Drill Deeper.....
 Abandonment.....

Company R. H. ADKINS
 Address HAMLIN, W. VA.
 Farm MARY G. A. BARBOUR
 Tract _____ Acres 114 Lease No. _____
 Well (Farm) No. 1 Serial No. _____
 Elevation (Spirit Level) 695
 Quadrangle GUYANDOT - WC
 County WAYNE District UNION
 Engineer G. E. Gwing
 Engineer's Registration No. 309
 File No. _____ Drawing No. _____
 Date 8-25-53 Scale 1" = 400'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. WAY-887

- + Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

Deep Well

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION //

Quadrangle Guyandot
Permit No. WAY - 887

WELL RECORD


Oil or Gas Well Gas
(KIND)

Company Tiller Gas Company
Address Hamlin, West Virginia
Farm Mary G. A. Barbour Acres 124
Location (waters) Camp Creek
Well No. 1 Elev. 695'
District Union County Wayne
The surface of tract is owned in fee by Barber Heirs
Address Huntington, W. Va.
Mineral rights are owned by Same (Barber Heirs)
Address Huntington, W. Va.
Drilling commenced August 31, 1953
Drilling completed October 31, 1953
Date Shot Nov. 1 From 3200' To 2610'
With 5,600 lbs. Detonite
Open Flow 20 /10ths Water in two Inch
/10ths Merc. in _____ Inch
Volume 220,000 Cu. Ft.
Rock Pressure 500 lbs. 72 hrs.
Oil None bbls., 1st 24 hrs.
Fresh water 55 feet
Salt water 941 feet 1079 feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10		<u>23'</u>	Size of
8 1/4		<u>197'</u>	
6 1/2		<u>2,161 1/4"</u>	Depth set
5 3/16			
3			Perf. top
2		<u>3,192'</u>	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED	SIZE	No. Ft.	Date
COAL WAS ENCOUNTERED AT			
		FEET	INCHES
		FEET	INCHES
		FEET	INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Clay	Yellow		0	20			
Creek Gravel			20	30			
Blue Mud	Blue		30	60			
Rock	Red		60	72			
Slate	Blue		72	120			
Sand			120	130			
Slate	Blue		130	148			
Sand			148	158			
Slate			158	164			
Sand			164	170			
Slate			170	260			
Sand			260	390			
Slate			390	520			
Sand			520	731			
Slate & Shells			731	800			
Sand			800	832			
Slate			832	941			
Salt Sand			941	1079			
Slate			1079	1099			
Maxton Sand			1099	1121			
Slate			1121	1179			
Sand			1179	1200			
Slate			1200	1225			
Big Lime			1225	1410			
Injun Sand			1410	1450			
Slate & Shells			1450	1500			
Shell			1500	1560			
Slate & Shells			1560	1640			
Slate			1640	1900			
Slate & Shells			1900	2015			
Shale	Brown		2015	2035			
Berea Grit			2035	2047			
Slate			2047	2050			
Shell			2050	2058			
Slate & Shells			2058	2138			
Shell	Brown		2138	2230			
Slate & Shells			2230	2500			
Shale	Brown		2500	2555			



Formation	Color	Hard or Soft	Top //	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate			2555	2610			
Shale	Brown		2610	2720			
Slate	Blue		2720	2760			
Shale	Brown		2760	2830			
Slate			2830	2860			
Shale	Brown		2860	2955			
Slate	White		2955	3153			
Shale	Brown		3153	3200			
K. Lime			3200				
					3200 695 ----- 2505		

Date _____, 19____

APPROVED _____, Owner

By _____