

New Location...   
 Drill Deeper.....   
 Abandonment.....

Company TILLER GAS CO.  
 Address HAMLIN, W. VA.  
 Farm CYNTHIA ANN GEARHART  
 Tract \_\_\_\_\_ Acres 80 Lease No. \_\_\_\_\_  
 Well (Farm) No. 1 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) 610  
 Quadrangle GUYANDOTTE WC  
 County WAYNE District UNION  
 Engineer L. P. Ewing  
 Engineer's Registration No. 309  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date 11-12-53 Scale 1" = 400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. WAY-900

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

*Deep Well*



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION 5

Quadrangle Waynesdot

Permit No. Way-900

WELL RECORD

Oil or Gas Well Gas

Company Tiller Gas Company  
Address Hamlin, W. Va.  
Farm Gearhart Acres 80  
Location (waters) Camp Creek  
Well No. 1 Elev. 610'  
District Union County Wayne  
The surface of tract is owned in fee by Cynthia Gearhart  
Address Huntington, W. Va.  
Mineral rights are owned by Same  
Address \_\_\_\_\_

Drilling commenced November 18, 1953  
Drilling completed January 28, 1954  
Date Shot Feb 1, 1954 from 2569' To 3105'  
with 600# Detonite and 3466 2/3 # Gelatin

Open Flow 25 /10ths Water in one Inch  
/10ths Merc. in \_\_\_\_\_ Inch

Volume 61,000 Cu. Ft.

Rock Pressure 510 lbs. 48 hrs.

Oil \_\_\_\_\_ bbls., 1st 24 hrs.

Fresh water \_\_\_\_\_ feet

Salt water \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10		56'	Size of
8 1/2		205'	
6 5/8			Depth set
5 3/16		2,070'	
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom


CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Surface			0	5			
Yellow Clay			5	20			
Blue Mud			20	25			
Creek Gravel			25	30			
Red Rock			30	50			
Blue Slate			50	60			
Sand			60	70			
Slate			70	90			
Sand			90	100			
Slate			100	115			
Sand			115	125			
Slate			125	150			
Red Rock			150	165			
Slate			165	170			
Sand			170	200			
Slate			200	225			
Sand			225	375			
Slate			375	490			
Sand			490	545			
Slate & Shells			545	585			
Broken Sand			585	720			
Slate & Shells			720	900			
Black Shell			900	920			
Salt Sand			920	1030			
Slate & Shells			1030	1124			
Maxton Sand			1124	1155			
Slate			1155	1165			
Sand			1165	1169			
Sand Little Lime			1169	1174			
Big Lime			1174	1340			
Slate			1340	1346			
Injun Sand			1346	1435			
Slate & Shells			1435	1866			
Hard Shell			1866	1934			
Slate & Shells			1934	1960			
Brown Shale			1960	1982			
Berea Grit			1982	1994			
Slate			1994	1999			
Shell			1999	2008			



Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate & Shells			2008	2064			
Brown Shell			2064	2160			
Blue slate			2160	2425			
Light Brown Shale			2425	2505			
Slate			2505	2570			
Brown Shale			2570	2620			
Slate			2620	2683			
Brown Shale			2683	2764			
Slate			2764	2790			
Bisum shale			2790	2887			
White slate			2887	3070			
Brown shale			3070	3105			
K. Lime			3105				
			614				
			2491				

Date \_\_\_\_\_

APPROVED \_\_\_\_\_

By \_\_\_\_\_

(Title)