

## DEPARTMENT OF MINES OIL AND GAS DIVISION

### NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

To THE DEPARTMENT OF MINES, Charleston, W. Va.

JARRETT PRINTING COMPANY, CHARLESTON, W. VA.

Lyle F. Plymale	Dickson Gas Company	
# COAL OWNER (COAL NOT	perated) NAME OF WELL OPERATOR	
Shoals, W. Va.	% R. H. Adkins	
ADDRESS	Hamlin, W. Va.	NAME OF TAXABLE PARTY.
	January 22nd	1954
COAL OPERATOR OR COAL OWNER		
	PROPOSED LOCATION	
ADDRESS	Union	District
Lyle F. Plymale	Wayne	C
OWNER OF MINERAL RIGHTS	38° 70'	County
Shoals, W. Va.	Well No. 1 820 25	
ADDRESS	Ivia E Diversia	
Gentlemen:	Lyle F. Plymale	Farm
The undersigned well operator is entitled to dri	Il upon the shove named form or treat	of land for
oil and gas, having fee title thereto, (or as the case made by		
, made by	Lyle F. Plymale	
	, and recorded on the	
of, in	the office of the County Clerk for said	County in
Book 42 , page 475		
The undersigned well operator is informed and be of coal beneath said farm or tract of land on which said aries of the same, who have mapped their workings and coal operators or coal owners (if any) above named as	d well is located, or within 500 feet of a filed their maps as required by law, exc	the bound-
The above named coal operators or coal owners (if desire to make to such proposed location, or which they at the drilling of a well at said proposed location will cause coal mines, must be received by, or filed with the Departma copy of this notice and accompanying plat by said Depthat forms for use in making such objections will be promptly on request and that all such objections must set ground or grounds on which such objections are based posed location should be moved to overcome same.	any) are notified that any objections are required to make by Section 3 of sai a dangerous condition in or about their nent of Mines within ten* days from the partment. Said coal operators are further furnished to them by the Department to forth as definitely as is reasonably p	id Code, if respective receipt of er notified of Mines ossible the
(The next paragraph is to be completed only in	Department's copy.)	
Copies of this notice and the enclosed plat were ma		the above
named coal operators or coal owners at their above show or on the same day with the mailing or delivery of this West Virginia.	wn respective addressday is copy to the Department of Mines at C	before, Charleston,
Very trul	ly yours,	
	Dickson Gas Company	
52324252627	WELL OPERATOR	
STATE OF STA	% R. H. Adkins	
AN1954 Address }	STREET	115,000
WEST VIRGINIA OPERATOR	Hamlin	02/09/2
S WELLIAM OF HIM.	CITY OR TOWN	0210012
OF DEPARTMENT	West Virginia	and the state of t
*Section 3 If no such objections be filed or be four end and from the receipt of said notice and plat by the department shall forthwith issue to the well operator a drilling permave been made by the coal operators to the location, or four pproved and the well operator authorized to proceed to drill a	ment of mines, to said proposed location, in it reciting the filing of such plat, that no und thereto by the denominant and that the	ne depart-



#### DEPARTMENT OF MINES OIL AND GAS DIVISION

#### NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

	To The Department of Mines, Charleston, W. Va.
Dickson Gas Company	lyle F. Plymale
operated) was or wall organos	ton Lego ) ware one owner ( coal not
Hamlin, W. Ve.	Shoals, W. Va.
COMPLETE, ADDRESS	ADDRESS
January 22nd	
PROPOSED LOCATION	COAL OF ERATOR OR COAL OWNER
Union	
District	ADDRESS
Wayne	Lyle F. Plymale
38.50	OWNER OF HINERAL RIGHTS
Well No 1 820 75	Shoels, W. Va.
	AODRESS
Lyle F. Plymale Farm	
	Cam rannam:
frull upon the above named farm or tract of land for	The undersigned well operator is entitled to
may be) under grant or lease dated	oil and gus, having fee title thereto, (or as the case
by Lyle F.Plymale to	June 36th, 1952 made
	U.F.G.Co. Assigned to H.H. Adkins
n the office of the County Clerk for said County in	30
	Book 42 page 495
engineer and shows the proposed location of a well operator on the farm and in the Magisterial District courses and distances from two permanent points, or	The enclosed plat was prepared by a competent to be drilled for oil and gas by the undersigned well and County above named, determined by survey and land marks.
and minery was ve beginned as egent med bell but	
ice a damerous condition in or about their respective fugat of Mines within ten" days from the receipt of Department Said coal operators are further notified be furnished to them by the Department of Aires set forth as definitely as is reasonably cocalible the	The above named coal operators or coal owners desire to make to such proposed location or which the the drilling of, a well at said proposed location will estoosl mines, must be received by, or filed with the Deparatory of this notice and secompanying plat by said that forms for use in making such objections will promptly on recreet and that all such objections must ground or grounds on which such objections are bus ground or grounds on which such objections are bus posed location should be moved to overcome same
in Department's copy.)	(The next paragraph is to be completed only
mailed by registered mail or delivered to the above	
hown respective address day before, this copy to the Department of Mines at Charleston.	named coal operators or coal owners at their above so or on the same day with the mailing or delivery of West Virginia.
culy yours,	
Dickson Gas Company	
SPIGLE OPERATOR	A SECONDARY OF THE PARTY OF THE
% R. H. Adkins	
TITRIS	asorbides de Orman
Hemlin	02/09/20

024

WAY-93h PERMIT NUMBER

West Virginia

Formation Color		Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks	
						7		
Total			3008	1000/25	um Pru <b>e Me</b>	ennio)		
	ills ;		302A	3057 3058 (84				
Baloun Bhale			2757	3650		AT 91 (18)		
Brown Shele	1986	1-7	2115 2740	8740 8757			CA TO THE	
Slace x Sle	alla		2810	2415		The State of the S		
Brown Sitel			8378	8818		1187 CA		
Beroa Grit	njie -		8058 8058	2045	100	May Holling		
Broan Shale			SOL4	2028	1	- 14 '99'	7	
Injun Sand	T		1370 1440	1440 2014		1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	3/	
Eng Chime			1870	TELO		- 14-1-1-1		
			- ISSE	TSAO				
Blate & Sig	TE.		1196	1864				
Selt Sand			TIOO	TT3e .				
Slate Line Shell			808 1085	T085				
band			736	808				
51266			760	796				
Slate Sand			728 737	757 760	1911 - 1911 - 1914 - 1914 - 1914 - 1914 - 1914 - 1914 - 1914 - 1914 - 1914 - 1914 - 1914 - 1914 - 1914 - 1914			
Sond			GEO.	789				
Slate			980	940)				
Sand			248 450	450				
Slate.			SIA	248	8.30			
STate			IIO SOO	200 217				
Sand			TOO	JJO				
Slate			26	J00				
huriace Hud Rock			O IS	18				
Formation	Color ,	Soft	Tep	Boston	or Water	Found	200000000000000000000000000000000000000	
		Eland or			Off. Was	Depth	Kemarks	
	00	100g IIO	) feet	LUL.	CONGIN	Section of the sectio	MOMES	
	00	reet 110	Jees	- LEG	INGHI	R TEND	BIGHER	
Hock Presente Ca	0	Tos 72	oble, lat 24 ara.	COAL WAS E	ACOUNTERED A	a ber	STRIBULE	
Volume	475 MT	1743	Ca Fa					
	Oths Merc. 1	0	(10c))	CASING OFMI	MTED 1 S	me No. P	Date	
Open Tlow IOG	Toths Water I	8	a a section			a Statement of American		
	Detonis	& 3200 G	Jacin			i, ex	bottom	
Drilling completed Date Snot 3-100	A From	2575 %	3057	Laners Used		1600	top	
Defling commenced	narch	7 25, 1954		3 10 100		Per	bostom	
		Address: Hunc	THE COURSE .	2.53/18.		Per	100	
Mineral rights are	wheel by Ly	le Plymale	A AT A	( )89	1805	LUS 7	1 26 5700	
		ddress Huntl	agton, W.V.	1. 8. F		Enter though X	er slao	
The surface at the		or parties to the	Lynal o	10			6 5 5/8" x8"	
District Condo	& Unio			10			step Cone	
Location (waters). Well Mo	Twelto		10x 640	IN THE STATE OF			tof Padker	
	ymale	Pole Orec	ores 165	Sim				
	In, W.Ya	•		Amping	Tot annual?			
	on Gas	ompany.		Casing and	Used in Druhag		Tackera .	
			10 10 10 10 10 10 10 10 10 10 10 10 10 1				02/09/2024	
Permit No. We.	- 304		MELL	RECORE			A STATE OF THE PROPERTY OF THE	
W.	1. 1. 1.		OIL AND 6	ve pintelon				
				NT OF MINE	Date		, 19	
			STATE OF 3	APPROVED		Table 1 The Th	, Owner	
-10%				By				

MATHEWS PRINTING AND LITHOGRAPHING CO

Ву\_

(Title)



OIL AND GAS DIVISION DEPARTMENT OF MINES

2	STETZZ STETZZ STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA STERNIA	8 19.20	enid bi	2028 (282 2028 (282 2024 2024 2024	2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005 2005		ells ells ells ells ells ells	Surface Red Rock Slate S
Remarks	pune	DG F0	Oil, Gas or Water	Bottom	qoT	Hard or Soft	Color	Formation
ET INCHES	iaa_	CHES	NI	таая	1991	96TT 199J	00	
ET INCHES	<u>चित्र</u>	CHEZ	NI	таая	1991	OLL Jeel	00	
ET_INCHES	<u>जि.स.</u>	TA G	COUNTERE	COVE WAS EN	.srd As tat .sido	SY .sdl	06	10
					Cu. Ft.	<i>G</i> <sup>2</sup> "	•M 947	Volume
Ft. Date	.oV	SIZE	NLED -	CVZING CEME	Гпећ	u	/10ths Mere. i	
		100			Inch			Open Flow 106
	Pe		2.96			at 0088 & a		
dot .tra	Pe Pe			Liners Used	7505	oT 3732	mor¶ ₽G	9L=5 tods eten
		turn file of	Walt play in Lin	8		796L 6L	March	Drilling commence
dot .tra				8 01/00 • 1	eV.W.notgn			
The section of the se		STEE	CCOT		V W actea	Te Plymale	owned by Ly	Mineral rights are
obth set S180			1895		sv.W .nota	Address Huntin		· · · · · · · · · · · · · · · · · · ·
"SX"8\5 3 to 95	Mary Company of the C	22		10		ee by Lyle Pl		The surface of tra
erep Cone		02		13		OCounty Wayne	oinU & o	
nd of Packer				76	· 040 .ve	( <u>a</u>		Well No.
				əziZ		Pole Creek		Farm Lyle P
					Tes 165		SV.W. ni.	
Packers		Left ir	Used in Drilling	Casing and Tubing				
						z.c. g cimo D	sep dos:	2/09/2024
(KIND)	V ess V	) liO		SECOND	MELL F		₹06 <b>-</b>	Quadrangle Ousdrangle Overmit No.

# STATE OF WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

### INSPECTOR'S WELL REPORT

Permit No. Than-9	104			Oil oi	r Gas Well	rich Charle
Company Dickson	Sas Co.	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACK	ERS
Address Idamlin	The Riv. adhin	Size			_ Kind of Pack	cer
Well No. / District Union	County Fragne	13	20-		Size of	
	an 12-54	65%	1198		Depth set	
Drilling completed	Total depth	3			Perf. top	
Date shot	Depth of shot	2			Perf. bottom	
Initial open flow	/10ths Water inInch	Liners Used			Perf. top	
Open flow after tubing	/10ths Merc. inInch				Perf. bottom	
Volume	Cu. Ft	. CASING CEME	NTED	SIZE	No. FT	Date
Rock pressure	lbshrs					
Oil	bbls., 1st 24 hrs	. COAL WAS EN	COUNTERED	AT	_FEET	inches
Fresh water	feetfeet	FEET	INCH	ES	FEET	INCHES
Salt water	feetfeet	FEET	INCH	ES	FEET	INCHES
Drillers' Names	Loward Tri	w-				Address (1985)
	H adkins c	ontrocto	~,			
Remarks:						

2-16-54

MAR 1954
WEST VIRGINIA
WEST VI

O.C. allen


Tree 1

#### DEPARTMENT OF MINES

OIL AND GAS DIVISION

### INSPECTOR'S PLUGGING REPORT

Permit No				We	II No				
COMPANY			ADDRESS						
FARM	DISTRICTCOUNTY								
Filling Material Used									
Liner Lo	cation	Amount	Packer	Location	ı	The section of			
PLUGS USED A	AND DEPTH PLACED		BRIDGES	CASIN	CASING AND TUBING .				
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	LOST				
				(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)		57			
						allimis com			
			Legal						
					U6 241	appose-refiller			
e de la companya de l				th BANK					
The state of the s			er ennet						
			The state of the s	141 1131		Harriego Alberto			
				selo?	gjjelduj, n	Micwell regi			
	en i	STATE OF STREET	* Company of the state of the s			Trivily lab			
				7 7/16		estation, skie			
	A Short								
		1							
Drillers' Names		100 P							
Remarks:									
remarks:									
	I house								
DATE	i nereby certify I v	risited the abo	ve well on this date.						



# WELL LOCATION MAP

+ Denotes location of well on United States
Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented
by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

County DICKSON GAS CO.

Address HAMLIN, W. VA.

Farm LYLE F. PLYMALE

Vell (Farm) No.

Elevation (Spirit Level)

Quadrangle GUYANDOT

County MAYNE District UNION

Engineer

15

Engineer's Registration No.

File No.

Scale

Drawing No.

,00t=1

60E