

DEPARTMENT OF MINES OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

C. W. Lycan	Oliver Jenkins
COAL OPERATOR OR COAL OWNER	NAME OF WELL OPERATOR
Fort Gay, West Virginia	Paintsville, Kentucky
ADDRESS	COMPLETE ADDRESS
	October 15 ,19 54
COAL OPERATOR OR COAL OWNER	
	PROPOSED LOCATION Butler
ADDRESS	Distr
	Cour
OWNER OF MINERAL RIGHTS	1 2 38°10'
	Well No. 82030'
ADDRESS	C. W. Lycan - 65Ac. Tract
GENTLEMEN:	Far
E. C. McClure	, made by, and recorded on the 5 d
	and recorded on the 5
· Monob TOFA	, and the district of the dist
and County above named, determined by survey land marks. The undersigned well operator is informed of coal beneath said farm or tract of land on waries of the same, who have mapped their wor coal operators or coal owners (if any) above na	petent engineer and shows the proposed location of a well operator on the farm and in the Magisterial District and courses and distances from two permanent points, and and believes there are no coal operators operating betwhich said well is located, or within 500 feet of the bountkings and filed their maps as required by law, excepting the said as addressees.
The enclosed plat was prepared by a company to be drilled for oil and gas by the undersigned and County above named, determined by survey land marks. The undersigned well operator is informed of coal beneath said farm or tract of land on waries of the same, who have mapped their wor coal operators or coal owners (if any) above nature to make to such proposed location, or whith drilling of a well at said proposed location was coal mines, must be received by, or filed with the a copy of this notice and accompanying plat by that forms for use in making such objections with on request and that all such objections must set for grounds on which such objections are based and incompany of the such objections are based and incompanying on which such objections are based and incompanying or which such objections which s	petent engineer and shows the proposed location of a well operator on the farm and in the Magisterial District and courses and distances from two permanent points, and and believes there are no coal operators operating bearings and filed their maps as required by law, excepting the think and an addressees. In the office of the County Clerk for said Code, or within 500 feet of the bound rained as addressees. In the office of the proposed location of a well and course are required to make by Section 5 of said Code, will cause a dangerous condition in or about their respective conditions are further notified to them by the Department of Mines promptions.
The enclosed plat was prepared by a compared to be drilled for oil and gas by the undersigned and County above named, determined by survey land marks. The undersigned well operator is informed of coal beneath said farm or tract of land on waries of the same, who have mapped their wor coal operators or coal owners (if any) above nate to make to such proposed location, or whith drilling of a well at said proposed location was coal mines, must be received by, or filed with the a copy of this notice and accompanying plat by that forms for use in making such objections with on request and that all such objections must set for grounds on which such objections are based and income of the such objection of the such objection of the such objection of the such objectio	petent engineer and shows the proposed location of a well operator on the farm and in the Magisterial District and courses and distances from two permanent points, and and believes there are no coal operators operating betwhich said well is located, or within 500 feet of the bount rkings and filed their maps as required by law, excepting the med as addressees. The said well is located that any objections they make the said well is located that any objections they make the said well is located that any objections they make the said cause a dangerous condition in or about their respective to the said Department of Mines within ten* days from the receipt of said Department. Said coal operators are further notified ill be furnished to them by the Department of Mines prompt forth as definitely as is reasonably possible the ground of dicate the direction and distance the proposed location should
The enclosed plat was prepared by a compared to be drilled for oil and gas by the undersigned and County above named, determined by survey land marks. The undersigned well operator is informed of coal beneath said farm or tract of land on waries of the same, who have mapped their wor coal operators or coal owners (if any) above nates to make to such proposed location, or whith drilling of a well at said proposed location was coal mines, must be received by, or filed with the acopy of this notice and accompanying plat by that forms for use in making such objections without control on which such objections are based and incompanyed to overcome same. (The next paragraph is to be completed	petent engineer and shows the proposed location of a well operator on the farm and in the Magisterial District and courses and distances from two permanent points, and and believes there are no coal operators operating betwhich said well is located, or within 500 feet of the bount rkings and filed their maps as required by law, excepting the said as addressees. The proposed to make by Section 3 of said Code, will cause a dangerous condition in or about their respective said Department. Said coal operators are further notified ill be furnished to them by the Department of Mines promptiforth as definitely as is reasonably possible the ground of dicate the direction and distance the proposed location should only in Department's copy.)
The enclosed plat was prepared by a composed to be drilled for oil and gas by the undersigned and County above named, determined by survey land marks. The undersigned well operator is informed of coal beneath said farm or tract of land on waries of the same, who have mapped their wor coal operators or coal owners (if any) above nature to make to such proposed location, or whithe drilling of a well at said proposed location we coal mines, must be received by, or filed with the a copy of this notice and accompanying plat by that forms for use in making such objections without on request and that all such objections must set for grounds on which such objections are based and incomposed to overcome same. (The next paragraph is to be completed Copies of this notice and the enclosed plat named coal operators or coal owners at their above.)	petent engineer and shows the proposed location of a well operator on the farm and in the Magisterial District operators and distances from two permanent points, and and believes there are no coal operators operating bearings and filed their maps as required by law, excepting the maned as addressees. In a course of any of the proposed location they may be come a dangerous condition in or about their respective conditions and permanent of Mines within ten* days from the receipt of said Department. Said coal operators are further notified in the proposed location should be furnished to them by the Department of Mines prompt forth as definitely as is reasonably possible the ground of dicate the direction and distance the proposed location should not be come above ab
The enclosed plat was prepared by a compared to be drilled for oil and gas by the undersigned and County above named, determined by survey land marks. The undersigned well operator is informed of coal beneath said farm or tract of land on waries of the same, who have mapped their work coal operators or coal owners (if any) above nate above named coal operators or coal owners (if any) above nate desire to make to such proposed location, or whith the drilling of a well at said proposed location we coal mines, must be received by, or filed with the a copy of this notice and accompanying plat by that forms for use in making such objections with on request and that all such objections must set for grounds on which such objections are based and incompany of the proposed location which such objections are based and incompany of the moved to overcome same. (The next paragraph is to be completed Copies of this notice and the enclosed plat named coal operators or coal owners at their above on the same day with the mailing or deliver	petent engineer and shows the proposed location of a well operator on the farm and in the Magisterial District of and courses and distances from two permanent points, and and believes there are no coal operators operating bearings and filed their maps as required by law, excepting the said well is located, or within 500 feet of the bound rich said well is located, or within 500 feet of the bound rich said well is located, or within 500 feet of the bound rich said well is located, or within 500 feet of the bound rich said well is located, or within 500 feet of the bound rich said as addressees. Where (if any) are notified that any objections they make they are required to make by Section 3 of said Code, will cause a dangerous condition in or about their respective Department of Mines within ten* days from the receipt of said Department. Said coal operators are further notified ill be furnished to them by the Department of Mines prompt forth as definitely as is reasonably possible the ground of dicate the direction and distance the proposed location should only in Department's copy.) were mailed by registered mail, or delivered to the above
The enclosed plat was prepared by a compared to be drilled for oil and gas by the undersigned and County above named, determined by survey land marks. The undersigned well operator is informed of coal beneath said farm or tract of land on waries of the same, who have mapped their work coal operators or coal owners (if any) above nate above named coal operators or coal owners (if any) above nate desire to make to such proposed location, or whith the drilling of a well at said proposed location we coal mines, must be received by, or filed with the a copy of this notice and accompanying plat by that forms for use in making such objections with on request and that all such objections must set for grounds on which such objections are based and incompany of the proposed location which such objections are based and incompany of the moved to overcome same. (The next paragraph is to be completed Copies of this notice and the enclosed plat named coal operators or coal owners at their above on the same day with the mailing or deliver	petent engineer and shows the proposed location of a well operator on the farm and in the Magisterial District operators and distances from two permanent points, and and believes there are no coal operators operating bearings and filed their maps as required by law, excepting the maned as addressees. In a course of any of the proposed location they may be come a dangerous condition in or about their respective conditions and permanent of Mines within ten* days from the receipt of said Department. Said coal operators are further notified in the proposed location should be furnished to them by the Department of Mines prompt forth as definitely as is reasonably possible the ground of dicate the direction and distance the proposed location should not be come above ab
The enclosed plat was prepared by a compared to be drilled for oil and gas by the undersigned and County above named, determined by survey land marks. The undersigned well operator is informed of coal beneath said farm or tract of land on waries of the same, who have mapped their work coal operators or coal owners (if any) above nate above named coal operators or coal owners (if any) above nate desire to make to such proposed location, or whith the drilling of a well at said proposed location we coal mines, must be received by, or filed with the a copy of this notice and accompanying plat by that forms for use in making such objections with on request and that all such objections must set for grounds on which such objections are based and incompany of the proposed location which such objections are based and incompany of the moved to overcome same. (The next paragraph is to be completed Copies of this notice and the enclosed plat named coal operators or coal owners at their above on the same day with the mailing or deliver	petent engineer and shows the proposed location of a well operator on the farm and in the Magisterial District and courses and distances from two permanent points, and and believes there are no coal operators operating betwhich said well is located, or within 500 feet of the bount rainings and filed their maps as required by law, excepting the same as addressees. The proposed to make by Section 3 of said Code, will cause a dangerous condition in or about their respective Department of Mines within ten* days from the receipt and Department. Said coal operators are further notified ill be furnished to them by the Department of Mines prompt forth as definitely as is reasonably possible the ground of dicate the direction and distance the proposed location should not be proposed to the above over shown respective address day before the copy to the Department of Mines at Charleston of this copy to the Department of Mines at Charleston of this copy to the Department of Mines at Charleston of this copy to the Department of Mines at Charleston of this copy to the Department of Mines at Charleston of this copy to the Department of Mines at Charleston of the copy of this copy to the Department of Mines at Charleston of the copy of this copy to the Department of Mines at Charleston of the copy of this copy to the Department of Mines at Charleston of the copy of this copy to the Department of Mines at Charleston of the copy of this copy to the Department of Mines at Charleston of the copy of t
The enclosed plat was prepared by a compared to be drilled for oil and gas by the undersigned and County above named, determined by survey land marks. The undersigned well operator is informed of coal beneath said farm or tract of land on waries of the same, who have mapped their work coal operators or coal owners (if any) above nate above named coal operators or coal owners (if any) above nate desire to make to such proposed location, or whith the drilling of a well at said proposed location we coal mines, must be received by, or filed with the a copy of this notice and accompanying plat by that forms for use in making such objections with on request and that all such objections must set for grounds on which such objections are based and incompany of the proposed location which such objections are based and incompany of the moved to overcome same. (The next paragraph is to be completed Copies of this notice and the enclosed plat named coal operators or coal owners at their above on the same day with the mailing or deliver	petent engineer and shows the proposed location of a well operator on the farm and in the Magisterial District and courses and distances from two permanent points, and and believes there are no coal operators operating betwhich said well is located, or within 500 feet of the bount rainings and filed their maps as required by law, excepting the same as addressees. The proposed to make by Section 3 of said Code, will cause a dangerous condition in or about their respective Department of Mines within ten* days from the receipt and Department. Said coal operators are further notified ill be furnished to them by the Department of Mines prompt forth as definitely as is reasonably possible the ground of dicate the direction and distance the proposed location should not be proposed to the above over shown respective address day before the copy to the Department of Mines at Charleston of this copy to the Department of Mines at Charleston of this copy to the Department of Mines at Charleston of this copy to the Department of Mines at Charleston of this copy to the Department of Mines at Charleston of this copy to the Department of Mines at Charleston of the copy of this copy to the Department of Mines at Charleston of the copy of this copy to the Department of Mines at Charleston of the copy of this copy to the Department of Mines at Charleston of the copy of this copy to the Department of Mines at Charleston of the copy of this copy to the Department of Mines at Charleston of the copy of t
The enclosed plat was prepared by a compared to be drilled for oil and gas by the undersigned and County above named, determined by survey land marks. The undersigned well operator is informed of coal beneath said farm or tract of land on waries of the same, who have mapped their work coal operators or coal owners (if any) above nate above named coal operators or coal owners (if any) above nate desire to make to such proposed location, or whith the drilling of a well at said proposed location we coal mines, must be received by, or filed with the a copy of this notice and accompanying plat by that forms for use in making such objections with on request and that all such objections must set for grounds on which such objections are based and incompany of the proposed location which such objections are based and incompany of the moved to overcome same. (The next paragraph is to be completed Copies of this notice and the enclosed plat named coal operators or coal owners at their above on the same day with the mailing or deliver	petent engineer and shows the proposed location of a well operator on the farm and in the Magisterial District operator on the farm and in the Magisterial District operators and distances from two permanent points, and and believes there are no coal operators operating betwhich said well is located, or within 500 feet of the bound rivings and filed their maps as required by law, excepting the same as addressees. The same of the same
The enclosed plat was prepared by a compared to be drilled for oil and gas by the undersigned and County above named, determined by survey land marks. The undersigned well operator is informed of coal beneath said farm or tract of land on waries of the same, who have mapped their work coal operators or coal owners (if any) above nate above named coal operators or coal owners (if any) above nate desire to make to such proposed location, or whith the drilling of a well at said proposed location we coal mines, must be received by, or filed with the a copy of this notice and accompanying plat by that forms for use in making such objections with on request and that all such objections must set for grounds on which such objections are based and incompany of the proposed location which such objections are based and incompany of the moved to overcome same. (The next paragraph is to be completed Copies of this notice and the enclosed plat named coal operators or coal owners at their above on the same day with the mailing or deliver	spetent engineer and shows the proposed location of a well operator on the farm and in the Magisterial District of the said courses and distances from two permanent points, and and believes there are no coal operators operating betwhich said well is located, or within 500 feet of the bound rakings and filed their maps as required by law, excepting the samed as addressees. The said coal operators are further notified that any objections they make they are required to make by Section 3 of said Code, will cause a dangerous condition in or about their respective Department of Mines within ten* days from the receipt as said Department. Said coal operators are further notified ill be furnished to them by the Department of Mines prompt forth as definitely as is reasonably possible the ground of dicate the direction and distance the proposed location should only in Department's copy.) Were mailed by registered mail, or delivered to the above over shown respective address day before the copy of this copy to the Department of Mines at Charleston of the copy of this copy to the Department of Mines at Charleston of the copy of this copy to the Department of Mines at Charleston of the copy of this copy to the Department of Mines at Charleston of the copy of this copy to the Department of Mines at Charleston of the copy of this copy to the Department of Mines at Charleston of the copy of this copy to the Department of Mines at Charleston of the copy of this copy to the Department of Mines at Charleston of the copy of this copy to the Department of Mines at Charleston of the copy of the Department of Mines at Charleston of the copy of the Department of Mines at Charleston of the copy of the Department of Mines at Charleston of the copy of the Department of Mines at Charleston of the copy of the Department of Mines at Charleston of the copy of the Department of Mines at Charleston of the copy of the Department of Mines at Charleston of the copy of the Department of Mines at Charleston of the copy of the Copy of the Copy of t
The enclosed plat was prepared by a compared to be drilled for oil and gas by the undersigned and County above named, determined by survey land marks. The undersigned well operator is informed of coal beneath said farm or tract of land on waries of the same, who have mapped their work coal operators or coal owners (if any) above nate above named coal operators or coal owners (if any) above nate desire to make to such proposed location, or whith the drilling of a well at said proposed location we coal mines, must be received by, or filed with the a copy of this notice and accompanying plat by that forms for use in making such objections with on request and that all such objections must set for grounds on which such objections are based and incompany of the proposed location which such objections are based and incompany of the moved to overcome same. (The next paragraph is to be completed Copies of this notice and the enclosed plat named coal operators or coal owners at their above on the same day with the mailing or deliver	spetent engineer and shows the proposed location of a well operator on the farm and in the Magisterial District of the said courses and distances from two permanent points, and and believes there are no coal operators operating betwhich said well is located, or within 500 feet of the bount ratings and filed their maps as required by law, excepting the said and believes. The said are notified that any objections they make they are required to make by Section 3 of said Code, will cause a dangerous condition in or about their respective said Department of Mines within ten* days from the receipt assid Department. Said coal operators are further notified ill be furnished to them by the Department of Mines promptified by the department of the ground of dicate the direction and distance the proposed location should only in Department's copy.) Were mailed by registered mail, or delivered to the above bove shown respective address
The enclosed plat was prepared by a compto be drilled for oil and gas by the undersigned and County above named, determined by survey land marks. The undersigned well operator is informed of coal beneath said farm or tract of land on waries of the same, who have mapped their wor coal operators or coal owners (if any) above nate to make to such proposed location, or whithe drilling of a well at said proposed location we coal mines, must be received by, or filed with the a copy of this notice and accompanying plat by that forms for use in making such objections without on request and that all such objections must set for grounds on which such objections are based and income moved to overcome same. (The next paragraph is to be completed Copies of this notice and the enclosed plat named coal operators or coal owners at their about on the same day with the mailing or deliver west Virginia. The same day with the mailing or deliver west Virginia. Address of the same day with the mailing or deliver west Virginia. Address of the same day with the mailing or deliver west Virginia.	spetent engineer and shows the proposed location of a well operator on the farm and in the Magisterial District of the said courses and distances from two permanent points, and and believes there are no coal operators operating betwhich said well is located, or within 500 feet of the bound rakings and filed their maps as required by law, excepting the samed as addressees. The said coal operators are further notified that any objections they make they are required to make by Section 3 of said Code, will cause a dangerous condition in or about their respective Department of Mines within ten* days from the receipt as said Department. Said coal operators are further notified ill be furnished to them by the Department of Mines prompt forth as definitely as is reasonably possible the ground of dicate the direction and distance the proposed location should only in Department's copy.) Were mailed by registered mail, or delivered to the above over shown respective address day before the copy of this copy to the Department of Mines at Charleston of the copy of this copy to the Department of Mines at Charleston of the copy of this copy to the Department of Mines at Charleston of the copy of this copy to the Department of Mines at Charleston of the copy of this copy to the Department of Mines at Charleston of the copy of this copy to the Department of Mines at Charleston of the copy of this copy to the Department of Mines at Charleston of the copy of this copy to the Department of Mines at Charleston of the copy of this copy to the Department of Mines at Charleston of the copy of the Department of Mines at Charleston of the copy of the Department of Mines at Charleston of the copy of the Department of Mines at Charleston of the copy of the Department of Mines at Charleston of the copy of the Department of Mines at Charleston of the copy of the Department of Mines at Charleston of the copy of the Department of Mines at Charleston of the copy of the Department of Mines at Charleston of the copy of the Copy of the Copy of t



AMIDALY TORY TO FTATE

DEPARTMENT OF MINES

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL


	To THE DEPARTMENT OF MINES.
	Charleston, W. Va
Oliver Jenkins	C. W. Lycan
Peintsville, Kentucky	Fort day, west Virginia
	aparitus
October 15 10 54	
HOLLY CASCADED A	
Bubler	
	aunistos.
Wayne County	
Well No.	OWNER OF HUNDAL RIGHTS
C. W. Lycan - 65Ac. Tract	ADDRESS
Mary SAGO - HSSWI	CENTLEMENT
to drill upon to make laim or treet of land for	
not been to have to state same events our sons and min or	The seal about abit and arrest key has he
case may be) under grant or least dated 11-27-1955 C. W. Lycen	
of Adelian	B. C. McClure
	of March , 1954
in the office of the Court Check to said County to	Book 84 page 510
tent engineer and shows the proposed location of a well cit operator on the farm and in the Magisterial District and courses and distances from two permanent points, or	and County shove named, determined by survey land marks.
they are required to make by Section 3 of said Code, if they are required to make by Section 3 of said Code, if they are required to make by Section 3 of said Code, if they are a distinct of the receipt of the partment of Mines within the partment of Mines promptly be furnished to them by the Pepartment of Mines promptly in as definitely as is reasonably possible the ground of the the direction and showings the proposed location should be the the direction and showings the proposed location should	area of fire same, who have mapped that world coal operators or coal owners (if any) above acm fire above named coal operators or coal owners to make to fuch proposed location, or which the diffing of a well at said proposed location, or which the diffing of a well at said proposed for a filed with the D coal names, must be received by, or filed with the D a copy of this notice and socampanying plat by said forms for use in making such objections will all the request and that all such objections miles set for grounds on which such objections are based and infinite moved to overcome same.
	ve tale besolone add and south and to south
to shown respective address. day before of the copy to the Department of Minus at Charleston.	
smos sinn si	
	STARY SE Bandon
	というできる (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)
Paintsville	EVENTORIAN STANDER Well Operate
	The Commission experses Well Operate
Kentucky (* Kentucky	02/09/202


en days from the received objections be filed or to found by the department of mines, within help before and any from the received of tank put of the department of received to still provide the stable for him to be determined to the total provide the cost of the cost of the total provided thereto by the cost of the total provided to the total provided the cost of the total provided to the tota

610-Y44

16000

DENT'S ON THITP IN THE PARK AND







Formation	Color	Soft	Тор	Bottom	or Water	Found	Remarks
Filled bat	K od reer!	1					
Total Depi				- 175h			
Srown Shak			7420	Taept -			
Berea Revec Erol			16754	TIRO	Dilou o-		
onate P			1651	1675.	spatt a	cas leco:	
Shelley of	3.6	The state of the s	1630	1691	CITE J C	ow of other	
Token osn			1225	1250		elementario de la companya de la co	
Mier			15T2	T552			
the Injou			T010	7372			
TIME			JORG	. 4076			
HIE TIME			330	Toos	FIL THE	twined der	SE TOOR
979.66			978 -	880			
Little Lin			900	973		5.0	
Slate Sand			932	900			
Sand			350	7 932		70 000	
State			727	920		119 000 i = 0	01 ;
Sand -			510	737	noge in	r of water	001
Troxen can			535	era 1			
plate.			210	5.5			
Send -			165	270	s Tiger	Maret, repm	an 8051-5191
Dark Shald			390	(10)			
SSDQ			325	3.0		ow or gas to	0.
SLate			380			or of see 3.	2,-3801
odate eatd			525	320		1	
31010			512 512	252			
. State			203	Sfo			
COST			205	578 508			
gsug			71	205			
COST			700	TÃÔ			
grace			63	Tee			
Cost .			- 60	- 63			
Satid - 4			25	.00		I of wever 9	Or and the second
STEPS			12	- 23			
80.7			0	72			
Pormation		Burd or	j.ob	. 1001000		Depta Fenad	Homeste
						10 m - 1 m -	
Selb walker	100	[60]:	100	E. E.			TNCHIC
Cream Water		3.664	199	LEE		52 XEB	L TACHE
0.6			Dollary Lat. B4 has.	COY11 M. 78 9			PER THOUGHT
CONTRESTOR			117.0				
Volume			(2) BF				
	Zibiha Merc	W TO THE TOTAL TOT	Inch.	CASING CLM			1
Opportunities	/toths Water	a management	Trien				
Magree 3 (# T.X. D	LIBRITAG TE					potton -
Bris since TK\T	A Pite To James		T003	Private 11:00			No. of the last of
fulleng complete		PSC T3* T029	2.00				ar noticeasy
paggat cominen							
	Sotob	Address or 25, 195k		22.10			
gracia, arres m	e no men est						
		STUG		Cont 3	1138	1730 10	le set
Fort Gay,	**	a ddress		8 4	S274 H	SET I	
		fee by C. W	LYCER	319	93.3#	83137 813	
Dietrica : But	197	County	ue Mili	18			
Walde 2			031.1	10		ian	d-of Beck
cocation (waters	RE B	snon-Sardy a	iver	groe			
Karm Č. A.	TACEB		SOTOR DE				
799-33 STI	PEATTY .	Projencjia - 1		1.038978		Mei I	
	The survey of			(80 m) 13/4		75 a	Packera
U! L!							02/09/2024
Permit No. 2013	- >->					Oll or Gas A	Acres
· ·	013	×	METT	BECOM			DIS.A.
STATE OF THE STATE	@10/H	**************************************					,
4					Date		, 19
				ENT OF MIN			
				APPROVED			, Owne

(Title)



Quadrangle KENOVA

Filled back to 1684

METT BECORD	
OIL AND GAS DIVISION	
DEPARTMENT OF MINES	

74					1. "		
			7527				Total Depth
			TSLT	OSLT			Brown Shale
			OSLT	₹529T			Berea Broke
	gas 1666	IO MOUS	SLOT	TS9T			Berea
	Lio lo wol		TS9T	J630			Shale
10,01			TE9T	TSZO		et.	Shelley Sla
			TSZO	TSSS			Broken Sand
			TSSS	TSTE			Wier
			TSTE	920T			Big Injun
			920T	8901		qszk	
ark at 1068'	n nerrina e	שדה פדם		086			Big Lime
18901 40 1990	p pouzit p	mil nig	890T				Slate
			086	876			Smid elitil
			876	096			
			096	932			Sand
			932	920			Slate
1069	- 1099 pur	water s	920	077			bns2
			077	737			Slate
1099 1	atsw to II	nj elod	757	ST9			Sand
			ST9	SES			Broken Sand
			SES	OTS			Slate
1015-1597 uabma	e water be	a little	OTS	597			Sand
			597	390			Dark Shale
750,	now of gas	Small si	360	352			Sand
1068-1588			325	350			Slate
			350	525			Sand
			252	570			Slate
			570	STZ			Sand
			STZ	208			Slate
			208	205			Coal
			205	ZT			bns2
			OLT				Coal
				768			Slate
			89T	69			LeoD
			69	09			
0/ =	ATEM ID III	MI STOH	100	52			bns2
105 I	0+011 30 11	- U L 11	09				
,05 J	04011 30 11	5 L 11	25	ST			Slate
105 d			52 TZ				Soil
Remarks	Depth Found	Oil, Gas or Water	25	ST	13 Pard or	Color	
Кетагка	Depth Found	1918W TO	52 T2	ST O	10 braH	Color	Tios
	Found Depth	Oil, Gas	Bottom 15 25 25	Tool doT	teet To braH	Color	Salt water Formation Lio2
REET REMARKS REET ROHES	Found Depth	Oil, Gas or Water	Bottom 15 25	199] 199]	1991 1991 10 bigH	Color	Fresh water Salt water Formation Soil
Remarks 3.EET INCHES	Found Found Found Fee I	INCH OII, Gas or Water	Bottom 15 25 25	Dols., let 24 hrs. feet feet Top O LS	1991 1991 10 bigH	Color	Salt water Formation Lio2
Remarks SEET INCHES GEET INCHES	Found Found Found Fee I	INCH OII, Gas or Water	THEFT	199] 199]	1991 1991 10 bigH	Color	Fresh water Salt water Formation Soil
Remarks SEET INCHES GEET INCHES	Found Found Found Fee I	INCH OII, Gas or Water	THEFT	Dols., let 24 hrs. feet feet Top O LS	1991 1991 1991	Color	Oil Fresh water Salt water Formation Toil
Remarks SEET INCHES GEET INCHES	TA Found Found Found	COUNTERED INCH OII, Gas OF Water	TZ BOTTOM FEET COVE WAS EN	Cu. Ft. bbls., lst 24 hrs. feet feet feet Top O LS	lbs.		Volume Rock Pressure Oil Fresh water Salt water Tromation Formation
Remarks SEET INCHES SEET INCHES	TA Found Found Found	COUNTERED INCH OII, Gas OF Water	THEFT	Cu. Ft. bbls., 1st 24 hrs. feet feet Top O LS	ni. Teet. Teet. Teet.	/10ths Merc.	Volume Rock Pressure Oil Fresh water Salt water Formation Formation
Vo. Ft. 1981e FEET INCHES FEET INCHES	TA Found Found Found	COUNTERED INCH OII, Gas OF Water	TZ BOTTOM FEET COVE WAS EN	Cu. Ft. bbls., lst 24 hrs. feet feet feet Top O LS	ni. Teet. Teet. Teet.	V10ths Water:	Open Flow Volume Nock Pressure Oil Fresh water Salt water Salt water Formation
Remarks SEET INCHES GEET INCHES	TA LES II Bepth Found	COUNTERED INCH OII, Gas OF Water	TZ BOTTOM FEET COVE WAS EN	Cu. Ft. bbls., 1st 24 hrs. feet feet Top O LS	ni. Teet. Teet. Teet.	V10ths Water:	Volume Rock Pressure Oil Fresh water Salt water Formation Formation
Vo. Ft. 1981e FEET INCHES FEET INCHES	TA LES II Bepth Found	COUNTERED INCH OII, Gas OF Water	TZ BOTTOM FEET COVE WAS EN	Inch Inch Cu. Ft. hrs. bbls., 1st 24 hrs. feet feet Top	ni n	# T.X. D	With 375 Open Flow Volume Rock Pressure Oil Fresh water Salt water Fresh water
Perf. top Teer inches Teer inches Teer inches Remarks	TA LES II Bepth Found	COUNTERED INCH OII, Gas OF Water	Liners Used————————————————————————————————————	Cu. Ft. bbls., 1st 24 hrs. feet feet Top O LS	in lbs.	/5ld From # T.X. D. VIOths Water:	Date Shot 12/13/With 375 Open Flow Volume Oil Fresh water Salt water Salt water
Perf. bottom Perf. bottom 7. EET INCHES	TA LES II Bepth Found	COUNTERED INCH OII, Gas OF Water	Liners Used————————————————————————————————————	Inch Inch Cu. Ft. hrs. bbls., 1st 24 hrs. feet feet Top	166t 13, 1954 70 1651 To 70 166t 70 166t 70 1814 or	Decembly From # T.X. Dr. 10ths Water	Drilling completed. Date Shot 12/13/ With 375 Open Flow Volume Rock Pressure Oil Fresh water Salt water Salt water
Perf. top Teer inches Teer inches Teer inches Remarks	TA LES II Bepth Found	COUNTERED INCH OII, Gas OF Water	SS Liners Used CASING CEME CASING CEME FEET	Inch Inch Cu. Ft. hrs. bbls., 1st 24 hrs. feet feet Top	125, 1954 1667 13, 1954 1664 1664 1664 1664	Decemi	Date Shot 12/13/With 375 Open Flow Volume Oil Fresh water Salt water Salt water
Perf. bottom Perf. bottom 7. EET INCHES	TA LES II Bepth Found	COUNTERED INCH OII, Gas OF Water	Liners Used————————————————————————————————————	Inch Inch Cu. Ft. hrs. bbls., 1st 24 hrs. feet feet Top	166t 13, 1954 70 1651 To 70 166t 70 166t 70 1814 or	Decembly From # T.X. Dr. 10ths Water	Drilling completed. Date Shot 12/13/ With 375 Open Flow Volume Rock Pressure Oil Fresh water Salt water Salt water
Perf. top Perf. top Perf. bottom Vo. Ft. There are inches	ES I SIZE VI	OI Water	Bottom LEET CASING CEME CASING CEME CASING CEME PEET PEET PEET PEET PEET PEET PEET PEET PEET	Inch Inch Cu. Ft. hrs. bbls., 1st 24 hrs. feet feet Top	Address 1954	Octobe Decembly T.X. D. 10ths Water:	Drilling completed. Date Shot 12/13/ With 375 Open Flow Volume Rock Pressure Oil Fresh water Salt water Salt water
Perf. bottom Perf. bottom 7. EET INCHES	Pepth Found TES AT AT AT AT AT AT AT AT AT A	OIL Water INCH OIL, Gas OT Water	Bottom LS CASING CEME CASING CEME CASING CEME FEET FEE	Inch Inch Cu. Ft. hrs. bbls., 1st 24 hrs. feet feet Top	Address Address Address Address Address Anamite in Ibs. Iteet Teet And or	owned by Cotobe Decemble From # T.X. D. 10ths Water in the Mater in	Mineral rights are Drilling commenced Drilling completed Date Shot 12/13/ With 375 With 375 Open Flow Volume Rock Pressure Oil Fresh water Salt water Salt water
Depth set. Perf. top Perf. top Perf. top 7EET INCHES 7EET INCHES 7EET INCHES	Pepth Found IES I SIZE SIZE SET I	OI Water INCH OII, Gas OI Water	Pottom TE SS/16 SS/16 CASING CEME CASING CEME CASING CEME SS/16 6% 7*** **CEFT **COAL WAS EN	L683 Inch Inch Inch Cu. Ft. hrs. hrs. hrs. hrs. feet feet Top	Address Address Address Address 1954 Address 1651 To 1664 Ibs.	owned by Octobe Decemb T.X. Decemb De	Fort Gay, W. Mineral rights are Drilling commenced Drilling completed Drilling completed With 375 With 375 Open Flow Volume Oil Fresh water Salt water Salt water Salt water
Perf. top Perf. top Perf. bottom Vo. Ft. There are inches	Pepth Found TES AT AT AT AT AT AT AT AT AT A	OIL Water INCH OIL, Gas OT Water	Bottom LS CASING CEME CASING CEME CASING CEME FEET FEE	Inch Inch Cu. Ft. hrs. bbls., 1st 24 hrs. feet feet Top	Address Addres	owned by Octobe Decemb T.X. Decemb De	The surface of trace of trace of trace of trace of trace Mineral rights are Drilling commenced Drilling completed. With 375 With 375 With 375 Open Flow Volume Rock Pressure Oil Fresh water Salt water Salt water
Depth set. Perf. top Perf. top Perf. top 7EET INCHES 7EET INCHES 7EET INCHES	Pepth Found IES I SIZE SIZE SET I	OI Water INCH OII, Gas OI Water	Pottom TE SS/16 SS/16 CASING CEME CASING CEME CASING CEME SS/16 6% 7*** **CEFT **COAL WAS EN	Lycan Lycan Lycan Lycan Lohls., 1st 24 hrs. Are. 1eet 1eet 1eet 1eet 1eet	County Wayn fee by C. W. Address Same Address Der 13, 1954 Anamite in in Address Addre	owned in Octobe Octobe Toths Water From Woths Mater	Fort Gay, W. Mineral rights are Drilling commenced Drilling completed Drilling completed With 375 With 375 Open Flow Volume Oil Fresh water Salt water Salt water Salt water
Size of Depth set Perf. top Perf. top TEET INCHES TEET INCHES TEET INCHES TEET INCHES TEET TOTHES	Pepth Found IES I SIZE SIZE SET I	OI Water INCH OII, Gas OI Water	TS SS SS SS SS SS SS SS	Lycan Lycan Lycan Lycan Lohls., 1st 24 hrs. Are. 1eet 1eet 1eet 1eet 1eet	County Wayn fee by C. W. Address Same Address Der 13, 1954 Anamite in in Address Addre	owned in Octobe Octobe Toths Water From Woths Mater	The surface of trace The surface of trace Mineral rights are Drilling commenced Drilling completed With 375 With 375 Open Flow Volume Cock Pressure Oil Fresh water Salt water Salt water
Depth set. Perf. top Perf. top Perf. top 7EET INCHES 7EET INCHES 7EET INCHES	Pepth Found IES I SIZE SIZE SET I	OI Water INCH OII, Gas OI Water	TS SS SS SS SS SS SS SS	Lycan Lycan Lycan Lycan Lohla, lat 24 hrs. hrs. hrs. hrs. hrs. hrs. hrs. hrs.	County Wayn fee by C. W. Address Same Address Address Der 13, 1954 Address in in lbs. Ieet feet feet	t is owned in Va. owned by Cotobe December From # T.X. D. 10ths Water in Yoths Water in Young in Yoths Water in Young	Well No. 2 District. Butle The surface of trace Fort Gay, W. Mineral rights are Drilling commenced Drilling commenced With 375 With 375 Open Flow Volume Open Flow Oil Fresh water Galt water Salt water Salt water
Size of Depth set Perf. top Perf. top TEET INCHES TEET INCHES TEET INCHES TEET INCHES TEET TOTHES	Pepth Found IES I SIZE SIZE SET I	OI Water INCH OII, Gas OI Water	TS SS SS SS SS SS SS SS	Lycan Loch Lycan Loch Lycan Loch Lycan Lycan Lycan	County Ways County Ways fee by C. W. Address	Big Br	Location (waters). Well No. District The surface of trace The surface of trace Mineral rights are Drilling commenced With 375 With 375 Open Flow Volume Cock Pressure Oil Fresh water Salt water Salt water Formation Formation
Size of Depth set Perf. top Perf. top TEET INCHES TEET INCHES TEET INCHES TEET INCHES TEET TOTHES	Pepth Found IES I SIZE SIZE SET I	OI Water INCH OII, Gas OI Water	TS SS SS SS SS SS SS SS	Lycan Lycan Lycan Lycan Lohla, lat 24 hrs. hrs. hrs. hrs. hrs. hrs. hrs. hrs.	County Ways County Ways fee by C. W. Address	t is owned in Va. owned by Cotobe December From # T.X. D. 10ths Water in Yoths Water in Young in Yoths Water in Young	Location (waters). Well No. District The surface of trace The surface of trace Mineral rights are Drilling commenced With Jack Shot 12/13/ With John Flow Volume Open Flow Oil Fresh water Salt water Salt water Salt water
Kind of Packer Size of Depth set Perf. top Perf. top Perf. bottom	Pepth Found SELT SELT	OI Water INCH OII, Gas OI Water	LEET Bottom COAL WAS EN CASING CEME S Bottom Size 18 10 8% 6% 710 18 10 18 10 10 10 10 10 10	Lycan Loch Lycan Loch Lycan Loch Lycan Lycan Lycan	A Sanch-Sandy R. County Wayn Tee by C. W. Address Same Address Address Der 13, 1954 Address Der 13, 1954 Address Der 13, 1954 Der 13, 1954 Address	Lycan Big Br to be do by Octobe Octobe Decemb Tok Dr Mrev Mrev Vioths Water	Farm C. W. Tocation (waters) Well No. The surface of trace Fort Gay, W. Mineral rights are Drilling commenced Drilling commenced With 375 With 375 Open Flow Volume Ooil Fresh water Salt water Formation Formation
Size of Depth set Perf. top Perf. top TEET INCHES TEET INCHES TEET INCHES TEET INCHES TEET TOTHES	Pepth Found Depth Found TASS SSI3" 2513"	OIL Water INCH COUNTERED ATED 251: 251:	Size LEET Bottom CASING CEME CASING CEME 8% CASING CEME 8% 10 8% 10 8% 10 10 10 10 10 10 10 10 10 1	Lycan Loch Lycan Loch Lycan Loch Lycan Lycan Lycan	Kentucky Asynch-Sandy Range by C. W. Address Same Address Der 13, 1954 Manite in Ibs. Ibs. Ibs. Hard or Hard or Hard or Ist.	Lycan Eig Br ti sowned in to Va. Octobe owned by A Octobe Decemb A T.X. D 10ths Water 10ths Mater	Address Paint Farm C. W. Location (waters). Well No. 2 District Butle The surface of trace The surface of trace Drilling commenced Drilling commen
Fackers Kind of Packer Size of Perf. top Perf. top Perf. top Perf. bottom Perf.	Pepth Found SELT SELT	OIL Water INCH COUNTERED INCH ATED 2511 2511	LEET Bottom COAL WAS EN CASING CEME S Bottom Size 18 10 8% 6% 710 18 10 18 10 10 10 10 10 10	Lycan Loch Lycan Loch Lycan Loch Lycan Lycan Lycan	Kentucky Asynch-Sandy Range by C. W. Address Same Address Der 13, 1954 Manite in Ibs. Ibs. Ibs. Hard or Hard or Hard or Ist.	Lycan Etg Br tis owned in owned by Octobe Decemb T.X. D. 10ths Water	Farm C. W. Tocation (waters) Well No. The surface of trace Fort Gay, W. Mineral rights are Drilling commenced Drilling commenced With 375 With 375 Open Flow Volume Ooil Fresh water Salt water Formation Formation
Kind of Packers Kind of Packer Size of Perf. top Pe	Pepth Found SELT SELT	OIL Water INCH COUNTERED INCH ATED 2511 2511	LEET Bottom COAL WAS EN CASING CEME S Bottom Size 18 10 8% 6% 710 18 10 18 10 10 10 10 10 10	Lycan Loch Lycan Loch Lycan Loch Lycan Lycan Lycan	Kentucky Asynch-Sandy Range by C. W. Address Same Address Der 13, 1954 Manite in Ibs. Ibs. Ibs. Hard or Hard or Hard or Ist.	Lycan Eig Br ti sowned in to Va. Octobe owned by A Octobe Decemb A T.X. D 10ths Water 10ths Mater	Company OLIVE Address Paint Farm C. W. Team Co. W. Tocation (waters) Well No. Z District Butle The surface of trace District Butle District Butle Mineral rights are Drilling commenced Drilling commenced With 375 With 375 Open Flow Volume Coil Fresh water Salt water Salt water Formation

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No. 1/ay-	943-1			MOLDENGMI	Wel	I No. 2	2,
COMPANY Olive	V Jenk	ins	ADI	DRESS Varilsa	ille /	Ky.	Pormit No.
FARM U, 11, 8	Tycan	DISTRICT	r /9/	utter co	UNTY 1	aya	U
Filling Material Used	Clan -	- Cemi	mt-	Stone.		0	Company
							Address
Liner L	ocation	Amount		Packer	Location		HATE!
PLUGS USED	AND DEPTH PLACED			BRIDGES	CASIN	G AND TU	BING SW HOW
CEMENT-THICKNESS	WOOD-SIZE	LEAD		TRUCTION-LOCATION	RECOVERED	SIZE	LOST
			N3 =	, , , , , , , , , , , , , , , , , , ,	01		District
t the second			ANA.			_t-annome	ios guilling
Perf. tup			J. J.	otal depth		fe)elgh	Drilling cor
mellod Are'i			3	Lone to	ltheft		Date shot
Perf. top		100	Laners VI	this Weter in Inch	41	wel	naga laltal
Perf bettem				the Merc in Luch	m	fler tubin	Open flow n
tert Tay on	20.18	CEMENTER	CASING	17. eO			-malo7
				- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	poli		erend Facili
SHOW WENT	the designation		17. 1. 2.				
		2					1
Orillers' Names //	vis O	yon	1 _	august	Lis M	vare	
Mil-Pal	8841341			1997	1693.		Staw dlaß
Remarks:	allin 1	m	hri	dge and	I fie	ling	
at 1	620. Rec	4,				24	5678
					6	W.C.	000
					293	JAN	1 1955
					728	RECI	EIVED
					285	DEPT. (IRGINIA S
12-29-5	I hereby certify I	visited the abo	ve well on	this date.	V	EE2777	2026/8/11/3
DATE				00.0	"llen!	/	0.000
NOTORNAM COMME CONTRA					רפום	rrict Well	INSPECTOR /09/2024

DEPARTMENT OF MINES OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

INSPECTOR'S PLUGGING REPORT

Permit No.	water that were again	Oil or Gas Well (KIND)				
Company	COUNTY COUNTY		ED IN LEFT IN	PACKERS MAAGE		
Address		Size	4. 90.77	Filling Material Used		
Farm		16	nulus	Kind of Packer		
ASING AND TUBING	D eachdrain	13	GEDA A HTERO GUA	e disu sou e		
	HECOVER BECOVE	10	330 -000W-	Size of		
District	County	81/4				
Drilling commenced		5 3/16		Depth set		
Drilling completed	Total depth	3		Perf. top		
Date shot	Depth of shot	2		Perf. bottom		
Initial open flow	/10ths Water inInch	Liners Used		Perf. top		
Open flow after tubing	/10ths Merc. inInch			Perf. bottom		
Volume	Cu. Ft.	CASING CEMENTED	SIZE_	No. FTDate		
Rock pressure	lbshrs.					
Oil	bbls., 1st 24 hrs.	COAL WAS ENCOU	NTERED AT	FEETINCHES		
Fresh water	feetfeet	FEET	INCHES	FEETINCHES		
Salt water	feetfeet	FEET	INCHES	FEETINCHES		
Drillers' Names		an hard	18 18 18 18	Remarks		
Drillers Names	AMILE PRANT		Carley Day	1 -No		
Remarks:		4 / 1 1 1				

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No. 1/ay -	943-1		3W 8.	NSPECTOR		ell NoC	2.
COMPANY Oliver	V Junk	kins	ADD	RESS James	wille	Kn	Kaemit Mo.
FARM 011, 3	year	DISTRIC	OT /S	the	COUNTY 1	die	w.
Filling Material Used	Clay-	Cen	met	- Stone		0	—, Insquo'i
Liner Loc	eation	Amount	. 36	Packer	Location	n	Additions
		Amoun	*				perell.
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONST	BRIDGES FRUCTION-LOCATION	RECOVERED	SIZE	LOST
CEMENT-THICKNESS	WOOD-SIZE	LLAD	CORD.		IVO)	SIZE	Joint gift
398 (17091)							7 17 27
			2002			Lisonorg	nor yniffinG
qol Treff			8	dqqb ii	19	befelq	Drilling com
method fre'l					o dagad		Linds staff
Terf top.		b h	Liners Us	don' ni rein'i	nin I\	wol	nego faitini
Port bottom				doni		ididul 191	ta woll nego
dell Tylon	21.51 12.						
101 - 17 0H		OPTARME	PONTRAGE	(F, a())			S SHILLING S
				pad.			Harang Bask
and the state	THE CLEANING	duonan a	1400	multa tet eller			
1/10	0	- 11 10 10 10 10 10 10 10 10 10 10 10 10			7 101 2 2 3		THING THEST
Drillers' Names / WW	is dy	on	_ (1)	ugustis "	Maare		Salt water
Remarks:	, (1	•		
	100		1	12410		Adm	
4	illen	1 a	1	770	1123	4567	
	1				JA	N 1955	Tems I
				* 3 <u>* 3 = </u>	REC.	EIVE	121
					WEST OF DEPT	VIRGINIA	3/4/16
12-31-54	/				(2)	IF MINES	3
DATE	I hereby certify I v	visited the al	oove well on	1 1	् रहित	05.01.00	
				0.0,0	Telin		

02/09/2024

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No.	TO A SERVICE CASE	Oil or Gas Well (KIND)				
Company	YPNUOD SOUNDS			T IN PACK	ERSMAAM	
		Size	1 640	best larest	Filling Ma	
Address		16.	0	Kind of Pac	cer	
Farm		13			Tappa Tappa	
Well No.	BRIDGES COVE	10	Cabaue areas	Size of		
	County	81/4		940011719121231		
		6%		Depth set_		
		5 3/16				
Drilling completed	Total depth	3		Perf. top		
Date shot	Depth of shot	2		Perf. botton	1	
Initial open flow	/10ths Water inInch	Liners Used		Perf. top		
Open flow after tubing	/10ths Merc. inInch			Perf. botton	1	
				Control of the second		
Volume	Cu. Ft.	CASING CEMENTER	SIZ	ENo. FT	Date	
Rock pressure	lbshrs.					
Oil	bbls., 1st 24 hrs.	COAL WAS ENCOU	NTERED AT	FEET_	INCHES	
Fresh water	feetfeet	FEET_	INCHES	FEET	INCHES	
Salt water	feetfeet	FEET	INCHES	FEET_	INCHES	
					Remarks:	
Drillers' Names	K Kon Land & Co		V X V			
Remarks:			1		AAT	
Remarks.						

DATE

DISTRICT WELL CHESTECTOS

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No. 1/0	m-9.	43.1		aw a	INSPECTOR	We	II No	2
COMPANY	wer	Jenkin	w	AD	DRESS Laints	ville	Ky	of time
FARM 0,1	V, Le	y can	DISTRIC	12		OUNTY_7/	lan	e
Filling Material	Used (lay - Ce	ment	- Li	tone			- Vnagmo
				A STATE OF THE STA				aeorbb/
Liner	Loca	ation '	Amoun	t ····································	Packer	Location	1	nera)
a de	avi2	ND DEPTH PLACED		at.	BRIDGES		IG AND T	LLOW HAW
CEMENT-THICK	KNESS	WOOD-SIZE	LEAD	CONS	TRUCTION-LOCATION	RECOVERED	SIZE	LOST
	Hosel				Vinu	23'	100	Hatriet
				AL ST		251'	8/4	So pailita
4.00	Jieq			6	digph late	1138	72	hilling con
bottom	Park			2				_iona.oin
qe	Perf.		b b	Liners the	the Water in	1	wof	nago latin
metiod	Perf.	The state of the s		-	don't me many and		nidus ses	Dpen flow at
offTT	οV	11212	COFFEE	(ASING				
								ownie
			2 4			581	n*	Consulation State
136.17.1			CHANCE OF	.W. JA00	and 19 tol pelde			2.16
. '11	11.0	es Ly	ACTOR AND		7	4-		3287 1137 3
rillers' Names	relatives.		ou -		Luguetes	moar	2.	_yetaw ilac
Remarks:	Nell	lan 10	1.7.2	, , .		/ , , , , , , ,	1	
	,		au	ac	cording I	wor.	na	du.
		V	7440		U	HIM		dahumui
		6	910111213	1475				
		200	JAN 195	15				
1-3-5	-5	75 F	RECEIV	ED 1920				
DATE	I	hereby certify I vi	DEPT. OF MI	ve well on	00			
WOTOFFREE FARE WAS	torra i u	100	58572839	15/16/1	- O.G. C	elen	PICT WELL	INSPECTOR
						-1011	02	2/09/202

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No.	miles Very with the second			Oil or	Gas Well	COMPAN
	YTU100 \A\\$\\	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKE	ERS M H A H
Company	Market Committee of the	Size	Person	Task To	aterial Used	Filling M
Address						
Farmnolls	Packer	16.		Notable	Kind of Pack	er
Well No.	eapona	13	02 9 A.J	AND DEPTH	Size of	
KED SIZE LOST	SUCTION-LOCATION RECOVE	10.	IJ HATE	-000%	Size of	ASMED
District	County	8½ 6%			Depth set	
Drilling commenced	V 28	5 3/16				
Drilling completed	Total depth	3			Perf. top	
Date shot	Depth of shot	2			Perf. bottom	
Initial open flow	/10ths Water inInch	Liners Used			Perf. top	
					Perf. bottom	
	/10ths Merc. inInch					Dete
Volume	Cu. Ft.	CASING CEME	NTED	SIZE	No. FT	Date
Rock pressure	lbshrs.					
Oil	bbls., 1st 24 hrs.	COAL WAS EN	COUNTERE	D AT	FEET	INCHES
Fresh water	feetfeet	FEET_	INC	HES	FEET	INCHES
Salt water	Georgeonica 1878 Se	FEET.	INC	HES	FEET_	INCHES
Dair Water		1			1/2	Remarks;
Drillers' Names	colling later	all the	My your		P2.4/	
			A.			
Remarks:						

January 17, 1955

Mr. Oliver Jenkins Paintsville, Kentucky

Dear Sir:

Please send an affidavit for the plugging of well No. 2 on the C. W. Lycan farm, Butler District, Wayne County - permit No. WAY-943-P.

Blanks are enclosed.

Very truly yours,

Administrative Assistant OIL AND GAS DIVISION

CNH: K CC: Inspector O. C. Allen April 29, 1955

Mr. Oliver Jenkins Paintsville, Kentucky

Dear Sir:

Please send an affidavit for the plugging of well Mo. 2 on the C. W. Lycan farm, Butler District, Wayne County for which permit WAY-943-P was issued December 28, 1954.

We have information that the well was completed in January and will appreciate a prompt reply as we would like to complete our files for 1954.

Very truly yours,

Administrative Assistant OIL AND GAS DIVISION

CNH: K CC: Inspector O. C. Allen

PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

WORK ORDER PREPARED BY THE DEPARTMENT OF MINES

Total Depth

1754' - Now 1684'

SET A PERMANENT ERIDGE AT 1620' - 31' above shot hole 2 sacks neat cement and 5' crushed stone on bridge Fill with clay to 1168' - 30' below 7"OD Casing Neat Cement 1168' - 1158' 5' crushed stone on cement plug - sealing hole completely below 7"OD casing

Pull 7" casing

SET A PERMANENT HRIDGE AT 700' - a point in the Salt Sands 2 sacks neat cement and 5' crushed stoneon bridge Fill with clay to 550. Neat Cement 550' - 540' 5' crushed stone on cement plug - sealing off Salt Water Continue filling with clay to 400'
Neat Cement 400' - 390' - sealing off all salt water

SET A PERMANENT ERIDGE AT 238' - as 8-1/4" casing is lifted Neat Cement 238' - 148' - 20' above 2nd coal seam 5' crushed stone on cement and Fill with clay to surface

Erect marker such as is described in Rule 18, 1931 Regulations

To the Department of Mines Coal Owner or Operator, Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved 2/189/2024

28th day of December, 1954

DEPARTMENT OF MINES Oil and Gas Division

ntall

NOTE: This "work order" shall be filed in triplicate, one copy for the files of the Department of Mines; one to be approved or corrected and returned to the well operator as his authority for plugging said well; and one for



STATE OF WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

TO THE DEPARTMENT OF MINES, Charleston, W. Va.

	OLIVER JENKINS	
Coal Operator or Coal Owner	Name of Well Operator	r to the second
	Paintsville, Kentucky	The state of the s
Address	Complete Address	
	DECEMBER 28, 1954	19
Coal Operator or Coal Owner	WELL TO BE ABANDO	NED
	BUTLER	District
Address	be recipled distance his scrops with	
C. W. LYCAN	WAYNE	County
Lease or Property Owner	Well No. 2	
FORT GAY, W. VA.	C. W. LYCAN	Farm
Address	The state of the s	F-18.2.3
Inspector to be notified O. C. ALLEN - '	TELE. WAYNE 89-J	Jan 1 18 18 18 18 18 18 18 18 18 18 18 18 1
24 HOURS IN AD	VANCE OF PLUGGING DATE	
Gentlemen:—		
- 1 - 1 - 1 - analystan is about to	abandon the above described well and	will commence

The undersigned well operator is about to abandon th

the work of plugging and abandoning said well on the date inspector is notified (which date shall not be less than five days after the day on which this notice so mailed is received, or in due course should be received by the Department of Mines).

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a 124 engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners and adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

NOTE: In case plugging is not commenced within four months from the above date, this permit shall expire and be of no further force or effect.

Well Operator

DEPARTMENT OF MINES OIL AND GAS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, ONE COPY MAILED TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) SHOULD BE MAILED TO EACH COAL OPERATOR AT THEIR RESPECTIVE ADDRESSES. NONE E. L. LUSHER COAL OPERATOR OR OWNER NAME OF WELL OPERATOR KENOVA, W. VA. Route # ADDRESS COMPLETE ADDRESS NONE 9th, 1955 WELL AND LOCATION COAL OPERATOR OR OWNER UNION District ADDRESS FRANK SMITH WAYNE County LEASE OR PROPERTY OWNER LAVALETTE, W. VA. Well No. ADDRESS FRANK SMITH Farm STATE INSPECTOR SUPERVISING PLUGGING..... AFFIDAVIT STATE OF WEST VIRGINIA, County of WAYNE and being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by E. LUSHER well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 10th day of Feb. and filled in the following manner: , 19⁵⁵, and that the well was plugged SAND OR ZONE RECORD FILLING MATERIAL PLUGS USED CSG SIZE & KIND CSG LEFT IN Lime Shales Stone Bridge none 7 in. none Filled back from 2100 to 1250 with clay and stone. 15 foot of cement- pulled 8 ln. Filled back to 725 feet. Pulled 10 and 13 and filled hole with clay and stone. Frank Smith requested monument left out O. C. Allen agreed. COAL SEAMS DESCRIPTION OF MONUMENT None None (NAME) None None (NAME) None (NAME) and that the work of plugging and filling said well was completed on the February 19 55 And further deponents saith not. 02/09/2024 Sworn to and subscribed before me this My commission expires: Notary Public. sept 29-1964 Permit No.WAY-943-P

STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, ONE COPY MAILED TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) SHOULD BE MAILED TO EACH COAL OPERATOR AT THEIR RESPECTIVE ADDRESSES. NONE E. L. LUSHER COAL OPERATOR OR OWNER NAME OF WELL OPERATOR W. VA. Route # ADDRESS COMPLETE ADDRESS NONE 9th, 1955 19 COAL OPERATOR OR OWNER WELL AND LOCATION UNION District ADDRESS FRANK SMITH WAYNE County LEASE OR PROPERTY OWNER LAVALETTE, W. VA. Well No ADDRESS FRANK SMITH Farm STATE INSPECTOR SUPERVISING PLUGGING..... AFFIDAVIT STATE OF WEST VIRGINIA. WAYNE County of WATHE W. C. MILLS being first duly sworn according to law depose and say that they are experienced in the work of E. L. LUSHER plugging and filling oil and gas wells and were employed by well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 10th day of Feb. , 19^{55} , and that the well was plugged and filled in the following manner: SAND OR ZONE RECORD FILLING MATERIAL PLUGS USED CSG SIZE & KIND FORMATION Lime Shales 7 in. none Stone Bridge none Filled back from 2100 to 1250 with clay and stone. 15 foot of cement- pulled 8 ln. Filled back to 725 feet. Pulled 10 and 13 and filled hole with clay and stone. Frank Smith requested monument left out O. C. Allen agreed. DESCRIPTION OF MONUMENT COAL SEAMS None (NAME) None None None (NAME) and that the work of plugging and filling said well was completed on the 18th February , 19 55 Willen C. Mills And further deponents saith not. 02/09/2024 Sworn to and subscribed before me this 26 day of May Notary Public. My commission expires: Permit No.WAY-943-P

Sopt-29-1964

CHERT OF WEST VINCENIA OF THE PARTY OF THE PARTY ON THE P

AFF DAVIT OF PLUGGING AND PLUGGING WELL

ddel . Hit . dau Canny VIII III. STREET OF BEING es configed each place of the configuration of the bine sheles | stone bridge none value of the stone stone.

Alice of selent- pulled 6 l. Filled back to 725 leet. alled 10 end 18 enderilled hole with eley and stone. renk omith requested monument lest out 0. 0. Allen egreed.

02/09/2024

Sworn to and subscribed before in

asiliczo notacionnos af

TACKETY VISION

