

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

To THE DEPARTMENT OF MINES,

Charleston, W. Va.	
Mary A. & Elmer Tabor, et.al.	Adkins Drilling Co.,
COAL OWNER (COAL not	operated) NAME OF WELL OPERATOR 3303 U.S. Route No. 60
East Lynn, W. Va.	Huntington, W. Va.
ADDRESS	COMPLETE ADDRESS
	September 16th 19 55
COAL OPERATOR OR COAL OWNER	
	PROPOSED LOCATION
ADDRESS	Stonewall District
	Wassa
Mary A. & Elmer Tabor	Wayne County
OWNER OF MINERAL RIGHTS	Well No. 1 82° /5'
East Lynn, W. Va.	Well 100
ADDRESS	Elmer Tabor Farm
GENTLEMEN:	T ALL
The undersigned well operator is entitled to	drill upon the above named farm or tract of land for
oil and gas, having fee title thereto, (or as the case Aug. 19th, 1955	
——————————————————————————————————————	by Mary A. & Elmer Tabor, et.al., to
Adkins Drilling Company	, and recorded on the 2nd day
of September, 1955	in the office of the County Clerk for said County in
Book 46 , page 109 .	
to be drilled for oil and gas by the undersigned well and County above named, determined by survey and land marks.	engineer and shows the proposed location of a well operator on the farm and in the Magisterial District courses and distances from two permanent points, or
The undersigned well operator is informed and of coal beneath said farm or tract of land on which aries of the same, who have mapped their workings coal operators or coal owners (if any) above named	and filed their mans as required by law excepting the
	(if any) are notified that any objections they may
desire to make to such proposed location, or which the the drilling of a well at said proposed location will carcoal mines, must be received by, or filed with the Depart a copy of this notice and accompanying plat by said that forms for use in making such objections will be on request and that all such objections must set forth a grounds on which such objections are based and indicate be moved to overcome same.	are required to make by Section 3 of said Code, if use a dangerous condition in or about their respective rement of Mines within ten* days from the receipt of Department. Said coal operators are further notified furnished to them by the Department of Mines promptly as definitely as is reasonably possible the ground or
(The next paragraph is to be completed only	in Department's copy.)
는 NEW MICHAEL CONTROL CO	mailed by registered mail, or delivered to the above
named coal operators or coal owners at their above or on the same day with the mailing or delivery of West Virginia.	shown respective addressday before
	truly yours,
	Adkins Drilling Company
010202120	WELL OPERATOR
Address)	3303 U. S. Route # 60
(5) n1055 (5) of	STREET
Well Operator	Huntington, W. Va.
RECEIVED 28	CITY OR TOWN 02/02/2024
WEST VIRGINIA OFFI. OF MINES	West Virginia.
TO DEPT. OF MINES	STATE

*Section 3.... If no such objections be filed or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

PERMIT NUMBER



DEPARTMENT OF MINES

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

	Charleston, W. Va.
et.al. Adkins Drilling Co.,	Mary A. & Elmer Tabor,
(coal not operated) was away (bejaredo jon 1800)	
3303 U.S. Route No.60	East Lynn, W. Va.
Huntington, W. Va.	Anonas
September 16th 10 55	
	HERWO MACO RO HOYARD DE COAL OWNER
PROPOSED LOCATION	
Stonewall District	REMEDIA
Wayne	Mary A. & Elmer Tabor
38° 15'	COURT TOTAL CO. IN PRINCE OF MINISTER STREET
Well No. 1 92° /5'	East Lynn, W. Va.
Elmer Tabor	BEHRADA
Elmer Tabor	
is entitled to drill apon the above named farm or treet of load for	
or as the case may bel under gram or lease dated	
. La . Ta roder rame & . A grah of the case and of the case an	Aug. 19th, 1955
of the factor of the factor factors for the factors of the factors	Adkins Drilling Comp
AND WARE TORE TO COLLEGE DESCRIPTION OF THE CAMPAN	
	September, 1955
	Book 46 , page 109 .
by a competent engineer and shows the proposed location of a well described well operator on the farm and in the Magneteral District by survey and courses and distraces from two permanent points, or	and out to the our file to tot believe of or
	aries of the same who have mapped aries of the same who have mapped coal operators or coal owners (if any)
or coal owners (if my) are notified that any objections they may an or which they are required to make by Section 3 of said Code, if ocation will cause a dangerous condition in or about toeth respective with the Douarment of Mines within me days from the receipt of plat by said beyenment. Said cost operators are further notified plat by said beyenment to item by the Department of Mines promptly extrons will be fundable to item by the Department of Mines promptly must set form as definitely as is researchly assisted the ground of early further the direction and distance the proposed location should be and furthers the direction and distance the proposed location should	the drilling of a well at and proposed to an object to can be drilling of a well at and proposed to roal mines, must be received by, or filed a copy of this notice and accompanying that forms for making such objections on request and that all such objections in
completed only in Department's copy.)	(The next paragraph is to be
losed plat were mailed by regretored mail, or delivered to the above	
t their above shown respective address day before, or delivery of this copy to the Department of Mines at Charleston.	named coal operators or coal owners a or on the training with the meiling West Virginia.
Yeary cruir yours,	
Adkins Drilling Company	
WOTA GREATON	
Address)	
Well Operator Huntington, W. Vu.	02/02/2024
West Virginia.	400000000000000000000000000000000000000

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
ORIGINE CONTRACTOR			17012. 1302	AFROS Jeon Julie	(111) (300 499)). (300	A JESS -1 -2-1458 -1358	SHOW.
Shabe Sed Roots - I			1300; 1300;	1302 1302 1300			
3763 3763			1210	. 1310 . 1310	No.		
andy line late ima Shell			- TD0 1205 1223	1205 1205 1230			
19.9 710. 1750 75. 9			375 	TIRO TIRO TIRO	eret.	3089	Hole Fria.
Late and late rolen Sand			255 750 815	150 250			
and to a			922 985 926 660	625 625 650 725	geer.	200	2 vailers p
Late Crd			35e 35e 350	350 1152 352 353			3 33,1048 0
and late			170 220 260	350 550 550			Start Start
and Late and Late			130 · 1 80/ 52 70	139 139 273			1
Thises		DOK	Ó	TO	ar and a second	\$ (44)	
ep water		V (66/b, 14	+ 10 f. 24.00	F. T. T. E.F.		30 10 100	LACH
in grandfall the	560.		Sept 14 and plan	GOVE PRO	ENDA PORTO VERSO	E AB	TACH!
740 May 17 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	ega Garajon Apan ka	1	N. S.	TANK END	Marine	V. E	0
200 A198 AN		. 3	į unii	miles frame of the second state of		V-1.7	angen e
billing toming of selling complete	8 3000 8 8 800 5	3, 1955		emane dan		E.	1520
y	camed 13	enit; Times tsjed Times	gbon, Most	3 • 1 k			
A SULLAND OF CO	et is cause in		lepok.	N.		227	topos discos di La cione di La cione di
A POLICE TO THE PROPERTY OF TH	alon role	6 I ₃]c	residentes.	21. 21.10			
inters P. v.	1977年 1997年 - 1937 2 年 11月 1日		namelth Gas , Vest Va.	COTO.		1 m 6 1 134	- Editoria
STREET MAY	4.036		a sum program			this on the .	eva eva

				Febru		19 56
APPROV	ÆD	dkin	s Di mon	rilling C wealth Ga	o. & s Corporation	, Owner
	Bv_	w.	S.	Gravely,	Engineer	
					(Title)	



STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIT AND GAS DIVISION

TOTAL DEPTH ESSI MOUS ESSI TTO BIG FINE Ges bed STYT 175 M-S11 E9ST-SSST E9ST S8ET PILLIE FIME Ges STIT Mous STST Slate I385 SPET Red Rock 1360 S9ET Slate 09EI T3FO Sand OTET Ιζρο Slate ISTO IS30 Lime Shell **TS30** ISSO SIste ISSO ISOS Sandy Lime OSTI ISOS Slate OSTI TISO **GNAS TIAS** 076 . Liul e full. TOSO Water TISO 548 Slate 076 Broken Sand ST8 578 Slate ST8 OSL Sand OSL 725 Slate 725 099 Sand 959 099 Slate 959 595 Sand 2 bailers pr.hr Water 595 055 095 Slate 055 425 Sand 7752 355 Slate 350 355 SEPT. OF MINES Sand 590 350 WEST VIRGINIA Slate 590 550 RECEIVED Sand 220 OLT Slate J30 OLT EEB 1820 Sand 08 J30 Slate 52 08 Sand 3059 81 1131 52 OT Surface 0 Found Found Oil, Gas or Water Hard or Soft Bottom Top Color Formation Kemarks Salt water_ INCHES FEET INCHES FEET _teet_ TOSO 1991 INCHEST ляяя 095 INCHES FEET -bbls., 1st 24 hrs. COAL WAS ENCOUNTERED AT INCHES FEET Rock Pressure. Cu. Ft. 310°000 Inch /10ths Merc. in Date No. Ft. SIZE CASING CEMENTED Open Flow 54 /10ths Water in Inch. Perf. bottom. From Date Shot Perf. top_ Liners Used Drilling completed 1956 Perf. bottom. 095T Drilling commenced Sept. 23, 1955 Perf. top_1534 Address Huntington, W. Va. 91/89 Mineral rights are owned by Elmer Tabor with shoe in bot-tom. 1534 Address Huntington, West Va. 8% 785 287 The surface of tract is owned in fee by Elmer Tabor Size of-22 22 -County-District Stonewall Mayne Anchor with slips Elev. 900 Mell No 1-612 Kind of Packer-Location (waters) Beech Fork Size Acres Farm Elmer Tabor 617 Address P. O. Box 1433, Charleston, West Va. Left in Well Used in Drilling Раскетя Company Adkins Drilling Co. & Commonwealth Gas Corp. 986 • ₹£₩ Permit No. Oil or Gas Well GYZ MELL RECORD Quadrant 1202/20/20

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
					W		
Total Dept	:JJ	1568		X	. 1945	9	
Red Rock Slate Little Lin Big Lime	10		1566 1566 1635 1415	1265 1205 1415 1563		\$ 5 15 D. You	
Slate Lime Shell Slate Sand Slate			1205 1220 1250 1250 1240	1220 1230 1240 1340 1360	SEN RES	ALST VIRGINU MEST VIRGINU BEPT OF MINE	
. Froken Sa Slate Salt Sand Slate Sand Dim	od		918 975 940 1180	876 876 940 1180 1150 1260		Covers.	
Sand Blate Sand 31ste sand Sand			555 565 626 660 750	565 626 650 725 750			
Sand . Slate Sand Sand Sand Sand Sand			220 230 320 325 325	260 520 525 525 495 550			
Slate Slate Sand Slete Sand			120 30 52 10	25 80 150 170 820			
Formation Start Ca co	Color	Mard-or Seff	Top	Hottom 70	or Water	Dopth Found	Remarks
Fresh water		Teet.	5-60 · feet 9-40 · feet	LYBL	DAGH Luch	la real	
Volume Rock Pressure Oil	500	lbs.	Ch. Fr. S. brs. Dblis., Ist. 24 hrs.	COMP. WAS ES	TOUNTERED	do Fdb)(),	DIOHES
With Open Plow 52	IOths Water I	2	inch fach	CASING CENT	N.ED &	Par SZE No r	
Drilling commence Drilling completed Date Shot		20, 1658		8 2 Liners Used		Per	r topion a for
2965 Hughe	os saleei	Solvasa Eme Adress	ton, we to	# 8 kg		1560 Deg	16.85
Well No. A	newall.	County Woyr	Tabor	18 2/4		32 314	of Packer HOOKWall
Farm Tabler Lection (gaters)	500 314		1 ₀₁₆₉ 4.9	Size			
Company AD	1145 1981.6		chagaon, We	Value and	Used in Dynamic		02/2024
	- aee		MEET	RECORD		Olf A CAN'N	982

MATHEWS PRINTING AND LITHOGRAPHING CO


Quadrangle_



STATE OF WEST VIRGINIA

OIL AND GAS DIVISION DEPARTMENT OF MINES

DEPT. OF MINE WEST VINEIN WEST VINEIN JUL 1956	20 20 20 30 Section 19 19 19 19 19 19 19 19 19 19 19 19 19	299T 7779 7282 7282 7292 7290	9T#T 1282 1282 1280 1200	299T		Slate Little Li Big Lime Tetal Dep
997821	28.20.30	7240 7540 7550 7550 7500 7750 7750 7750 842 842 842 860 860 860 860 860 860 860 860 860 860	7540 7520 7520 7520 7720 7720 7720 7720 842 842 842 842 842 842 842 842 842 842		00	Sand Sand Sand Slate Sand Sand Slate Sand Sand Sand Sand Sand Sand Sand Sand
		TO	0			Surface
Pound	Oil, Gas or Water	Воттор	qoT	to bash the Soft	Color	Formation
ич sa	INCHI	Таач	1991 07-6	feet		salt water
es se	INCHI	THEAT	1991 09G	feet		resh water
a	COUNTERED	CORL WAS EN	bbls., 1st 24 hrs.			lic
au u	dadaminos	KE SVIK IVOO	S hrs.	lbs,	200	cock Pressure
			Cu. Ft.			
IZE Nº	ALED Z	CVZING CEME	Тпећ			
			Inch	S u	I Toths Water i	ben Flow 54
ď					4.0	Vith
d		Liners Used	The state of the s			to Shot
d		2			4-11	rilling complete
Ь		8				orilling commenc
	Control of the second	91/8 9		Address		
T200 D		- %9			3	ors stagir larenil
782			gton, W. Va	uttan H H	es Street	2968 Hugh
8 22		OT	Tabor	OBM vd oo	ni benwo si tea	The surface of tr
- 00		13	eu	County Way	Liswan	Oistrict Sto
Я	_	Те———	Elev.			Well No. 1
		əziZ		A10	Beecht)	Location (waters)
		G:	Acres 49			Todel mish
		-	6₽ sə13A			TO JOH
меп	ริบเทน	Suidu's *	01		TOTTOM CO	ggainnt
Left in Well	ni bəsU gailli7G	bns gnissDV	•W enot gait		02 Worel	Address 530
	Found Depth ES FE SS FE VI IZE NO. LE	SS	18 25 25 25 25 25 25 25 2	18	18	Same Same



K-E 156 IMPERIAL