



New Location   
 Drill Deeper   
 Abandonment

Company J. B. HYMAN & R. B. EICHHOLZ  
 Address ALEXANDRIA, VIRGINIA  
 Farm L. F. JARRELL  
 Tract 1 Acres 161 Lease No. \_\_\_\_\_  
 Well (Farm) No. 1 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) APROX 756.0  
 Quadrangle LOUISA  
 County WAYN W. VA. District LINCOLN  
 Engineer Lawrence C. Wallace  
 Engineer's Registration No. LOUISA, KY.  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date FEB 11 1956 Scale 1" = 400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. WAY-996

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

No Samples

6-0-227

Deep Well

5.56 S. 38° 10'  
 0.57 W. 82° 30'



STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION 6

*Louise-EC*

Quadrangle Kenova?

WELL RECORD

Permit No. WAY-996

Oil or Gas Well Dry  
(KIND)

Company R. B. Eicholz and J. B. Hyman  
 Address 216 Prince St. Alexandria, Va.  
 Farm L. F. Jarrell Acres 163  
 Location (waters) Mill Creek  
 Well No. 1 Elev. 750 ft.  
 District Lincoln County Wayne  
 The surface of tract is owned in fee by L. F. Jarrell  
 Address Fort Gay, R. F. D.  
 Mineral rights are owned by United Fuel Gas Co.  
 Address Charleston, W. Va.  
 Drilling commenced Feb. 22, 1956  
 Drilling completed July 27, 1956  
 Date Shot July 30 From 3646 Ft. To 3700 Ft.  
 With 500 Lbs. Gelitan

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			Size of
10			Depth set <u>1232 Ft.</u>
8 1/4	<u>1232 Ft.</u>		Perf. top
6 5/8			Perf. bottom
5 3/16			Perf. top
3			Perf. bottom
2			
Liners Used	<u>None</u>		

Open Flow /10ths Water in InCh  
/10ths Merc. in InCh  
 Volume Very light show Cu. Ft.  
 Rock Pressure None lbs. hrs.  
 Oil None bbls., 1st 24 hrs.  
 Fresh water None feet feet  
 Salt water None feet feet

CASING CEMENTED No SIZE No. Ft. Date  
 Not cemented, to be pulled  
 COAL WAS ENCOUNTERED AT None FEET INCHES  
 FEET INCHES FEET INCHES  
 FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Surface			0	21			
Slate			21	40			
Sandy Slate			40	110			
Salt Sand			110	155			
Slate			155	200			
Sand Hard			200	215			
Slate			215	285			
Sand			285	300			
Slate			300	355			
Sand			355	365			
Slate			365	475			
Sand			475	481			
Slate			481	647			
Sand			647	697			
Slate			697	813			
Salt Sand			813	926			
Slate			926	927			
Salt Sand Hard			927	1082			
Slate			1082	1084			
Sand			1084	1092			
Slate & Lime Shell			1092	1179			
Little Lime			1179	1232			
Big Lime			1232	1335			
Blue Sand			1335	1620			
Slate Black			1620	1680			
Blue Sand			1680	1750			
Slate			1750	1900			
Blue Sand			1900	1934			
Sud Berry Shale			1934	1938			
Berea Sand			1938	2025			
Red Rock			2025	2036			
Brown Shale Broken			2036	2986			
Corniferous Lime			2986	3666			
Big Six	<i>Keeper</i>		3666	3700			
Red Rock	<i>R. Hill</i>		3700	3846			

2986  
 756  
 2230



(Over)

*Deep Well*

Formation	Color	Hard or Soft	Top 6	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate & Shells			3846	3900			
Red Rock			3900	3978			
Slate & Shells			3978	4010			
Red Rock			4010	4035			
Slate & Shells			4035	4041			
Lime			4041	4047			
Red Rock			4047	4052			
Slate & Shells	Clinton Sand	-Tusc	4052	4176			
Red Rock	- Juniata		4176				
Total Depth 4198							
Stopped in Red Rock							
Small show of Gas 3656							
Not enough to guage.							

Date \_\_\_\_\_, 19\_\_

APPROVED \_\_\_\_\_, Owner

By \_\_\_\_\_ (Title)