

STATE OF WEST VIRGINIA

# DEPARTMENT OF MINES OIL AND GAS DIVISION

#### NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

To THE DEPARTMENT OF MINES, Charleston, W. Va.	
M. N. Lester	OWENS, LIBBEY-OWENS GAS DEPARTMENT
COAL OPERATOR OR COAL OWNER	NAME OF WELL OPERATOR
R.F.D. #1, Ft. Gay, W. Va.	P. O. Box 4158, Charleston, W. Va.
ADDRESS	COMPLETE ADDRESS
	April 11, 19.57
COAL OPERATOR OR COAL OWNER	PROPOSED LOCATION
	Butler District
ADDRESS	Wayne
OWNER OF MINERAL RIGHTS	Wayne County  Well No. 1 - 1029 82°30 Elev. 976
ADDRESS	M. N. Lester Farm
GENTLEMEN:	rarm
oil and gas, having-fee title thereto, (or as the case	drill upon the above named farm or tract of land for may be) under grant or lease dated, to
Owens-Illinois Glass Co. & Libbey-Owens	-Ford Glass Co., and recorded on the 31st day
May, 1952	in the office of the County Clerk for said County in
Book 42 , page 456 .	in the office of the County Clerk for said County in
and County above named, determined by survey and land marks.  The undersigned well operator is informed and of coal beneath said farm or tract of land on which	operator on the farm and in the Magisterial District courses and distances from two permanent points, or believes there are no coal operators operating beds said well is located, or within 500 feet of the boundand filed their maps as required by law, excepting the
The above named coal operators or coal owners desire to make to such proposed location, or which the drilling of a well at said proposed location will ca coal mines, must be received by, or filed with the Depa a copy of this notice and accompanying plat by said that forms for use in making such objections will be on request and that all such objections must set forth	(if any) are notified that any objections they may be are required to make by Section 3 of said Code, if cause a dangerous condition in or about their respective artment of Mines within ten* days from the receipt of Department. Said coal operators are further notified a furnished to them by the Department of Mines promptly as definitely as is reasonably possible the ground or the direction and distance the proposed location should
(The next paragraph is to be completed only	in Department's copy.)
Copies of this notice and the enclosed plat were	mailed by registered mail, or delivered to the above
named coal operators or coal owners at their above or on the same day with the mailing or delivery of West Virginia.	shown respective addressday before, f this copy to the Department of Mines at Charleston,
	truly yours,
691	OWENS, LIBBEY-OWENS GAS DEPARTMENT
APR 1957	WELL OPERATOR
RECEIVED Address	P. O. Box 4158
WEST VIRGINIA of Well Operator	Charleston 4
RECEIVED WEST VIRGINIA BEPT. OF MINES Well Operator	CITY OR TOWN 08/25/2023 West Virginia
	STATE

\*Section 3.... If no such objections be filed or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

WAY-1048





AMIDALY YEAVY TO BYATE

# DEPARTMENT OF MINES

### NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

W. M. Lester OWNER FIRST-OWENS CAS INFRATT ST H. P.D. W. Va. Oay, W. Va. P. O. Box 1158, Charleston, W. Vs. .EI Lorol Butler 37088 I - 1029 M. M. Lester The undersigned well operator is entitled to drill upon the above named farm or truct of land for oil and gas, turing for the thereby for so the correspond nuder grant or least dated \_\_\_\_\_ Tester .H .H Owens-Illinois Class Co. & Libbey-Owens-Ford Class Co. and recorded on the Blat day 1952 lay, 1952 . . . in the office of the County Clerk for said County in The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the understaned well operator on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points, or The undersigned well operator is inferried and believes there are no coal operators operating beds of coal beneath said term or trace of fand on which said well is located, or willin 500 feet of the boundaries of the same, who have mapped their workings and filed their maps as required by low, excepting me coal operators or coal owners (if any) above named as addressees. The above named coal operators or coal owners (if any) are noticed that any objections they may desire to make to such proposed location, or which they are required to make by Section 5 of seid Code, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines must be received by or alled with the Department of Mines within tent days from the receipt of a copy of this notice and accompanying plat by said Department. Said roal operators are lurther notified that forms for use in making such objections will be turnished to their begardment of Mines ground or coal request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and cisance the proposed location cloud Copies of this notice and the enclosed plat were mailed by registered until, or differed to the above VERS STREET CHAIS CAS DEPARTMENT P. O. Box 1158 08/25/2023 sinipuly Jeek

Section 3 ... If no queb objections he filed or he found by the department of mines within said period of ten days from the receipt of said notice and plat by the department of wines, to said proposed horselon, the department of wines of said receipt of the well-ordinate the said not been made by the cost operators to the location, or found thereof by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

TAN - II ILD

Formation	Color	Hard or Soft	Top /3	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate	Dark	Soft	757	837			
Sand	Grey	Soft	837	876	34-0		
Slate	Dark	Soft	876	893	der et c	0,3 745 5.00	44.
Sand	Light	Soft	893	948	Water at 95	21, 1/2 B.P.	H.
Salt Sand	Light	Soft	918	995	Water 952.	increased to	1 B.P.H.
Sare Sand	Tigne	DOTO	740	112	9951 hole	filling with	salt water
394 397 (200)	DESTIN	nova.	527	E Day	Claned out	from 990' t	0 9951
action of	Dight .	Cont	005	300E	Weter level	650' at 109	01
Salt Sand	Light	Soft	995	1095	Marel, Tevel	000 20 100	0
Settling Sand		Soft	1095	1101			1.00
Sand	Light	Hard	1101	1111		0.77	1 34 4
Sand	Light	Soft	1111	1166			h salt water
Sand	Light.	Med.	1166	1252	Water level	500' at 123	21
Slate	Dark	Soft	1252	1257			
Sand	Grey	Hard	1257	1265	477		
Sand	Grey	Med.	1265	1318	1	S. San Maria	
The state of the s	Light	Med:	1318	1327	Hole caving		
Sand			1327	1351			
Slate	Dark	Soft		1371			
Little Lime	Dark	Hard	1351	1272			
Slate	Dark	Soft	1371	1373	Met en level	5001 at 717	81
Big Lime	White	Hard	1373	1554	water level	500' at 141	
Signature 1	Pine	907.6	270	296		Sand LM 1419	
SINIS -	Digne	port	ESPJ	\$10		how at 1449'	
Sand, Sro.	Light	2,308	227		Hole bridge		
Grey Injun	Grey	Soft	1554	1557	SLM 1555 =	Sand LM 1556	
	White	Hard	1557	1571			t in the second
Limey Sand		Hard	1571	1594	MEAST, SO TO	o. 3 15	оте
Sand	Light		1594	1632	Water level	500' at 162	Li.
Sand	Grey	Hard		1643			
Slate	Grey	Soft	1632	1667	27424 14 J1	h', Aole fli	1 3244
Lime	Light	Hard	1643		Carlo Line		
Slate	Light	Soft	1667	1696	77 7		
Lime Shell, B	ro. Lt.	Hard	1696	1699	Hole caving	\$	
Sandy Shell	Light	Hard	1699	1704	Mayor at 50	1 2 B B B	
Sand	Light	Med.	1704	1708			
	Light	Hard	1708	1731		1	
Sand		Soft	1731	1737	1		
Slate	Light	Hard	1737	1744	Ran 7" cas:	ing at 1738'	on shoe cement
Shells	Dark	naru			111 0	the and acmont	
- Fermistion 1 5	Color S	11710 11	1.65	Housem /	Water leve	500' at 17	01/738
Co. Section Co. Section Assets			2011	2706	Hole baile	d dry	
Slate & Shls	. Grey	Soft	1744	1786	HOTE DATTE	a dry.	M. Thomas
Shells	Light	Hard	1786	1791	10.5	1015 TO 1015	r incres
Slate	Dark	Soft	1791	1796			
Sl. & Shls.	Dark	Soft	1796	2068	RACCOMMERKED	The start shill	N 20 INCHES
Shells	Dark	Med.	2068	2089		1/30	30
Slate	Dark	Soft	2089	2104			
		Hard	2104	2124	orace in the	ran - giller	- 1 mars
Lime Shells	Grey	Soft	2124	2141	711	1738 V	5422-97
Slate	Dark		2141	2162			
Coffee Shale		Soft	2162	2172	STM 2163 =	Sand LM 216	B southern the
Berea	Dark	Hard		THE STATE OF	Oil Show 2	164 - 2167	SERVICE TO THE SERVIC
D-12-8451 0-1	564	STOF	5173		Gas 2164		99 MCF
Prilling completed	0-2-21				0 0767		172 MCF
was high courses	I Talenta			18.7/5	Gas 2167	219617u pp	183 MCF
		Wolffras	N	A TAMES	Gas 21/0	The second second	175 MCF
Exp. D. Al.	Pt. ndv.	A STATE OF THE STA		Control of	Test 2172		
	Light	Soft	2172	2188	At 2177 2	pr. test for	oil: no oil.
	Light	Hard	2188	2192	Test 2192		166 MCF.
	Tigue	100 DA	the state of the state of	110	Hole fille	d with rock	to 2173 ft.
		Total	Denth	2173			
THEORET BUILD		Counce 100a	16 Depoil		6-6-57 Sho	t with 150#	Detonite from
Mail Not A Cold	Liter We*	F05a)	Mes. 870.31	I De Talenta de la compansión de la comp	2161 to 2	1731	10 01 4 M 1004
Location (waters)	1. 1. 1.				Tamped wi	th 16' Pea G	ravel
		Control of the contro		2016	Tamped WI	set for 3 h	nurs
Farm . M. N. II	ester				11me bomb	out from 2157	to 2170!
yequess		9 0000000000000000000000000000000000000	or	Lagran	Cleaned of	TOIL 2131	nd out
0 4		s charleston	L. W. Va.	r Being an		er tamp drill	OLO MOE
Company, William	PERMIT	OMER WE T			$1\frac{1}{2}$ Hrs.		219 MCF
				And the second	9 11	C. Charles and Constitution	219
Permit No.				8	11 "	Oil or Gas.	
	ay-Inta			THEFTIL	131 "		25/2023
		The state of the s			1 10	~ ~ 12	NE 10000

Date July 1, 19 57

APPROVED OWENS, LIBBEY-OWENS GAS DEPARTMENT, Owner

By Control Geologist

A. H. Smith (Title) Geologist

06-10

Quadrangle

Louisa



STATE OF WEST VIRGINIA

## DEPARTMENT OF MINES

OIL AND GAS DIVISION 13

RECEIVED WEST VIRGINIA DEPT. OF MINES

WELL RECORD

Gas Oil or Gas Well

Way-1048 Permit No .. (KIND) Company OWENS, LIBBEY-OWENS GAS DEPARTMENT Casing and Tubing Used in Drilling Left in Well Address P. O. Box 4158, Charleston 4, W. Va. Packers Farm M. N. Lester 206 Size Location (waters)\_ Well No. 1 (Serial No. 1029) 970.31 Kind of Packer Elev\_ District Butler "Oilwell" Wayne 10\_\_\_\_\_\_\_\_ The surface of tract is owned in fee by\_ Size of  $6-5/8 \times 3^{\frac{1}{2}}$ 5301911 53019" 8 X 5/8 Mineral rights are owned by M. N. Lester 173813" 173813" 85X 711 Depth set R.F.D. #1, Ft. Gay, Address W. Va. 2110 - 2116 5 3/16\_ Drilling commenced 4-24-57 31/2 219617" Perf. top\_\_\_ Drilling completed
Date Shot 6-11-57 6-5-57 Perf. bottom 131 2173 Perf. top 2180-2193 \_From\_ 2161 Liners Used With 150# & 750# Detonite 2162 Perf. bottom\_ Open Flow /10ths Water in\_ Inch \_/10ths Merc. in\_ SIZE 1738 No. Ft.5-22-57 Inch CASING CEMENTED 333 M Cu. Ft. Berea Volume\_ 505 lbs. Rock Pressure\_ 24 hrs. COAL WAS ENCOUNTERED AT 484 FEET 36 INCHES bbls., 1st 24 hrs. Fresh water 50'. 144', 186'feet 660', FEET INCHES\_\_\_ FEET\_ INCHES

					AND STATE OF
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas Depth Remarks
Red Clay	Red	Soft	130	12	Hen 74 Book to 17751 M Shoe cellent
Rock	Grey	Soft	12	16	
Red Clay	Red	Soft	16	42	
Red Mud	Red	Soft	42	50	Water at 50', 2 B.P.H.
Slate	Light	Soft	50	82	HOTO CSATUS
Red Mud	Red	Soft	82	102	Mr. Jan. posta p.
Sand, Bro.	Light	Soft	102	104	
Sand	Light	Med.	104	154	Water at 144', hole filling
Slate	Dark	Soft	154	179	ASSOCIATION OF THE PROPERTY OF
Sand	Grey	Soft	179	186	Water at 186', 75' in hole
Sand	Light	Soft	186	207	11000 40 200 9 19 24 11020
Slate	Light	Soft	207	227	0700 TYN - 10000 T TYN
Sand, Bro.	Light	Soft	227	241	TOTA PATERA SA ATES
Slate	Light	Soft	241	270	150 C App Prod sea verse
Slate	Blue	Soft	270	296	OTHER THUM - COURT OF THE
Red Clay	Red	Soft	296	306	Charles and the state of the st
Slate	White	Soft	306	366	Water level 75' at 325'
Sand	Light	Soft	366	405	1, 2, 2,
Slate	Light	Soft	405	444	
Sand	Light	Med.	444	456	1376 37A76
Sand	Light	Soft	456	476	
Slate	Dark	Soft	476	484	
Coal	Black	Soft	484	487	
Sand	Dark	Soft	487	499	Water level 75' at 531'
Sand, Bro.	Light	Soft	499	531	Ran 8-5/8" dasing on shoe at 530'9"
Sand, Bro.	Grey	Soft	531	551	200000000000000000000000000000000000000
Slate	Light	Soft	10551	569	
Sand	Light	Soft	569	584	Maray raast oon, so min.
Slate	Light	Soft.	584	588	Hole dry at 588 08/25/2023
Slate	Dark	Soft	588	591	AND, * HOTE PITTING ATEL SPICE APART.
Sand, Bro.	Light	Soft	591	626	Mater yas, tho eases of the
Slate	Light	Soft	626	646	MUCCE SC NIKA TIVE D'TO
Sand, Bro.	Grey	Soft	646	676	Water at 660', 1/2 B.P.H.
Sand	Grey	Soft	676	706	
Slate	Dark	Soft	706	721	
Sand	Light	Soft	721	757	

Formation	Color	Hard or Soft	Top 13 A	Bottom	Oil, Gas or Water	Depth Found	Remarks
	The state of the s	ALCAL THE RESERVE TO			"Oilwell" W set from 2: Final Open Bere	all & Anchor 10 to 2116' Flow:	2196 ft. with Comb. Packer 333 MCF
	The state of the s				Surv cecon	t time stan	50 - Detonico
		<b>\</b>			6-11-57 16	er prokrui	ST3 MOR
					28 the. 5 the. 10 the three	UCL: GO TO HE H H H H OL PTOMIUS.	239 239 230 230 230
					Sg pom	s after tho aned ont fro t 7:20 h. ".	P.M. in 7" cas a 2167 to 2143 a . F.P. 62
					A THE STATE OF THE		B T THE THE AND
Cartinaed t	Tom previo	ne bade: \		1	\$-7-37 21 20 Hrs.	20 1.3. 10er tamp on at to 2172:	SOB NOR
Permatien On/bi-mied	there previous	Hard or and	Job	Retrota	2h Hrs	fiter tamp of	Remacha 208 MCF 200 Jecr
	faler For previo	Hard or Soft	feet feet Pop	1.10	ENTERSON OF WHICH SINGS	Found So 112.	Tomates  Remates  208 MOR
	taler Fom previo		bra bbis , let. 24 bis feet feet		MANUAL SANASAN	Found So 112.	TACTOR TO THOUSE TO SERVER
Votame A.  Kork Pressure  Dil.  Press water  sett water	Your Ma	\$Cat	Cu, Fr Cu, Fr hrs, bbis, let, 24 bis, feet	F.E	INCOUNTERED  INCH	FORMS SOLD OF COLUMN CO	E 208 MOR
Crolling completed to the Completed Short Comp	Total - Waker - Julya Mer	\$Cat	Cucks hrs Libbis, tet, ac bis, feet	COAL WAS	INCOUNTERED  INCH	Former PRI	THOUTES TO THOUSE TO THOUS
Orithing common trate Shot.  Vien  Open Plow  Sold Tressure  Total Forestare  Tress water	Proceed to the second of the s	\$Cat	Cu, Fr Cu, Fr hrs, bbis, let, 24 bis, feet	S 1/18	INCOUNTERED  INCH	TOE DET  TOE TOES	F. bottom  I bottom  I bottom  I NORING  I INCHES  I INCHES  I SOB MOR
The surface of the su	Proceed to the second of the s	Address In To	Cu, Fr Cu, Fr hrs, bbis, let, 24 bis, feet	814 614 614 614 614 614 614 614 6	INCOUNTERED  INCH	TOE DET  TOE TOES	Footion Section 1999  Footion 1999  Footio
Action (water their No. 1 (50) and the sarrange of the sarrang	res is owned in the connect by the c	Adress Address Te	Stey to the state of the state	6 % 5 ly 18 2 1, mers Uset CASTNG ON FOR	INCOUNTERED  INCH	TOE DET  TOE TOES	Lop A Lourent Lop A Lourent Lop A Lourent Lop A Lourent Louren
Address in forestion (water the surface of The Shot.  Usin the Shot.  On the Shot.	Lester Fiel No. I  crial No. I  me owned by  fiel Waker  Vioths More	County fee by Address Address in the	Actes 206  Miley  Liuch  Cul. Ft  Chris  Chris  Their  The	6 % 6 % 6 % 6 % 6 % 6 % 6 % 6 % 6 % 6 %	D-Bugge OF WESS SEPARATE 2	FORMS PRINTS OF STATE	oth sea stips stips fileoften
Mineral rights; Dralling columer Uniling columer Unite Shotz With Upon Flow Colume Col	Lester Fiel No. I  crial No. I  me owned by  fiel Waker  Vioths More	County Tecoy Address Address  Address  Address  Address  Address  Address  Address  Address  Address  Address	Acte 206 Bley both the branch the	Sing  16  16  814  614  614  614  14 Instruction Control Contr	DISMINST  OF WESS  SATURD  OF WESS  SATURD  SA	TOP TO THE CO.	Pacitive  of Techen  and of Techen

Date July 1,	19_57
APPROVED OWENS, LIBBEY-OWENS GAS DEPARTMENT	, Owner
By A. H. Smith (Title) Geologist	

District\_\_\_

With\_

Volume\_\_\_

Oil



#### DEPARTMENT OF MINES

OIL AND GAS DIVISION 13 A

Louisa Quadrangle\_

WELL RECORD

Permit No .\_\_

Gas Way-1048 Oil or Gas Well Company Owens, Libbey-Owens Gas Department Casing and Tubing Used in Drilling Left in Well P. O. Box 4158, Charleston 4, W. Va. Packers M. N. Lester Acres\_206 Size Location (waters)\_ Well No. 1 (Serial No. 1029) Kind of Packer\_ Elev. 13\_ 10\_\_\_ Size of\_\_ The surface of tract is owned in fee by\_ Address 6%\_ Depth set\_ Mineral rights are owned by\_ 5 3/16\_ Drilling commenced\_ Perf. top\_ Perf. bottom\_ Drilling completed\_\_\_ Liners Used\_ Perf. top\_ \_To\_ Date Shot\_\_\_ \_\_From\_\_ Perf. bottom\_ Open Flow /10ths Water in\_ Inch \_/10ths Merc. in\_ CASING CEMENTED\_ SIZE Inch \_Cu. Ft. Rock Pressure\_ hrs. COAL WAS ENCOUNTERED AT\_ FEET\_ INCHES \_bbls., 1st 24 hrs. FFFT INCHES FFFT INCHES

Fresh water		feet	feet	FEET	rINCHE	SFEET	INCHES
Salt water		feet	feet	FEET	rINCHE	SFEET	INCHES
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
Continued	from previo	us page:			Cleaned of Well shut 28 hours 6-10-57 Cleaned of Well shut 28 hours 6-10-57 Cleaned of Well shut 21 Hr. after 21 Hrs. 15 " 15 " 15 " 15 " 16 Hrs. after 25 The Hrs. after 25 T	Iter tamp out it to 2172' in at 4:00 for after shot	P.M. in 7" casi 2167 to 21-73' R.P. 623 287 MCF 404 243 239 230
	ES WEST	L 1957 BONNES OF MINES OF MINE			from 2162 to Test before Tamped with 30 Min. A 1 Hr. 2 Hrs. Tests while 3 Hrs. A 12 " 20 " 36 " 41 " 50 "	shot: 16' Pea Grav .S. " cleaning out	208 MCF 850 MCF 732 634

FERC-121

1.0 API well number: (If not available, leave blank. 14 digits.)	47-099-1048	FFR 2 8 1979
2.0 Type of determination being sought:  (Use the codes found on the front of this form.)		IL & GAS DIVISI
3.0 Depth of the deepest completion location: (Only needed if sections 103 or 107 in 2.0 above.)	NA feet	T. OF MI
4.0 Name, address and code number of applicant: (35 letters per line maximum. If code number not available, leave blank.)	Industrial Gas Corporation	009283 Seller Code
5.0 Location of this well: [Complete (a) or (b).]  (a) For onshore wells  (35 letters maximum for field name.)	NA Field Name Wayne County Wy State	
(b) For OCS wells:	NA Area Name  Date of Lease: NA Mo. Day Yr.  NA OCS Lease Number	
(c) Name and identification number of this well: (35 letters and digits maximum.)	M. N. Lester 1-1029	
(d) If code 4 or 5 in 2.0 above, name of the reservoir: (35 letters maximum.)	NA HAVI	
6.0 (a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.)	See Addendum "A" Houdaille Industries, Inc.	N/Available Buyer Code
(b) Date of the contract:	1 2 2 6 7 3 Mo. Day Yr.	
(c) Estimated annual production:	.4MMcf.	
	(a) Base Price (b) Tax (c) All Other Prices [Indicate (+) or (-).]	(d) Total of (a), (b) and (c)
7.0 Contract price: See Addendum "A"  (As of filing date. Complete to 3 decimal places.)	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1 3 3 6
8.0 Maximum lawful rate: (As of filing date. Complete to 3 decimal places.)	2.243 0.302 0.0(	8/ <u>2</u> 5 <u>/2</u> 023
9.0 Person responsible for this application:  Agen&/Use Only  Date Received by Juris, Agency  FEB 2 8 1979  Date Received by FERC	William C. Charlton Division Name Title  Mulliam C fault  Signature  02 / 28 / 79  Date Application is Completed  Phone Number	

# WELL DETERMINATION REPORT

PARTICIPANTS: OCT 19 1979	BUYER-SELLER CODE
WELL OPERATOR: Industrial Gas Corporation	009283
FIRST PURCHASER: Houdaille Industries on	07205
OTHER:	
W. Va. Department of Minos, Oil & Gas Division WELL DETERMINATION FILE NUMBER  Quantità a dection 108, otrogram	wel.
790228 - 108-099-1048	th Real
Use Above File Number on all Communications Relating to Determination of this Well	
CHECK EACH ITEM AS COMPLETE OR NOTE WHAT IS MISSING	
ITEM NO.	
1 FERC-121 Items not completed - Line No	
2 IV-1 - Agent William C. Charley	
J. Z. Well Telmit	
4 IV-6 - Well Plat	
5 IV-35- Well Record V Drilling Deepening	
6 IV-36- Gas-Oil Test: Gas Only Was Oil Produced? Rat	io
7 IV-39- Annual Production years	
8 IV-40- 90 day Production \$9 Days off Line:	
9 IV-48- Application for Certification. Complete?	Affidavit /
10 - 17 IV Form #51 - 52 - 53 - 54 - 55 - 56 - 57 - 58. Complete	Signed
18 - 28 Other: SurveyLogsGeological ChartsStruc	ture Map
1:4000 Map Well Tabulations Gas Analys  Commenced: U-2 4-57  Date Completed: 6-5 - 57 drill Deepened	es
(5) Production Depth: 3164-70	
(5) Production Formation: O-ve	
(5) Initial Potential: 333m CF	-
(5) Static R.P. Gaittally: 505	
(6) Other Gas Test:	
(7) Avg. Daily Gas from Annual Production: 14.01 mcf	( <u>5/0/</u> 364)
(8) Avg. Daily Gas from 90-day ending $w/1-120 \text{ days}$ , 13.1 MeV	$\left(\frac{1163}{89}\right)$
#	from Daily Report
(5) Oil Production: From Completion Report Show 1449, 210	AU
(10-17) Does lease inventory indicate enhanced recovery being done:	08/25/2023
7	019
Does official well record with the Department confirm the submitted info	
Additional InformationDoes computer program confirm?	
Was Le ermination Objected to? By Whom?	1-11.

19 3 pm

FORM IV-56WC [12-78]

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES, OIL AND GAS DIVISION

Date	02/28	. 1979
Operator's Well No.	1-1029	
API Well No. 47 -	099	1048
State	County	Parmir

#### WELL CLASSIFICATION FORM

## STRIPFER GAS WELL

NGPA Section 108

	DESIGNATED AGENT William C. Charlton
	ADDRESS P. O. Box 1473
	Charleston, WV 25325
WELL OPERATOR <u>Industrial Gas Corpora</u> ti	ion Location: Elevation 970.31'
ADDRESS P. O. Box 1473	WatershedNot Available
Charleston, WV 25325	Dist. Butler County Wayne Quad. Louisa
GAS PURCHASER_*	Gas Purchase Contract No.*
ADDRESS	Meter Chart Code RO411
	Date of Contract *
* * * * * * * + +	*See FERC-121 - Addendum "A"
	* * * * * * * *

Provide a complete inventory of the lease and production equipment used for the well for the previous 24 months or, if less than 24 months, the period the well has been in production. Include a complete list of equipment or processes used in connection with recognized enhanced recovery techniques during completion or production. (Attach separate sheets, if necessary.)

(See Attachment)

List all records reasonably available to you which contain information relevant to a determination of eligibility (including production records, B&O Tax Records and royalty payment records) and indicate the location of such records:

All records required to determine production by meter stations are maintained in Charleston, West Virginia.

B&O Tax Records are located in Charleston, West Virginia, our Boston, Massachusetts office and the Houston, Texas office.

Royalty payment instructions are located in Charleston, West Virginia office and Houston, Texas office.

FORM IV-56WC (Reverse) [12-78]

Describe the search made of any records listed above:

I have made a diligent search of the production records located in Charleston, West Virginia. They were the records utilized in making the determination herein.

Are you aware of any other information which would tend to be inconsistent with the information specified above? Yes No X. If yes, indicate the type and source of the information.

#### AFFIDAVIT

I. Lawrence B. Mentzer , having been first sworn according to law, state that I have caused to be made a diligent search of those records hereinbefore indicated in the manner herein described, that the information contained in this document is true and accurate and that on the basis of the records and examinations hereinbefore described, and to the best of my information, knowledge and belief, the well for which this certification is sought qualifies as a stripper well.

Z. B. 22

STATE OF WEST VIRGINIA,

COUNTY OF Kanawha . TO WIT:

I. Charlotte I. Mathews, a Notary Public in and for the state and county aforesaid, do certify that Lawrence B. Mentzer whose name is signed to the writing above, bearing date the 28 day of February, 19 79, has acknowledged the same before me, in my county aforesaid.

Given under my hand and official seal this 28 day of February, 19 79.

My term of office expires on the 5th day of December, 1985.

08/25/2023

Charlotte J. Malhews

[NOTARIAL SEAL]

- 2/28/79 - 2/28/79	107ALS 922 1 365	TOTALS
REPORT HO. CCAJOJPI PG 00002 CURREHT DATE - 2/28/79 REPORT DATE - 2/28/79	67 79 0AS  52 29 011	JRE NA
	SHUT-IN PRE  34  0-28	SHUT-IN PRESSURE NA
CTIOH-197 4.73 GREES GREES	23 65	34
REPORT OF MONTHLY PRODUCTIOH-197A CAS VOLUMES IN MFC D 14,73 OIL IN DARRELLS D 60 DEGREES Industrial Gas Corporation' 18	41 113	AVG. FLOW PRESSURE
= -	29	AVG.
AHHUJ	COUNTY: Wayne 92	-1
ALBAL MALT.	-1029 86 A-	ne esta
	M. M. 28	
THIA HD GAS	M. N. I 92 F-	
WEST VIRGINIA T - MINES - OIL AND GAS	S MFC 93 92 85 85 85 85 85 85 85 85 85 85 85 85 85	
STATE OF WEST VIRGINIA DENATION - MINES DIVISION - OIL AND GA 47-099-01048	API GAS MFC OTL BBL DAYS OHLINE	
		ŧ

SUMMARIZATION SCHEDULE Section 271, 804 (b)

In accordance with Section 271,804(b) please list all other wells which are to be used in determining this well classification under Part 271 Subpart H.


API NUMBERS 47-099-1150; 47-099-1268

08/25/2023

1978

1977

IV-39-WC



of original tracing.

Date APRIL 9, 1957 Scale 1" = 600'