

DEPARTMENT OF MINES OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

TO THE DEPARTM	ENT	OF MINES,
Charleston,	W.	Va.

Edgar Nelson	Dennis M. Roy
Route 1, Box 79, Wayne, W. Va.	ted) NAME OF WELL OPERATOR 925 Jefferson Avenue Huntington, W. Va.
ADDRESS	COMPLETE ADDRESS
	January 9th 1958
COAL OPERATOR OR COAL OWNER	PROPOSED LOCATION
	Union District
ADDRESS	
Edgar Nelson	Wayne County
OWNER OF MINERAL RIGHTS	No. 1 Son. 82°25' Elev. 640
Route 1, Box 79, Wayne, W. Va. Well	No 02 20 200 . 670
ADDRESS	Edgar Nelson Farm
GENTLEMEN:	
The undersigned well operator is entitled to drill upon oil and gas, having fee title thereto, (or as the case may be)	under grant or lease dated
	dgar Nelson , to
Webster Myers, assigned to Dennis M. Ro	, and recorded on theday
to be drilled for oil and gas by the undersigned well operator and County above named, determined by survey and courses land marks. The undersigned well operator is informed and believes of coal beneath said farm or tract of land on which said well aries of the same, who have mapped their workings and filed coal operators or coal owners (if any) above named as address. The above named coal operators or coal owners (if any) desire to make to such proposed location, or which they are rethe drilling of a well at said proposed location will cause a dar coal mines, must be received by, or filed with the Department of a copy of this notice and accompanying plat by said Department that forms for use in making such objections will be furnished on request and that all such objections must set forth as definit grounds on which such objections are based and indicate the direct be moved to overcome same. (The next paragraph is to be completed only in Department)	there are no coal operators operating beds is located, or within 500 feet of the bound-their maps as required by law, excepting the sees. are notified that any objections they may quired to make by Section 3 of said Code, if agerous condition in or about their respective Mines within ten* days from the receipt of the sees. It is a coal operators are further notified to them by the Department of Mines promptly the set of the section and distance the proposed location should be the set of the section and distance the proposed location should be set of the set of the section and distance the proposed location should be set of the section and distance the proposed location should be set of the section and distance the proposed location should be set of the section and distance the proposed location should be set of the section and distance the proposed location should be set of the section and distance the proposed location should be set of the section and distance the proposed location should be set of the section and distance the proposed location should be set of the section and distance the proposed location should be set of the section and distance the proposed location should be set of the section and distance the proposed location should be set of the section and the se
Copies of this notice and the enclosed plat were mailed	
named coal operators or coal owners at their above shown re- or on the same day with the mailing or delivery of this cop- West Virginia.	spective addressday before by to the Department of Mines at Charleston
Very truly you	
00202122232	Dennis M. Roy
Who was	925 Jefferson Avenue,
RECEIVED Well Operator West VIRGINIA DEPT. OF MINES	STREET
Well Operator	Huntington,
DEPT. OF IRGINIA	CITY OR TOWN 08/18/2023
MINES	West Virginia.
	STATE



STATE OF WEST VINCIMIA

DEFARTMENT OF MINES

OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

	Charleston, W. Va.
Dennis M. Roy	Edgar Welson
operated) wave or wall previous	How with the cost owner (coal not
Huntington, W. Va.	Route 1, Box 79, Wayne, W. Và.
January 9th 1958	
PROPOSED LOCATION	COAL OPERATOR OR COAL DWNER
Union District	
	ADDINECT
Vay ne County	Edgar Welson
Well No. 1 - She 82'25 Ebu. 640	Route 1, Box 79, Wayne, V. Va.
Edgar Helson Farm	ADDREES
AMARIA N	
for bast to many beman synde out many lin	The undersigned well apprator is entitled to d
	oil and gas, having fee title thereto, (or as the case o
	, made h
M. NOV and recorded on the day	Webster Myers, assigned to Dennis
a the office of the County Clerk for said County in	ri _e to
	Brok 47 page
courses and distances from two permanent points, or	to be drilled for off and gas by the undersigned well of and County above named, determined by survey and land marks.
and filed their maps as required by law, excepting the	The understand well operator is informed and of coal beneath said tarm or tract of land on which arise of the same, who have mapped their workings coal operators or coal owners (if any) above named a
if any) are notified that any objections they may are required to make by Section 5 of said Code, if the advances condition to or about their respective ment of Mines within ten days from the receipt of Separtment. Said coal operators are further notified furnished to them by the Department of Mines promptly as is reasonably possible the ground or	
in Department's copy.)	(The next paragraph is to be completed only
mailed by registered meil, or delivered to the above	Copies of this notice and the enclosed plat were
this copy to the trepartment of Auros at Challeston	named coal operators or coal owners at their shows a or on the same day with the malling or delivery of West Virginia.
iraly yours,	Very
Bennis M. Roy	
925 Jefferson Avenue,	
TABLES CO. C.	(swebbA
Huntington,	
HWOT NO YELD	08/18/202
Vest virginia.	No. of the last of

-1772 PERMIT NUMBER

To The Department of Mines,

PLEAS	E FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S) (Additional charges required for these services)
	Show to whom, date and address Deliver ONLY to addressee
	RECEIPT Received the numbered article described below
8/20 CERTIFIED NO.	SIGNATURE OR NAME OF ADDRESSEE (Must always be filled in) SIGNATURE OF ADDRESSEE'S AGENT, IF ANY
DATE DELIVERED	D. SHOW WHERE DELIVERED (Only if requested, and include ZIP Code)
2/	

Formation	Color	Hard or Soft	Top //	Bottom	Oil, Gas or Water	Depth Found	Remarks
1.1.			1287	1445			
Beg lime Sand			1445	1435			
Sand			1455	1520			
Bronen 6	and		1520	1530		2000	
slate &	hell		1530	1540		dions	No.
Sand						100	
Slate + s	sheel		1546				
Deare.				2080			
Coffee shu	ele			2090			
Coffee shu Berea 9 slate & s	ut		2090				
slate & s	hele		2130	2150			•
soul	The state of the s		2150	2/70			
alute V SI	reel		2170	2208			
Bloch Si	hale		2208	22/9			
DOMA 15	hell		2214	2270			
Shale			2290	2455			
Shale Bray St	ate		2435	2729			
Brown	Shale-		26	2739			
			2729				
Gray St	rale		2739	2929			
Brown	Shale	Elevit-es	2929	3/09		The first	
Seate				10,800			
Sew	10	2	3/09	3150			enter Ea
Brown	Sha		310	3804			
Confer	Maria Carlos Carlos Albanos de Carlos de Carlo	100	3152	-all cats/s			
			380 y				
Sand			3841	3872			
Slate						100000	
ni otaver uskogs en	yadan ne			Pays			
				8.6			
		COMPACT AND				A COLOR	
			10 A.A.	Te Tra		1 98	
			mer 2 2				
		The state of the s	1 of Mary Control	JEDUS STORY WA		# (3) - P	
						08/1	8/2023
144	11/1/2		METI	RECOR)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1124

APPROVED By Partner (Title)



DEPARTMENT OF MINES OIL AND GAS DIVISION //

WELL RECORD

Permit No.	4-1072	L 2	WELL	RECORL	,	Oil or Ga	as Well Bas
Company 700 Address 925	Jeffe	son ar	Company	Casing and	Used in Drilling	Left in Well	Packers
Farm Edga Location (waters Well No.) 13eg	auen	Hev. 440	Size 16	20'	20	Kind of Packer
District The surface of tr	eact is owned in	County	gne	10	250	250	Size of
Mineral rights an	re owned by	Edgar 1 Address	Telson	6% 5 3/16	2231	2231	Depth set
Drilling commend Drilling complete Date Shot	ed ma	1 26, 19 1 3804 To	58	2Liners Used	120 -	53/16	Perf. bottom Perf. top
With /000	110	ercules q	Powder				Perf. bottom
Volume 30		7/	Inch Cu. Ft.	CASING CEM	ENTED	SIZEN	No. FtDate
Rock PressureOilFresh water	21	lbs. 34	hrs. bbls., 1st 24 hrs. feet	COAL WAS E	NCOUNTERED		FEET INCHES
Salt water		feet	feet	FEE	TINCI	HESI	FEETINCHES
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
				7 1			

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
Surface	()		0	21	G. Marine Marine		
Slate			260	300			
Sand			300	32/	1		
Slate	7 2/4		321	470	1958	,	
Saml			470	480	1 Const	47	
Slate	and,		480	700	J.	1	
Broken &	ergo.		700	820	Jense Double		
Sand Brown &	and			950	6		
Sand	323		840				
Brown sa	ms		200	970			
Sand			950	1037			
Vand (and	4	3 3 1/3	170	**	e italise de la la	
Settling S	Nets-		10.37	1170			
Sand			1170				
Red form	1-		1185	1190		18910115	13747
Liney San	V-			1749		45 7108h	8/2023
Shell	-1		1190			CE.	(D)
slate of She	el		1247	1283	100	RECEIVED WEST VIE	MINES
Lette Lim	C		1283	1287	100	26272829	D.W. C.
Slate		5872	1285		AN LONG	nions:	

They Had there permet muser Paced and Couldent INSPECTOR'S WELL REPORT

Permit Nollay 1872	<u></u>			Oil or	Gas Well
Company Denn	An	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS
011	1.104 11112	Size			Line I (mark) March
Address Humen	melian	16		BOSS TO	Kind of Packer
arm Engel	Mary C	13	/ 5134		11817 8017 89
Vell No.	ROUTION LOUATION RECOVER	10	257		Size of
District_Buller	County Waynu	81/4	1188		
Prilling commenced	1/38/3/8	6%	2231		Depth set
orilling completed	Total depth	5 3/16			
		3			Perf. top
Pate shot		Liners Used			Perf. bottom Perf. top
nitial open flow	/10ths Water inInch	Differs Oseu			Perf. bottom
pen flow after tubing	/10ths Merc. inInch				
/olume	Cu. Ft.	CASING CEMI	ENTED	SIZE	No. FTDat
lock pressure	lbshrs.				11 18 1920 E
Dil.	bbls., 1st 24 hrs.	COAL WAS E	NCOUNTERED	AT	MAY 1958 CHE
					RECEIVED
	feetfeet		INCF		DEPT. OF MINES
alt water / 0 3)	feetfeet	FEET	INCH	IES	FEFF
Orillers' Names	MOHIE	TO I	Jame	2 9	Pesty
C _r					
Remarks:	illing at 3	3710			
the Salt	water filled	up to	175 af	topo	of Hole
		na Bow avoga		an a large de	
_ / /			1		The state of

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No.					We	II No	
COMPANY	**		ADD	PRESS			Poimit No.
FARM	HITTEL HELD		CT		OUNTY		
PARM.					301111		Zmaganos)
Filling Material Used			- 22				egothi A
Liner Lo	cation	Amour	nt OI	Packer	Location	1 -	
PLUGS USED A	AND DEPTH PLACED		P1 21	BRIDGES	CASIN	IG AND T	UBING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONST	RUCTION-LOCATION	RECOVERED	SIZE	LOST
			378	- Trayini	p(1)		toloigitl
· · · · · · · · · · · · · · · · · · ·				30	- ()	beaust	mos gaillist
Feet top			06.2	sites in	1 2	L_baal	mos gaitifiq
mioline 3ms f			0				Date shot
Feff, top			SEU monet	decl	01\	WS	Initial open I
Perf. bottom				ns Mere, in	1011	enidni te	Is well sego
ate() = 5 TH oV	1877	CATWANA	S SIZIZIO	PE WO			Valitano
(C. 15) BY (1) (C. 15)					The state of the s		**************************************
A Company and Company							10110101010101
GEVISORY SI							
Drillers' Names	-						
Diffiers Names	1, 1 B) H) W)			1996 L	2.199 <u></u>	a en en al a rendant	1/10 / B/W (10/1)
Remarks:	A 385 9		沙 瓦			P91	
	I hereby certify I	visited the a	above well or	this date.			
DATE					4.43		

DEPARTMENT OF MINES





111 011	MY1P	CIORS	PLUGGING REPO	EPT. OF				
Permit No. W W	-10121		Well No.					
COMPANY Web	ster and	yers	ADDRESS_/\duli	ling !	an,	200		
FARM Holen	Belche	1 DISTRICT	Musi o	OUNTY 4	ay	no		
Filling Material Used	Clay	SI	one Cours	w				
Liner L	ocation	Amount	Packer	Location		nga w		
PLUGS USED	AND DEPTH PLACED		BRIDGES	CASIN	CASING AND TUBING			
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST		
		1 1 1 1 1		3				
			e e		726 8 727 8 8	2.3.0		
			a control of the cont		- 17.00 ,			
			with the second			4 6 2 2		
		1 × 100	· · · · · · · · · · · · · · · · · · ·					
		1 1 1 1 1 1	p Prof					
** 9e								
			The state of the s			,		
rillers' Names	and H	ile 1						
Po of	els							
emarks:	e to s	bull	7 - pipe					

I hereby certify I visited the above well on this date.

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S WELL REPORT

Permit No.	1 culia		Misti	Oil or	Gas Well	
Company	ilları	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKER	s
Address	A Comment	Size	1			+
Farm		16		egge skip syr	Kind of Packer	
Well No		10			Size of	
District	County	81/4		e northwood and a	and the territory of	
Drilling commenced					Depth set	
Drilling completed	Total depth	5 3/16 3			Perf. top	
Date shot	Depth of shot	2			Perf. bottom_	
Initial open flow	/10ths Water inInch	Liners Used			Perf. top	
Open flow after tubing	/10ths Merc. inInch	-			Peri. bottom_	
Volume	Cu. Ft.	CASING CEME	NTED	SIZE	No. FT	Date
Rock pressure	lbshrs.	NAME OF SE	RVICE COMPA	ANY		
Oil	bbls., 1st 24 hrs.	COAL WAS E	NCOUNTERED	AT	_FEET	INCHES
Fresh water	feetfeet	FEET.	INC	HES	_FEET	INCHES
Salt water	feetfeet	FEET	INC	HES	_FEET	INCHES
Drillers' Names	7. 3		N.			
			2 37 3		151 /4.	
Remarks:						

PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

Pull 3"TBbing 3851"

fill hole from 3851 to 3300 with. Stone and Clay

Put in Bridge at 3300' in Corniferous Lime Put 10' of Cement on Bridge

Bridge hole at 2229 tt 20' below 7" Casing Put in 10' of cement on top of Bridge. 10'01 Stone on Cement

Pull 7" Casing 22091

-10' Stene

Put in Bridge at XXXX 1307' 20' in Big Lime put 10' of Ce, emt on top of Bridge;

Set a bridge at 235' put in 10' of Cement on Bridge

Bridge hole at 100 Put 10' of cement on Bridge and fill hole with mud and clay to 3'

Fill hole with cement/0' to 30" above surface--Markings on top of Cement Well Nol Helen Nelsonabn-- Date--

To the Department of Mines Coal Owner or Operator, Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date inspector is notified after permit is issued.

Very truly years, Mull Cuper

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby apartment of Mines to the manner herein described for the plugging and filling of the well above mentioned.

lst. day of <u>June</u> 19 73


DEPARTMENT OF MINES
Oil and Gas Division

The state of

NOTE: This "work order" shall be filed in triplicate, one copy for the files of the Department of Mines; one to be approved or corrected and returned to the well operator as his authority for plugging said well; and one for the well inspector.

MATHEWS PRINTING AND LITHOGRAPHIN







OIL & GAS DIVISION DEPT. OF MINES

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

Coal Operator Address May Coal Owner WE Union Address Wayne Lease or Property Owner Well No. Address Wayne The undersigned well operator is about to abandon the above the work of plugging and abandoning said well on the date inspends the less than five days after the day on which this notice so should be received by the Department of Mines). This notice is given you in order that your respective repreplugging and filling of said well. You are further notified that we represented the undersigned will proceed on that date, or short well in the manner required by Section 10, Article 4, Chapter 22 the reverse side of this notice, in "Work Order." This notice is being mailed by registered mail to each of yabove date. Very tree	well Could have been drilled ame of Dennis Roy. Well was leted about 5/28/58
Coal Operator Address May Coal Owner WH Union Address Wayne Lease or Property Owner Well No. Address Inspector to be notified Kenneth Butcher City Gentlemen:— The undersigned well operator is about to abandon the above the work of plugging and abandoning said well on the date inspent be less than five days after the day on which this notice so should be received by the Department of Mines). This notice is given you in order that your respective repreplugging and filling of said well. You are further notified that represented the undersigned will proceed on that date, or short well in the manner required by Section 10, Article 4, Chapter 22 the reverse side of this notice, in "Work Order." This notice is being mailed by registered mail to each of years above date. Very true webster NOTE: Upon the abandonment of any well drilled prior to Ju registered engineer, shall be filed with THREE COPIES OF "WORK ORDER" AND TWO COPIES OF THE WELL REC show the district and county in which the tract of land is locate the name or names of the owners and names of adjacent tracts abandoned, determined by survey with the courses and distancent points or landmarks on said tract. NOTE: In case plugging is not commenced within four mon	Myers (Terry Dale Gas Co.)
Coal Owner WH Union Lease or Property Owner Well No. Address Wayne Lease or Property Owner Well No. Modess (Was Harry Inspector to be notified Kenneth Butcher City Gentlemen:— The undersigned well operator is about to abandon the above the work of plugging and abandoning said well on the date inspents be less than five days after the day on which this notice so should be received by the Department of Mines). This notice is given you in order that your respective repre plugging and filling of said well. You are further notified that a represented the undersigned will proceed on that date, or short well in the manner required by Section 10, Article 4, Chapter 22 the reverse side of this notice, in "Work Order." This notice is being mailed by registered mail to each of y above date. Very true Webster NOTE: Upon the abandonment of any well drilled prior to Ju registered engineer, shall be filed with THREE COPIES OF "WORK ORDER" AND TWO COPIES OF THE WELL REG show the district and county in which the tract of land is located the name or names of the owners and names of adjacent tracts abandoned, determined by survey with the courses and distancent points or landmarks on said tract. NOTE: In case plugging is not commenced within four mon	Name of Well Operator
Coal Owner WE Union Address Wayne Lease or Property Owner Well No. Address (Was Harry Inspector to be notified Kenneth Butcher City Gentlemen:— The undersigned well operator is about to abandon the above the work of plugging and abandoning said well on the date inspends be less than five days after the day on which this notice so should be received by the Department of Mines). This notice is given you in order that your respective repreplugging and filling of said well. You are further notified that represented the undersigned will proceed on that date, or short well in the manner required by Section 10, Article 4, Chapter 22 the reverse side of this notice, in "Work Order." This notice is being mailed by registered mail to each of y above date. Very true Webster NOTE: Upon the abandonment of any well drilled prior to Juregistered engineer, shall be filed with THREE COPIES OF "WORK ORDER" AND TWO COPIES OF THE WELL REC show the district and county in which the tract of land is located the name or names of the owners and names of adjacent tracts abandoned, determined by survey with the courses and distancent points or landmarks on said tract. NOTE: In case plugging is not commenced within four mon	Complete Address
Lease or Property Owner Lease or Property Owner Well No. Address Inspector to be notified Kenneth Butcher City Gentlemen:— The undersigned well operator is about to abandon the above the work of plugging and abandoning said well on the date inspent be less than five days after the day on which this notice so should be received by the Department of Mines). This notice is given you in order that your respective repre plugging and filling of said well. You are further notified that a represented the undersigned will proceed on that date, or short well in the manner required by Section 10, Article 4, Chapter 22 the reverse side of this notice, in "Work Order." This notice is being mailed by registered mail to each of y above date. Very true Webster NOTE: Upon the abandonment of any well drilled prior to Ju registered engineer, shall be filed with THREE COPIES OF "WORK ORDER" AND TWO COPIES OF THE WELL REC show the district and county in which the tract of land is locate the name or names of the owners and names of adjacent tracts abandoned, determined by survey with the courses and distancent points or landmarks on said tract. NOTE: In case plugging is not commenced within four mon	Date
Lease or Property Owner Well No. Address Inspector to be notified Kenneth Butcher City Gentlemen:— The undersigned well operator is about to abandon the above the work of plugging and abandoning said well on the date inspent to be less than five days after the day on which this notice so should be received by the Department of Mines). This notice is given you in order that your respective repre plugging and filling of said well. You are further notified that vrepresented the undersigned will proceed on that date, or short well in the manner required by Section 10, Article 4, Chapter 22 the reverse side of this notice, in "Work Order." This notice is being mailed by registered mail to each of yabove date. Very true webster NOTE: Upon the abandonment of any well drilled prior to Jurgistered engineer, shall be filed with THREE COPIES OF "WORK ORDER" AND TWO COPIES OF THE WELL REC show the district and county in which the tract of land is locate the name or names of the owners and names of adjacent tracts abandoned, determined by survey with the courses and distancent points or landmarks on said tract. NOTE: In case plugging is not commenced within four mon	ELL TO BE ABANDONED District
Inspector to be notified Kenneth Butcher City Gentlemen:— The undersigned well operator is about to abandon the above the work of plugging and abandoning said well on the date inspend be less than five days after the day on which this notice so should be received by the Department of Mines). This notice is given you in order that your respective repre plugging and filling of said well. You are further notified that represented the undersigned will proceed on that date, or short well in the manner required by Section 10, Article 4, Chapter 22 the reverse side of this notice, in "Work Order." This notice is being mailed by registered mail to each of y above date. Very true Webster NOTE: Upon the abandonment of any well drilled prior to Ju registered engineer, shall be filed with THREE COPIES OF "WORK ORDER" AND TWO COPIES OF THE WELL REGISTANCE and county in which the tract of land is locate the name or names of the owners and names of adjacent tracts abandoned, determined by survey with the courses and distance ent points or landmarks on said tract. NOTE: In case plugging is not commenced within four mon	eCounty
Inspector to be notified Kenneth Butcher City Gentlemen:— The undersigned well operator is about to abandon the above the work of plugging and abandoning said well on the date inspends be less than five days after the day on which this notice so should be received by the Department of Mines). This notice is given you in order that your respective repreplugging and filling of said well. You are further notified that represented the undersigned will proceed on that date, or short well in the manner required by Section 10, Article 4, Chapter 22 the reverse side of this notice, in "Work Order." This notice is being mailed by registered mail to each of yabove date. Very true well in the abandonment of any well drilled prior to Juregistered engineer, shall be filed with THREE COPIES OF "WORK ORDER" AND TWO COPIES OF THE WELL RECEASION the district and county in which the tract of land is locate the name or names of the owners and names of adjacent tracts abandoned, determined by survey with the courses and distancent points or landmarks on said tract. NOTE: In case plugging is not commenced within four mon	one the about a teach
Inspector to be notified Kenneth Butcher City Gentlemen:— The undersigned well operator is about to abandon the above the work of plugging and abandoning said well on the date inspends be less than five days after the day on which this notice so should be received by the Department of Mines). This notice is given you in order that your respective repreplugging and filling of said well. You are further notified that represented the undersigned will proceed on that date, or short well in the manner required by Section 10, Article 4, Chapter 22 the reverse side of this notice, in "Work Order." This notice is being mailed by registered mail to each of yabove date. Very true well to the abandonment of any well drilled prior to Juregistered engineer, shall be filed with THREE COPIES OF "WORK ORDER" AND TWO COPIES OF THE WELL REG show the district and county in which the tract of land is locate the name or names of the owners and names of adjacent tracts abandoned, determined by survey with the courses and distancent points or landmarks on said tract. NOTE: In case plugging is not commenced within four mon	ow Helen Belcher Ferguson) Farm
the work of plugging and abandoning said well on the date inspendent be less than five days after the day on which this notice so should be received by the Department of Mines). This notice is given you in order that your respective repreplugging and filling of said well. You are further notified that represented the undersigned will proceed on that date, or short well in the manner required by Section 10, Article 4, Chapter 22 the reverse side of this notice, in "Work Order." This notice is being mailed by registered mail to each of yabove date. Very true webster NOTE: Upon the abandonment of any well drilled prior to Ju registered engineer, shall be filed with THREE COPIES OF "WORK ORDER" AND TWO COPIES OF THE WELL REC show the district and county in which the tract of land is locate the name or names of the owners and names of adjacent tracts abandoned, determined by survey with the courses and distancent points or landmarks on said tract. NOTE: In case plugging is not commenced within four mon	
NOTE: Upon the abandonment of any well drilled prior to Juregistered engineer, shall be filed with THREE COPIES OF "WORK ORDER" AND TWO COPIES OF THE WELL REC show the district and county in which the tract of land is locate the name or names of the owners and names of adjacent tracts abandoned, determined by survey with the courses and distancent points or landmarks on said tract. NOTE: In case plugging is not commenced within four mon	sentatives may be present at the whether you are represented or not cly thereafter, to plug and fill said 2 of the Code and given in detail on
NOTE: Upon the abandonment of any well drilled prior to Juregistered engineer, shall be filed with THREE COPIES OF "WORK ORDER" AND TWO COPIES OF THE WELL RECEIVED show the district and county in which the tract of land is located the name or names of the owners and names of adjacent tracts abandoned, determined by survey with the courses and distance ent points or landmarks on said tract. NOTE: In case plugging is not commenced within four mon	aly yours,
registered engineer, shall be filed with THREE COPIES OF "WORK ORDER" AND TWO COPIES OF THE WELL REC show the district and county in which the tract of land is locate the name or names of the owners and names of adjacent tracts abandoned, determined by survey with the courses and distancent points or landmarks on said tract. NOTE: In case plugging is not commenced within four mon	Myers (Terry Dale Gas Compar Well Operator
	APPLICATION, (OG-9) AND CORD, (OG-10). The map must ed, the name and acreage of same, and the location of the well to be ces of such well from two perman- 08/18/2023
NOTE: PERMIT IS NOT TRANSFERABLE.	
BOND PILIC	072-P Permit Number

FORM OG-8

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, ONE COPY MAILED TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE



AFFIDAVIT OF PLUGGING AND FILLING WELL OF MINES

COAL	PERATOR OR OWNER		NAME O	F WELL O	PERATOR	Gas Company
			1614 7th A	ve H	untingto	on, W.Va.25
	ADDRESS			PLETE ADD		
COAL	PPERATOR OR OWNER		July WELL	man alone a gramman	CATION	19
		/	Union		***************************************	District
	ADDRESS	1	Wayne			
LEASE (OR PROPERTY OWNER		way 110			County
***************************************	ADDRING	Well .	No. on			
	ADDRESS		Helen Belc Was Harry		ison)	_
CITI A INTER TAXABLE COMPANY					THE SECTION AND ADD ADD ADD ADD ADD ADD ADD ADD AD	Farm
STATE INSPECTOR	SUPERVISING PLUGGIN	G Kennet	n Butcher		***************************************	
		AFFIDAVIT				
STATE OF WEST						
County of Cabe	ell }	SS:				
Day	vid Bartram	and	Windell	Wall	ace	
being first duly sw	orn according to law	depose and say	that they are	experie	nced in the	work of
well operator, and n	oil and gas wells and vocarticipated in the work	vere employed b	y Webster	Myers	11 43	,
was commenced on	the 67 day of	Hune	10 73	w evod	vell, that s	aid work
and filled in the following	lowing manner:		, 19, and	that th	ne well was	plugged
SAND OR ZONE RECORD	FILLING MA	TERIAL	PLUGS U	CED		
FORMATION						SING
Pulled 3"	Tubing		SIZE & KI	ND	PULLED	LEFT IN
Hole fill	ed with aquagel	1 & mud fro	1 3851 to	3300		
Bridge et	2222 7 1 7 7					
Diluge au	3300 Put 10' o	f Cement on	top of Br	ridee	and IO	of stone
OII Cement		f Cement on	top of Br	ridge		
Bridged h	ole at 2229 Put	f Cement on	top of Br	ridge		
Bridged h	ole at 2229 Put Cement	f Cement on	top of Br	ridge		
Bridged h on top of Pulled 7"	ole at 2229 Put Cement Casing	f Cement on in bridge	top of Brand 10' of	ridge Cem	ent-10'	of stone
Bridged h on top of Pulled 7" Bridged h	ole at 2229 Put Cement Casing ole at 1307 pu	f Cement on in bridge	top of Brand 10' of	ridge Cem	ent-10'	
Bridged h on top of Pulled 7" Bridged h stone on	ole at 2229 Put Cement Casing ole at 1307 pur cement	f Cement on in bridge	top of Brand 10' of	ridge Cem	ent-10'	of stone
Bridged h on top of Pulled 7" Bridged h stone on Bridged h	ole at 2229 Put Cement Casing ole at 1307 pur cement ole at 235 Put	f Cement on in bridge t 10' of Cement 10' of	top of Brand 10' of ent on Brant on bri	cem idge	ent-10' & put :	of stone
Bridged h on top of Pulled 7" Bridged h stone on Bridged h stone on Bridged h	ole at 2229 Put Cement Casing ole at 1307' pur cement ole at 235' Put cement ole at 100' put	in bridge t 10' of Cem	top of Brand 10' of ment on Brand nt on bri	ridge cem	ent-10' & put :	of stone n 10' of in 10' of
Bridged h on top of Pulled 7" Bridged h stone on Bridged h stone on Bridged h	ole at 2229 Put Cement Casing ole at 1307' pur cement ole at 235' Put cement ole at 100' put	in bridge t 10' of Cem	top of Brand 10' of ment on Brand nt on bri	ridge cem	ent-10' & put :	of stone
Bridged h on top of Pulled 7" Bridged h stone on Bridged h stone on Bridged h	ole at 2229 Put Cement Casing ole at 1307 pur cement ole at 235 Put	in bridge t 10' of Cem	top of Brand 10' of ment on Brand nt on bri	ridge cem	ent-10' & put :	of stone n 10' of in 10' of
Bridged h on top of Pulled 7" Bridged h stone on Bridged h stone on Bridged h	ole at 2229 Put Cement Casing ole at 1307' pur cement ole at 235' Put cement ole at 100' put	in bridge t 10' of Cem	top of Brand 10' of ment on Brand nt on bri	ridge cem	ent-10' & put :	of stone n 10' of in 10' of
Bridged h on top of Pulled 7" Bridged h stone on Bridged h stone on Bridged h stone on COAL SEAMS	ole at 2229 Put Cement Casing ole at 1307' pur cement ole at 235' Put cement ole at 100' put	in bridge t 10' of Cem	top of Brand 10' of ent on Brand on bri and clay	cemeridge dge dge to 3	& put :	of stone n 10' of in 10' of
Bridged h on top of Pulled 7" Bridged h stone on Bridged h stone on Bridged h stone on Bridged h	ole at 2229 Put Cement Casing ole at 1307' pur cement ole at 235' Put cement ole at 100' put	in bridge t 10' of Cem	ent on Bri and clay pesc Filled ho.	cemoridge dge dge to 3	ent-10' & put : and put and put of MONUMENT th ceme	of stone In 10' of in 10' of
Bridged h on top of Pulled 7" Bridged h stone on Bridged h stone on Bridged h stone on COAL SEAMS	ole at 2229 Put Cement Casing ole at 1307' pur cement ole at 235' Put cement ole at 100' put	in bridge t 10' of Cem	ent on Brint on briand clay pesce Filled hosabove sur	cemeridge dge a to 3	ent-10' & put : and put and put of MONUMENT th ceme with ce	of stone In 10' of in 10' of 10' of nt 3' of 30 ment inside
Bridged h on top of Pulled 7" Bridged h stone on Bridged h stone on Bridged h stone on COAL SEAMS	ole at 2229 Put Cement Casing ole at 1307' pur cement ole at 235' Put cement ole at 100' put	in bridge t 10' of Cem	ent on Bri and clay nt on bri and clay pesc Filled ho, above sur; of 13" pi	cemoridge dge dge to 3	ent-10' & put : and put and put th ceme with ce rkings	of stone of stone in 10' of in 10' of 10' of nt 3' of 3' ment inside on top of
Bridged h on top of Pulled 7" Bridged h stone on Bridged h stone on Bridged h stone on COAL SEAMS	ole at 2229 Put Cement Casing ole at 1307' pur cement ole at 235' Put cement ole at 100' put cement-Filled ho	in bridge t 10' of Cem 10' of Cem 10' of cem ole with muc	nt on bri and clay pesc Filled ho above sur of 13" pi cement -He	cemoridge dge dge to RIPTION le wi face pe-Ma	ent-10' & put : and put and put th ceme with ce rkings	of stone of stone in 10' of in 10' of 10' of nt 3' of 3' ment inside on top of
Bridged h on top of Pulled 7" Bridged h stone on Bridged h stone on Bridged h stone on COAL SEAMS	ole at 2229 Put Cement Casing ole at 1307' pur cement ole at 235' Put cement ole at 100' put cement-Filled ho	in bridge t 10' of Cem 10' of Cem 10' of cem ole with muc	nt on bri and clay pesc Filled ho above sur of 13" pi cement -He	cemoridge dge dge to RIPTION le wi face pe-Ma	ent-10' & put : and put and put th ceme with ce rkings Nelson	of stone of stone of stone of 10' of in 10' of 10' of nt 3' of 30 ment inside on top of No 1 Abn
Bridged h on top of Pulled 7" Bridged h stone on Bridged h stone on Bridged h stone on COAL SEAMS	ole at 2229 Put Cement Casing ole at 1307' pur cement ole at 235' Put cement ole at 100' put cement-Filled ho	in bridge t 10' of Cem 10' of Cem 10' of cem ole with muc	nt on bri and clay pesc Filled ho above sur of 13" pi cement -He	cemoridge dge dge to RIPTION le wi face pe-Ma	ent-10' & put : and put and put th ceme with ce rkings Nelson	of stone of stone in 10' of in 10' of 10' of nt 3' of 3' ment inside on top of
Bridged h on top of Pulled 7" Bridged h stone on Bridged h stone on Bridged h stone on COAL SEAMS	ole at 2229 Put Cement Casing ole at 1307' pur cement ole at 235' Put cement ole at 100' put cement-Filled ho	in bridge t 10' of Cem 10' of Cem 10' of cem ole with muc	nt on bri and clay pesc Filled ho above sur of 13" pi cement -He	cemoridge dge dge to RIPTION le wi face pe-Ma	ent-10' & put : and put and put th ceme with ce rkings Nelson	of stone of stone of stone of 10' of in 10' of 10' of nt 3' of 30 ment inside on top of No 1 Abn
Bridged h on top of Pulled 7" Bridged h stone on Bridged h stone on Bridged h stone on COAL SEAMS D On And that the work of July And further depond	ole at 2229 Put Cement Casing ole at 1307' pur cement ole at 235' Put cement ole at 100' put cement-Filled ho f plugging and filling , 19 73 hents saith not.	in bridge t 10' of Cem 10' of Cem 10' of cem ole with much	nt on bri and clay pesc Filled ho above sur of 13" pi cement -He	cemoridge dge dge to RIPTION le wi face pe-Ma	ent-10' & put : and put and put th ceme with ce rkings Nelson 1	of stone of stone in 10' of in 10' of 10' of nt 3' of 30 ment inside on top of No 1 Abn day of
Bridged h on top of Pulled 7" Bridged h stone on Bridged h stone on Bridged h stone on COAL SEAMS D On And that the work of July And further depond	ole at 2229 Put Cement Casing ole at 1307' pur cement ole at 235' Put cement ole at 100' put cement-Filled ho	in bridge t 10' of Cem 10' of Cem 10' of cem ole with much	nt on bri and clay nt on bri and clay pesc Filled ho, above sur: of 13" pir cement -He 7/13/73 ompleted on to	cemoridge dge dge to RIPTION le wi face pe-Ma	ent-10' & put : and put and put th ceme with ce rkings Nelson 1 13	of stone of stone in 10' of in 10' of 10' of nt 3' of 30' ment inside on top of No 1 Abn day of
Bridged h on top of Pulled 7" Bridged h stone on Bridged h stone on Bridged h stone on COAL SEAMS TO The stone on the sto	ole at 2229 Put Cement Casing ole at 1307 pur cement ole at 235 Put cement ole at 100 put cement-Filled ho f plugging and filling , 19 73 hents saith not. scribed before me this	in bridge t 10' of Cem 10' of Cem 10' of cem ole with much	nt on bri and clay nt on bri and clay pesc Filled ho, above sur: of 13" pir cement -He 7/13/73 ompleted on to	cemoridge dge dge to RIPTION le wi face pe-Ma	ent-10' & put : and put and put th ceme with ce rkings Nelson 1 13	of stone of stone in 10' of in 10' of 10' of nt 3' of 30 ment inside on top of No 1 Abn day of
Bridged h on top of Pulled 7" Bridged h stone on Bridged h stone on Bridged h stone on COAL SEAMS D On And that the work of July And further depond	ole at 2229 Put Cement Casing ole at 1307 pur cement ole at 235 Put cement ole at 100 put cement-Filled ho f plugging and filling , 19 73 hents saith not. scribed before me this	in bridge t 10' of Cem 10' of Cem 10' of cem ole with much	nt on bri and clay nt on bri and clay pesc Filled ho, above sur: of 13" pir cement -He 7/13/73 ompleted on to	cemoridge dge dge to RIPTION le wi face pe-Ma	ent-10' & put : and put and put th ceme with ce rkings Nelson 1 13	of stone of stone n 10' of in 10' of 10' of 10' of nt 3' of 3 ment inside on top of No 1 Abn day of 3/18/2023

THOMOUNT COME CARRIES AND TO A VACUUM COME TO A VACUUM CARRIES AND THE CARR

TO THE WAR THE POST OF THE WAR THE WAR

V)

Acta in to the country of the countr

ton ni ton a service no tesco on Constant in the constant of t

there no protect of the second of the second

08/18/2023

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION



OIL & GAS DIVISION DEFT. OF MINES

INSPECTOR'S WELL REPORT

10700

Permit No. 41/409 - 10 / 2 /		3 0.00	Oil or	Gas Well	
Company Walster Myers	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS	
Address Alexalington, Wr	/C/ Size		2		
Farm Helen Belcher	16		KT 4.70	Kind of Packer	
Well No.	13			Size of	
District Maray County Mayn	81/4			The state of the s	
Drilling commenced	_ 65%			Depth set	
Drilling completedTotal depth	5 3/16			Perf. top	-
Date shotDepth of shot			X	Perf. bottom	
Initial open flow/10ths Water inInd	h Liners Used			Perf. top	
Open flow after tubing/10ths Merc. inInc	h ====			Perf. bottom	
VolumeCu. F	t. CASING CEME	ENTED	SIZE	No. FT	Date
Rock pressurelbshr	s. NAME OF SE	RVICE COMPA	ANY		
Oilbbls., 1st 24 hr	s. COAL WAS E	NCOUNTERED	AT	FEET	INCHES
Fresh waterfeetfee	et FEET	INCI	HES	FEET	INCHES
Salt waterfeetfee	et FEET	INCI	HES	_FEET	INCHES
Drillers' Names					
Remarks: Final Ms pection	made;	far h	and.	Veleas	3,

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No.	_		915	We	II No.	
COMPANY			ADDRESS		700	
FARM	*	DISTRICT	Sell years	COUNTY	MILLE	
Filling Material Used			to prove		. 1	2.5.5.
ming material Oseu			1	district of		
Liner Lo	cation	Amount	Packer	Location	15. 1	\
PLUGS USED AND DEPTH PLACED		BRIDGES	CASING AND TUBING			
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST
	- L		The sail of the	12	W. Carlot	
			,			
	7					
	1-10-5-11					
						-
2.544						
rillers' Names	40 E					
				STREETS TO THE TOTAL		6.5
emarks:						
		*				
DATE	I hereby certify I v	risited the above	ve well on this date.			

08/18/2023



State of West Virginia

Pepartment of Mines Oil and Gas Pivision Charleston 25305

July 27, 1973

Webster Myers (Terry Dale Gas Co.) 1614 7th. Avenue Huntington, W.Va. 28703

In Re:	Permit No. WAY-1072-P
	Farm Walen Releber
	Well No.
	District
	County WAyne

Gentlemen:

The final inspection report for the well which is described above has been received in this office. Only the column checked below applies.

The bond covering the well designated by the above permit number has been released under your Blanket Bond.

XXXX Please return the enclosed cancelled bond which covered the well designated by the above permit number to the Surety Company who executed said bond in your behalf, in order that they may give you credit on their records.

Very truly yours,

Deputy Director
Oil and Gas Division

RLD/cc

Enclosure:

1 Bond

