

FORM OG 1

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

To The Department of Mines,	
Charleston, W. Va.	Care a 10'01 a
	Jokens Bros Dullery Co.,
COAL OPERATOR OR COAL OWNER	NAME OF WELL OPERATOR
	2363- Morel Oak Huntinglen,
ADDRESS	Complete Address
	April 23, 1958
COAL OPERATOR OR COAL OWNER	PROPOSED LOCATION
ADDRESS	Butler District
Il all +	W.
Herron Chustian	County
DO THE HIGHES	Well No. / Eles. 777.0
ADDRESS	11 00.0.
	Hermon Christian Farm
GENTLEMEN:	
	drill upon the above named farm or tract of land for
oil and gas, having fee title thereto, (or as the cas	se may be under grant or lease dated
September 21, 173 mad	leby Hermon Christian, to
tidkers Bros Dulling	Co, and recorded on the day
	, in the office of the County Clerk for said County in
Book, page	
to be drilled for oil and gas by the undersigned well	nt engineer and shows the proposed location of a well operator on the farm and in the Magisterial District d courses and distances from two permanent points, or
aries of the same, who have mapped their working coal operators or coal owners (if any) above named	d believes there are no coal operators operating beds said well is located, or within 500 feet of the bounders and filed their maps as required by law, excepting the as addressees.
The above named coal operators or coal owners desire to make to such proposed location, or which the drilling of a well at said proposed location will coal mines, must be received by, or filed with the Depa copy of this notice and accompanying plat by said that forms for use in making such objections will be on request and that all such objections must set forth	(if any) are notified that any objections they may hey are required to make by Section 3 of said Code, if ause a dangerous condition in or about their respective artment of Mines within ten* days from the receipt of Department. Said coal operators are further notified be furnished to them by the Department of Mines promptly as definitely as is reasonably possible the ground or the direction and distance the proposed location should
(The next paragraph is to be completed onl	y in Department's copy.)
Copies of this notice and the enclosed plat wer	e mailed by registered mail, or delivered to the above
named coal operators or coal owners at their above	shown respective addressday before, of this copy to the Department of Mines at Charleston,
Very	truly yours,
27.73.24.25.26.27.3	alpens Bros. Vulling C
A CASA	NO WELL OPERATOR
APR 1958 Address	DO J-Monel Sork
RECEIVED of Well Operator	H T'Y STREET
RECEIVED Address of Well Operator DEPT. OF MINES	Of CITY OR TOWN 08/18/2023
EL	00,10,2020
C/110168 P.	STATE

*Section 3.... If no such objections be filed or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

MATHEWS PRINTING AND LITHOGRAPHING CO. CHARLESTON, W. VA.

WAY-1086 PERMIT NUMBER

April 26, 1958

way-1086

Mr. Ivan T. Henson, Inspector Oil & Gas Wells 331 Elaine Court Huntington, West Virginia

Dear Mr. Henson:

Adkins Brothers are drilling on Herman Christian Farm, Butler District, Wayne County and are supposed to be down more than 100 feet.

Application for permit did not come in until last Friday on 25th.

Will you see them about this?

Very truly yours,

Assistant Director
OIL AND GAS DIVISION

MG/dm

cc Mr. G. H. Samples, Inspector at Large



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES

OIL AND GAS DIVISION 15

Quadrangle Wayne N. W.

Permit No. WAY-1086

WELL RECORD

Oil or Gas Well Gas

				(KIND)
Company Adkins Drilling Co., Address 3303 Monel Park, Huntington, W Farm Herman Christian Acres 53		Used in Drilling	Left in Well	Packers
Location (waters)	Size			
Well No. 1 Elev.777.01	16			Kind of Packer
District Butler County Wayne	13			Combination
The symform of treat is award in fee by Herman Christia	n _{10_3/4}		18	Size of lead and rubber shoe
Fort Gay, W. Va. Address	81/4 7		1585	rubber shoe
Fort Gay, W. Va. Address Mineral rights are owned by Herman Christian Address	65/8 85/8		295-6	Depth set 2050
Address	5 3/16			
Drilling commenced April 23, 1958				Perf. top
Drilling completed May 23, 1958				Perf. bottom
Date Shot May 24 From 2025 To 2043				Perf. top
	Liliers Used			
With 2001b. powder Open Flow 38/10ths Water in 2 Inch			·	Perf. bottom
				Tr.
/10ths Merc. inInch	CASING CEM	ENTED	_SIZE	No. FtDate
Volume 260 thousand Cu. Ft.				
Rock Pressure 625 lbs. hrs.	COAL WAS E	NCOUNTERE	D AT	FEETINCHES
Oilbbls., 1st 24 hrs.			CHES	FEET INCHES
WELL ACIDIZED				
	FEE	ΓIN	CHES	FEETINCHES

WELL FRACTURED_

RESULT AFTER TREATMENT_

ROCK PRESSURE AFTER TREATMENT_

Fresh WaterFeetSalt Water	resh Water	Feet	Salt Water	F	Feet_
---------------------------	------------	------	------------	---	-------

Formation	Color	Hard or	Тор	Bottom	Oil, Gas or Water	Depth	Remarks
Formation	Color	Soft	ТОР	Dottom	or Water		
Surface Sand Rock Slate Red Rock Sand Slate Sand Slate Sand Slate Sand Slate Sand Slate Sand Slate Sand	100	CI222320252 JUL 1958 ECEIVED WEST VIRGINIA DEPT. OF MINES DEPT. OF MINES	0 5 8 42 72 82 220 290 315 340 490 600 720 800	5 8 42 72 82 220 290 315 340 490 600 720 800 812	Water	230	3bbls. per
Sand (sal Slate Maxon Slate Little Li Slate Big Lime Injun San Slate Sand Water San Slate and Lime Shel Slate and Lime shel Slate she	me (Sand		812 1118 1130 1187 1191 1219 1225 1398 1427 1432 1502 1540 1582 1594 1950 1962	1118 1130 1187 1191 1219 1225 1398 1427 1432 1502 1540 1582 1594 1950 1962 2000	Water	886 Hol	8/2023

(over)

Formation	Color	Hard or Soft	Top /5-	Bottom	Oil, Gas or Water	Depth Found	Remarks
Coffee Brear Grit Lime Shell	sbells		2000 2023 2043	2023 2043 2050		10 7 7 4	
slate Send Partor Sen Slate and		FOTAL Depth	1404	1040 1040 2050 2050		(63)	
Livele Li Slave Big Dime In un San	o (Send	2)	1187 1191 1819 1885 1886	1191, 1219 1225 1298			
Slate Slate Slate Waxon!	919. () *)		TI20 TITE ATS	1110 1110 1150	The Marion	1882-10	re angresser.
Slate Sand Slate Sand Slate Slate	The state of the s		200 200 51.5 540 490 600 720	290 515 540 490 600 720			
Surface Sand Rock Slate Hed Rock Sand Slate Sand		(V 553339)	200 200 200 200 200 200 200 200 200 200	5 8 4.22 7.2 82 82 82	Mater	250	Subla, per 1
Enrichting.		Hard on Soft	Top	Aucton	or water	Lunth	Kurnstke
HALL FRA ST.	DEVENE	Lew Lots and	A .	Maria Waler			
Sok Presence	2000		- PPH (151 S1 PI -	toye a rea	INCOUNTRICED	12 (136) 122 (136) 13. (136)	La La Chen
Value 860	stock Arter their liters thousand 685	u s	(201) 7 - \$20(4)	CASING CER	174817	itto X	uper part
Druhha, sanjaren V Dehlia, sanjalen Pere Brootzale	April May 20 7 21,	22, 1958 , 1953 , 2025 F	2045	1 care pred	TOOK AND	20 8 84	DOLLARS TO THE STATE OF THE STA
Will No. 1 Discret Butle The applace of the SORT Gay,	W. Va.	Horn Admin Ch	o an Ohristi Fistian	2/4 2/4 88/8		18 1595 295-5	
Firm Herma	kina Dri 03 konol n Christ		reington,	r. va.	Designage Considerate	AND DESCRIPTION OF THE PERSON	Carlo and Carlo
Preminate of WA	7-1086		MEIT	BECORD		08/	8/2023

Date July 18,

APPROVED alkin Ottling Co.

By Ohlin Odlking (Title) Parties

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No. Way-102		Well No					
1/W sad to	hO.	1					Told tem
OMPANY			ADDRESS	3			
ARM	HTTHE SEC	DISTRIC	OT	(COUNTY		
illing Material Used							Yelkon
ing Material Oseu							S. Francis
ner Loc	cation	Amount		Packer	Location		Diff.
PLUGS USED A	ND DEPTH PLACED		BRI	DGES	CASIN	G AND TU	BING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCT	ION-LOCATION	RECOVERED	SIZE	LOST
			N 9	- A	wd0		
- / 3	4 +	0	6-	12 11	- //	111	1
u Wes	nt w	Cia	Buss 1	Dwhn	a u	ell	
on the	Herm	an G	Kristia	n fo	anna	letele	
maked her		1	2	descriptions t	Depti		
U D	- 0	4	0.	t 1	06.0	7	to a substitute
my pe	comiser	- 6	come	00 6	nane	2007	
Jun	the Co	-11	of 3	11/58	a Set	andaž 10.	a won ne
Rennissi	on to	Rus	2 /	/			
LING	77, 09990	MINORALES A	uw trong sab	KO Est Julia			
CYCLUS BULLTARY	Appropriate Control of the Control o	S. H. J.					
rillers' Names							
mers Names							2.19.0 4.6 2.41
marks:							

H/30/58

I hereby certify I visited the above well on this date.

Swan T Henson

DISTRICT WELL INSPECTOR

08/18/2023

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

		CASING AND	USED IN DRILLING	LEFT IN	PACK	ERS MARAN
Company						
Address		Size			terial Used	
Farm		16	A	1,013,030	Kind of Pack	cer
Farm		13		HARRICANA THIRDOMA	(
Well No.		10	182 1851	-30eW	Size of	измар
District	County	81/4				
D ::::		65/8			Depth set	
Drilling commenced	THE STATE OF THE S	5 3/16				
Drilling completed	Total depth	3			Perf. top	
Date shot	Depth of shot	2			Perf. bottom	l
Initial anon flow	/10ths Water inInch	Liners Used			Perf. top	
Initial open now				4-6	Perf. bottom	
Open flow after tubing	/10ths Merc. inInch			1.33		
Volume	Cu. Ft.	CASING CEME	NTED	SIZE	No. FT	Date
Rock pressure	lbs. hrs.					
Oil	bbls., 1st 24 hrs.	COAL WAS EN	NCOUNTERED	AT	_FEET	INCHES
Fresh water	feetfeet	FEET	INCI	HES	FEET	INCHES
Salt water	feetfeet	FEET	INCI	HES	FEET_	INCHES
Drillorg' Names						

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No. WAY-1085 Dulling	ras.		Oil or	Gas Well
Company ad Binn Bros	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS
Address Huntington 2 W	Size			Least Astronals amilia
Farm Herman Christian	16	A	Baltina	Kind of Packer
Well No.	13	10	T PERS DVA	0 18 11 9 2 U / 4
Both and Market Market	81/4	#8 29		Size of
Drilling commenced april 23/1958	65/8	1		Depth set
Diffining confinenced	5 3/16			No.
Drilling completedTotal depth	3			Perf. top
Date shotDepth of shot	2			Perf. bottom
Initial open flow/10ths Water inInch	Liners Used			Perf. top
Open flow after tubing/10ths Merc. inInch				Perf. bottom
VolumeCu. Ft.	CASING CEME	NTED	SIZE	No. FTDate
Rock pressurelbshrs.				
Oilbbls., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT	_FEETINCHES
Fresh water 230 feet feet	FEET	INCH	ES	FEETINCHES
Salt water 885 feet feet	FEET	INCH	ES	FEETINCHES
Drillers' Names Emmett Odke	123 L	7 issu	1) a	deino
Thirty stands				TRUE TO
Remarks:	15 51)		STORY OF THE STORY
Juliary at	13 10			MAY 1958
				RECEIVED WEST VIRGINIA
Line age.	ko jianzenda situ	ENGLY I VIII	a Merchy, co	- 590+0211E
5/13/50		NA	m/A/	128.05.90
DATE	i eraes (legit o erae (legit obra).	Suu	arvi (te	DISTRICT WIT MARRIETTER US/18/2023

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No.					We	II No		
COMPANY	ile N		ADD	RESS		in the second		
FARM	action in the de	DISTRIC	T	C	OUNTY		- Antibina	
Filling Material Used		Harry January	-2-52				a samba	
Liner Loc	cation	Amount		Packer	Location	1/		
PLUGS USED A	ND DEPTH PLACED		11	BRIDGES	CASING AND TUBING			
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONST	RUCTION-LOCATION	RECOVERED	SIZE	LOST	
				2 results and the	ur	#0	Lydenseit.	
- Prophyline			51.0 X		18	10	pos sofficial	
aur trest				National Argely for	793	8%	eos gallesti-	
					dajsti			
907 No94			il stants	And and the War		J.,	arp lade	
Amount of the Commission of th				Noisi ar otali ar	tilon	100 Test	a wat said	
200		100 2 mm p.c.	- Mest-24.7	Approximation of the second			garela Ze	
Drillers' Names								
and the state of the second se		100		1963. - Land State Communication		na ne según ses		
Remarks:								
BURYAM CO								
Rioniv Team								
	I hereby certify I	visited the ab	ove well on	this date.				
DATE								

1 2 3	Latitude 38 ° 15 ′
-1	
	35
-2 V	° %
OKEY BARTRAM	GOLDEN BARTRAM
-3	GOLDEN BARTRAM
W.O. an Ridge	_
PROPOSED LOCATIO	II & NO
HERMAN CHRIST	w 1
53 2	372.265
E.J. FERGUSON SIAN STAN STAN STAN STAN STAN STAN STAN ST	Hickory! Stake, South
State 5 // /3.04 - 561 3.8 Property 583.43 W	76. 8 N 76. W N 821/2°W 314 VI 533 1/4°W - 143 1 308 7 380. 8 185 1 C. B.
Rout = by Cement Culvert 262.1	CHRISTIAN
Not	
NOAH GRIZZI	TE ===
	"
	Green brier
	se no
New Location	
Drill Deeper	H 27, 1958 - W.S. GRAVELY N.B. No. 83 PAGE 38-40
Company ADKINS DRILLING COMPANY	
Address 3303 MONEL PARK, HUNTINGTON, W.VA.	
Farm HERMAN CHRISTIAN	OIL AND GAS DIVISION CHARLESTON
Tract Acres 53 Lease No	WELL LOCATION MAP
Elevation (Spirit Level) 777.01	FILE NO. WAY- 1008/18/2023
Quadrangle WAYNE N.W.	+ Denotes location of well on United States
County WAYNE District BUTLER Engineer J.E. BILLINGSLEY	Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented
Engineer's Registration No	by border lines as shown.
File NoDrawing No	 Denotes one inch spaces on border line of original tracing.
Date APRIL18,1958 Scale 1"= 660'	

KOE 158 IMPERIAL TRACING CLOTH T.M