



STATE OF WEST VIRGINIA

DEPARTMENT OF MINES OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

To THE DEPARTMENT OF MINES, Charleston, W. Va.	
Barney Asbury	OWENS, LIBBEY-OWENS GAS DEPARTMENT
COAL OPERATOR OR COAL OWNER	NAME OF WELL OPERATOR
Wayne, West Virginia	P. O. Box 4158, Charleston 4, W. Va.
ADDRESS	COMPLETE ADDRESS
	September 25,
COAL OPERATOR OR COAL OWNER	PROPOSED LOCATION
	Butler District
ADDRESS	Harma
Same	Wayne County
OWNER OF MINERAL RIGHTS	Well No. 1051 - 4 Son. 82° 30 Eles.
ADDRESS	Barney Asbury "A"
GENTLEMEN:	251- acre tract
The undersigned well operator is entitled to dr	rill upon the above named farm or tract of land for
oil and gas, having-fee-title thereto, (or as the case in	
	y E. D. Bunn & C. W. Osborne to
Owens-Illinois Glass Co. & Libbey-Owens-F	Ford Glass Co., and recorded on the 8th day
of January, 1949 ,in	the office of the County Clerk for said County in
Book 38 , page 309 .	,
of coal beneath said farm or tract of land on which sa aries of the same, who have mapped their workings a	believes there are no coal operators operating beds aid well is located, or within 500 feet of the boundand filed their maps as required by law, excepting the
The above named coal operators or coal owners (if desire to make to such proposed location, or which they the drilling of a well at said proposed location will caus coal mines, must be received by, or filed with the Depart a copy of this notice and accompanying plat by said D that forms for use in making such objections will be fon request and that all such objections must set forth as grounds on which such objections are based and indicate the moved to overcome same.	if any) are notified that any objections they may by are required to make by Section 3 of said Code, if see a dangerous condition in or about their respective timent of Mines within ten* days from the receipt of Department. Said coal operators are further notified furnished to them by the Department of Mines promptly as definitely as is reasonably possible the ground or
/m1 . 1 . 1 1 . 1	in Department's copy.)
(The next paragraph is to be completed only	가득하는 사람들은 경찰에 가지 않는 사람들은 사람들이 되었다. 그 사람들은 사람들은 사람들이 되었다.
Copies of this notice and the enclosed plat were named coal operators or coal owners at their above slor on the same day with the mailing or delivery of	mailed by registered mail, or delivered to the above hown respective address same day before,
Copies of this notice and the enclosed plat were named coal operators or coal owners at their above slor on the same day with the mailing or delivery of West Virginia. Very tr	mailed by registered mail, or delivered to the above hown respective address same day before,
Copies of this notice and the enclosed plat were named coal operators or coal owners at their above slor on the same day with the mailing or delivery of West Virginia. Very tr	mailed by registered mail, or delivered to the above hown respective address same day before, this copy to the Department of Mines at Charleston, ruly yours,
Copies of this notice and the enclosed plat were named coal operators or coal owners at their above slor on the same day with the mailing or delivery of West Virginia. Very tr	mailed by registered mail, or delivered to the above hown respective address same day before, this copy to the Department of Mines at Charleston, ruly yours, OWENS, LIBBEY-OWENS GAS DEPARTMENT WELL OPERATOR
Copies of this notice and the enclosed plat were named coal operators or coal owners at their above slor on the same day with the mailing or delivery of West Virginia.	mailed by registered mail, or delivered to the above hown respective address same day before, this copy to the Department of Mines at Charleston, ruly yours, OWENS, LIBBEY-OWENS GAS DEPARTMENT

*Section 3.... If no such objections be filed or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

1135

WAY-1135 PERMIT NUMBER





	To The Department of Marks.
OWENE, INDEMI-OWENS CAS SELABINEWE	Barney Asbury
F. O. Box 4158, Charleston 4, W. Va.	Wayne, Wost Virginia
September 25, 19 58	
Bubler Disting	
Wayne	
1900 J. 1800 J. County	Strate
Well No IDSI - 4 Coper, 820 30 Med	
Barney Asbury "A" Furn	
ASI ROW TRACE	
reconstruction under grand or lease dates. 12-9-1948	oil and sas, sprangalous electronic memory and
madehy E. D. Bunn & C. V. Caboune	
ens-Ford Glass Co. Sta	Grens-Illinois Glass Co. & Libbey-Ow
	January, 1949
	Book 38 , page 309
retent engineer and shows the proposed lucation of a well well operator on the lurin and in the Magisterial District and courses and distances from two permanent points, or	
and believes there are no roal operators operating beds hich said well is located, or within 500 feet of the bound- kings and filed their maps as required by law, excepting the med as a idressees.	
there it anyl are notified that any objections they may can they are required to make by Section-3 of said Code, if it can a dangerous condition in or about their respective flepartment of Mines within tent days from the receipt of said Department. Said coal operators are in their notified if he formished to them by the Department of Mines promptly corth as, definitely as is reasonably pessible the ground or dieste the direction and distance the proposed toeston should	desire to make to such proposed location, or white drilling of a well at eard proposed location we coal mines, must be received by, or filed with the a copy of this notice and accompanying plat by that forms for use in meking such objections will on request and that all such objections must set for
	(The next paragraph is to be completed
were mailed by registered mail, or delivered to the above	
have shown respective address. Some day Induc-	
Very truly yours,	
OWERS, LIBBEY-OWERS CAS DEPARTMENT	ALTERNATION OF THE STATE OF THE
Ways OPERATOR P. G. BOX 4153	
TSENTS : (20	estina de Carriera
Charleston it,	to the state of the same
	990 H-77 (1997) AMERICAN (1997) 08/18/2023
West Virginia	00/10/2023

October 5, 1958

Owens, Libby-Owens Gas Department P. O. Box 4158 Charleston 4, West Virginia

Att: Mr. A. H. Smith

Dear Sirs:

Please find enclosed permits for drilling the following wells:

Permit No.		Well No.	Farm	District
WAY-1134 WAY-1135		2 - SR-1035 1051 - 4	G. M. Burgess Barney Asbury	
site.	Please	post one cop	y of each perm	it at the well

Very truly yours,

Crawford L. Wilson, Director WEST VIRGINIA DEPARTMENT OF MINES

Assistant Director
OIL AND GAS DIVISION

MG/dm encl:

cc Mr. G. H. Samples, Inspector

Mr. R. C. Tucker, Assistant State Geologist

Formation	Color	Hard or Soft	Top 9	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate	Dark	Soft	714	970	Water leve	1 at 400° at	889*
Salt Sand	White	Soft	970	983	The second second		Marine Help
Sand	Grey	Soft	983	1004			
Slate Sand	Dark Dark	Soft Soft	1004	1024	Rent 8-5/8	casing ab	341 on 300e
Sand	White	Soft	1042	1095	WORDT GO	001, 3-1/2	****
Sand	Grey	Soft	1095	1110	States Avenue	001 3-3/3	2 4
Slate	Grey	Soft	1110	1122			
Slate	Dark	Soft	1122	1126	Maber at	85', I-1/2	8.P.H.
Sand	White	Soft	1126	1269	Water at	30', 1 B.P.	*
Slate Sand	Dark Light	Soft	1269	1275			
Slate	Dark	Soft	1275	1336			45
Sand	Light	Soft	1342	1382	Water leve	1 433' at 13	781
Slate	White	Soft	1382	1398	110002 2010	477 40 17	
Sand	Light	Med.	1398	1452			
Slate	Dark	Soft	1452	1456			
Little Lime	THE PARTY OF THE P	Hard	1456	1473		1,2000 1000	Bon to the second
Slate Big Time	Light White	Soft	1473	11,75		Carry Walley	1600 To 1
Big Lime Slate	White	Hard Soft	1475	1485	1	S HELL S	12 2
Big Lime	White	Hard	1486	1538	Water Jorga	433' at 15	281
Big Lime	White	Hard	1538	1641	Marel Teas	455, at 15	~
Grey Injun	Grey	Med	1641	1827		144765	the state of
Slate	Light	Soft	1827	1830		他的社会	12.007
Shells	Dark	Hard	1830	1835	Water level	433' at 18	341
Slate	Dark	Soft	1835	1836			
Shells Lime Shells	Dark Dark	Hard	1836	1847		100	
Shells	Dark	Hard Hard	1847	1877			
Slate	Grey	Soft	1919	1919			
Lime Shells	Dark	Hard	1978	1986	ot water		
Shells	Dark	Hard	1986	1989	Oil, Gas	Dente	
Sl. & Shls.	Dark	Soft	1989	2139		h 661	
Sl. & Shls.	Light	Soft	2139	2163			
Lime Shells Slate	Light Light	Hard Soft	2163	2171	SLM 2171		
Lime	Light	Hard	2171 2184	2184		-	
Gritty Shell	s Dark	Hard	2191	2197	STM 2107 -	Sand LM2201	
Slate	Light	Soft	2197	2223	DIM 5191 -	pand PMSSOT	
Coffee Shale	Control of the Contro	Soft	2223	2248		772	
Berea	Grey	Hard	2248	2256	Gas 2250, 4	4/10 W 1 =	52 MCF
Slate Lime Shells	Dark Dark	Soft	2256	2257	Gas 2253, 4	8/10 W 2 -	217 MCF
Slate	Dark	Hard Soft	2257	2262	Test 2257,	40/10 W 2 -	198
Lime	Dark	Hard	2262 2264	2264		30/10 W 2 =	172
Shells	Dark	Hard	2268	2274	Tost 2271.	1./20 27 0 -	art seem
				14	SIM 2271 = 5	24/10 W 2 = and LM 2274	194 MCF.
TIS C	el. and ec	Detonite	Total Dep	th 2274	11-17-58	MI 22/4	
11-1	/ & 11-19	\$5#3	5500	Sharen Des	Shot Shells	with 112# G	elatin from
	13=15	139			2248 - 2260.		SO,
	10-8-	P3 / 1	400	1/5	Tamped with	23º pea gr	avel
P	cyne,	M.	Va.	* 5 3/16 3	Test Before	shot: 22/1	0 W 2 = 147 MCF
	The state of the s	While cl	eaning out:	XX 7"	Did not blow	out tamp.	enth sol
		Sen Jacobs H. Commercial Assessment	B care	SE 5/8	4 Mours arte	or bridge dr. 30/10 W 2	= 172 MCF
	act is owned.	THE DAY TO THE DE		16	20 hrs.	20/ TO M 5	154 MCF
marries Bu	iler.	A street W	rAre		30 hrs.		147 MCF
My No to	Minial No.	1051)	1055.20	14	40 hrs.		137 MCF
				Nize .	11-19-58		
Loan Strong	Cingsy Co	17	FIG. 53-		Shot 2nd t	ime with 800	# Detonite
40 to - 5. 0		Charleston	4, W. VE.	· Thurs	Irom 2248	to 2260 (1:	18 P.M.)
Constant Char	, Mandall-	PART OF THE PART O	DVENTACIJAJ	Charles wi	Test before	set for 2 ho	ours
The second second	1 LEBECA	A SHIELD LAVE THE		the state of the state of	Drilled on	t bridge -	W 2 = 137 MCF cleaning out:
Permit No.	187-1135		2 2 20 20 20 20			A 1000 1000 年 1000 1000 1000 1000 1000 1	A CHE DOOR
stinger waters, and	THE WORLD		AMARIA E	Editor or building		08	/18/2023
	Louisa		No. of the last of	No.			200

Date February 2 , 19.59

APPROVED OWENS, LIBBEY-OWENS GAS DEPARTMENT, Owner

By A. H. Smith (Title) Geologist



OIL AND GAS DIVISION Y DEPARTMENT OF MINES STATE OF WEST VIRGINIA

METT BECORD

Oil or Gas Well

SEN

AND DESCRIPTION OF THE PROPERTY OF THE PROPERT	
DELIGITATION THE TANK	
图 30 4 1	
30 10 10 10 10 10 10 10 10 10 10 10 10 10	
THE STATE OF THE PARTY OF THE P	

T99 759 1JOS Dark Siate Ran 8-5/8" casing at 634' on Shoe 789 TIOS Dark Sand 789 Light TE9 1,105 Slate Water at 600', 3-1/2 B.P.H. TE9 pues TOS 1Jos Light T85 625 T25 625 Coal TLS Slate Water at 555;, 1-1/2 B.P.H. SSI Sand SST 203 TJOS Dark Slate 203 005 JJos BISCK Coal 005 7172 JJos White Sand Water at 370', 1/38.P.H. Slate 472 **T98** 1105 MYTE T9E 356 1Jos White Sand 283 1,105 356 Dark Slate 283 573 1Jos Light Sand TJOS 543 233 Slate Dark Sand 233 SIP DEPT. OF MINES TJOS Dark 516 Slate 182 WEST VIRGINIA 185 TIOS Tight LLT Sand RECEIVED 1पहुरा TJOS Sand LLT S9T ST 1Jos नपडिएा STIT Slate 6261 A9A 1Jos ETT BJack Coal Slate ETT 4JOS Tight SET 4 **JJOS** SET 124 Red Red Rock 28293037 IST TJOS TIENT Slate T8 8J 九 1JOS Red Red Rock 7/2 TJOS 79 Hall Slate Sand 179 OT Med. Light OT 0 Surface Oil, Gas or Water Color Remarks Depth Bottom Fresh Water , 370, 510, 555, 690et 688 Salt Water ROCK PRESSURE AFTER TREATMENT RESULT AFTER TREATMENT WELL FRACTURED INCHES FEET INCHES FEET MELL ACIDIZED FEET 36 INCHES 579 FEET INCHES bbls., 1st 24 hrs. -liO COAL WAS ENCOUNTERED AT INCHES Rock Pressure 955 79 M THT CASING CEMENTED Date. /10ths Mere, in-Open Flow /10ths Water in-Perf. bottom. 112# Gel. and 800# Detonite Perf. top. Liners Used Date Shot 11-17 & 11-19 om (2253-2273 Drilling completed. Perf. bottom 85-ST-TT Drilling commenced. Perf. top-3 1/5 35-8-OT 2278 91/89 Mayneral rights are owned by-21617-2161 W. Va. Depth set 117 %9 Mr. Barney Asbury 1838. Lt. 1838.7" Size of x 3-1/2 x 2/2-5 8/5 1/8 789 789 The surface of tract is owned in fee by-TOT Wayne TST County Butter "Oilwell" Comb. W&A Kind of Packer-TO25.24 4 (Serial No. 1051) Location (waters). PZIS Barney Asbury "A" Casing and Tubing Left in Well P. O. Box 4168, Charleston 4, W. Va. Packers Company OMENS' IIBBEK-OMENS GAS DEPARTMENT Quadrangle 205/18/80 SELL-VSW Jimred

(OVer)

969

T99

1Jos

JJos

MYTTE

White

rontsa

01-90

Sand

Slate

472

969

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
						de la Ministra	
						Tel or Tel	
					1/ 64		
				1		the state of	
		+ *				1-1-	
		*				Paris Na P	
	14				Michigan III		
		1 7 1.			man and	TW97W30 90 5	D
						1-21-58 at 2	
					Final ope	a flow:	THE MOR
							Carlot Control of the
				13	"Ollwell"	' tubing mt Comp. Wall Set 2191-219	r suguot
					11-21-58	i tubing of	D271.1 serves
					а и 3	6 Hrs.	TO NOT
					a a S	firs.	168 LT
					Test in l	plin.	33.6 MOF
	Color	Soft.	200	Statement of	ar Water	Dolorp	Not strained.
		12,650		- Sole while	1 2 2 2		
		ELATMENT	Alexander and a second				
	PALEVANE						
	KEP						4
	0			A.A.I.	L INC	E2 LE	INGAH
			obje. The 24 hea	COAL WAR	NOOUNTERED	KJ. 15E	Thomas Thomas
		The	A Cat. Fo				
	Lucks Starc.	9	F 1808	CASING ON	ENTED TO	JANE No.	CAT TO THE PARTY OF THE PARTY O
	furns Maren	D. S.	They			5	A BO DOME
	3000	of Fide		Limers (Teed)		ь ь	1 (00)
	A STATE OF			-			f. Soptom:
		- Autoresia	PRO TOTAL PROPERTY.	2 0 11 2			GOVERNORS OF
	oc vangu na	regreeks		and many		1 to	th act.
	it is comed	o tee by		-50		e e	
at No. 4 (THE RESERVE OF THE PARTY OF THE	(LOSI) Way		430			a of Locker
			1055.2	gue .			
	Asbury "	Charleston	, 4. Va.				
MENS PAR OF		MENS GAS DEP	THE RESERVE OF THE PROPERTY OF	Canadaned Toloug	Designs	LWell	Packers
equit No. We						08/	The same of the sa
			MEEL	MECONE	STATE OF THE PARTY	00	1010000

Date February 2, , 19, 59
APPROVED OWENS, LIBBEY-OWENS GAS DEPARTMENT, Owner

By A. H. Smith (Title) Geologist







DEPARTMENT OF MINES STATE OF WEST VIRGINIA

OIL AND GAS DIVISION

Coursey 2,

Geologist


METT BECOBD

P	
Way-1135	Permit No.
08/18/20	ZJ ZJSun rnanh
Louisa	alonerhand

Final open flow: Berea $6\mu/10 \text{ W L}^{1}_{2} = 1 \mu \text{I MCF}$ Packer. Set 2191-2197. "Oilwell" Comb. Wall & Anchor Ran 3-1/2" tubing at 2274 with 11-51-58 JTT WCE Hrs. 36 JOH 7ST Sh Hrs. 11 11 11 Hrs. 188 WCF 3Te WCE Test in 40 Min. Hard or Soft Oil, Gas or Water dol Formation Color Remarks Depth Bottom Fresh Water-Salt Water--Feet_ ROCK PRESSURE AFTER TREATMENT RESULT AFTER TREATMENT WELL FRACTURED FEET FEET INCHES INCHES MEIL ACIDIZED тыээ — FEET INCHES INCHES _bbls., 1st 24 hrs. _liO COAL WAS ENCOUNTERED AT INCHES FEET -hrs. .sdl_ Rock Pressure. -Cu. Ft. Volume_ CASING CEMENTED -Date No. Ft. SIZE _/10ths Merc. in_ Tuch /10ths Water in-Open Flow Tuch Perf. bottom-Perf. top-Liners Used _mor4__ Date Shot_ Perf. bottom-Drilling completed. 2 Drilling commenced 3 Perf. top-_assarbbA__ 91/89 Depth set Mineral rights are owned by--Radaress-1/8 _lo szi2 The surface of tract is owned in fee by--0I Butler County Wayne 13 Kind of Packer-Well No. 4 (Serial No. 1051) -91 Elev. 1055.24 Size Location (waters)_ Farm Barney Asbury "A" Acres Address P. O. Box 4168, Charleston 4, W. Va. Used in Drilling Casing and Tubing Left in Well Packers Company OWENS, LIBBEY-OWENS CAS DEPARTMENT Oil or Gas Well GAS

DEPT. OF MINES WEST VIRGINIA RECEIVED 6561 844

Shut in 11-21-58 at 2:35 P.M.



			200000000000000000000000000000000000000	Chapter for the State of the St	11/19/9
1.0 API well number: (If not available, leave blank. 14 digits.)	in historica	47-09	9-1135	OIL	& GAS DIVISIO
2.0 Type of determination being sought: (Use the codes found on the front of this form.)		108 NA Category Code			'. OF MIN
3.0 Depth of the deepest completion location: (Only needed if sections 103 or 107 in 2.0 above.)			NA	feet	
4.0 Name, address and code number of applicant: (35 letters per line maximum. If code number not available, leave blank.)	Name P. Street	dustrial Gas O. Box 147. arleston		25325 State Zip Code	009283 Seller Code
5.0 Location of this well: [Complete (a) or (b).] (a) For onshore wells (35 letters maximum for field name.)	NA Field Na Way County			WV State	
(b) For OCS wells:	NA Area Nar	Date of Le	ease: -	NA Block Number NA OCS Lease Number	
(c) Name and identification number of this well: (35 letters and digits maximum.)	В.	Asbury "A"	4-1051		
(d) If code 4 or 5 in 2.0 above, name of the reservoir: (35 letters maximum.)	NA				7
6.0 (a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.)	Name			N/Available	
(b) Date of the contract:			1 2 2 6 Mo. Day	7 3 Yr.	- Sayer Code
(c) Estimated annual production:			.6	MMcf.	A
		(a) Base Price (\$/MMBTU)	(b) Tax	(c) All Other Prices [Indicate (+) or (-).]	(d) Total of (a), (b) and (c)
7.0 Contract price: See Addendum "A" (As of filing date. Complete to 3 decimal places.)		1 2 8 3	0 0 5 1	0 0 0 3	1 3 3 6
8.0 Maximum lawful rate: (As of filing date. Complete to 3 decimal places.)		2.243	0.302	0.0	2.545
9.0 Person responsible for this application:			-		
Agen66/Use Only Date Received by Juris. Agency William C. Charlton Division Couns Title				n Counsel	
FEB 2 8 1979 Date Received by FERC			_ (3	304) 342-8166 Phone Number	

在一次的一个人的人的人们有

FT7900806/2-2

WELL DETERMINATION REPORT OCT 19 PARTICIPANTS: BUYER-SELLER CODE Industrial G WELL OPERATOR: 009283 FIRST PURCHASER: Houdaill OTHER: W. Va. Department of Mines, Oil & Gas Division Qualities as Section 108, striper well. WELL DETERMINATION FILE NUMBER 790228 108 019 1175 Use Above File Number on all Communications Relating to Determination of this Well CHECK EACH ITEM AS COMPLETE OR NOTE WHAT IS MISSING ITEM NO. Items not completed - Line No. illia IV-1 - Agent W IV-2 - Well Permit V IV-6 - Well Plat IV-35- Well Record Drilling Deepening IV-36- Gas-Oil Test: /Gas Only ___ Was Oil Produced? ___ IV-39- Annual Production > years IV-40- 90 day Production Days off Line: 9 IV-48- Application for Certification. Complete?_ Affidavit 10 - 17 IV Form #51 - 52 - 53 - 54 - 55 - (56) - 57 - 58. Complete $\sqrt{}$ Other: Survey_ Geological Charts Structure Map Logs 1:4000 Map Well Tabulations Gas Analyses menced: 10-8-58 (5) 11-15-58 Deepened Production Depth: 27 26 -12 (5) Production Formation: Darea. (5) inal Open Flow (5) m (F (5) Static R.P. 7 (6) Other Gas Test: Avg. Daily Gas from Annual Production: 1.5 Mcf (7) (8) Avg. Daily Gas from 90-day ending w/1-120 days 1.4 Mcf (8) Line Pressure: ____ PSIG from Daily Report (5) Oil Production: From Completion Report ~ 08/18/2023 Does lease inventory indicate enhanced recovery being done: (10-17)(10-17)Is affidavit signed? Notarized? Does official well record with the Department confirm the submitted informat. 12 40 Additional Information _Does computer program confirm?

Was Determination Objecte: to? By Whom?

FORM	IV-	56WC
[12-	781	

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES, OIL AND GAS DIVISION

Date	02/28	19 79
Operator's Well No.	4-1051	
API Well	099	1135
State	County	Permit

WELL CLASSIFICATION FORM

STRIPFER GAS WELL

NGPA Section 108

	DESIGNATED AGENT William C. Charlton
	ADDRESS P. O. Box 1473
	Charleston, WV 25325
WELL OPERATOR Industrial Gas Corporation	
ADDRESS P. O. Box 1473 Charleston, WV 25325 GAS PURCHASER * ADDRESS	Watershed Not Available
	Dist. Butler County Wayne Quad. Louisa
	Gas Purchase Contract No.*
	Meter Chart Code R0423
	Date of Contract *
	*See FERC-121 - Addendum "A"

Provide a complete inventory of the lease and production equipment used for the well for the previous 24 months or, if less than 24 months, the period the well has been in production. Include a complete list of equipment or processes used in connection with recognized enhanced recovery techniques during completion or production. (Attach separate sheets, if necessary.)

(See Attachment)

List all records reasonably available to you which contain information relevant to a determination of eligibility (including production records, B&O Tax Records and royalty payment records) and indicate the location of such records:

All records required to determine production by meter stations are maintained in Charleston, West Virginia.

B&O Tax Records are located in Charleston, West Virginia, our Boston, Massachusetts office and the Houston, Texas office.

Royalty payment instructions are located in Charleston, West Virginia office and Houston, Texas office.

FORM IV-56WC (Reverse) [12-78]

Describe the search made of any records listed above:

I have made a diligent search of the production records located in Charleston, West Virginia. They were the records utilized in making the determination herein.

Are you aware of any other information which would tend to be inconsistent with the information specified above? Yes No X. If yes, indicate the type and source of the information.

AFFIDAVIT

I, Lawrence B. Mentzer , having been first sworn according to law, state that I have caused to be made a diligent search of those records hereinbefore indicated in the manner herein described, that the information contained in this document is true and accurate and that on the basis of the records and examinations hereinbefore described, and to the best of my information, knowledge and belief, the well for which this certification is sought qualifies as a stripper well.

Z- 3.27.f

STATE OF WEST VIRGINIA,

COUNTY OF Kanawha . TO WIT:

I, Charlotte I. Mathews, a Notary Public in and for the state and county aforesaid, do certify that Lawrence B. Mentzer whose name is signed to the writing above, bearing date the 28 day of February, 19 79, has acknowledged the same before me, in my county aforesaid.

Given under my hand and official seal this 28 day of February, 19 79.

My term of office expires on the 5th day of December, 1985.

08/18/2023

Charlotte I Mathews

[NOTARIAL SEAL]

FEB 2 8 1979

Date received by
Jurisdictional Agency

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES, OIL AND GAS DIVISION

Operator's Well No. 4-1051

API Well No. 47 - 099 - 1135
State County Permit

STATE APPLICATION FOR WELL CLASSIFICATION

Previous File No. NA (IF Applicable)

	William C Charlton
WELL OPERATOR Industrial Gas Corporation	DESIGNATED AGENT William C. Charlton
Charleston, W. Va. 25325	Charleston, W. Va. 25325
Gas Purchase Contract No. * and D Meter Chart Code R0423	(Month, day and year)
Name of First Purchaser *	
(Street or P	· ·
(City) (Sta	FERC Buyer Code
TYPE OF DETERMINATION BEING SOUGHT:	108 NA
(1) Initial determination (See FERC Form 121.) (2) Determination that increased production is recovery technology.	Section of NGPA Category Code s the result of enhanced
(3) Determination of a seasonally different	William C. Charlton Division Counsel Name (Print) Title
(*See FERC-121 Addendum "A")	Signature 6 Minus
•	P. O. Box 1473 Street or P. O. Box Charleston, W. Va. 25325
	City State (Zip Code) (304 342-8166 Area Phone Number
(Certificate of Proof of Service to Purchaser)	Code
See Separate Certificate Attached	
See Separate Collins	
(All of the above to be completed by the Operator)	
(To be completed by Jurisdictional Agency. Execut purchaser, if known).	ted copy to be returned to Operator/Applicant and
The Department of Mines has receive well as meeting the requirements of Section (NGPA): or for determination that increased p	d a request. for certification of the above described under the Natural Gas Policy Act of 1978. roduction is the result of enhanced recovery technology tion of a seasonally affected well under Section 108 of (NGPA
be heard, there ware	ton, West Virginia, or as soon thereafter as it may ested, or if objection is filed.
This Application is assigned File No.	
and any additional evidence will be made as	time appointed for a public hearing or as soon thereafter
Unless objections are timely filed or a days, a hearing will not be held except on ex par go to determination.	
	WEST VIRGINIA DEPARTMENT OF MINES
	Notest T &
	DITECTOL

	PG 00002 2/28/79 2/28/79	TOTALS	705		365	TOTALS	563	
			SYO	016			SYO	016
	T DY		11	1	29		47	-
	REPORT HO. CCA101P1 CURREHI DATE REPORT DATE	N/A	1	1	1	N/A	1	1
	2081	A.E.	43	-	2	1	59	-
	K	SHUT-IH PRESSURE	4	+	2	SHUT-IN PRESSURE	1	¥
		IN P	29	-	28	-IN P	43	
		SHUT-	1	0	1	SHUT	4	9
	474		30		62		50	
	10H-197A 73 (EES	24	1	,	``I	27;	1	,
		AVO. FLOW PRESSURE 24	164			JRE	31	
	> EG L	RESS	1	٨-١		RESSU	1	٠,
	REPORT OF MONTHLY PRODUC GAS VOLUMES IN MFC 2 14 OIL IN DARRELLS 2 60 DEG Industrial Gas Corporation	LOW P	33.		27	FLOW PRESSURE	28	
	OF MILUME DARR ial G	70. F	. 1	-	,	AVG. F	•	-
	AS VC L III	4	41		29	A	55	
	_	ayne	1	7,				7,
	AHHUA OPERATOR 1	соинту! Маупе	53		32		74	
	OPERA	COUNT	,	Ŧ,	1			F
			58		30		42	
		051	1	1			,	7
		4-1	53		28		20	
		y "A"		F,	-1		1	Ŧ,
	Y S	Asbur	76	ا	34		58	
	STHIA SHD G	-	1	7.	1		1	7.
	:ST VIRGINIA - MINES - 011 AND GAS	135 RM	74	ا	30		26	۱
	H -	9-011		2	INE			7
1V-39-WC	STATE OF WEST VIRGINIA DEMATTIENT - MINES DIVISION - OIL AND G	47-099-01135RM 1 Asbury "A" 4-1051	GAS MFC	011 881	DAYS ONLINE		CAS MFC	011 881
11	517 517 510	API	CAS	016	DAY		CAS	011

1977

SUMMARIZATION SCHEDULE Section 271, 804 (b) In accordance with Section 271,804(b) please list all other wells which are to be used in determining this well classification under Part 271 Subpart H.

47-099-1119; 47-099-1167

API NUMBERS

08/18/2023

1978

DAYS ONLTHE 34


366

30

28

35

30



_ Acres_25/_ Lease No. 232/ Well (Farm) No. 4 Serial No. 1051 Elevation (Spirit Level) 1055.24 Quadrangle LOUISA County WAYNE District BUTLER Engineer T. S. FLOURNOY Engineer's Registration No. 269 _Drawing No. Date SEPT. 12,1958 Scale 1" = 800 FT.

WELL LOCATION MAP

FILE NO. Way-1135 08/18/2023

- Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
- Denotes one inch spaces on border line of original tracing.