

DEPARTMENT OF MINES OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

To THE DEPARTMENT OF MINES, _ Charleston, W. Va.	
Charleston, W. Va. Eunice and Ruth V. Adkins Victor Adkins, Heirs	Clifford Mills
############## not operat	
Wayne, W. Va.	Wayne, W. Va.
ADDRESS	COMPLETE ADDRESS
	Nov.26th , ₁₉ 58
COAL OPERATOR OR COAL OWNER	PROPOSED LOCATION
	Union District
Victor Adkins, Heirs	
Eunice and Ruth V. Adkins	County
OWNER OF MINERAL RIGHTS	380/5'
Wayne, W. Va.	Well No. 1 82°25 E. 1025'
ADDRESS	Victor Adkins Farm
GENTLEMEN:	11.9 Rc.
The undersigned well operator is entitled to de	rill upon the above named farm or tract of land for
oil and gas, having fee title thereto, (or as the case r	
, made b	y Eunice and Ruth V. Adkins , to
	, and recorded on the 5th day
of November, 1958 ,in	the office of the County Clerk for said County in
Book 49 , page 223	
of coal beneath said farm or tract of land on which sa aries of the same, who have mapped their workings	believes there are no coal operators operating beds and filed their maps as required by law excepting the
The above named coal operators or coal owners (if any) above named as The above named coal operators or coal owners (if desire to make to such proposed location, or which they the drilling of a well at said proposed location will cause coal mines, must be received by, or filed with the Depart a copy of this notice and accompanying plat by said D that forms for use in making such objections will be for request and that all such objections must set forth as grounds on which such objections are based and indicate the moved to overcome same.	if any) are notified that any objections they may y are required to make by Section 3 of said Code, if see a dangerous condition in or about their respective ment of Mines within ten* days from the receipt of the epartment. Said coal operators are further notified turnished to them by the Department of Mines promptly as definitely as is reasonably possible the ground or
(The next paragraph is to be completed only	in Department's copy.)
	mailed by registered mail, or delivered to the above
named coal operators or coal owners at their above shor on the same day with the mailing or delivery of West Virginia.	nown respective addressdav before.
HERRICAN CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CO	ruly yours,
1311 24563	Clifford Mills
DEC 1958 RECEIVED WEST VIRGINIA DEPT. OF MINES Well Operator	WELL OPERATOR
DEC 1958	Cafford mills
RECEIVED 3 Address	STREET
WEST VIRGINIA OF Well Operator	Wayne
DEPT. OF MINES WEIL OPERATOR)	CITY OR TOWN 08/18/2023
ERNO1011/9/38	West Virginia.

*Section 3 If no such objections be filed or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

WAY-1154

1154





NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

To THE DEVARIMENT OF MINES, Eunice and Ruth V. Adkins Victor Adkins, Heirs Clifford Mills thitlighthe con owers not operated NAME OF WILL OFFICER Wayne, W. Va. Wayne. W. Va. Nov. 26th Union Victor Adkins, Heirs Wayne Bunice and Ruth V. Adkins 38975 28185 12201: Wayne, W. Va. Victor Adkins 119 20. The undersigned well operator is entitled to drill upon the above named farm or much of land for oil and gas, having fee title thereto, (or as the case may be) under grant or lease dated. October 18th, 1958 . madeby Eunice and Ruth V. Adkins Clifford Mills was fitd on go bebroser bas November, 1958 to the the office of the would been for soil County in 223 The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Magaterial District to be drilled for oil and gas by the undersigned well operator and distances from two permanent points, or and County above named, determined by survey and courses and distances from two permanent points, or The undereigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the houndaries of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees. The above named coal operators or coal owners (if any) are notified that any objectious they may desure to make to such proposed location, or which they are required to make by Sernon 3 of said Code, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, trust be received by, or filed with the Department of Mines within tan days from the recipit of a copy of this notice and accompanying plat by said Department daid coul operators are further relatived that forms for use in making such objections will be furnished to them by the Department of Mines prought on request and that all such objections must set form as definition as is reasonably mostible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same. named coal operators or coal country at their above chown respective address.

day before on the same day with the realing or delivery of this copy to the Department of Mines at Charleston, west Virginia. Clifford Mills AIRIDRIV TZ3W Vayne 08/18/2023

Section 8. . If no such objections be field or be found by the department of mines within said period of ten days from the receipt of said police and place of the department of more said proposed receipts the department of the well forthwith fisher to the well operators to the incation, or from therefore by the department and that the same is have need by the year operators to the incation, or from therefore by the department and that the department and that the approved and the well approved and the well approved and the well approved and the well-approved and the well-approved to precede to dill at acid to the department and the well-approved to precede the dill at acid the department and the well-approved approved and the well-approved approved and the well-approved and the well-approved and the well-approved approved and the well-approved approved and the well-approved approved approved and the well-approved approved app

West Virginia.

450 490 1130 1135 Blue 11 520 14 Sand 11 72 200 15 Blue Slate 11 White 11 Slate SOLL Reinarks qts glycerine HBLIJ 1,6p* iddress Hunclington 402 ft. The surface of the Ways A8 * Victor Adking 50 T.C. (one) LOMS Creek ITà wayno, . Va. 08/18/2023 A-FIER Date. APPROVED By. (Title)

Hard or Soft

gard

Sort

Sort

Soft

Soft

Top

2234 2259 2277

1465 1638 1802

1130

Bottom

2269 2277 2292

14.65 1638

Color

MI 62

Blue

real.

WILL 8

Blue

White

White

Formation

beres Sand Slate

Little Lime big Lime Injun Sand Slate Shell

Shale

Sand Slate

Slate

Slate

DINGS

Oil, Gas or Water

Depth Found

Remarks



DEPARTMENT OF MINES

NOISI/

ORD

METT BEC	AZII-YAW WAY-IISL
OIL AND GAS DIV	Dued - Hayre

DEPT. OF MIN WEST VIRGILIA RECEIVED S61 89A श्राविद्यान 2292 Slate 77SS JJos pJne Grey 2277 5569 Hard Berea Sand 5269 2234 1Jos Shale Brown 2234 JJOS Slate 2220 BIne 2220 56 TZ Hard BIne TTada Slate Shells Blue S6TZ 1802 JJOS 889T 597T Grey 1802 unful Hard Sand J638 Hard White emid gia סלילו 5971 Grey Hard emid elttid OTHIT JJOS BIne 1378 Slate 87EI ISTE Hard Mhi e Sand 1237 1237 4Jos BIne Slate Sand SETT Hard White SETT II30 Slate Jos BIne 1130 586 White Hard Sand 586 067 Slate BIne 067 054 White Sand 11 054 520 BIne Slate 11 520 200 White bhas 500 25 Birne Slate Sand 72 MUITE 55 20 BIne Slate 50 Sero JJOS Yellow Lios Oil, Gas or Water Hard or Soft Pepth Bottom Formation COIOT Remarks Salt water feet teet FEET INCHES FEET INCHES OLTI FEET таня INCHES 225 INCHES .erd \$2 tal ..eldd_ COAL WAS ENCOUNTERED AT INCHES THEFT Rock Pressure. Cn. Ft. /10ths Merc. in Inch Date No. Ft. SIZE CASING CEMENTED Open Flow /10ths Water in-Inch Perf. bottom. 426, 4 22. 4 1959 Trom 226 94 40 qts glycerine Liners Used **ZZZ77** Perf. top. Drilling completed 2290 fterf. bottom 3 Feb. 24, 1959 Drilling commenced_ Perf. top. 3 Address Mineral rights are owned by huth Adkins Perry 91/89 uo13u11unH Hunice Englehart Depth-360 7 J 56LT Wayne va. **%8** 41 504 The surface of tract is owned in fee by-Victor Adkins TOT *4J 0Z Wayne notuu 13 Location (waters) (oue) IOSS Kind of Packer-SWO Size 6TT Casing and Tubing Wayne Va. Used in Drilling Packers Company paojitto 08/18/202 Mills (KIND) Oil or Gas Well Oil Perm

13-2

STATE OF WEST VIRGINIA

* DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No. WAY-1154	STAR			r Gas Well	Parmis No.
Company Clifford Mills	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PAC	KERS WALLE
Address_ Wayne, W. Va.	Size			hesU luin	Filling Mater
Farm_ Victor Adkins	16		ROMES	Kind of Pa	cker
	13	DOMESTIC SERVICES			
Well No. 1	10	301	A STANLEY COMP	Size of	
District_Union County_ Wayne	81/4	4021		## ## ## ### #########################	
Drilling commenced2-24-59	65%			_ Depth set_	
Drinning commenced	5 3/16				
Drilling completedTotal depth	3			Perf. top_	
Date shotDepth of shot	2	Company of the Compan		Perf. botto	m
Initial open flow/10ths Water inInch	Liners Used			Perf. top_	
Open flow after tubing/10ths Merc. inInch				Perf. botto	m
VolumeCu. Ft.	CASING CEME	NTED	SIZE	No. FT	Date
Rock pressure lbs. hrs.					
Oilbbls., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT	_FEET	INCHES
Fresh water 550 feet feet	FEET_	INCH	ES	_FEET	INCHES
Salt waterfeetfeet	FEET_	INCH	ES	_FEET	INCHES
Drillers' Names H. Fraley					Remarks
Burgess Mills					
Remarks: Top of Salt Sand 9351; Dri	illing dept		Salah Ke	RECEIVE WEST VIR	ED ISINIA SINIA SI
3-5-59		Me	1. pa	Ch 9292	VECO
DATE		1	0	08/18	3/2023

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No.	_				Wel	I No	
COMPANY	ro EO		ADD1	RESS			ast time?
FARM	M1 1924 1 86.5	DISTRICTCOUNTY			nira	VII SHITERE	
Filling Material Used	GATO IN THE REST				• 57 • 6	rayaw	aniriti.
Liner Lo	ocation	Amount		Packer	Location	tetor	V i masu
PLUGS USED	AND DEPTH PLACED			BRIDGES CASING AN		G AND TU	BING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONST	RUCTION-LOCATION	RECOVERED	SIZE	LOST
		12		9U AEM	00	HOI	
Apa Hidag			REVENIE	(2)	110-2	bashar	impo gnilliati
Perf. top				stgricia	W	Let _{il} te!	gago gallind
Perf, hettom					niqs		
Fart tor		Y	all aranid	продажения должий в	d-731	30	h asqu Diljinl
Perf. bottom				dash di anili s		Mildell S	alia wofi nayû
No FT Date	1000	or cont	THE WAY	19.00.11			F Nghiliph M
		100		(4)			ancaem door
	\$00 m.h	111/2024	1 W LASS	and in our side			
					Ū		
Drillers' Names					16.61		
WHOT	en e	and the second s					
Remarks:				V	H. Frale		
	.10.		lling o	and 935'; Dri	of Salt S	Top 9	
DATE	I hereby certify I	visited the abo	ove well on	this date.			
DATE							

B-3

STATE OF WEST VIRGINIA

OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No. WAY-11	<u>54</u>			Oil or	Gas Well 1	
	277.34	HTM /		(KII	ND)	COMPANY
Company Cliffor	d Mills	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACK	ERS WAAT
Address_Wayne,	West Va.	Size		2	desti Daed	
FarmVictor	Adkins	16		100080	Kind of Pack	er
Well No. 1	pel ana chi	13	301	STATES WHA	Size of	
1804 3816 c	Wayne	81/4	4021	e goov	Size or	PROMEO
Drilling commenced	3-24-59	6%		× ×	_ Depth set	
Drilling completed	Total depth	5 3/16			Perf. top	
Date shot	Depth of shot	2			Perf. bottom	
Initial open flow	/10ths Water inInch	Liners Used			Perf. top	
Open flow after tubing_	/10ths Merc. inInch				Perf. bottom	
Volume	Cu. Ft.	CASING CEME	NTED	SIZE	No. FT	Date
Rock pressure	lbshrs.					
Oil	bbls., 1st 24 hrs.	COAL WAS ENCOUNTERED AT			_FEET	_INCHES
Fresh water 525	feetfeet	FEET	INC	HES	_FEET	_INCHES
Salt water 1170	feetfeet	FEET	INC	HES	FEET	_INCHES
Drillers' Names	H. Farley					Remarks;
	Burgess Mills					
Remarks: Salt S	Sand 1135'-1378'; Big	Lime 1465	5'-1658';	drilli	ng depth	@ 1742

3-26-59

DATE

DISTRICT WELL INSPECTO


08/48/2023

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No.					We	II No		
COMPANY			ADDR	ESS				
FARM	MITCH MICH	DISTRICT	DM(923	CC	OUNTY	0911	5	
Filling Material Used			ustiA		AW took	5 TO	ist Raddress	
Liner Loc	cation	Amount		Packer	En Location of the Location			
PLUGS USED A	PLUGS USED AND DEPTH PLACED			BRIDGES	CASING AND TUBING			
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTR	UCTION-LOCATION	RECOVERED	SIZE	LOST	
	151	lgk	***	- STARE	npO	Rei	IV Sidelo	
- 100 dog of -			81.18	(6)	3-24	Ligono	man gairen	
Parf. topgot had					7	iejai	untes gadilis (
. Perf. bolton				- 10% to	, dage(t		four pint	
Perf. top many		J	go annual l	Wais a Lainen	o n		d mago Tribin	
nondod_lio1							100000	
				noninni soveM n	lyi\	naidui n	dža weikas ak	
Na. FT Date	4.779	_awrwaw);	1 42 G CATE	#1 H.J.				
				-11	16.6		assavingasiski	
PRINCIPLE PRINCIPLE	90 000	Salary P		and the second section			17	
Marie Commission of the Commis						NO B		
Drillers' Names	2211 141	- Harris				ONEL		
All the state of the forest termination of the state of t	T. Marin B. S. and Millian.	romania de la Carlo de la Carl			and the second s	The state of the s		
Remarks:				ley	H. Far			
				allim a	Engral			
ng depth @ 1742'	131's drill(1	gr-,5911		5'-1378'; 81	Sand 113			
Ena								
DATE	I hereby certify I v	isited the abo	ve well on the	his date.				
						CAL	ACLE	



K-E 156 IMPERIAL 6239