

STATE OF WEST VIRGINIA

### DEPARTMENT OF MINES OIL AND GAS DIVISION

### NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

| To The Department of Mines,<br>Charleston, W. Va.  |  |
|--|--|
| Charleston, w. va.   |  |
|  | United Fuel Gas Company  |
| COAL OPERATOR OR COAL OWNER  | NAME OF WELL OPERATOR  |
|  | Charleston, W. Va.   |
| ADDRESS  | COMPLETE ADDRESS   |
|  | December 15 19_58  |
| COAL OPERATOR OR COAL OWNER  | PROPOSED LOCATION  |
|  | Butler   |
| ADDRESS  | District   |
|  | Wayne  |
| OWNER OF MINERAL RIGHTS  | Wayne 38° 10' County   |
|  | Well No. 8771 82°25' & 848.02  |
|  | _  |
| ADDRESS  | United Fuel Gas Co. Fee Farm   |
| GENTLEMEN:   |  |
| The undersigned well operator is entitled  | to drill upon the above named farm or tract of land for  |
| oil and gas, having fee title thereto, (or as the  | case may be) under grant or lease dated  |
| June 1, 1912   | Frank C. Osburn, et al   |
| United Fuel Cas Co.  | to to the state of |
| T 1010   | and recorded on the day  |
| ofJune, 1912   | , in the office of the County Clerk for said County in   |
| Book 88 , page 384 .   |  |
| and County above named, determined by survey land marks.  The undersigned well operator is informed of coal beneath said farm or tract of land on wh   | etent engineer and shows the proposed location of a well well operator on the farm and in the Magisterial District and courses and distances from two permanent points, or and believes there are no coal operators operating beds ich said well is located, or within 500 feet of the bound-  |
| coal operators or coal owners (if any) above nan   | sings and filed their maps as required by law, excepting the ned as addressees.  |
| the drilling of a well at said proposed location, or whice the drilling of a well at said proposed location will coal mines, must be received by, or filed with the lacopy of this notice and accompanying plat by so that forms for use in making such objections will on request and that all such objections must set for   | ners (if any) are notified that any objections they may he they are required to make by Section 3 of said Code, if all cause a dangerous condition in or about their respective Department of Mines within ten* days from the receipt of aid Department. Said coal operators are further notified be furnished to them by the Department of Mines promptly orth as definitely as is reasonably possible the ground or icate the direction and distance the proposed location should  |
| (The next paragraph is to be completed   | only in Department's copy.)  |
| 그 마다 그 아이들은 그는 그 아이들은 그는 그 사람들이 되었다. 그는 그들은 그는 그들은 그는 그들은 그는 그를 모르는 것이 없는 것이 없는데 그를 모르는데 그를 모르 | were mailed by registered mail, or delivered to the above  |
| named coal operators or coal owners at their about   | ove shown respective address day before, y of this copy to the Department of Mines at Charleston,  |
|  | ery truly yours,   |
| 2010 1132  |  |
| 60 % 60 %  | UNITED FUEL GAS COMPANY WELL OPERATOR  |
| Address of Well Opera  |  |
| Address  | P. O. Box 1273   |
| of De Paris O No. 10 of  | Charlaster OF  |
| Well Opera   |  |
| 12505128283  | West Virginia  West Virginia   |

\*Section 3.... If no such objections be filed or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

55

WAY-1155 PERMIT NUMBER

| Formation  | Color                              | Hard or<br>Soft  | Top /3  | Bottom   | Oil, Gas<br>or Water  | Depth<br>Found          | Remarks                      |
|--|------------------------------------|--|---|--|---|-------------------------|------------------------------|
| Red Rock Slate Little L Pencil C Big Lime Gray Inj Slate & Sandy She Slate Coffee S Berea Gr Slate & Total De  | ime ave  Shells ell nale it        |  | 1268<br>1273<br>1305<br>1330<br>1332<br>1496<br>1529<br>1625<br>1652<br>2108<br>2120<br>2130<br>2153' | 1273<br>1305<br>1330<br>1332<br>1496<br>1529<br>1625<br>1652<br>2108<br>2120<br>2130<br>2153 | Smell of 0<br>Tested wat<br>Tested at<br>Gas at 212<br>Gas at 212 | il at 1493'             | -1"<br>-1"                   |
| Sand<br>Sand<br>Slate<br>Red Clay<br>Slate<br>Sand<br>Slate<br>Sand<br>Slate<br>Coal<br>Sand<br>Slate<br>Sand<br>Slate<br>Sand<br>Slate<br>Sand<br>Slate |                                    |  | ## # # # # # # # # # # # # # # # # # #  | 38<br>38<br>33<br>33<br>528<br>150<br>203<br>203<br>203<br>419<br>410<br>412                 | Vater at 1  | 50, - S <sup>5</sup> BH |                              |
| ROOK PRESSU<br>Ecosh Water<br>Tormation  | COLOR COLOR                        | THE PARTY HAVE A STREET THE PA | Top -   | Self Water   | OH, Gast<br>or Wilter   | Frot Broth              | from the                     |
| WELL PRACTU  |                                    | jpa -  | hpia, fat 29 hra  | COAL WAS   | T Sp INCL   | NA 390 PF               | Leading to the Str. Comments |
| Drilling Sompred<br>Data Shore 2-<br>With<br>Miss. Slow  |                                    | Mey 9, 1959<br>Gel.  | thet<br>the   | Diners Coed.   | ENTOD.  | Sign No.                |                              |
|  | E OWNER DY                         | Andreas Juited Foreign Charl Loril 7, 195  | va Xua  | 10 3/4<br>9 3/4<br>9 3/4<br>1 3 3 7 10   | 13864   | Eulled Su<br>Fulled Su  | then set                     |
| Admess F. O  | Led Fael G<br>Box 12/3<br>Fuel Cas | Cherleston   | 25, h. Va.<br>Aures 10,500<br>Cale<br>Play SH8.021  | Clasing and<br>Paining<br>Size   | Despited in   | holt in                 |                              |
|  | KCTT-XV                            |  |   |  |   | 08/                     |                              |

|          | Date   | June 2 | 26     | ······, | 19_59   |
|----------|--------|--------|--------|---------|---------|
| APPROVED | UNITED | FUEL C | GAS CC | MPANY   | , Owner |

By Hersel (Title) Supt., Civil Engineering Dept.

Slate

Sand

Slate Dime Shell



NES

E1 N

UNITED FUEL CAS COMPANY OWNER

Supt., Civil Incinering Dept.

| IOIZIVIA ZAS ANA 110   |
|------------------------|
| IM TO THEMTRAGE        |
| STATE OF WEST VIRGINIA |
| WINNES INDIANA         |
|                        |

| in Sure          | SO' - SE BPH  | Marer at 9 Gas at 2122 Gas at 2122 Whon drilling | ##31<br>#\$07<br>#\$07<br>#\$07<br>#\$07<br>#\$08<br>#18<br>062<br>024<br>024<br>024<br>024<br>024<br>024<br>024<br>025<br>807<br>807<br>807<br>808<br>801<br>801<br>801<br>801<br>801<br>801<br>801<br>801<br>801 | 8801<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001<br>1001 |                                    | ve hells ale the hells the | Sand Sand Sand Slate Sand Slate Sand Slate Sand Slate Sand Coal Slate Sand   |
|------------------|---------------|--|--|--|------------------------------------|--|---|
| Remarks          | Depth         | Oil, Gas<br>or Water                             | Bottom   | · doT  | ro braH<br>floS                    | Color  | Formation   |
|                  | теет          |  | Salt Water   |  | Teet.                              | , , , , , , , , , , , , , , , , , , ,  | Fresh Water   |
|                  |               |  |  |  |                                    |  | ROCK PRESSUR  |
| L INCHES         | zaass         | исопитекер к                                     | CASING CEMI  | Cu. Ft.<br>hrs., lst 24 hrs.   | .sdl                               |  | WELL FRACTU  Oil  Oil  Volume   |
|                  |               |  |  | Тлей   | ui                                 | /10ths Water   | Oben Flow   |
| f. bottom        |               |  | pago grawa   |  |                                    | odna #005  |   |
| f. bottom        |               |  | 2<br>Liners Used   |  | 9291 ,9 <b>VsM</b>                 |  | Drilling complete   |
| dot.i            |               |  | 8  | -  | April 7, 1959                      |  | Drilling commenc  |
| to set           | Pulled        | 13861<br>19851                                   | 91/8 g<br>%9<br>8/5 3% 8<br>7/E 01   | . sv . W . Motas   | Address United Fue Address Charle  | —Aq pəumo ə  | The surface of tra  |
| The same control | 33,           |  | 8/8 81   | layne  | County—                            | туск   |   |
| Packers          | Well Kin Kin  | ni besU<br>Drilling                              | Casing and Tubing Size   | Jeres 10,500   | Charleston<br>Co. Fee Pork of 12-1 | Box 1273   | Address P. O. Farm United Location (waters) Well No.  |
| (dnix) [[9       | W as D to liO |  | ВЕСОВО   | MELL   | ss Company                         |  | Name of the state |
|                  |               | 6  | V NOISION  | OIL AND  |                                    | rlue   | 3W -Immarkania  |

(0Ver)

1252

1544

1088

7558 7558 7558

TS##

B,9

### PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

## WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

### WORK ORDER

Well to be plugged and filled as follows:

|   | Set Bridge at               |               | 2011' |     |        | -  | 20'  | above  | Shot   | Hole     |     |
|---|-----------------------------|---------------|-------|-----|--------|----|------|--------|--------|----------|-----|
|   | Put 2 sacks cement on       | top of bri    | idge  |     |        |    |      |        |        |          |     |
|   | Crushed Stone               |               | 2011, | -   | 2006'  |    |      |        |        |          |     |
|   | Mud & Clay of and feed      | United        | 2006' | -   | 1975'  |    |      |        |        |          |     |
|   | Set Bridge at               |               | 1559' |     |        | -  | 30'  | below  | Injur  | Sand     |     |
|   | Put 2 sacks cement on       |               | idge  |     |        |    |      |        |        |          |     |
|   |                             |               | 1559' | -   | 1554'  |    |      |        |        |          |     |
|   | Crushed Stone<br>Mud & Clay | Charles       | 1554- | 138 | 35'    |    |      |        |        |          |     |
|   | Lift 8-5/8" Casing to       |               | 1250' |     |        |    |      |        |        |          |     |
|   | Mud & Clay                  |               |       |     |        | -  | 20'  | above  | Big I  | ime      |     |
|   | Cement                      | June 26       | 1312' | -   | 1302'  |    |      |        |        |          |     |
|   | Crushed Stone               |               | 1302' | -   | 1297'  |    |      |        |        |          |     |
|   | Pull balance of 8-5/8"      | Casing        |       |     |        |    |      |        |        |          |     |
|   |                             | 15:201-119:23 | 1074' |     |        | -  | 30,  | below  | Salt   | Sand     |     |
|   | Put 2 sacks cement on       | top of br     | idge  |     |        |    |      |        |        |          |     |
|   | Crushed Stone               |               |       |     | 1069   |    |      |        |        |          |     |
|   | Mud & Clay                  | Layme         |       |     | 830'   | -  | 201  | above  | Salt   | Sand     |     |
|   | Pull 10-3/4" Casing         |               | 603'  |     |        |    |      |        | ( ) Fe | aniii be |     |
|   | Set Bridge at               |               | 502'  |     |        |    |      | below  |        |          |     |
|   | Cement                      |               |       |     |        |    | 20'  | above  | Coal   | Seam     |     |
|   | Crushed Stone               |               |       |     | 445'   |    |      | . AU   | 1,180  | ioseo i  | H   |
|   | Mud & Clay. 00 000 1007     | Desimu        | 445'  | -   | 422'   | -  | 30'  | below  | Coal   | Seam     | 400 |
|   | Cement                      |               | 422'  | -   | 370'   |    | 50,  | above  | Coal   | Seam     |     |
|   | Crushed Stone               |               | 3701  | -   | 365'   |    |      |        |        |          |     |
|   | Mud & Clay                  |               | 365'  | -   | 53'    |    |      |        |        |          |     |
|   | Pull 13-3/8" Casing         |               | 33'   |     |        |    |      |        |        |          |     |
|   | Mud & Clay                  |               | 53'   | -   | 3'     |    |      |        |        |          |     |
|   | Cement                      |               | 3'    | -   | Surfa  | ce |      |        |        |          |     |
| - |                             |               |       |     |        |    |      |        |        |          |     |
|   | Erect monument 30' abo      | ve the su     | rface | wi  | th ins | er | ipti | on "Un | ited 1 | Fuel     |     |

To the Department of Mines Coal Owner or Operator, Lease or Property Owner.

### Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Gas Co. Well No. 8771 - Abandoned .

| well in the above described manner on the date siden the said well on opposite side of this sheet.                    | tated in the notice of intention to plug and aban-   |
|---|--|
| Very tr   | ruly yours,  |
|   | UNITED FUEL GAS COMPANY  |
| CHESS FUEL CUE CONTACT  | Well Operator.   |
| or property owners or interposed by the Department of the plugging and filling of the well above mentioned the day of | r or coal operator, or any available adjacent lease tent of Mines to the manner herein described for d. Therefore, the same is hereby angly 1023 |
| tade there en a thinting to arrive too series ow thou   | DEPARTMENT OF MINES  |
|   | Oil and Gas Division   |
| By: ₄   | U.G. Fiffich   |

NOTE: This "work order" shall be filed in triplicate, one copy for the files of the Department of Mines; one to be approved or corrected and returned to the well operator as his authority for plugging said well; and one for the well inspector.





## STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

### NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

| To THE DEPARTMENT OF MINES,<br>Charleston, W. Va. |                | 111   | Set Bridge at 200  |         |
|---|----------------|-------|--|---------|
|   | 18003          |       | Pri 2 apple demens on sop of bridge<br>Crushed Scone   |         |
|   | 18751          | - 100 |  |         |
| Coal Operator or Coal Owner                       |                | 160   | Name of Well Operator  |         |
|   | 14662          | - 100 | Charleston, W. Va.   |         |
| Address   |                | 1     | Complete Address   |         |
| - Šuti sig svets tuš -                            | 'slat          | - 10  | Midd & Cley  | 50      |
| Coal Operator or Coal Owner                       | 11/62          | - S   | Sume 20 and Spenier Change Condition of the condition of  | 19 59   |
| - 30' below Selve Send                            |                | 1417  | Butler   | Distric |
| Address   | Tybus          | 1 1/4 | Graned Stone   | )ISTITE |
| - 20' abeve Sult Sand                             | 1088           | - 10  | TI   | County  |
| United Fuel Gas Co.                               |                | . 186 | 9077920 + /C-AT TTD.T  | Journey |
| Lease or Property Owner                           | 1004           | - 130 | Well No. 8771  |         |
| Charleston, W. Va.                                | 1001           | - '00 | United Fuel Gas Co. Fee S 554  |         |
| Mass Is S Address 108 -                           | 10 €           | - 133 | 4 Coment a strained  | Farm    |
| Inspector to be notified                          | '608<br>'83    | - 'GE | Committee of the second of the |         |
|   | r <sub>C</sub> | 188   | Pollo 13-3/04 Casing   |         |
| Gentlemen:—                                       | PETTER         | = 18  | Concar   |         |

The undersigned well operator is about to abandon the above described well and will commence

the work of plugging and abandoning said well on the date inspector is notified (which date shall not be less than five days after the day on which this notice so mailed is received, or in due course should be received by the Department of Mines).

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,

UNITED FUEL GAS COMPANY

Well Operator.

NOTE: Upon the abandorment of all wells drilled prior to June 1, 1929, a plat prepared by a registered engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners and adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

NOTE: In case plugging is not commenced within four months from the above date, this permit shall expire and be of no further force or effect.

B.10

# STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

### AFFIDAVIT OF PLUGGING AND FILLING WELL

|  |  |   |   | Inited Fuel Gas (                                 | ompany             |                                |
|--|--|---|---|---|--------------------|--------------------------------|
| COAL OP  | ERATOR OR OWNER  |   | ]   | P.O. Box 1273 Per Charleston, West                | Virginia           | À                              |
|  | ADDRESS  |   |   | COMPLETE ADDR                                     | ESS                | E0                             |
| COAL OF  | ERATOR OR OWNER  |   |   | June 18,  | ATION              | 19 59                          |
|  |  |   |   | Butler  |                    | District                       |
|  | ADDRESS  |   |   |   |                    | District                       |
|  |  | F   | 1   | layne   |                    | County                         |
| LEASE OF   | R PROPERTY OWNER   |   | *** 11 AT   | o. 8771   |                    |                                |
|  | ADDRESS  |   | well N  | 0. 0115   |                    |                                |
|  |  |   | Unite   | d Fuel Gas Co. Fe                                 | 90                 | Farm                           |
| STATE INSPECTOR S                                | UDEDVICING DI UCC  | Jan   | nes W. P.   | ack   |                    |                                |
| STATE INSPECTOR S                                | UPERVISING PLUGG   | ING   |   |   | ••••••             |                                |
|  |  | AFFID   | TIVA  |   |                    |                                |
| STATE OF WEST                                    | VIRGINIA,  | )   |   |   |                    |                                |
| County of Wayne                                  |  | ss:   |   |   |                    |                                |
|  | Maynard  |   | and   | Darrell Sanson                                    |                    |                                |
| being first duly swo                             |  | w depose  | and say th  | at they are experier                              | nced in the        | work of                        |
| plugging and filling                             | oil and gas wells and  | d were emp  | ployed by   |   |                    | ,                              |
| well operator, and p                             | articipated in the w   | ork of plug   | gging and   | filling the above w                               | ell, that sa       | aid work                       |
| was commenced on                                 | the day of   | o cure  | 8   | , 19 , and that th                                | e well was         | plugged                        |
| and filled in the foll                           | owing manner:  |   |   |   |                    |                                |
| AND OR ZONE RECORD                               | FILLING  | MATERIAL  |   | PLUGS USED  | CA                 | SING                           |
| FORMATION  | CONTENT  | FROM  | то  | SIZE & KIND                                       | CSG<br>PULLED      | CSG<br>LEFT IN                 |
|  | Set Bridge at  | 21201   |   | 13-3/8"   | -                  | 331                            |
|  | Crushed Stone  | 21201   | 2108  | 2-3/4"  | 6031               | 8-                             |
|  | Cement   | 21081   | 2098*   | 8-5/8"  | 1386               | *                              |
|  | Mud & Clay   | 20981   | 20701   |   |                    |                                |
|  | Set Bridge at  | 15601   | -   |   |                    |                                |
| Put 2 sa   | cks cement on to   | THE RESERVE THE PERSON NAMED IN COLUMN TWO                  | THE REAL PROPERTY AND ADDRESS OF THE PERSON NAMED IN COLUMN TWO |   | £16171819          |                                |
|  | Crushed Stone  | 15601   | 1554*   | 4   | E 10 11 10 13      | 223                            |
| T4 04 a 4  | Mud & Clay<br>8-5/8" Casing t  | 1554  | 1385*   | (0)   | 1059               | (2)                            |
| TITTOGO  | Mud & Clay   | 13851   | 1312:   | 200   | JUL 1959           |                                |
|  | Cement   | 1312'   | 1302:   | (2)   | ECEIV              | MIA 3                          |
|  | Crushed Stone  | 13021   | 1293  | . 0   | WEST VIRG          | INES (S)                       |
| Pulled   | balance of 8-5   | OF REPORT OF THE PERSON NAMED IN COLUMN 2 IS NOT THE OWNER. |   | 50  | DEPT. OF           | 039                            |
|  | Set Bridge at  | 1074:   |   | 1   | 87112348           | OF DO.                         |
| Put 2 sac  | ks cement on top   | of brid   | ge  |   | 120,000            |                                |
|  | Crushed Stone  | 3071.9  | 10691   | DESCRIPTION                                       | OF MONUME          | NT                             |
| COAL SEAMS                                       | OT COTTOC - POSTO  | 1074  | 7002  |   |                    |                                |
|  | Mud & Clay   | 10691   | 830*  | Erected monumen                                   | t 30" abo          | we the sur                     |
| E)   | Mud & Clay<br>led 10" Casing   | 10691   |   | with inscription                                  | n "United          | Fuel Gas                       |
| E) Pul   | Mud & Clay<br>led 10" Casing<br>Set Bridge at  | 1069 t<br>603 t<br>502 t                                    | 830 *   |   | n "United          | Fuel Gas                       |
| e) Pul   | Mud & Clay<br>led 10" Casing   | 10691   |   | with inscription                                  | n "United          | Fuel Gas                       |
| E) Pul   | Mud & Clay led 10" Casing Set Bridge at Cement of plugging and fill                            | 1069 t<br>603 t<br>502 t<br>502 t                           | 450 *   | with inscription Well No. 8771-A                  | n "United          | Fuel Gas                       |
| Pul<br>E)<br>and that the work                   | Mud & Clay<br>led 10" Casing<br>Set Bridge at<br>Cement  | 1069 t<br>603 t<br>502 t<br>502 t                           | 450 *   | with inscription Well No. 8771-A                  | n Winited bandoned | Fuel Gas<br>6-15-59:<br>day of |
| E) Pul E) and that the work June And further dep | Mud & Clay led 10" Casing Set Bridge at Cement of plugging and fill , 19 59                    | 1069 t<br>603 t<br>502 t<br>502 t<br>ling said t            | 450 e well was  | with inscription Well No. 8771-A completed on the | n Winited bandoned | Fuel Gas<br>6-15-59:           |
| Pules  and that the work  June  And further dep  | Mud & Clay led 10" Casing Set Bridge at Cement of plugging and fill , 19 59 conents saith not. | 1069 t<br>603 t<br>502 t<br>502 t<br>ling said t            | 450 e well was  | with inscription Well No. 8771-A completed on the | n Winited bandoned | Fuel Gas<br>6-15-59:<br>day of |

United Twol Gas Company
1.0. Dat 1273
Charleston, Nest Vinginia

meliul

8771

United Ivel Cas Co. Fee

James W. Fack

Darrell Senson

Fronk Majmord

·must

50

9th.

TOSES de empiral tel rooms 13351 20001 20001 15601 10702 Sot Bridge at Fut 2 sades centre on to Cimence Concerns
Cimence Concerns
Late & Clay
Late Co-5/CP Concerns
Late Concerns
Late Concerns 155kt 13851 12501 13651 13121 13021 13021 S-usined Stone and solution of the design of sut 2 sacis comont on too 10691 TOTAL Grushed Stone TOTO S STATE OF THE SECOND SEC meeted monument 30" above the surface 839.1 10691 6031 with insomiption " United Fuel Cos Co. Well No. SY L-Condoned S-lows: 1903 1024

08/18/2023

FORM OG-8

# STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

### AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, ONE COPY MAILED TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE

| COAL  | OPERATOR OR OWNER   |   |                              | NAME OF WELL OF      | PERATOR                            | V  |
|---|---|---|------------------------------|----------------------|------------------------------------|--|
| SOAL C  | TENATOR OR OWNER  |   |                              |                      |                                    |  |
|   | ADDRESS   |   |                              | COMPLETE ADDI        | RESS                               | 19   |
| COAL  | OPERATOR OR OWNER   |   |                              | WELL AND LO          | CATION                             |  |
|   | ADDRESS   |   |                              |                      |                                    | District   |
|   |   |   | _                            |                      |                                    | County   |
| LEASE   | OR PROPERTY OWNER   |   | Well No                      |                      |                                    |  |
|   | ADDRESS   |   | Well 110.                    |                      |                                    |  |
|   |   |   |                              |                      |                                    | Farm   |
| STATE INSPECTOR   | SUPERVISING PLUGG   | ING   |                              |                      |                                    |  |
| *   |   | AFFIC   | AVIT                         |                      |                                    |  |
| STATE OF WEST   | VIRGINIA,   | ss:   |                              |                      |                                    |  |
| County of   |   | 55.   |                              |                      |                                    |  |
| 1 - 0 + 1 1 -   | 1: - 4- 1-  |   | and                          | 4 4h arr ana armania | need in the                        | rrowle of  |
|   | worn according to lav                                       |   |                              |                      | nced in the                        | WOLK OI  |
| plugging and filling well operator, and                                 | g oil and gas wells and<br>participated in the w            | ork of plu                                      | gging and                    | filling the above v  | well, that sa                      | id work  |
|   | the day of  |   |                              |                      |                                    |  |
| and filled in the fo  | llowing manner:   |   |                              | 10, 4114 01140 0.    | iie weii was                       | brabboa  |
| AND OR ZONE RECORD  | FILLING   | MATERIAL  |                              | PLUGS USED           | CAS                                | SING   |
| FORMATION   | CONTENT   | FROM  | то                           | SIZE & KIND          | CSG<br>PULLED                      | CSG<br>LEFT IN   |
|   | Crushed Stone   | 450*  | 445*                         |                      |                                    |  |
|   | Mud & Clay  | 445*  | 4228                         |                      |                                    |  |
|   |   |   |                              |                      |                                    |  |
|   | Cement  | 4221  | 3701                         |                      |                                    | - Pr   |
|   | Crushed Stone   | 3701  | 3651                         |                      |                                    | 建  |
|   | Crushed Stone Mud & Clay                                    | 370°<br>365°                                    | 365*                         |                      |                                    | *  |
|   | Crushed Stone   | 3701  | 3651                         |                      |                                    |  |
|   | Crushed Stone Mud & Clay                                    | 370°<br>365°                                    | 365*                         |                      |                                    | 92   |
|   | Crushed Stone Mud & Clay                                    | 370°<br>365°                                    | 365*                         |                      |                                    |  |
|   | Crushed Stone Mud & Clay                                    | 370°<br>365°                                    | 365*                         |                      |                                    |  |
|   | Crushed Stone Mud & Clay                                    | 370°<br>365°                                    | 365*                         |                      |                                    |  |
|   | Crushed Stone<br>Mud & Clay                                 | 370°<br>365°                                    | 365*                         |                      | CE 16 17 10                        |  |
|   | Crushed Stone<br>Mud & Clay                                 | 370°<br>365°                                    | 365*                         |                      | 45 16 17 78 A                      |  |
|   | Crushed Stone<br>Mud & Clay                                 | 370°<br>365°                                    | 365*                         |                      | \$ 1617 18 A                       | 77.3   |
|   | Crushed Stone<br>Mud & Clay                                 | 370°<br>365°                                    | 365*                         |                      | JUL 1959                           | 773  |
| COAL SEAMS  | Crushed Stone<br>Mud & Clay                                 | 370°<br>365°                                    | 365*                         | DESCRIPTION          | JUL 1959                           |  |
| COAL SEAMS  | Crushed Stone<br>Mud & Clay                                 | 370°<br>365°                                    | 365*                         | DESCRIPTION          | JUL 1959 NOEMONUME WEST VIRGIN     | TO T   |
| ME)   | Crushed Stone<br>Mud & Clay                                 | 370°<br>365°                                    | 365*                         | DESCRIPTION          | JUL 1959  NOT MONUME WEST VINGIN   | THE SHAPE OF THE S |
| ME)   | Crushed Stone<br>Mud & Clay                                 | 370°<br>365°                                    | 365*                         | DESCRIPTION          | JUL 1959 WEST VINGIN DEPT. OF MIN  | NI SAN AND AND AND AND AND AND AND AND AND A   |
| COAL SEAMS  | Crushed Stone<br>Mud & Clay                                 | 370°<br>365°                                    | 365*                         | DESCRIPTION          | JUL 1959 WEST VINGING DEPT. OF MIN | D TO   |
| ME) ME) ME)   | Crushed Stone Mud & Clay Cement                             | 370 * 365 * 3 *                                 | 365°<br>3°<br>Surface        | 18190                | WEST VIRGING DEPT. OF MIN          | HES S  |
| ME) ME) ME)   | Crushed Stone<br>Mud & Clay                                 | 370 * 365 * 3 *                                 | 365°<br>3°<br>Surface        | 18190                | WEST VIRGING DEPT. OF MIN          | day of   |
| ME) ME) ME)   | Crushed Stone Mud & Clay Cement                             | 370 * 365 * 3 *                                 | 365°<br>3°<br>Surface        | 18190                | WEST VIRGING DEPT. OF MIN          | HES S  |
| ME) ME) ME) and that the work   | Crushed Stone Mud & Clay Cement  k of plugging and file     | 370 * 365 * 3 *                                 | 365°<br>3°<br>Surface        | 18190                | WEST VIRGING DEPT. OF MIN          | HES S  |
| ME) ME) ME) and that the work   | Crushed Stone Mud & Clay Cement  k of plugging and fil      | 370 * 365 * 3 *                                 | 365°<br>3°<br>Surface        | 18190                | WEST VIRGING DEPT. OF MIN          | day of   |
| ME) ME) ME) and that the work  And further de                           | crushed Stone Mud & Clay Cement  k of plugging and fil , 19 | 370 ° 365 ° 3 ° 3 ° 3 ° 3 ° 3 ° 3 ° 3 ° 3 ° 3 ° | 365° 3° Surface  well was co | ompleted on the      | WEST VIRGING DEPT. OF MIN          | day of   |
| ME)  ME)  and that the work  And further de                             | Crushed Stone Mud & Clay Cement  k of plugging and fil      | 370 ° 365 ° 3 ° 3 ° 3 ° 3 ° 3 ° 3 ° 3 ° 3 ° 3 ° | 365°<br>3°<br>Surface        | ompleted on the      | WEST VIRGING DEPT. OF MIN          | day of   |
| ME)  ME)  and that the work  And further de                             | k of plugging and fileponents saith not.                    | 370 ° 365 ° 3 ° 3 ° 3 ° 3 ° 3 ° 3 ° 3 ° 3 ° 3 ° | 365° 3° Surface  well was co | ompleted on the      | WEST VIRGING DEPT. OF MIN          | day of 3/18/20   |
| ME)  and that the work  And further de  Sworn to and  My comptission ex | k of plugging and fileponents saith not.                    | 370 ° 365 ° 3 ° 3 ° 3 ° 3 ° 3 ° 3 ° 3 ° 3 ° 3 ° | 365° 3° Surface  well was co | ompleted on the      | WEST VIRGING DEPT. OF MIN          | day of 3/18/20 19 27 .   |

Grusied Stane 1501 1651

10d & Ctay & 1551 1621

Coment 122 3701

Crusied Stare 3701 3651

Sud & Clay 3551 31

Coment 31 Surface

