

DEPARTMENT OF MINES OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

To The Department of Mines,	
Charleston, W. Va.	11 1
- none	R. B. Eichholz + J.B. Human
COAL OPERATOR OR COAL OWNER	NAME OF WELL OPERATOR
	216- Prince St. Olexandria Tin
ADDRESS	COMPLETE ADDRESS
none	May 4th 1959
COAL OPERATOR OR COAL OWNER	PROPOSED LOCATION
	p. +/11
ADDRESS	District
Anabline Balakan	717 Gumes Comme
OWNER OF MINERAL RIGHTS	County County
nichaldy promi	Well No. 1 82°30' 6. 8/5.0'
Prichard, W. Va. R.F.D.#1	1 10. p 1.0.
Gentlemen:	Josephine Belcher Farm
	125 acus
	drill upon the above named farm or tract of land for
oil and gas, having fee title thereto, (or as the case	
11	by Josephine Belcher, to
It ayne Lyean and E. C. me	Alure, and recorded on the 27th day
	n the office of the County Clerk for said County in
Book 44, page 72	and office of the county clerk for said county in
to be diffied for oil and gas by the lindersigned well of	engineer and shows the proposed location of a well
and County above named, determined by survey and land marks.	courses and distances from two permanent points, or
	balliana al-
or cour beneath said farm of tract of land on which s	believes there are no coal operators operating beds aid well is located, or within 500 feet of the bound-
aries of the same, who have mapped their workings coal operators or coal owners (if any) above named a	and filed their mans as required by law excepting the
	if any) are notified that any objections they may
desire to make to such proposed location, or which the	v are required to make by Section 3 of said Code if
the drilling of a well at said proposed location will cau coal mines, must be received by, or filed with the Depar	se a dangerous condition in or about their respective
a copy of this notice and accompanying plat by said I	Jepartment. Said coal operators are further notified
that forms for use in making such objections will be	turnished to them by the Department of Mines promptly
on request and that all such objections must set forth a grounds on which such objections are based and indicate he moved to oversome same	the direction and distance the proposed location should
be moved to overcome same.	
(The next paragraph is to be completed only	
named coal operators or coal owners at their above	mailed by registered mail, or delivered to the above
named coal operators or coal owners at their above soor on the same day with the mailing or delivery of	this copy to the Department of Mines at Charleston
west virginia.	
very to	ruly yours,
	R.B. Eichholz & J. B. Hyman
667891077	WELL OPERATOR
Address)	216- grune & treet
of }	aliana di ia
Well Operator	CITY OR TOWN 00/05/0000
E CAR WHE Z	08/25/2023
E WEST OF TO	STATE
*Section 3 If no such objections be filed or be	found by the department of mines, within said period of
ment shall forthwith issue to the well operator a drilling p	ermit reciting the fliend proposed location, the depart-
have been made by the coal operators to the location, or approved and the well operator authorized to proceed to d	rill at said location.

1188

-A110.



STATE OF WEST VIRGINIA

DEPARTMENT OF MINES CHARLESTON

May 5, 1959

COP

Mr. James W. Pack, Inspector Oil and Gas Wells Hamlin, West Virginia

Dear Mr. Pack:

We are in receipt of applications for permits to drill the following wells in your district:

Well No. 1 on Josephine Belcher Farm, Butler District, Wayne County from R. B. Eichholz & J. B. Hyman. Permit number will be WAY-1188.

Well No. 653 on Glenn Riggs Farm, Butler District, Wayne County from Commonwealth Gas Corporation. Permit number will be WAY-1189.

Very truly yours,

Assistant Director
OIL AND GAS DIVISION

MG/m



DEPARTMENT OF MINES CHARLESTON

May 5, 1959

fr. James V. Fack, Inspector Oll and Gas Wells Hamlin, West Virginia

Dear Fr. Pack:

We are in receipt of applications for parates to Grill the following wells in your district:

Well We. 1 on Josephine Belcher Farm, Butler District, Mayre County from R. S. Elchholz & J. B. Hyden. Permit masker will be MAV-1188.

Well No. 653 on Giern Riggs Farm. Butler Mitting, Royac County from Communication Ger Corporation. Parail number vill be EAY-1189.

Very truly yours,

Assistant Director OIL AWD CAS DIVISION

Mi /re

·pll

May 15, 1959

Messrs. R. B. Eichholz and J. B. Hyman 216 Prince Street Alexandria, Virginia

Dear Sirs:

Enclosed is Permit WAY-1188 for drilling Well No. 1 on Josephine Belcher Farm, Butler District, Wayne County.

Please post one copy of permit at the well site. When drilling is completed, please sendus two copies of the well record.

Very truly yours,

Assistant Director OIL AND GAS DIVISION

MG/m encl: cc Mr. James W. Pack, Inspector

> Mr. R. C. Tucker, Assistant State Geologist

May 15, 1959

Wester. R. D. Biohmis and J. B. Hyman 216 Frince Street Alexandria, Virginia

Deer Sirst

Enclosed is Parmit WAY-1188 for drilling Well No. 1 on Josephine Beither Fram, Builer District, Wayne County.

Please post one copy of parmit at the wall site. When drilling is completed, please sendes two copies of the wall record.

Very truly yours,

Assistant Director OTL AND CAS DIVISION

> MI/m encir ec Mr. James V. Pack, Inspector

Mar. R. C. Techno, Assistant. State Geologist

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
Botton	076		1959			4 15 34	
Beream D			1943	1959			
Suncury	Enale	LANGE	1925	1943		4.0	
Sad.laj	du Sana		1387 1545	1925	pon Cos T	175 T. 410	
Siste \$	puelle		1374	1357	the true area 1	135-14401	
	taes aut		1340-	1374			
Big Lim	9		J550	1340			
Sand	Time		1183	1550			
Sand Little	Line	Print Leak	1035	1160 1183			
Slate '	shells		1014	1035			
Broken	paud		TOTO	JOI4 .			
Slate			990	TOTO			
Salt Sa			845	990 -	Salt wate		
Slate Broken	Sand		745 800	800	Show gas	45-855	
Sand		HE STATE	720	745			123 13 13
Slate			345	150			
Sand			295	345			
Slate		Fig. 100	50	295			P. The second
Surface			0	50		Liste	
	Calor	East or	,00 h	Borton	ON MESER	Depart	opin sandra
THE LANGE		1,001		Rail Water a			
POC F BUTTON	KE VELEE I	DEATHURL T					
RUSELLE ANDE	R -TL THE	4					
	00				METER TO MAKE	1.50	ne and the second
	D DO	***			EL LINCO	THE BE	EN PROCESSES
	16		Pres (2) 39 0 -	COAL WAS	export maken	OUTOMP THE	si imoass
	200	piter	24 mrs.		-		
24 N	ts alter	shet; 258,	000	o CVPMEP CE	CENTRED X ONE	BIMP HONE	Ph. Bite
tenen sing 3	Turning	5	mma Jacon	-			
# 4500 JP	.delatir	celatig	uly 30th	Sanchor	Backer ale	t at 1889,	the polypour by
Tribus company	29th	1434	1942		The state of	40.	Lip projection
	July s	2th, 1959 9th, 1959		tucio	to cotto	m with p	A Mercon Age
		Address 1900		wit packer	n commination to bottom	100	269
	DO DANDST D7	PPOAG		45 74		15581	TO ANY
selcher,	Large to engineers	Address R. R.	Fort Cay, W	. Va. 81	To your	2921	
Manager 18	Fara	1086	ne nine	10 19:11		50:	
Well No. 1		3.40	10/ 81 5 gr	•			in out of the control
	Bight I	rk-Big Hur	nicane Cie	6K 286			
Acarem Joseph	line, belo						
216.	rince St	. Alexandr	10, Va.	Classing sand, Cabing	the line	Nell in	Pankers
							(Kate
WAY.	1188		METE	BECOME		08	/25/2023
K	FRONV		(bentily but	revá binielów			
			DELVISION		Date		, 19

	一种	
APPROVED		, Owne
Ву		
A A STATE OF	(Title)	

0G-10 B-1



STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

Quadrangle KENOVA

Permit No. Y 1			WELL	RECORD		Oil or G	as Well gas
Company R.B.E. Address 216 Pr	rince St.	Alexandr	n ia, Va.	Casing and Tubing	Used in Drilling	Left in Well	Packers
Location (waters)	Right for	k Big Hur	ricane Cre	ek Size			
Well No. 1		A STATE	Elev. 815 ft	• 16			Kind of Packer
District Bu	tler	_County_ Way	ne	13			
The surface of tra	act is owned in	fee by Josep	hine	10 10!		201	Size of
Belcher		Address R. R.	Fort Gay, W	. Va ₈₄ 8*		292*	
Mineral rights ar	e owned by	above		65/8 7*		1558	Depth set
		Address		5 3/16 with	n combina		
Drilling commenc	ed June 12	th, 1959		Packer	on bette		Perf. topyes
Drilling complete	July 29	th, 1959			g to bott	om with	Perf hottom yes
Date Shot July			1943	Liners Used	5"	401	Perf ton
With 200 lbs Open Flow 38	.Gelatin,	2nd time Gelatin J	900 lbs uly 30th	Sanchor	packer s	et at 188	Perf. bottom
Volume 24 hr	/10ths Merc. is after s	shot; 258,	OOO Cu. Ft.	CASING CEM	ENTEDNONE	SIZE	No. FtDate
Rock Pressure		lafter	24 hrs. hrs			NE CANTER	
OilNon	e		_bbls., 1st 24 hrs	. COAL WAS F	ENCOUNTERE	DATINONE	FEETINCHES
WELL ACIDIZE	no no			FEE	ETINC	CHES	FEETINCHES
				FEE	TINC	CHES	FEETINCHES
WELL FRACTU	RED no		•				
RESULT AFTER	R TREATMEN	т					
ROCK PRESSUR	E AFTER TR	EATMENT					
Fresh Water		Feet		Salt Water		Fee	t
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth	Remarks
Surface			0	20			
Slate			20	295			
Sand			295	345			

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth	Remarks
Surface			0	20			
Slate			20	295	A STATE OF THE STA		
Sand			295	345	ALC: TOTAL		
Slate			345	720			
Sand			720	745			
Slate			745	800	A STAR STA		
Broken Sand			800	845 -	Show gas 8	45-8551	
Salt Sand			845	990 -	Salt water	9801	
Slate			990	1010			
Broken Sand		7 - 1	1010	1014			
Slate ' she	lls	4. 196 美。并	1014	1035			
Sand		+ 3 3 6 7 7 7	1035	1160	Maria A Salara	A	
Little Lime			1160	1183	5 3 6 5 1		1
Sand			1183	1220			
Big Lime			1220	1340	1000		
Gray Injun	Sand		1340	1374			
Slate & She	lls		1374	1387			
2nd.Injun S	and		1387	1545 -S	how gas 14	35-1440	45670
Slate		经 一条计	1545	1925		all co	4 92
Sunbury Sha	le		1925	1943		08	25/2023
Berea Sand			1943	1959		183	TO!
Bottom Hole	777		1959			2 REC	
						WES!	VIRGINIA 3
						DEP DEP	OF WINES
		Laren				(53)	18/18 (DECCE)

STATE OF WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No. WAY-1188			Oil oi	Gas Well Gas
R.B. Eicholtz & J.B. Hyman	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS MAAR
Company 216 Pincrest Address Alexandria, Va.	Size			Filling Material Used
Josephine Belcher	16	4.0.	- HOLLDS	Kind of Packer
BRIDGE CARING AFRITAGING	13	, each	A HTTSU OW	4 438H 85034
Well No.	10	18'	accosw 1	Size of
District Butler County Wayne	81/4	2921		
Drilling commenced 6-13-59	6%			Depth set
Drilling commenced	5 3/16			
Drilling completedTotal depth	3			Perf. top
Date shotDepth of shot	2			Perf. bottom
Initial open flow/10ths Water inInch	Liners Used			Perf. top
Open flow after tubing/10ths Merc. inInch				Perf. bottom
VolumeCu. Ft.	CASING CEME	NTED	SIZE	No. FTDate
Rock pressurelbshrs.				
Oilbbls., 1st 24 hrs.	COAL WAS EN	NCOUNTEREL	AT	_FEETINCHES
Fresh water 290 feet feet	FEET	INC	HES	_FEETINCHES
Salt water 980 feet feet	FEET	INC	HES	_FEETINCHES
Drillers' NamesNed Compton				temarica:
O. H. Whited				
Remarks: Salt Sand 845'-990'; Maxon drilling Big Lime @ 1259'.	Sand 1040	'-1183';	Big Lin	ne 1220';

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No.						We	II No				
COMPANY	Mas Wo	o Tikah Dari		ADD	RESS			old simin			
FARM		NI TABLE - PR	DISTRICT	CABING	TENTIFE .E. L. COUNTY ORDER .E. S.						
Filling Material U	sed			AND S							
Liner Location Amount					The second secon	Location		garage and a fact of the second			
PLUGS USED AND DEPTH PLACED				E	BRIDGES		G AND TI	17(18) 17(18)			
CEMENT-THICK	Steam	WOOD-SIZE	LEAD	CONST	RUCTION-LOCATION	RECOVERED	SIZE	LOST			
		•	173		Way to	100	XO.LOX	Commenter (Commenter)			
	lings (1			200		QC=01-0	Liberates	tares solita			
				A*\58	a dela la	2 4	Total	sargo gollica			
	Tra9										
enoise enois	fast _			aU arenti	1983	Depth o		Tota offi			
botter				au aromy	asaTan waxaW s	a ork	340	it maga dahu			
					daifni_naMa	doly	Samus S	the well may			
TTDate	oVI .	BINE	CONTRACTOR	romako	Cu.F.			onniq			
						s and the second		Yar sanar dan			
orinosa.	market.	the control			F10						
							AA				
STRUCTURED.			1								
Orillers' Names	3 9 8 3 2 2						20				
Remarks:					noja	ne) bell					
• 10S		11. nfg - 12	811-1040			W .H .O					
					-990'; Maxon	Hig Line		Limb			
DATE		I hereby certify I	visited the abo	ve well on	this date.						
						1					

B13.

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No. WAI-1100	łdaa –		(KII	Gas Well	COMPANY
R.B. Eicholz and J.B. Company Hyman	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACK	ERS MARAG
Company Hyman 216 Prince Street Address Alexandria, Va.	Size			bezii Yeite	
Farm Josephine Belcher	16	1275	1101309	Kind of Pacl	cer
Well No.	13	18'	IS A TRACT OF A	Size of	
District Butler County Wayne	81/4	2921	S-S-S-S-W	CHRINADIRI	E 22.25 WE IS U.S.
Drilling commenced 6-13-59	6%	15581		Depth set	
	5 3/16			<u> </u>	
Drilling completedTotal depth	3			Perf. top	
Date shotDepth of shot	2			Perf. botton	1
Initial open flow/10ths Water inInch	Liners Used		250	Perf. top	
Open flow after tubing/10ths Merc. inInch				Perf. botton	
VolumeCu. Ft.	CASING CEMI	ENTED	SIZE	No. FT	Date
Rock pressure lbs. hrs.					
Oilbbls., 1st 24 hrs.	COAL WAS E	NCOUNTEREI) AT	FEET	INCHES
Fresh water 290 feet feet	FEET	INC	HES	FEET	INCHES
Salt water 980 feet feet	FEET	INC	HES	FEET_	INCHES
Drillers' NamesNed Compton					Remarks:
O. H. Whited					
Remarks: Salt Sand 845'-990'; Big show gas 1435'-1440'- 3/10 Water	Lime 1220 1" openi	'-1340'; ng; drill	Injun S	and 1340' 1670'.	-15451;

7-24-59

DATE

08/25/2023

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No.					We	II No			
COMPANY	o 1/0		ADD	RESS	00		_ oH films		
FARM	WE TEXT WE C	DISTRIC	P SMEAS	COUNTY STORES . S. S.					
				216 Prince Street					
Filling Material Used	1971 Television (1971)				FLES, VES	Onaxe.io	A. Laterbly		
Liner Loc	cation		Packer	Location	tidghap	G. Cara			
PLUGS USED A	AND DEPTH PLACED			BRIDGES	CASIN	G AND TU	BING		
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTI	RUCTION-LOCATION	RECOVERED	SIZE	LOST		
		33.5	48	Wayne	u (100	Telds	d "gbisler		
		10.03	3.0		0-13-5	bereite	rpio galitis		
1			<u> </u>		18				
pot_log							and Burning		
rest, buttom					o A.go(1		_Jole of a		
Port (np.					dar Villiania		: r rego feldji		
arelled, 319 ⁸				Marchael Lauren					
				ANTER CONTRACTOR OF		SELECTION OF THE SELECT	en seminen		
NG FT	200 (19 (19 (19 (19 (19 (19 (19 (19 (19 (19	LOZIVANI	O. NATENO	度心					
				648	78		and and Max		
of the distance	20 A 10 1 10	NOTED AND	eur er ret	and the street					
				Statistical V			The said State		
						THE S.			
Drillers' Names		1901		1901		<u>ake</u>	-1 GiR 15		
Remarks:				godo	Med Core				
					W .H .O				
and 1340'-1549': 1670'.	O'; Injun o	151m2099	I smil	ale : 1000-15	A8 base 3				
		w (Susmo		**************************************	SANTA, CO				
DATE	I hereby certify I v	isited the abo	ve well on	this date.					
						02.	-15-5		

08/25/2023

Fort Say w.va., May 4 1959. Department of mines. Oil and Sao Division Charleston Hest Virginia Dear Sire: Enclosed find Engineers sketch map, of well location on the Josephine Belcher Farm, on sig Hurricane creek, Butler Wistrict, Wayne county, Hest Virginia also application for Drilling permit of Thanking you for your cooperation I am yours very Fruly. Wayne Lycan.

16.6




Front Day, W.V. Dept of mines, Oil & Was Division, Charleston Hest Virginia, Wear Siri Belcher # 1. on Hurricane Creek, Butlen District, Wayne county, Heat Virginia.
Would you please send me a few of Each of the
following Froms. O. G. # 1 — O. A. Forms # 9, and O. S. Forms # 10, Thanking you for your cooperation, Respectfully yours, Stayne Lycan

1 seast 8.5.59

F-1.





+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

 Denotes one inch spaces on border line of original tracing.

Date MAR. 14 1959

K-E 156 INPERIAL 60046

File No.

County WAYNE

Engineer Janaburl

Engineer's Registration No.

Drawing No.

Scale_ |" = 500 1