

Way-1151

DEPARTMENT OF MINES OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

To THE DEPARTMENT OF MINES, Charleston, W. Va. No Coal Operation R. H. Adkins COAL OPERATOR OR COAL OWNER Hamlin, West Virginia COMPLETE ADDRESS ADDRESS United Fuel Gas Company COAL OPERATOR OR COAL OWNER PROPOSED LOCATION Charleston, West Virginia Butler United Fuel Gas Company OWNER OF MINERAL RIGHTS Chafleston, West Virginia ADDRESS United Fuel Gas Co. Mineral Farm GENTLEMEN: Tract 47B, 54 Acres The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas, having fee title thereto, (or as the case may be) under grant or lease dated May 28,1957

Wayne Ferguson, Glenna Wellman,

made by Edgar Finley, Et Al , to United Fuel Gas Company , and recorded on the 1st May, 1958 , in the office of the County Clerk for said County in 232 , and subsequently made to R. H. Adkins. The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points, or The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundaries of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees. The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Code, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by, or filed with the Department of Mines within ten* days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same. (The next paragraph is to be completed only in Department's copy.) Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above named coal operators or coal owners at their above shown respective address_ or on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston, West Virginia 112 131475 R. H. Adkins Very truly yours, alke RECEIVED WEST VIRGINIA DEPT. OF MINES Address Hamlin CITY OR TOWN 08/25/2023 West Virginia *Section 3 If no such objections be filed or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

1190

WAY-1190 PERMIT NUMBER



FIATE OF WEST VIROISIA.

DEPARTMENT OF MINE

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

	TO THE DEPARTMENT OF MINES. C. O. C. Charleston, W. Va
B. E. Advins	No Coal Coeration
RAME OF WILL OFERATOR	RENTE CONTRACTOR ON CONTRACTOR
Hemlin, est Virginia	
COMPLETE ADDRESS	BROKKITA".
195 6 1959	United Fuel Cas Company
PROPOSED LOCATION	NEWLY DAGS TO HOTARYD LAGS
Butler O Detroit	Charleston, West Virginia
Wayne W	egznodk
County	United Fuel Gas Company
Well No. 1 82.30 & 860.	Charleston, West Virginia
United Fuel das Co. Mineral Fare	ADDEESS
Tract 473, 54 Acres	Genterkene
of the lower to met bemed form or fract of may link	The undersigned well operator is entitled to
se may be) noder grant or lease dated May 28,1957	oil and gas, having fee title thereto, for an the ca
dely idigor Finley, it al	United Fuel Gas Company
yab 181 and recorded on the 181 day	of May, 1958
in the office of the County Clerk for said County in Lently made to E. H. Adkins.	Book 48 page 232 , and subsequ
of engineer and shows the proposed location of a well a operator on the farm and in the Magisterial Diarrict ad courses and distances from two perminent points, or	iew harnesting SEF vg EER Das 100 701 Down 10 04 04
ed behaves there are no coal operators operating bods at said well is located, or within 500 feet of the bound on and filed their maps as required by law, excepting the las addressees.	
(if any) are notified that any objections they may they are required to make by Section 3 of said Code if cause a dangerous condition in or about their respective continent of Mines within ten" days from the receipt of Department, Said coal operators are further notified to them by the Department of Mines promptly be furnished to them by the Department of Mines promptly as as definitely as is reasonably possible the ground of a sa definitely as is reasonably possible the ground of the direction and distance the proposed location should	The above named cost operators or cost owner desire to make to such proposed location, or which the drilling of a well at said proposed location will cost mines must be received by, or fined with the Desire a copy of this notice and scooningsnying plat by said that forms for use in making such objections will on request and that all such objections must set forti
ly in Department's copy.)	(The next paragraph is to be completed on
re mailed by registered mail, or delivered to the above	Copies at this notice and the enclosed plat we
e shown respective address day before, of this copy to the Department of Mines at Charleston.	or on the same day with the matting of delivery
y truly yours, R. H. Adkins	Ver
MOLEGAND TON	
	entropy Address
riante	
West Virginia	08/25/2023
eTATS	

"Section 3. If no sects objections he filed or be found by the department of mines, within said seriod of near the revelled of said the control of mines to said proposed location, the department of mines to said proposed location, the department hash for him is a such plut that no objections have been made by the coal operators to the location, or found therein by the department, and that the same is approved and the well operator sufficiency to proceed to drill at said location.

Specific Spe

ASSMUT TIMBER





DEPARTMENT OF MINES

CHARLESTON

May 21, 1959

COP

Mr. R. H. Adkins Hamlin, West Virginia

Dear Mr. Adkins:

Enclosed are permits for drilling the following

wells:

Permit No. Well No. Farm

WAY-1186 1-SR-12 United Fuel Gas Company Butler
WAY-1190 1-SR-13 United Fuel Gas Company Butler

Please post one copy of each permit at the well site. When drilling is completed, please send us two copies of the well record for each location.

Very truly yours,

Crawford L. Wilson, Director DEPARTMENT OF MINES

BA

Assistant Director
OIL AND GAS DIVISION

MG/m encl: cc Mr. James W. Pack, Inspector

> Mr. R. C. Tucker, Assistant State Geologist



DEPARTMENT OF MINES CHARLESTON

May 21, 1959

Mr. R. H. Adkins Memijo, West Virginia

Dear W. Adkins:

Enclosed are permits for drilling the following

sellow

Fermit No. Well No. Form

WAY-1196 1-SR-12 United Fig1 Cas Company Butler WAY-1190 1-SR-13 United Fiel Cas Company Butler

Please post one copy of sach parait at the well site. When drilling is completed, please send us two copies of the well record for each location.

Very truly yours,

Grewford L. Wissen, Director DEPARTMENT OF HIRES

THE

Assistant Director

Mi/m encl:

cc Mr. James W. Fack, Inspector

Mr. R. C. Tucker, Assistant State Geologist B-2

		13-	2				
Formation	Color	Hard or Soft	Top /8	Bottom	Oil, Gas or Water	Depth Found	Remarks
Sand Shell Slate Slate Shell Slate Brown Berea Slate	& Shells Shale Grit & Shells		1605 1655 1675 1783 1955 1980 2075 2093 2101	1655 1675 1783 1955 1980 2075 2093 2101 2128			
Surface Surface Surface Surface Surface Gand Slate Send Slate	Depth		0 % 60 % 60 % 60 % 60 % 60 % 60 % 60 %	180 200 200 200 200 200 200 200 200 200 2			
Rack Pressure Oil Fresh water (Saft water (Vernitlish	200 208 325 325	fort. I	Poly and of the Colors of the	COAL WAS B	MEN THE STATES		HANDLEY L'ACHER L'ACHE
Diffung completed for thing completed for the state of th	a August 33 From D. Loan Othe Water	*dores . 1950 . 1950 	2. 10%p	Every Carl	SIJS	EE 110 1	
Address No. Address No. Address No. No. No. No. No. No. No. Maline District Butll The section of California address of California figures.	DITE NO.	VB. 1. 47 AD Of CULTAGE County May 1 See by Seddings	Acces 54 Children oler 380	Size 10 10 10 10 10 10 10 10 10 1	950 Pariting 150 P	306 306	Pankers d of Panker NOME
	100- 300		MECT	RECORI	3	. 08/	25/2023

DateA	ugust 14, , 1959
APPROVED O	e Lus Co, Owner
By W. H. Hau	Taughtu ldre Mille Well Supt.

0G-10



STATE OF WEST VIRGINIA

DEPARTMENT OF MINES OIL AND GAS DIVISION 18

Quadrangle Zrusa

Permit No. 1190 - Way

WELL RECORD

Oil or Gas Well_

Jas

Company Wolfe Gas Company	Casing and	Used in Drilling	Left in Well	Packers	
Address Hamlin, W. Va.	Tubing	Drining	Wen		
Farm U.F.G. Co. Min.47 B Acres 54 Location (waters) Long Br. of Hurricane Creek Well No. 13 Elev. 880	Size			Kind of Packer	
District Butler County Wayne	13			None	
The surface of tract is owned in fee by	10	<u>19</u> 308	19 308	Size of	
Mineral rights are owned by United Fuel Gas Co. Address	6%	1660	1660	Depth set	
Drilling commenced July 3, 1959 Drilling completed August 13, 1959		2112	2112	Perf. top Perf. bottom	
Date Sho&=3-59 From To With 1000 lb. Gas Well B.	Liners Used			Perf. topPerf. bottom	
Open Flow 28 /10ths Water in 2 Inch	CASING CEM	ENTED	SIZE	No. Ft. Date	
Volume 219 M. Cu. Ft					
Rock Pressure 500 lbs. 72 hrs Oil bbls., 1st 24 hrs	COAL WAS E	NCOUNTERE	D AT	_FEETINCHES	
Fresh water 335 feet feet Salt water 925 feet 1262 feet	FEE?		CHES	FEET INCHES	

Salt water	925	feet	1262 feet	FEET	INCHE	SFEET_	INCHES
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
Surface Slate Sand Slate Red Rock Slate Sand Slate	Grit		0 5 18 30 60 78 85 120 130 140 160 180 308 340 373 393 400 525 535 575 580 670 800 905 925 1262 1287 1312 1315 1356 1485 1495 1500 1570	5 18 30 60 78 85 120 130 140 160 180 308 340 373 393 400 525 535 575 580 670 800 905 925 1262 1287 1312 1315 1356 1495 1500 1570 1605	195	AUG 1959 RECEIVED WEST VIRGINIA DEPT. OF MOS/2	5/2023

B-4

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No. WAY-1190		mak .		Oil or	Gas Well Gas
R. H. Adkins		CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS MAAG
Hamlin, W. Va.		Size			Filling Materials Used
FarmU.F.G.Co.	range s.	16	17.0s.	Morago	Kind of Packer
Well No. 13	, valuable	10	191	за Иглар ойа	Size of
	layn e	81/4	3081	E-COOW E-Wall of the American	Size of Management of the Size
Drilling commenced 7-3-59		65/8			Depth set
		5 3/16			
Drilling completedTotal de	pth	3			Perf. top
Date shotDepth of sho	ot	2			Perf. bottom
Initial open flow/10ths Wa	ater inInch	Liners Used			Perf. top Perf. bottom
Open flow after tubing/10ths Me	re. inInch				Feri. bottom
Volume	Cu. Ft.	CASING CEME	NTED	SIZE	No. FTDate
Rock pressurelbs	hrs.				
Oil	bbls., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT	FEETINCHES
Fresh water 325° feet	feet	FEET	INCI	HES	FEETINCHES
Salt water 1008 feet feet	feet	FEET	INC	HES	FEETINCHES
Drillers' Names Wilson Holto	on				Remarks:
Harry Soward	ds				
Remarks: Salt Sand 925'-12 Lime 1366'-1485'; Inju		Lime 1315 * 85 * - 1495 * ;		1920272	G'-1366'; Big OCENTED AND STREET VIRGINIA DEPT. OF MINES
7-22-59			Ja	v. 73	Def MINES
DATE			0		08/25/2023


DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No.					We	II No		
COMPANY	5 A62		ADD	RESS		1	Lah tim	
FARMDISTRICT			C	OUNTY	• 1			
Filling Material Used			981 T	. 0	lin, w. V	mgH.		
Liner Loc	eation	Amount		Packer				
PLUGS USED A	ND DEPTH PLACED			BRIDGES	CASING AND TUBING			
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONST	RUCTION-LOCATION	RECOVERED	SIZE	LOST	
					13 (2)	Teler		
					86-8-1	hower	der zall.	
Perk, top			8/18/8	1309574	12		igo galili	
molfod fault			anna de America de 19	4010	a Cinari		toris si	
Tork top			- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1				process of the state of the sta	
monod_1139				r deal			ate Qui, les l	
	e antigen e septembre e de la fact de la fac			Selection of the select	2501 \	gride, Na	is real or	
deC79.0/	3.996	COMPOSING	0.0484	** 46			amii	
				and the second	2801		managar x	
entions of engine	man with com-	Se topo special.	ENT PERM	was to too wild				
						, - 6 6		
rillers' Names						· bnor		
Timers Tyames	63.7073		To the second	7991			TOTAL STREET	
emarks:				lton	Wilson Ho		eyi vədir	
				ards	Harry Sov			
56'-1366': Big	61: sand 13	2612135	F.E. and					
56'-1366'; Big		निक्षेत्र : विदेश	851-149	Injun Sand It	-14851:	13661		
DATE	I hereby certify I vi	isited the abo	ve well on	this date.				
						03-	7_22	

08/25/2023



	Latitude 38° 10'				
-1 Syptom					
	, C				
-2					
-3 Zh	20/10 20/10 20/10				
1 × 1 × 1 × 1 × 1 × 1 × 1 × 1 × 1 × 1 ×					
	stake 2				
Maple & Beech Stumps at Forks of Branch Forks	o' Stake				
w/ to	WELL LOC. No. on Ridge, edge Stake on Wit. Hickory Stake on Wit. Hickory				
Z C. O. on Rocky Point	263' 266' N80'E N79'E Road, N79'E				
W. O. down on Ridge by Road of Pack	ASO. ASO. M. T. T. B. A. S. C. M. T. T. T. B. A. S. C. M. T. T. T. B. A.				
	See Melley				
New Location⊠ Drill Deeper□ Abandonment□	Being U. G. BARTRAM				
Company R. H. ADKINS Address HAMLIN, W. VA.	STATE OF WEST VIRGINIA				
Farm UNITED FUEL GAS CO. MIN.	DEPARTMENT OF MINES OIL AND GAS DIVISION CHARLESTON				
Tract 478 Acres 54 Lease No	WELL LOCATION MAP				
Elevation (Spirit Level) 880'	FILE NO. WAY-1190				
Quadrangle LDUISA, KY W. VA. County WAYNE District BUTLER	+ Denotes location of well on United States				
Engineer WAYNE District BUTLER	Topographic Maps, scale 1 to 62,500, lat- itude and longitude lines being represented				
Engineer's Registration No. 3148	by border lines as shown.				
File No. 75 Drawing No	 Denotes one inch spaces on border line of original tracing. 				
K-E 156 IMPERIAL 60046					