

DEPARTMENT OF MINES

OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

To THE DEPARTMENT OF MINES, Charleston, W. Va.		
Charleston, W. Va.	Franklin Adkins d b a	
	Adkins Drilling Co.	
COAL OPERATOR OR COAL OWNER	NAME OF WELL OPERATOR	
	522 - 21st St., Huntington, W.	.Va.
ADDRESS	COMPLETE ADDRESS	
	3 July	10 59
COAL OPERATOR OR COAL OWNER	PROPOSED LOCATION	, 19
ADDRESS	Butler	District
	Wayne	
United Fuel Gas Co., a corporation	38015	County
OWNER OF MINERAL RIGHTS	Well No. 2 820 30' 6.	780'
Charleston, W.Va.	Albert Ross Farm	700
ADDRESS	United Fuel Gas Mineral	F
GENTLEMEN:	10 f acred	Farm
The undersigned well operator is entitled to dr		
oil and gas, having fee title thereto, (or as the case m		
, made by	United Fuel Gas Co., a corporat	tion, to
Adkins Drilling Co.	and recorded on the	22 day
of May 1959 , in	the effect of the Control of the	- uay
Book 50 , page 178 .	the office of the County Clerk for said	County in
The enclosed plat was prepared by a competent to be drilled for oil and gas by the undersigned well open and County above named, determined by survey and colland marks. The undersigned well operator is informed and be of coal beneath said farm or tract of land on which said aries of the same, who have mapped their workings are coal operators or coal owners (if pres) where	erator on the farm and in the Magistericourses and distances from two permanent elieves there are no coal operators operad well is located, or within 500 feet of the died their many as required by the second filed their many as the second filed filed the second filed the second filed the second filed filed the second filed filed filed filed filed file	al District points, or ating beds
The above named coal operators or coal owners (if any) above named as The above named coal operators or coal owners (if desire to make to such proposed location, or which they the drilling of a well at said proposed location will cause coal mines, must be received by, or filed with the Departm a copy of this notice and accompanying plat by said De that forms for use in making such objections will be fully on request and that all such objections must set forth as grounds on which such objections are based and indicate the moved to overcome same.	any) are notified that any objections are required to make by Section 3 of said a dangerous condition in or about their nent of Mines within ten* days from the partment. Said coal operators are further partment of them by the Department of Mines definitely as is reasonably possible the	d Code, if respective receipt of er notified s promptly
(The next paragraph is to be completed only in	Department's copy.)	
Copies of this notice and the enclosed plat were m		the shove
named coal operators or coal owners at their above shown on the same day with the mailing or delivery of the West Virginia.	own respective address day	hafana
	ly yours,	
678010	Franklin Adkins d b a	
150 0001113	Adkins Drilling Co.	
*Section 3		
JUL 1959 Address of Well Operator WEST OF MINES OF	522 - 21 st St.	
RECEIVED of Well Operator	STREET	
WEST VIRGINIA Well Operator	Huntington	
WEST VIRGINES WELL OPERATOR)	W.Va.	25/2023
E020- 11700	a.	
*Soction 2 College *	STATE	
*Section 3 If no such objections be filed or be for the days from the receipt of said notice and plat by the department shall forthwith issue to the well operator a drilling per nave been made by the coal operators to the location, or for approved and the well operator authorized to proceed to drilling the same of the sa	mit reciting the filing of such plat, that no	he depart-

9 WAY-1209

PERMIT NUMBER

Franklin Adkins 6 b a Adicine Drilling Co. 522 - 21st St., Huntington, W.Va. VINT F

United Fuel Gas Co., a corporation Charleston, W.Va. United Fuel Cas Minorel oil and gas, having fee tills therete, (or as use case may be) under grant or less visited 16 January 1959 madenyUnited Fuel Cas Co., a corporation to Adding Drilling Co. day on the country of the SZ day

Very unly yours.


Franklin Adkins d o s
Adkins willing do.

522 - 21 st St.

Huntington

.sV.W

08/25/2023



. N.10 - . . July 7, 1959 Adkins Drilling Company c/o Franklin Adkins 522 - 21st Street Huntington, West Virginia Dear Sirs: Enclosed is permit WAY-1209 for drilling Well No. 2 on Albert Ross Farm, Butler District, Wayne County. Please post one copy of the permit at the well site. When drilling is completed, please send us two copies of the well record. Very truly yours, Crawford L. Wilson, Director DEPARTMENT OF MINES BY Assistant Director OIL AND GAS DIVISION MG:g encl cc Mr. James W. Pack, Inspector Mr. R. C. Tucker, Assistant State Geologist 08/25/2023

- Glas 7	Color	Hard or Soft	Top 8	Bottom	Oil, Gas or Water	Depth Found	Remarks
e Shel te fee Sh ea Gri al Dep	ale t	Soft Soft	1866 1876 1900 1920 1940 7830 7830 7820 7820 7820 7820 7820 7820 7820 782	1876 1900 1920 1935 1935 1270 1280 1290 1280 1290 1280 1290 1280 1280 1280 1280 1280 1280 1280 128		rd and Li	1514 mey
Laco de			0 40 50 50 70 70 250 250 250 250 250 250	40. 40. 40. 55. 50. 50. 50. 516. 516. 497.	Hole full	water at l	5
	Color	Han) or Soft	Top	- Batton	ou water	Topin	Remarks
	SETE.	REATMENT			040 14	14 - 15 - 15 - 15 - 15 - 15 - 15 - 15 -	
Mone			ibla, lat 24 hi	COAL WAS	CH INCOUNTERED	oca in	EAL TAG
180 Prosure None	too Mo	dll 10 in in in	DO40 In the part of the part	CASING ON DOAL WAS	MENTED SECONDARIES OF THE SECOND	well. SIZE AT OPERATOR OF THE STATE OF THE	E C.E. TOYOUR THE CONTROL OF THE CON
auctice of the company of the compan	recognition of the control of the co	15, 1959 12, 1959 10, 1959 10, 1920 11, 15	Lycans to Gay, W. col Gas Co. marles con, 1940	M. SVA.	MENTED SECONDARIES OF THE SECOND	255 255 2535 55 well.	Hook Wall Stook Dith sol Of Lime Diff top Of the Company
the company of the co	Slat. Lycons Minora Ior radas evre re awned by reed Ave. 15/59 ps ess w 100, 00 100 ess w 1200	Stroot, Har- Surface Laurrice Marrice Address For Address Por Address Co. Addr	ine Lycans Gay, W, Cal das Co, Larles con, 1940	Sinc 18 19 19 10 10 10 10 10 10 10 10	1655 16 Jeft in 1940 ft MENTER	255 1535 55 well	Theresis Hoole Wall

By Franklin alk

Date 11/20/59

Owner, Owner

(Title)



STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION &

adrangle Louisa

Well No. 2

District Butler

Permit No. WAY - 1209

CompanyADKINS DRILLING CO., Franklin Adkins dba

_Elev. 780

Charleston,

1940

Inch

_Cu. Ft.

hrs.

___bbls., 1st 24 hrs.

Address Fort Gay, W. Va. 84

Wayne

Address 522 21st. Street, Huntington, W. Va. Tubing

County

Farm L. L. Lycans - Surface Acres 104
Location Waters Mineral Hurrican Creek

The surface of tract is owned in fee by L. Lycans

Address

Drilling commenced Aug. 15; 1959

Drilling completed Oct. 12, 1959

With 4000 lbs Gas Well B

Open Flow shotth Water in____

Date Shot 10/13/59 From 1920 To

/10ths Merc. in

No

Mineral rights are owned by United Fuel Gas Co.

WELL RECORD

Size

65/8 711

Liners Used

2" tubing

CASING CEMENTED_

FEET__

W. 5 3 216_

Used in Drilling

255

1535

COAL WAS ENCOUNTERED AT____

SIZE

FEET____INCHES___FEET__

_INCHES__

Oil or Gas Well___ Gas Left in Well Packers Kind of Packer_ Hook Wall 15 Size of___ 255 1535 Depth set_ Big Lime Perf. top____ Perf. bottom____ Perf. top____ left in well Perf. bottom_ 1940 ft.

FEET_

_INCHES

INCHES

WELL FRACTURED_

Rock Pressure 420

Oil None

WELL ACIDIZED_

Volume 180

RESULT AFTER TREATMENT_

ROCK PRESSURE AFTER TREATMENT

Fresh Water 52	2 ft.	Feet		Salt Water	840 ft.	Feet	
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth	Remarks
Surface Rock Slate Sand Sande Sand Broken Sand Slate Sand Slate Broken Sand Slate Broken Sand Slate Sand Slate			0 12 40 50 55 70 100 250 265 290 315 470 497 533	12 40 50 55 70 100 250 265 290 315 470 497 533 670	Hole full 1	NOV 19 WEST VIRG	5262/0003031 59
Sand Slate Salt Sand Water Sand Sand Slate Big Lime Engin Sand Sand Slate Lime Shell Slate Shell Shells Slate	S		670 730 750 840 860 1095 1150 1350 1380 1510 1525 1537 1840 1855	1095 1150	Hole foull	of water at 1300 ld and Limm	15 840 314

(over)

OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

DATE			//		DIST 08/25/2023
8-26-59			Arc.	V. Po	rek
		id no llev svoda e	dr bottalv I vy	I horeby cox	GOST CHARACTER
				3232426	WEST VIRGINIA DEPT. OF MINES
Remarks: Top S	Salt Sand 860; dril	ling depth	- 10001	83	SEP 1959
	Dessie Adkins			18	10311 311 23 45 6:
Drillers' Names	Harry Lowe				Rumanka L
Salt water 840	feetfee	t FEET	INC	HES	FEETINCHES
Fresh water 52	feetfee	t FEET	INC	HES	_FEETINCHES
Oil	bbls., 1st 24 hrs	. COAL WAS EN	NCOUNTEREL	AT	_FEETINCHES
Rock pressure	lbshrs				
Volume	Cu. Ft	. CASING CEME	NTED	SIZE	No. FTDate
Open flow after tubing_	/10ths Merc. inInch				Terr. bottom
Initial open flow	/10ths Water inInch	Liners Used			Perf. top Perf. bottom
Date shot	Depth of shot	2			Perf. bottom
Drilling completed	Total depth	3			Perf. top
Drilling commenced		5 3/16			
District	8-15-59	65%			Depth set
Rutler	Wayne	81/4	2551	e-000W	Size of
Well No. 2	Exa espáisis	13	151	A ATARO OU	distrancia
Farm_ Albert	Ross	16	NA.	cataloga	Kind of Packer
Address Hunting	l street ton, West Va.	Size			Filling Muterial Used
	Drilling Company	CASING AND TUBING	USED IN DRILLING	WELL	PACKERS MSIA9
		ENGGA		(KIN	COMPANY
Permit No. WAY-120					Gas Well Two

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No.				Wel	II No		
COMPANY	o IIO in		ADDRESS	I V	213	L_ off figure	
FARM	ML 1943 L 161 1	DISTRICT	r en	OUNTY	- mm		
Filling Material Used			\$100 Processor	Josida IS	- S		
rining material Oseu			• EV 3	cton, Wes	actor	Miacyrbo/	
Liner Loc	eation	Amount	Packer	Location	Just.	A	
PLUGS USED A	ND DEPTH PLACED	f	BRIDGES	CASING AND TUBING			
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST	
	· · · · · · ·		on the	11 07	All dis	il (1	
				(C-C1-b	Eanite	eggs geklist	
			<u> </u>				
Perf. 10g			[200	Enton Singit (
			and the second states	alatosti		10. 2.010	
Perf: top:				do Commence		A trace fatalo.	
Peri, buttom			West and Later work		nelgat r	Mr. Walterel	
			Andrew State of the Control of the C				
No. WT. L. Date	7.93	<u>Editations</u>	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
				V at			
TROM	0.9181 (1985) 0	Estate and Land				1	
STORES AND SOCIETY							
Drillers' Names			7		048	4170.03V_3190	
Remarks:							
			9WO	Harry L			
				Dessie			
	10	ch - 100	(860:; drilling dep	Salt Sand			
DATE	I hereby certify I	visited the abo	ve well on this date.				
DATE V							

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No. WAY-1209					r Gas Well Gas
Company Adkins Drilling Co.		CASING AND TUBING	USED !	N LEFT IN	PACKERS M9AM
522- 22nd. Street Address Huntington, W. Va.		Size			Filling Material Used
Farm Albert Ross		16	TA.	5 30038	Kind of Packer
ram		13			i mau solut
Well No. 2		10	151	along of the second sec	Size of
District Butler County Wayne		81/4	2551		A Remove the control of the control
Drilling commenced 8-15-59		65/8	15351		Depth set
		5 3/16			
Drilling completedTotal depth	_	3			Perf. top
Date shotDepth of shot		2			Perf. bottom
Initial open flow/10ths Water in	Inch	Liners Used			Perf. top
On the state of th	Total				Perf. bottom
Open flow after tubing/10ths Merc. in	Inch				
VolumeCu	u. Ft.	CASING CEMI	ENTED	SIZE	No. FTDate
Rock pressurelbs	_hrs.				
Oilbbls., 1st 24	hrs.	COAL WAS E	NCOUNTE	RED AT	FEETINCHES
Fresh water 52 feet feet	_feet	FEET		INCHES	FEETINCHES
Salt water 840 feet	_feet	FEET	•	INCHES	FEETINCHES
Drillers' NamesHarry Lowe					Remarks.
Dessie Adkins				319	1920212223
Remarks: Big Lime 1135'-1280'; o		ling dept		SANGE SANGES	SEP 1959 SOEIVED ST VIRGINIA TOF MINES
9-14-59			1	MILIP	ack
DATE			1	-00.4	DISTRICT WELL INSPECTOR

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No Well No								
COMPANY	9 TIO 190 - P.		ADDRESS			E Shirt states		
FARM	96.7533 BES	DISTRICT	r zight sight	OUNTY				
Filling Material Used				Proceedings				
Liner Loc	cation	Amount	Packer	Location				
PLUGS USED A	ND DEPTH PLACED		BRIDGES	CASIN	G AND TU	AND TUBING		
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST		
		XCN	SULE -		Tel.	The prince		
The Control of the Co				71-(1-3		grow e lifts		
					4.1	New Address of Table		
Pagit 80p			and the second s		ALCOHOLD DESCRIPTION OF THE PERSON OF THE PE	18.07 \$ (281)		
matted first			and the same of th	owiged		2,101 (0)		
Perf. bor								
e de la companya de l			the state of the s		Salta et a	Fig. 10 , 17 News		
HINE THOUSE			2 Mars 2 1 d (4 M)			17014		
			198 S	S. officers in		ally of its		
Philipio Turks	The Hand	BALLIAN SEE	Vendand militaria epin					
artar and a second					4 13 A			
Orillers' Names					24 (4)			
Timers Names		Section 1						
Remarks:			(416)	Harry I		14 16		
			pitahi					
			(2) (2) (2) (4) (4) (4) (4) (4) (4)	Charles Carl				
	I hereby certify I	visited the abo	ve well on this date.					
DATE	The state of the s	inc abo	OAA VALAD GENUUI					

DEPARTMENT OF MINES OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No. WAY-1209	naet A		Oil or	Gas Well 2
Adkins Drilling Company	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS MAIA
522 - 21st. Street Address Huntington, West Va.	Size			Filling Material Used
Farm Albert Ross	16	Nelson - Company	politica	Kind of Packer
auto trau	13	0.154	а неше бих	1920,800019 - 15
Well No. 2	10	AZZ SA	e-000W	Size of
District_ButlerCounty_Wayne	81/4			
Orilling commenced8-15-59	65/8			_ Depth set
	5 3/16			
Drilling completed 9-15-59 Total depth 1940	3			Perf. top
Date shot 10-13-59 Depth of shot 1935!	2			Perf. bottom
nitial open flow	Liners Used			Perf. top
				Perf. bottom
Open flow after tubing/10ths Merc. inInch			/c	16 11 10 12 COSISSO
/olumeCu. Ft.	CASING CEME	NTED	SIZE	No. FT. Date
Rock pressurelbshrs.			1213	
Dilbbls., 1st 24 hrs.		COUNTERED	AT E	DEPT VIRGINIA INCHES
resh water 52 feet feet	FEET	INCI		FEET CZ INCHES
Salt water 810 feet feet	FEET.	INCI	HES	FEETINCHES
Drillers' Names Harry Lowe				(emarks)
Dessie Adkins				
Remarks: Salt Sand 860; Big Lime 1135; from 1920'-1935' with 300 Lbs. Powder.				

10-13-59

Permit No. WAY-1209

DATE

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

FARM DISTRICT COUNTY Filling Material Used Liner Location Amount Packer Location PLUGS USED AND DEPTH PLACED BRIDGES CASING AND TUBING CEMENT-THICKNESS WOOD-SIZE LEAD CONSTRUCTION-LOCATION RECOVERED SIZE LOST Drillers' Names Remarks:	Permit No.						We	II No			
Filling Material Used Liner Location Amount Packer Location PLUGS USED AND DEPTH PLACED BRIDGES CASING AND TUBING CEMENT-THICKNESS WOOD-SIZE LEAD CONSTRUCTION-LOCATION RECOVERED SIZE LOST AMOUNT PLACED SIZE LEAD CONSTRUCTION-LOCATION RECOVERED SIZE LOST Drillers' Names Public Names Thereby certify I visited the above well on this date.	COMPANY				ADD	RESS			ecutif Ne		
Filling Material Used Liner Location Amount Packer Location PLUGS USED AND DEPTH PLACED BRIDGES CASING AND TUBING CEMENT-THICKNESS WOOD-SIZE LEAD CONSTRUCTION-LOCATION RECOVERED SIZE LOST PLUGS USED AND DEPTH PLACED BRIDGES CASING AND TUBING CEMENT-THICKNESS WOOD-SIZE LEAD CONSTRUCTION-LOCATION RECOVERED SIZE LOST PUBLICATION OF THE PROPERTY			игтал ил	DISTRIC							
Liner Location Amount Packer Location PLUGS USED AND DEPTH PLACED BRIDGES CASING AND TUBING CEMENT-THICKNESS WOOD-SIZE LEAD CONSTRUCTION-LOCATION RECOVERED SIZE LOST Drillers' Names Prillers' Names I hereby certify I visited the above well on this date.	Filling Material Us	Filling Material Used					let, Street	S - S	d greams		
PLUGS USED AND DEPTH PLACED CEMENT-THICKNESS WOOD-SIZE LEAD CONSTRUCTION-LOCATION RECOVERED SIZE LOST Drillers' Names Remarks: Drillers' Names Thereby certify I visited the above well on this date.	Liner Location Amount					Packer		· Propid	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1		
CEMENT-THICKNESS WOOD-SIZE LEAD CONSTRUCTION-LOCATION RECOVERED SIZE LOST Drillers' Names							Table 1		URING		
Drillers' Names Remarks: Overland and a state of the edge of the	The second second	aeiP I	The Name of State	LEAD	CONST			2			
Drillers' Names					N		nip?		Fil - Jointal		
Drillers' Names Remarks: Overland and a series of the se	and the second second	nysä 📙			840		86-57 - 8	Line	nine sailu		
Drillers' Names Remarks: Swall write and continued and c	901	30			65/33	1020 Lingsh	1	L= 1.500	gaso galain		
Drillers' Names Remarks: ONE TO SEE THE SEASE THE SEAS				-3	D. Commence of the Commence of			83-SE	DF tods als		
Drillers' Names Remarks: Swoll writell Smill and state of the state	toptop	Perf			self eronel	doub. Line to a Water	20 2001		h nago laita		
Drillers' Names Remarks: Swoil transit daiblia sisseu bone serse Jods : 1881-1881 task serse : 1881-1811 bank gid : 1886 bask sisse bone serse some said , bat end dode ad [Liw Hell . 1886] , add 008 nin 1889-1881 men	0103706	Perf			***	dont in	plor .	goide) i	ale woll neg		
Prillers' Names Remarks: Swoll within a process to the same of the same same in the same same of the same same in the same of the same same in the same same of the same same in the same same of the same same same of the same same of the same same of the same same same same same same same sam	F"F	0./L) ana	(THTVAM)	CASING 61	注版	000	473	Section of the section		
Prillers' Names Remarks: Swoll within a process to the same of the same same in the same same of the same same in the same of the same same in the same same of the same same in the same same of the same same same of the same same of the same same of the same same same same same same same sam		392				and	371		องเกรียกการ์วิธี		
Prillers' Names Remarks: OWAL WITCH SANDLA SPECIOUS The Destrolo made and filtre files and sold OOS white 12001-10001 recommended I hereby certify I visited the above well on this date.	pgurayı diri	Brastia:	The country	TATIOONS	14.37. 19.05b	val 10 val valdi			a se da		
Remarks: Swall write and sold	B.P.	Name of the last o						C3	<u> </u>		
bane send fods; 19891-19891; Peres Sand 1999; Show after a send to be send to	Drillers' Names	raa i	BORDWELL		ry	Joseph		0.50	CLOSEN BA		
bars said Stand 8691; Day Lime 11071-12801; Days and 19701-19351; Shot Bersa and out bars and out to bars and the and the above well on this date. I hereby certify I visited the above well on this date.	Remarks:						m I wewell				
bane series dods; 18891-10891 frank series; 10881-13811 gail; 1088 bank dise two benesio red a chief bank and dode ed fliv flet. reduced. add 008 high 18891-10891 red											
I hereby certify I visited the above well on this date.	Dores eand er cleaned out		. bat end			. Lbs. Towier.	Sand 6601; 51 with 300	\$81t (-193			
or_rr_nr	DATE	I	hereby certify I	visited the ab	oove well on	this date.		207	_01 <u>~</u> 01		

ROTOWERS LINEW TOURTERS.

